

# Intertek Testing Services


## RF VOLTAGE

EUT: MA401 rev.D  
Manuf: Netgear, Inc.  
Op Cond: LISN-L  
Operator: Jerry  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 20'C 56%RH Tx at low channel  
Date: 26. Nov 02 09:36

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |        |
|-------------|------|------|-------------------|----------|--------|-------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp |
| 150k        | 30M  | 8k   | 9k                | PK       | 20ms   | AUTO  | LN OFF |

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: MA401 rev.D  
Manuf: Netgear, Inc.  
Op Cond: LISN-N  
Operator: Jerry  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 20'C 56%RH Tx at low channel  
Date: 26. Nov 02 09:52

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |        |
|-------------|------|------|-------------------|----------|--------|-------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp |
| 150k        | 30M  | 8k   | 9k                | PK       | 20ms   | AUTO  | LN OFF |

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: MA401 rev.D  
 Manuf: Netgear, Inc.  
 Op Cond: LISN-L  
 Operator: Jerry  
 Test Spec: FCC 15 Class B  
 Comment: EMI RCV:835418/012  
 120V 60Hz 20'C 56%RH Tx at middle channel  
 Date: 26. Nov 02 10:06

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |        |
|-------------|------|------|-------------------|----------|--------|-------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp |
| 150k        | 30M  | 8k   | 9k                | PK       | 20ms   | AUTO  | LN OFF |

Final Measurement: x QP / + AV  
 Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: MA401 rev.D  
 Manuf: Netgear, Inc.  
 Op Cond: LISN-N  
 Operator: Jerry  
 Test Spec: FCC 15 Class B  
 Comment: EMI RCV:835418/012  
 120V 60Hz 20'C 56%RH Tx at middle channel  
 Date: 26. Nov 02 10:03

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |        |
|-------------|------|------|-------------------|----------|--------|-------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp |
| 150k        | 30M  | 8k   | 9k                | PK       | 20ms   | AUTO  | LN OFF |

Final Measurement: x QP / + AV  
 Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: MA401 rev.D  
Manuf: Netgear, Inc.  
Op Cond: LISN-L  
Operator: Jerry  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 20'C 56%RH Tx at high channel  
Date: 26. Nov 02 10:15

### Scan Settings (1 Range)

| ----- Frequencies ----- |      |      | ----- Receiver Settings ----- |          |        |         |        |
|-------------------------|------|------|-------------------------------|----------|--------|---------|--------|
| Start                   | Stop | Step | IF BW                         | Detector | M-Time | Atten   | Preamp |
| 150k                    | 30M  | 8k   | 9k                            | PK       | 20ms   | AUTO LN | OFF    |

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services

## RF VOLTAGE

EUT: MA401 rev.D  
 Manuf: Netgear, Inc.  
 Op Cond: LISN-N  
 Operator: Jerry  
 Test Spec: FCC 15 Class B  
 Comment: EMI RCV:835418/012  
 120V 60Hz 20'C 56%RH Tx at high channel  
 Date: 26. Nov 02 10:20

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |        |
|-------------|------|------|-------------------|----------|--------|-------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp |
| 150k        | 30M  | 8k   | 9k                | PK       | 20ms   | AUTO  | LN OFF |

Final Measurement: x QP / + AV  
 Meas Time: 1 s

