### Model: RM7756\_V2 BU (WIFI)

### Antenna description:

This antenna is optimized and used in the Baby Unit in the baby monitor models. This antenna is directly soldered to the RF output in the main PCB.

### Ordering information:


Model	Description
RM7756_V2 BU	2.4GHz dipole Antenna

### Specification:

Operation Frequency Range	2412-2472 MHz
Maximum Gain	0 dBi
Туре	dipole antenna (FPC)
Operation bandwidth	60MHz
Nominal Impedance	~50 ohms
Connectors	-
Dimensions	14mm x 30mm
Manufacturer	Vtech Telecommunications Ltd
Manufacturer address	23/F, Tai Ping Industrial Centre, Blk1, 57 Ting Kok Road, Tai Po, Hong Kong
Model number	ANT-RM7756V2-F-WI-1

Antenna pattern (2442MHz) (the frequency with maximum gain)

XY plane (gain theta)



### Coordination:



### Physical Dimension:




Figure 1 Physical dimension (mm)

### Model: RM7756\_V2 BU (BLE)

### Antenna description:

This antenna is optimized and used in the Baby Unit in the baby monitor models. This antenna is directly soldered to the RF output in the main PCB.

#### Ordering information:


Model	Description
RM7756_V2 BU	2.4GHz Monople Antenna

#### Specification:

Operation Frequency Range	2400-2480 MHz
Maximum Gain	0 dBi
Туре	Monopole antenna
Operation bandwidth	80MHz
Nominal Impedance	~50 ohms
Connectors	-
Dimensions	Shown in figure 1
Manufacturer	Vtech Telecommunications Ltd
Manufacturer address	23/F, Tai Ping Industrial Centre, Blk1, 57 Ting Kok Road, Tai Po, Hong Kong
Model number	ANT-RM7756V2-F-BT-1

Antenna pattern (2440MHz) (the frequency with maximum gain)

XY plane (gain theta)



### Coordination:



### **Physical Dimension:**




Figure 1 Physical dimension (mm)

### Model: RM7756\_V2 BU (FHSS)

### Antenna description:

This antenna is optimized and used in the Baby Unit in the baby monitor models. This antenna is directly soldered to the RF output in the main PCB.

#### Ordering information:


Model	Description
RM7756_V2 BU	2.4GHz dipole Antenna

### Specification:

Operation Frequency Range	2405-2475 MHz
Maximum Gain	0 dBi
Туре	dipole antenna (FPC)
Operation bandwidth	70MHz
Nominal Impedance	~50 ohms
Connectors	-
Dimensions	14mm x 30mm
Manufacturer	Vtech Telecommunications Ltd
Manufacturer address	23/F, Tai Ping Industrial Centre, Blk1, 57 Ting Kok Road, Tai Po, Hong Kong
Model number	ANT-RM7756V2-F-FH-1

Antenna pattern (2441MHz) (the frequency with maximum gain)

XY plane (gain theta)



Coordination:



### Physical Dimension:




Figure 1 Physical dimension (mm)