

Page: 1 of 8





RF EXPOSURE REPORT

FCC Applicant: Arlo Technologies Inc

2200 Faraday Avenue, Suite 150, Carlsbad, CA 92008, USA

Product Name: Go 2 LTE/Wi-Fi Security Camera

Aug. 25, 2021

Brand Name: Arlo

Model No.: VML2030

Model Difference: N/A

Report Number: ER/2021/70072

FCC ID 2APLE18300416

Date of EUT Received: Jul. 22, 2021

Approved By

We hereby certify that:

Issue Date:

The above equipment was evaluate by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §2.1091 and RSS-102.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所持力有成功 * 上報音の希腊貿別風之(株田貿里 / 同時山條田間集所留90人 本報音 未発音 不要本名 中国国市 リ * 不り高田市 段 を This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 2 of 8

Revision History									
Report Number Revision Description Issue Date Revised By									
ER/2021/70072	Rev.00 Original.		Aug. 25, 2021	Yami Kuo					

Note:

1 \ Antenna information is provided by the applicant, test results of this report are applicable to the sample EUT received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所分分類の例 上報告の報告を表現しません。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**PROTECT TRANSACTION OF SGS Taiwan Ltd.



Page: 3 of 8

Contents

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	4
	1.1 Product Description	4
	1.2 Antenna Information:	5
	1.3 RATED POWER	5
2	FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)	6
	2.1 FCC Standard Applicable	6
	2.2 ISED STANDARD APPLICABLE	7
	2.3 POWED DENSITY CALCULATION (MODET CASE)	Ω

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所分分類の例 上報告の報告を表現しません。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**PROTECT TRANSACTION OF TRANSACTION OF

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 4 of 8

DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

Product Description

Product Name:	Go 2 LTE/Wi-Fi Security Camera					
Brand Name:	Arlo					
Model No.:	VML2030					
Model Difference:	N/A					
Hardware Version:	H4					
Firmware Version:	EC25V.R02.A14					
EUT Series No.:	A8KU1679A00D0					
WWAN Module:	Model No.:EC25-V Supplier:Quectel Wireless Solutions Company Limited					
Dower Supply	3.6Vdc from Rechargeable Li-polymer Battery or 5 / 9 / 12 / 15 / 20Vdc from AC/DC Adapter					
Power Supply:	Battery: Model No.: A-14 Supplier: Celxpert					
IMEI:	353150660000460					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所分分類の例 上報告の報告を表現しません。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**PROTECT TRANSACTION OF TRANSACTION OF

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

f (886-2) 2298-0488 www.sgs.com.tw



Page: 5 of 8

1.2 **Antenna Information:**

1.2.1 **WWAN**

Antenna Type	Antenna Part No.	Main
PIFA	Ant0	Main

Operating Frequency (MHz)								
LTE-Band 4	1710	~	1755	2.5				
LTE-Band 13	777	~	787	-0.8				

1.3 **Rated Power**

1.3.1 **WWAN:**

							FCC				ISED			
Operating Free	quency (Mi	Hz)		Module	Max. Output Power (dBm)	Antenna Gain (dBi)	EIRP / ERP (dBm)	Operation Distance (cm)		Margin	FCC Worst Case	_	Margin	IC Worst Case
LTE-Band 4	1710	~	1755	EC-25_V	23.50	2.50	26.00	20	0.08	-0.92		0.79	-3.45	
LTE-Band 13	777	~	787	EC-23_V	23.50	-0.80	22.70	20	0.04	-0.48	V	0.37	-2.10	V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所分分類の例 上報告の報告を表現しません。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**PROTECT TRANSACTION OF TRANSACTION OF



Page: 6 **of** 8

2 FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)

2.1 FCC Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time					
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm ²)	(minute)					
Limits for General Population/Uncontrolled Exposure									
0.3-1.34	614	1.63	*(100)	30					
1.34-30	824/f	2.19/f	*(180/f ²)	30					
30-300	27.5	0.073	0.2	30					
300-1500	/	/	f/1500	30					
1500-100000	/	/	1.0	30					

f = frequency in MHz

Prediction of MPE limit at a given distance

 $S=PG/4\pi R^2$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產樂園區五工路 134 號**有限公司** t (886-2) 2299-3279 f (886-2) 2298-0488

^{* =} Plane-wave equipment power density



Page: 7 of 8

2.2 **ISED Standard Applicable**

This submittal(s) (test report) is intended to comply with RSS-102 issue 5 Radio frequency Radiation Exposure requirement.

This is a Mobile device, the MPE is required.

Limits for Maximum Permissive Exposure (MPE)

RF Field Strength Limits for Devices Used by the General Public (Uncontrolled Environment)									
Frequency Range (MHz)	Electric Field (V/m rms)	Magnetic Field Strength (A/m rms)	Power Density (W/m²)	Reference Period (minutes)					
0.003-10	83	90	i	Instantaneous*					
0.1-10	•	0.73/ f	i	6**					
1.1-10	87/ f ^{0.5}	-	i	6**					
10-20	27.46	0.0728	2	6					
20-48	58.07/ f ^{0.25}	0.1540/ f ^{0.25}	8.944/ f ^{0.5}	6					
48-300	22.06	0.05852	1.291	6					
300-6000	3.142 f ^{0.3417}	$0.008335 f^{0.3417}$	$0.02619f^{0.6834}$	6					
6000-15000	61.4	0.163	10	6					
15000-150000	61.4	0.163	10	616000/ f ^{1.2}					
150000-300000	0.158 f ^{0.5}	4.21 x 10-4 f ^{0.5}	6.67 x 10-5 <i>f</i>	616000/ f ^{1.2}					

F = frequency in MHz

Maximum Permissible Exposure (MPE) Evaluation

Prediction of MPE limit at a given distance

 $S=PG/4\pi R^2$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所持力有成功 * 上報音の希腊貿別風之(株田貿里 / 同時山條田間集所留90人 本報音 未発音 不要本名 中国国市 リ * 不り高田市 段 を This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taiwan Ltd.

^{* =} Based on nerve stimulation (NS).

^{** =} Based on specific absorption rate (SAR)



Page: 8 of 8

2.3 Power Density Calculation (Worst Case)

FCC Standalone MPE

i oo otamaalono iiii E									
Operation Mode	Evaluation Frequency (MHz)	•	Max. output Power (dBm)	Antenn a Gain (dBi)	Max. output Power EIRP (mW)	Power Density (PD) (mW/cm ²	Limit (mW/cm ²	Pass / Fail	Power Density / Limit
LTE-Band 4	1755.00	20	23.5	2.50	398.11	0.079	1.000	Pass	0.079
LTE-Band 13	777.00	20	23.5	-0.80	186.21	0.037	0.518	Pass	0.072

ISED Standalone MPE

Operation Mode	Evaluation Frequency (MHz)	Operation Distance (cm)	Max. output Power (dBm)	Antenn a Gain (dBi)	Output Power EIRP (mW)	Power Density (PD) (W/m²)	Limit (W/m ²)	Pass / Fail	Power Density / Limit
LTE-Band 4	1755.00	20	23.5	2.50	398.11	0.792	4.318	Pass	0.184
LTE-Band 13	777.00	20	23.5	-0.80	186.21	0.371	2.474	Pass	0.150

Note: For conservativeness, the lowest uplink frequency of each band is used to determine the MPE limit of that band.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所分分類の例 上報告の報告を表現しません。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**PROTECT TRANSACTION OF TRANSACTION OF