





Wireless Switch

本设备需要连接SONOFF ZigBee网关进行智能操作,可与其他产品互联互通。

①设备支持其他无线协议为ZigBee 3.0的网关,具体 以实际产品为准。

取出电池绝缘片





使用说明

1. 下载APP







2. 添加子设备

添加子设备前,请先连接网关。





打开eWeLink APP,选择要连接的网关,点击 "添加" 子设备,然后长按设备 "RST" 重置按钮 5秒直至LED指示灯闪烁3下,设备进入配对状态, 等待设备连接。

注意:如添加失败,请将设备移近网关后再重新添加。

SONOFF ZigBee网关支持同时连接 多个子设备





先将网关通电,打开eWeLink APP网关页面,点击添加,然后设置让所需配对的子设备进入配对状态,等待设备连接。

安装方法

方法1: 直接放置桌面使用。



方法2: 撕下3M胶保护膜, 粘贴在所需区域即可



注意:请勿安装在金属表面,否则会影响无线通讯距离。

产品参数

产品型号: SNZB-01 电池型号: CR2450

T作电压: 3V

无线连接: ZigBee (IEEE 802.15.4)


工作温度: -10-40℃

工作湿度:10-90%RH(无冷凝)

外壳材料: PC

产品介绍

产品规格: 43x43x16mm



产品特点

SNZB-01是一款低功耗遥控无线开关,可任意 移动位置,即贴即用,还可通过添加场景联动 设置控制其他设备。







低功耗

场景联动

电量低消息推送

按键动作

用户可根据需要选择单击、双击或者长按让设备 执行设置的指令。

删除子设备

长按子设备重置按钮5秒直到LED指示灯闪烁3 下,此时子设备已在网关中删除。



提醒: 用户还可在APP子设备界面中删除子设备。

The device can be operated intelligently via working with the SONOFF ZigBee Bridge to communicate with other devices.

① The device can work with other gateways supporting ZigBee 3.0 wireless protocol. Detailed information is in accordance with the final product.

Pull out the battery insulation sheet





Operation instruction








2. Add sub-devices

Connect the Bridge before adding the sub-device



Access eWeLink APP, select the Bridge that you want to connect, and tap "Add" to add a sub-device. Then long press "RST" reset button on the device for 5s until the LED indicator flashes three times, which means the device has entered the pairing mode, and be patient until pairing completes.

① If the addition failed, move the sub-device closer to the Bridge and try again.

SONOFF ZigBee Bridge supports connecting multiple sub-devices at the same time.



Power the Bridge on, access the Bridge page in the educink APP, and tap "Add". Then set the sub-device to be pair to the pairing mode, and be patient until the pairing completes.

Installation methods

1. Placed on the desktop for use.



Tear off the protective film of the 3M adhesive and stick the device on the desired area.



① Do not install on the metal surface, otherwise it will affect the wireless communication distance.

Specifications

Model: SNZB-01 Battery model: CR2450

Working voltage: 3V


Wireless connection: ZigBee (IEEE 802.15.4)

Working temperature : -10-40°C Working humidity: 10-90%RH (non-condensing)

Material: PC

Dimension: 43x43x16mm

Product Introduction



Manual switch

Features

SNZB-01 is a ZigBee low-energy wireless switch that allows you to move to any place. Peel and stick. Connect it with the Bridge and you can create a smart scene to trigger other devices.







Low-energy

Low battery notification

Button action instruction

You can select to click once, click twice or long press the wireless switch to control the connected device for various functions.

Delete sub-devices

Long press the reset button on the sub-device for 5s until the LED indicator flashes three times. In this case, the sub-device is deleted from the Bridge successfully.



Users can delete sub-devices directly from the sub-device page on APP.

FCC Statement

The explorer has been sweet and board out comply with the histole has Gasas if digital drives, pursuant to gas it 5 of the PCC Publiss. These limits are designed to provide reasonable protection special harmful inferences in a residential invalidation. This explorer generates, uses and can include a risks in legarity among sent of the provided provided in the provided out with the instructions, may cause instantial interference to and communications. However, there is no apparatise that interference will one could be a plactually institute in the applicate discuss can harmful interference will not come a plactual institution.

interference to radio or television reception, which can be determined by turning the equip off and on, the user is encouraged to try to correct the interference by one or more of the

following measures: --Recrient or relocate the receiving antenna

Increase the separation between the equipment and receiver

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected

-- Consult the dealer or an experienced radio/TV technician for help.

This device compiles with part 15 of the FCC Rules. Operation is subject to the following two

conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Radiation Exposure Statement

This transmitter must not be co-located or operating in conjunction with any other antenns

or transmitter.

This assument should be installed and operated with minimum distance 20cm between the

This equipment complies with FCC radiation exposure limits set forth for a

radiator& your bod

Caution

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.



Shenzhen Sonoff Technologies Co., Ltd.

1001. BLDG8. Lianhua Industrial Park. shenzhen. GD.

China
ZIP code: 518000
Website: sonoff.tech

MADE IN CHINA

