

PCTEST ENGINEERING LABORATORY, INC.

7185 Oakland Mills Road, Columbia, MD 21046 USA Tel. 410.290.6652 / Fax 410.290.6654 http://www.pctest.com



MEASUREMENT REPORT LTE

Applicant Name:

LG Electronics MobileComm U.S.A 1000 Sylvan Avenue Englewood Cliffs, NJ 07632 **United States**

Date of Testing: 3/22-5/17/2018 **Test Site/Location:**

PCTEST Lab. Columbia, MD, USA

Test Report Serial No.: 1M1804240083-03-R1.ZNF

FCC ID: ZNFQ710AL

APPLICANT: LG Electronics MobileComm U.S.A

Application Type: Certification Model: LG-Q710AL

Additional Model(s): LGQ710AL, Q710AL, LG-Q710PL, LGQ710PL, Q710PL

EUT Type: Portable Handset

Classification: PCS Licensed Transmitter Held to Ear (PCE)

FCC Rule Part(s): 22, 24, & 27

Test Procedure(s): ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

This revised Test Report (S/N: 1M1804240083-03-R1.ZNF) supersedes and replaces the previously issued test report (S/N: 1M1804240083-03.ZNF) on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.







FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	(LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 1 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset		Page 1 of 179



TABLE OF CONTENTS

1.0	INTE	RODUCTION	5
	1.1	Scope	5
	1.2	PCTEST Test Location	5
	1.3	Test Facility / Accreditations	5
2.0	PRO	DDUCT INFORMATION	6
	2.1	Equipment Description	6
	2.2	Device Capabilities	6
	2.3	Test Configuration	6
	2.4	EMI Suppression Device(s)/Modifications	6
3.0	DES	CRIPTION OF TESTS	7
	3.1	Measurement Procedure	7
	3.2	Block C Frequency Range	7
	3.3	Block A Frequency Range	7
	3.4	Cellular - Base Frequency Blocks	7
	3.5	Cellular - Mobile Frequency Blocks	7
	3.6	PCS - Base Frequency Blocks	8
	3.7	PCS - Mobile Frequency Blocks	8
	3.8	AWS - Base Frequency Blocks	8
	3.9	AWS - Mobile Frequency Blocks	8
	3.10	BRS/EBS Frequency Block	9
	3.11	Radiated Power and Radiated Spurious Emissions	10
4.0	MEA	SUREMENT UNCERTAINTY	11
5.0	TES	T EQUIPMENT CALIBRATION DATA	12
6.0	SAM	IPLE CALCULATIONS	13
7.0	TES	T RESULTS	14
	7.1	Summary	14
	7.2	Occupied Bandwidth	16
	7.3	Spurious and Harmonic Emissions at Antenna Terminal	48
	7.4	Band Edge Emissions at Antenna Terminal	79
	7.5	Peak-Average Ratio	135
	7.6	Additional Maximum Power Reduction (A-MPR)	142
	7.7	Radiated Power (ERP/EIRP)	144
	7.8	Radiated Spurious Emissions Measurements	151
	7.9	Frequency Stability / Temperature Variation	166
8.0	CON	ICLUSION	179

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	(LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 2 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset		Page 2 of 179





MEASUREMENT REPORT



Part 22, 24, & 27

		20 Dula		RP	EIRP			
Mode	FCC Rule Part	Tx Frequency (MHz)	Max. Pow er (W)	Max. Pow er (dBm)	Max. Pow er (W)	Max. Pow er (dBm)	Emission Designator	Modulation
LTE Band 12	27	699.7 - 715.3	0.076	18.83	0.125	20.98	1M09G7D	QPSK
LTE Band 12	27	699.7 - 715.3	0.061	17.87	0.100	20.02	1M10W7D	16QAM
LTE Band 12	27	700.5 - 714.5	0.076	18.79	0.124	20.94	2M70G7D	QPSK
LTE Band 12	27	700.5 - 714.5	0.063	17.97	0.103	20.12	2M71W7D	16QAM
LTE Band 12/17	27	701.5 - 713.5	0.078	18.89	0.127	21.04	4M54G7D	QPSK
LTE Band 12/17	27	701.5 - 713.5	0.062	17.90	0.101	20.05	4M54W7D	16QAM
LTE Band 12/17	27	704 - 711	0.077	18.85	0.126	21.00	9M05G7D	QPSK
LTE Band 12/17	27	704 - 711	0.063	17.96	0.103	20.11	9M04W7D	16QAM
LTE Band 13	27	779.5 - 784.5	0.067	18.25	0.110	20.40	4M55G7D	QPSK
LTE Band 13	27	779.5 - 784.5	0.052	17.17	0.085	19.32	4M54W7D	16QAM
LTE Band 13	27	782	0.069	18.37	0.113	20.52	9M03G7D	QPSK
LTE Band 13	27	782	0.054	17.31	0.088	19.46	9M03W7D	16QAM
LTE Band 26/5	22H	824.7 - 848.3	0.066	18.18	0.108	20.33	1M10G7D	QPSK
LTE Band 26/5	22H	824.7 - 848.3	0.054	17.32	0.089	19.47	1M09W7D	16QAM
LTE Band 26/5	22H	825.5 - 847.5	0.069	18.36	0.112	20.51	2M71G7D	QPSK
LTE Band 26/5	22H	825.5 - 847.5	0.054	17.31	0.088	19.46	2M72W7D	16QAM
LTE Band 26/5	22H	826.5 - 846.5	0.065	18.14	0.107	20.29	4M55G7D	QPSK
LTE Band 26/5	22H	826.5 - 846.5	0.051	17.10	0.084	19.25	4M55W7D	16QAM
LTE Band 26/5	22H	829 - 844	0.073	18.63	0.120	20.78	9M03G7D	QPSK
LTE Band 26/5	22H	829 - 844	0.059	17.68	0.096	19.83	9M03W7D	16QAM
LTE Band 26	22H	831.5 - 841.5	0.073	18.61	0.119	20.76	13M5G7D	QPSK
LTE Band 26	22H	831.5 - 841.5	0.056	17.50	0.092	19.65	13M5W7D	16QAM

EUT Overview (<1GHz)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 2 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 3 of 179



				RP		
Mode	FCC Rule Part	Tx Frequency (MHz)	Max. Pow er (W)	Max. Pow er (dBm)	Emission Designator	Modulation
LTE Band 4	27	1710.7 - 1754.3	0.260	24.15	1M09G7D	QPSK
LTE Band 4	27	1710.7 - 1754.3	0.226	23.55	1M09W7D	16QAM
LTE Band 4	27	1711.5 - 1753.5	0.266	24.24	2M70G7D	QPSK
LTE Band 4	27	1711.5 - 1753.5	0.224	23.50	2M71W7D	16QAM
LTE Band 4	27	1712.5 - 1752.5	0.274	24.39	4M54G7D	QPSK
LTE Band 4	27	1712.5 - 1752.5	0.222	23.46	4M54W7D	16QAM
LTE Band 4	27	1715 - 1750	0.273	24.36	9M05G7D	QPSK
LTE Band 4	27	1715 - 1750	0.228	23.59	9M02W7D	16QAM
LTE Band 4	27	1717.5 - 1747.5	0.270	24.32	13M6G7D	QPSK
LTE Band 4	27	1717.5 - 1747.5	0.220	23.43	13M5W7D	16QAM
LTE Band 4	27	1720 - 1745	0.249	23.96	18M0G7D	QPSK
LTE Band 4	27	1720 - 1745	0.212	23.26	18M0W7D	16QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.121	20.84	1M10G7D	QPSK
LTE Band 25/2	24E	1850.7 - 1914.3	0.095	19.77	1M09W7D	16QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.121	20.85	2M70G7D	QPSK
LTE Band 25/2	24E	1851.5 - 1913.5	0.097	19.87	2M72W7D	16QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.109	20.38	4M54G7D	QPSK
LTE Band 25/2	24E	1852.5 - 1912.5	0.088	19.45	4M54W7D	16QAM
LTE Band 25/2	24E	1855 - 1910	0.108	20.35	9M02G7D	QPSK
LTE Band 25/2	24E	1855 - 1910	0.090	19.56	9M05W7D	16QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.116	20.63	13M6G7D	QPSK
LTE Band 25/2	24E	1857.5 - 1907.5	0.100	19.98	13M5W7D	16QAM
LTE Band 25/2	24E	1860 - 1905	0.130	21.15	18M1G7D	QPSK
LTE Band 25/2	24E	1860 - 1905	0.093	19.70	18M0W7D	16QAM
LTE Band 41	27	2498.5 - 2687.5	0.274	24.38	4M54G7D	QPSK
LTE Band 41	27	2498.5 - 2687.5	0.233	23.68	4M54W7D	16QAM
LTE Band 41	27	2501 - 2685	0.289	24.60	9M09G7D	QPSK
LTE Band 41	27	2501 - 2685	0.273	24.36	9M02W7D	16QAM
LTE Band 41	27	2503.5 - 2682.5	0.306	24.85	13M5G7D	QPSK
LTE Band 41	27	2503.5 - 2682.5	0.274	24.37	13M5W7D	16QAM
LTE Band 41	27	2506 - 2680	0.319	25.03	18M1G7D	QPSK
LTE Band 41	27	2506 - 2680	0.242	23.83	18M0W7D	16QAM

EUT Overview (>1GHz)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dago 4 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 4 of 179



1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg F of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 5 of 179



2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **LG Portable Handset ID: ZNFQ710AL**. The test data contained in this report pertains only to the emissions due to the EUT's LTE function.

Test Device Serial No.: 00567, 00568, 00579, 00580, 01125, 01124

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 CDMA (BC0, BC1, BC10), 850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA, Multi-band LTE, 802.11b/g/n WLAN, 802.11a/n/ac UNII, Bluetooth (1x, EDR, LE)

LTE Band 12 (698 - 716 MHz) overlaps the entire frequency range of LTE Band 17 (704 - 716 MHz). Therefore, test data provided in this report covers Band 17 as well as Band 12.

LTE Band 26 (814.7 – 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz). Therefore, test data provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.

LTE Band 25 (1850 - 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: ZNFQ710AL	PETEST INCIDENTAL INC.	MEASUREMENT REPORT (CERTIFICATION)	⊕ LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dags 6 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset		Page 6 of 179



3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in the document titled "Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards" (ANSI/TIA-603-E-2016) and "Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems" (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

3.2 Block C Frequency Range


Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.

3.3 Block A Frequency Range

<u>698-746 MHz band</u>. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:


Block A: 698-704 MHz and 728-734 MHz; Block B: 704-710 MHz and 734-740 MHz; and Block C: 710-716 MHz and 740-746 MHz.

3.4 Cellular - Base Frequency Blocks



BLOCK 1: 869 – 880 MHz (A* Low + A) BLOCK 3: 890 – 891.5 MHz (A* High) BLOCK 2: 880 – 890 MHz (B) BLOCK 4: 891.5 – 894 MHz (B*)

3.5 Cellular - Mobile Frequency Blocks




BLOCK 1: 824 – 835 MHz (A* Low + A) BLOCK 3: 845 – 846.5 MHz (A* High) BLOCK 2: 835 – 845 MHz (B) BLOCK 4: 846.5 – 849 MHz (B*)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	(LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dog 7 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset		Page 7 of 179




PCS - Base Frequency Blocks 3.6




BLOCK 1: 1930 - 1945 MHz (A) BLOCK 4: 1965 - 1970 MHz (E) BLOCK 2: 1945 - 1950 MHz (D) BLOCK 5: 1970 - 1975 MHz (F) BLOCK 3: 1950 - 1965 MHz (B) BLOCK 6: 1975 - 1990 MHz (C)

PCS - Mobile Frequency Blocks 3.7




BLOCK 1: 1850 - 1865 MHz (A) BLOCK 4: 1885 - 1890 MHz (E) BLOCK 2: 1865 - 1870 MHz (D) BLOCK 5: 1890 - 1895 MHz (F) BLOCK 3: 1870 - 1885 MHz (B) BLOCK 6: 1895 - 1910 MHz (C)

3.8 **AWS - Base Frequency Blocks**



BLOCK 1: 2110 - 2120 MHz (A) BLOCK 2: 2120 - 2130 MHz (B) BLOCK 3: 2130 - 2135 MHz (C) BLOCK 4: 2135 - 2140 MHz (D) BLOCK 5: 2140 - 2145 MHz (E) BLOCK 6: 2145 - 2155 MHz (F)

3.9 **AWS - Mobile Frequency Blocks**




BLOCK 1: 1710 - 1720 MHz (A) BLOCK 4: 1735 - 1740 MHz (D) BLOCK 2: 1720 - 1730 MHz (B) BLOCK 5: 1740 - 1745 MHz (E) BLOCK 3: 1730 - 1735 MHz (C) BLOCK 6: 1745 - 1755 MHz (F)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	(L)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 9 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset		Page 8 of 179



3.10 **BRS/EBS Frequency Block**



FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 9 of 179
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Fage 9 of 179



3.11 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer "Channel Power" function with the integration band set to the emissions' occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168 D01 v03r01.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_{g [dBm]}$ – cable loss [dB].

The calculated P_d levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of 43 + $10log_{10}(Power_{[Watts]})$. For Band 41, the calculated P_d levels are compared to the absolute spurious emission limit of -25dBm which is equivalent to the required minimum attenuation of 55 + $10log_{10}(Power_{[Watts]})$.

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 10 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 10 of 179



MEASUREMENT UNCERTAINTY 4.0

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of k = 2 to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (±dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 11 of 179
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 11 01 179



5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	RE1	Radiated Emissions Cable Set (UHF/EHF)	6/21/2017	Annual	6/21/2018	RE1
-	LTx3	LIcensed Transmitter Cable Set	8/10/2017	Annual	8/10/2018	LTx3
Agilent	N9030A	PXA Signal Analyzer (26.5GHz)	8/28/2017	Annual	8/28/2018	MY49432391
Anritsu	MT8820C	Radio Communication Analyzer	1/30/2018	Annual	1/30/2019	6201300731
EMCO	3160-09	Small Horn (18 - 26.5GHz)	8/23/2016	Biennial	8/23/2018	135427
Espec	ESX-2CA	Environmental Chamber	3/28/2018	Annual	3/28/2019	17620
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	3/28/2018	Biennial	3/28/2020	128337
ETS Lindgren	3117	1-18 GHz DRG Horn (Medium)	12/1/2016	Biennial	12/1/2018	125518
ETS-Lindgren	3816/2NM	Line Impedance Stabilization Network	12/27/2016	Biennial	12/27/2018	114451
Mini Circuits	PWR-SEN-4GHS	USB Power Sensor	3/30/2018	Annual	3/30/2019	11401010036
Mini Circuits	TVA-11-422	RF Power Amp	N/A		N/A	QA1317001
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A		N/A	11208010032
Pasternack	NMLC-1	Line Conducted Emissions Cable (NM)	5/31/2017	Annual	5/31/2018	NMLC-1
Rohde & Schwarz	ESU40	EMI Test Receiver (40GHz)	7/31/2017	Annual	7/31/2018	100348
Rohde & Schwarz	CMW500	Radio Communication Tester	11/3/2017	Annual	11/3/2018	100976
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	4/19/2017	Annual	5/19/2018	100342
Rohde & Schwarz	CMW500	Radio Communication Tester	5/4/2017	Annual	5/4/2018	112347
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	7/3/2017	Annual	7/3/2018	102134
Rohde & Schwarz	CMU200	Base Station Simulator	5/22/2017	Annual	5/22/2018	109892
Rohde & Schwarz	TS-PR26	18-26.5 GHz Pre-Amplifier	5/11/2017	Annual	5/11/2018	100040
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	7/3/2017	Annual	7/3/2018	102133
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	7/3/2017	Annual	7/3/2018	102135
Seekonk	NC-100	Torque Wrench 5/16", 8" lbs	1/22/2018	Annual	1/22/2019	N/A
Sunol	DRH-118	Horn Antenna (1-18GHz)	8/11/2017	Biennial	8/11/2019	A050307
Sunol	JB6	Bi-Log Antenna (30M - 5GHz)	9/27/2016	Biennial	9/27/2018	A082816

Table 5-1. Test Equipment

Notes:

1. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 12 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 12 of 179



SAMPLE CALCULATIONS 6.0

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHzG = Phase Modulation 7 = Quantized/Digital Info D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHzW = Amplitude/Angle Modulated 7 = Quantized/Digital Info D = Data transmission, telemetry, telecommand

Spurious Radiated Emission – LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analzyer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of –30.9 dBm yielding –24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm – (-24.80).

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogg 12 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset		Page 13 of 179



7.0 TEST RESULTS

7.1 Summary

Company Name: <u>LG Electronics MobileComm U.S.A</u>

FCC ID: ZNFQ710AL

Classification: PCS Licensed Transmitter Held to Ear (PCE)

Mode(s): <u>LTE</u>

Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
2.1049	Occupied Bandwidth	N/A	CONDUCTED	PASS	Section 7.2
2.1051 2.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Out of Band Emissions	> 43 + 10log ₁₀ (P[Watts]) at Band Edge and for all out-of- band emissions		PASS	Section 7.3, 7.4
27.53(m)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)		PASS	Section 7.3, 7.4
24.232(d)	Peak-Average Ratio	< 13 dB		PASS	Section 7.5
2.1046	Transmitter Conducted Output Power	N/A		PASS	See RF Exposure Report
2.1055 22.355 24.235 27.54	Frequency Stability	< 2.5 ppm (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27)		PASS	Section 7.9

Table 7-1. Summary of Conducted Test Results

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 14 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset		Page 14 of 179



Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
22.913(a)(5)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 26/5)	< 7 Watts max. ERP		PASS	Section 7.6
27.50(b)(10) 27.50(c)(10)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 12/13)	< 3 Watts max. ERP		PASS	Section 7.6
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 25/2, 41)	< 2 Watts max. EIRP		PASS	Section 7.6
27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4)	< 1 Watts max. EIRP	RADIATED	PASS	Section 7.6
2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Undesirable Emissions	> 43 + 10log ₁₀ (P[Watts]) for all out-of-band emissions		PASS	Section 7.8
27.53(f)	Undesirable Emissions (Band 13)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz		PASS	Section 7.8
27.53(m)	Undesirable Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)		PASS	Section 7.8

Table 7-2. Summary of Radiated Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 7.5) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 4.8.
- 5) For operation <1GHz, the EIRP limits in the table above are referenced to the specifications written in the relevant Radio Standards Specifications for Innovation, Science, and Economic Development Canada.

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 15 of 179
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 15 of 179



7.2 **Occupied Bandwidth**

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 4.2

Test Settings

- 1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- 3. VBW \geq 3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2 7 were repeated after changing the RBW such that it would be within
 - 1 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-1. Test Instrument & Measurement Setup

Test Notes

None.

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dags 16 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset		Page 16 of 179



Band 12/17



Plot 7-1. Occupied Bandwidth Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-2. Occupied Bandwidth Plot (Band 12 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST INCIDENTAL INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dame 17 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 17 of 179





Plot 7-3. Occupied Bandwidth Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-4. Occupied Bandwidth Plot (Band 12 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 19 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 18 of 179





Plot 7-5. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-6. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 10 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 19 of 179





Plot 7-7. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-8. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST INCIDENTAL INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 20 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 20 of 179



Band 13



Plot 7-9. Occupied Bandwidth Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-10. Occupied Bandwidth Plot (Band 13 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 24 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 21 of 179





Plot 7-11. Occupied Bandwidth Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-12. Occupied Bandwidth Plot (Band 13 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST INCIDENTAL INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 22 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 22 of 179



Band 26/5



Plot 7-13. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-14. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 22 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 23 of 179





Plot 7-15. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-16. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 24 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 24 of 179





Plot 7-17. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-18. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST INCIDENTAL INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 25 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 25 of 179





Plot 7-19. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-20. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 26 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 26 of 179





Plot 7-21. Occupied Bandwidth Plot (Band 26 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-22. Occupied Bandwidth Plot (Band 26 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dago 27 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 27 of 179



Band 4



Plot 7-23. Occupied Bandwidth Plot (Band 4 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-24. Occupied Bandwidth Plot (Band 4 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST INCIDENTAL INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 20 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 28 of 179





Plot 7-25. Occupied Bandwidth Plot (Band 4 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-26. Occupied Bandwidth Plot (Band 4 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 20 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 29 of 179





Plot 7-27. Occupied Bandwidth Plot (Band 4 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-28. Occupied Bandwidth Plot (Band 4 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 20 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 30 of 179





Plot 7-29. Occupied Bandwidth Plot (Band 4 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-30. Occupied Bandwidth Plot (Band 4 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST INCIDENTAL INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 24 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 31 of 179





Plot 7-31. Occupied Bandwidth Plot (Band 4 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-32. Occupied Bandwidth Plot (Band 4 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 22 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 32 of 179





Plot 7-33. Occupied Bandwidth Plot (Band 4 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-34. Occupied Bandwidth Plot (Band 4 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 22 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 33 of 179



Band 25/2



Plot 7-35. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-36. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 24 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 34 of 179





Plot 7-37. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-38. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 25 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 35 of 179





Plot 7-39. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-40. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 26 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 36 of 179





Plot 7-41. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-42. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST INCIDENTAL INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 27 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 37 of 179





Plot 7-43. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-44. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ710AL	PETEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 39 of 170
1M1804240083-03-R1.ZNF	3/22-5/17/2018	Portable Handset	Page 38 of 179