



Declarations

U.S. Radio Frequency FCC Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

ISED RSS Warning:

This device complies with Innovation, Science and Economic Development Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

FCC RF Radiation Exposure Statement :

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

IC Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.

SMITH & NOBLE

Smart Hub

Quick Start Guide



Smith & Noble Smart Hub allows the user to link their motorized Shades, Blinds, and Draperies, into a Wi-Fi network, enabling Smart App control and interaction with other IoT products and Third Party integration.



Do not dispose of in general waste.
Please recycle batteries and damaged electrical products appropriately.

Product Certification





Step 1

Please scan the QR code below to download the Smith & Noble 3.0 Mobile App for motorized window coverings.



Step 2

Please scan the QR code below to learn more about linking the Smith & Noble Smart Hub with your home Wi-Fi router, setting up the Smith & Noble App, and establishing a connection with other IoT applications.



3rd Party Integration programs are available



SPECIFICATIONS

Input Voltage	USB Type C
Input Power	1000mA
Network	Wi-Fi 2.4Ghz only (802.11b/n/g) Ethernet
Shade Control Frequency	433.92 Mhz
Range	30 meters or 98 feet
Protection Class	IP20
Operating Temp	32°F to 104°F (0°C to 40°C)
Integration	Wi-Fi and Ethernet

Pairing & Programming



P-Box DD7006F

Status Indicator

COLOR	DURATION	MESSAGE
	Constant blue	Working fine
	Slow flashing red	Wi-Fi disconnected
	Slow flashing yellow	Wi-Fi connected
	Rapid flashing red	Bridge reset
	Slow flashing purple	Pairing in progress
	Slow flashing green	Upgrade in progress