

Antenna Specifications - cAPGi-5HaxD2HaxD

Table of Contents

Antenna System Description.....	2
Antenna Peak Gain information.....	2
Return Loss Results.....	3
Test Setup for Radiation Pattern Measurement.....	5
Radiation Pattern Results.....	6

Antenna System Description

<i>Frequency range</i>	2400~2500 MHz / 5150~5850 MHz
<i>Impedance</i>	50 Ohm Nominal
<i>Radiation</i>	Semi-directional Antenna System
<i>Beamwidth</i>	~180°

Antenna Peak Gain information

<i>Frequency Band (MHz)</i>	<i>Ant 1, dbi</i>	<i>Ant 2, dbi</i>	<i>Ant 3, dbi</i>	<i>Ant 4, dbi</i>
	<i>2.4 GHz / ch0</i>	<i>2.4 GHz / ch1</i>	<i>5 GHz / ch0</i>	<i>5 GHz / ch1</i>
2400~2500	5.9	5.9	-	-
5150~5250	-	-	5.45	5.45
5250~5350	-	-	5.35	5.35
5470~5725	-	-	6.2	6.2
5725~5850	-	-	6	6
5850~5895	-	-	5.6	5.6



MIKROTIK

Mikrotikls SIA (SIA "Mikrotīkls")

Address: Brīvības gatve 214i,

Rīga, LV-1039, Latvia


Phone: +371 67317700

Fax: +371 67317701


Email: Certification@mikrotik.com

Return Loss Results

Antenna 1 (2.4 GHz / ch0)



Antenna 2 (2.4 GHz / ch1)





MIKROTIK

Mikrotikls SIA (SIA "Mikrotīkls")

Address: Brīvības gatve 214i,


Rīga, LV-1039, Latvia

Phone: +371 67317700


Fax: +371 67317701

Email: Certification@mikrotik.com

Antenna 3 (5 GHz / ch0)




Antenna 4 (5 GHz / ch1)




Test Setup for Radiation Pattern Measurement

System diagram




Test setup picture




Radiation Pattern Results

Antenna 1 (ch0), Antenna 2 (ch1)



Antenna 3 (ch0), Antenna 4 (ch1)





MIKROTİK


Mikrotikls SIA (SIA "Mikrotīkls")

Address: Brīvības gatve 214i,
Rīga, LV-1039, Latvia

Phone: +371 67317700

Fax: +371 67317701

Email: Certification@mikrotik.com



--- END ---

Name: Edmunds Zvegincevs

Title: MikroTik Engineer, R&D

Email: certification@mikrotik.com

Phone: +371 67317700

Date: 2022-08-20