

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	23.68	25.93	33.01	PASS
Band2	TestMode	9262	23.67	25.92	33.01	PASS
Band2	TestMode	9400	24.13	26.38	33.01	PASS
Band2	Voice	9400	24.09	26.34	33.01	PASS
Band2	TestMode	9538	24.07	26.32	33.01	PASS
Band2	Voice	9538	24.07	26.32	33.01	PASS
Band4	Voice	1312	23.49	25.32	30.00	PASS
Band4	TestMode	1312	23.53	25.36	30.00	PASS
Band4	Voice	1413	23.42	25.25	30.00	PASS
Band4	TestMode	1413	23.52	25.35	30.00	PASS
Band4	TestMode	1513	23.48	25.31	30.00	PASS
Band4	Voice	1513	23.50	25.33	30.00	PASS
Band5	Voice	4132	23.80	18.01	38.45	PASS
Band5	TestMode	4132	23.74	17.95	38.45	PASS
Band5	TestMode	4183	23.91	18.12	38.45	PASS
Band5	Voice	4183	23.96	18.17	38.45	PASS
Band5	Voice	4233	23.58	17.79	38.45	PASS
Band5	TestMode	4233	23.57	17.78	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	22.66	24.91	33.01	PASS
Band2	9262	2	22.12	24.37	33.01	PASS
Band2	9262	3	22.18	24.43	33.01	PASS
Band2	9262	4	22.15	24.4	33.01	PASS
Band2	9400	1	23.11	25.36	33.01	PASS
Band2	9400	2	22.57	24.82	33.01	PASS
Band2	9400	3	22.63	24.88	33.01	PASS
Band2	9400	4	22.64	24.89	33.01	PASS
Band2	9538	1	23.05	25.3	33.01	PASS
Band2	9538	2	22.50	24.75	33.01	PASS
Band2	9538	3	22.56	24.81	33.01	PASS
Band2	9538	4	22.56	24.81	33.01	PASS

Band4	1312	1	22.53	24.36	30.00	PASS
Band4	1312	2	22.04	23.87	30.00	PASS
Band4	1312	3	22.08	23.91	30.00	PASS
Band4	1312	4	22.03	23.86	30.00	PASS
Band4	1413	1	22.53	24.36	30.00	PASS
Band4	1413	2	22.02	23.85	30.00	PASS
Band4	1413	3	22.06	23.89	30.00	PASS
Band4	1413	4	21.99	23.82	30.00	PASS
Band4	1513	1	22.53	24.36	30.00	PASS
Band4	1513	2	21.97	23.8	30.00	PASS
Band4	1513	3	22.02	23.85	30.00	PASS
Band4	1513	4	21.96	23.79	30.00	PASS
Band5	4132	1	22.77	16.98	38.5	PASS
Band5	4132	2	22.28	16.49	38.5	PASS
Band5	4132	3	22.36	16.57	38.5	PASS
Band5	4132	4	22.28	16.49	38.5	PASS
Band5	4183	1	22.94	17.15	38.5	PASS
Band5	4183	2	22.44	16.65	38.5	PASS
Band5	4183	3	22.49	16.7	38.5	PASS
Band5	4183	4	22.45	16.66	38.5	PASS
Band5	4233	1	22.61	16.82	38.5	PASS
Band5	4233	2	22.12	16.33	38.5	PASS
Band5	4233	3	22.13	16.34	38.5	PASS
Band5	4233	4	22.10	16.31	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	20.63	22.88	33.01	PASS
Band2	9262	2	21.14	23.39	33.01	PASS
Band2	9262	3	21.62	23.87	33.01	PASS
Band2	9262	4	20.64	22.89	33.01	PASS
Band2	9262	5	22.64	24.89	33.01	PASS
Band2	9400	1	21.08	23.33	33.01	PASS
Band2	9400	2	21.57	23.82	33.01	PASS
Band2	9400	3	22.10	24.35	33.01	PASS
Band2	9400	4	21.10	23.35	33.01	PASS
Band2	9400	5	23.10	25.35	33.01	PASS
Band2	9538	1	20.97	23.22	33.01	PASS
Band2	9538	2	21.50	23.75	33.01	PASS
Band2	9538	3	22.02	24.27	33.01	PASS

Band2	9538	4	21.03	23.28	33.01	PASS
Band2	9538	5	23.02	25.27	33.01	PASS
Band4	1312	1	20.51	22.34	30.00	PASS
Band4	1312	2	21.01	22.84	30.00	PASS
Band4	1312	3	21.53	23.36	30.00	PASS
Band4	1312	4	20.51	22.34	30.00	PASS
Band4	1312	5	22.54	24.37	30.00	PASS
Band4	1413	1	20.50	22.33	30.00	PASS
Band4	1413	2	21.01	22.84	30.00	PASS
Band4	1413	3	21.53	23.36	30.00	PASS
Band4	1413	4	20.51	22.34	30.00	PASS
Band4	1413	5	22.52	24.35	30.00	PASS
Band4	1513	1	20.47	22.3	30.00	PASS
Band4	1513	2	20.95	22.78	30.00	PASS
Band4	1513	3	21.49	23.32	30.00	PASS
Band4	1513	4	20.48	22.31	30.00	PASS
Band4	1513	5	22.50	24.33	30.00	PASS
Band5	4132	1	20.59	14.8	38.5	PASS
Band5	4132	2	21.10	15.31	38.5	PASS
Band5	4132	3	21.62	15.83	38.5	PASS
Band5	4132	4	20.63	14.84	38.5	PASS
Band5	4132	5	22.60	16.81	38.5	PASS
Band5	4183	1	20.75	14.96	38.5	PASS
Band5	4183	2	21.29	15.5	38.5	PASS
Band5	4183	3	21.80	16.01	38.5	PASS
Band5	4183	4	20.78	14.99	38.5	PASS
Band5	4183	5	22.40	16.61	38.5	PASS
Band5	4233	1	20.42	14.63	38.5	PASS
Band5	4233	2	20.95	15.16	38.5	PASS
Band5	4233	3	21.45	15.66	38.5	PASS
Band5	4233	4	20.47	14.68	38.5	PASS
Band5	4233	5	22.47	16.68	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	3.03	13	PASS
Band4	1413	3.04	13	PASS
Band5	4183	3.13	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth


Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1416	4.700	---	PASS
Band2	9400	4.1459	4.688	---	PASS
Band2	9538	4.1410	4.686	---	PASS
Band4	1312	4.1432	4.688	---	PASS
Band4	1413	4.1458	4.681	---	PASS
Band4	1513	4.1441	4.698	---	PASS
Band5	4132	4.1466	4.684	---	PASS
Band5	4183	4.1373	4.681	---	PASS
Band5	4233	4.1564	4.703	---	PASS


Test Graphs(WCDMA)




Band5-4132



Band5-4183



Band5-4233




AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-20.67	-13	PASS
Band2	9538	1910.00	-18.73	-13	PASS
Band4	1312	1710.00	-21.81	-13	PASS
Band4	1513	1755.00	-22.58	-13	PASS
Band5	4132	824.00	-19.70	-13	PASS
Band5	4233	849.00	-20.30	-13	PASS

Test Graphs(WCDMA)




AppendixE:Conducted SpuriousEmission

Test Result(WCDMA)

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-54.04	-43	PASS
Band2	9262	0.15~30MHz	0.15	-46.32	-23	PASS
Band2	9262	30~1000MHz	875.52	-44.97	-13	PASS
Band2	9262	1000~20000MHz	18592.1	-30.58	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-56.09	-43	PASS
Band2	9400	0.15~30MHz	0.16	-47.2	-23	PASS
Band2	9400	30~1000MHz	895.85	-44.98	-13	PASS
Band2	9400	1000~20000MHz	18607.3	-30.81	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-55.85	-43	PASS
Band2	9538	0.15~30MHz	0.15	-44.76	-23	PASS
Band2	9538	30~1000MHz	982.35	-45.3	-13	PASS
Band2	9538	1000~20000MHz	19045.57	-30.26	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-56.41	-43	PASS
Band4	1312	0.15~30MHz	0.15	-46.67	-23	PASS
Band4	1312	30~1000MHz	985.09	-45.42	-13	PASS
Band4	1312	1000~20000MHz	19962.63	-30.71	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-54.82	-43	PASS
Band4	1413	0.15~30MHz	0.15	-46.25	-23	PASS
Band4	1413	30~1000MHz	803.25	-44.68	-13	PASS
Band4	1413	1000~20000MHz	19969.6	-30.28	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-56.91	-43	PASS
Band4	1513	0.15~30MHz	0.17	-47.35	-23	PASS
Band4	1513	30~1000MHz	736.94	-45.21	-13	PASS
Band4	1513	1000~20000MHz	19931.6	-30.02	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-54.76	-33	PASS
Band5	4132	0.15~30MHz	0.15	-47.49	-13	PASS
Band5	4132	30~1000MHz	317.93	-53.98	-13	PASS
Band5	4132	1000~10000MHz	2476.6	-36.25	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-56.5	-33	PASS
Band5	4183	0.15~30MHz	0.15	-45.05	-13	PASS
Band5	4183	30~1000MHz	724.58	-55.15	-13	PASS
Band5	4183	1000~10000MHz	5319.1	-36.92	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-54.52	-33	PASS
Band5	4233	0.15~30MHz	0.15	-47	-13	PASS
Band5	4233	30~1000MHz	737.23	-54.3	-13	PASS
Band5	4233	1000~10000MHz	5897.5	-36.78	-13	PASS

Test Graphs(WCDMA)





JianYan Testing Group Shenzhen Co., Ltd.


No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.


Tel: +86-755-23118282, Fax: +86-755-23116366


Project No.: JYTSZR2502019











AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	0.40	0.000478	±2.5	Pass
	-20	0.36	0.000430		
	-10	-0.15	-0.000179		
	0	0.37	0.000442		
	10	-0.09	-0.000108		
	20	0.14	0.000167		
	30	0.46	0.000550		
	40	0.18	0.000215		
	50	-0.30	-0.000359		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.30	-0.03	-0.000036	±2.5	Pass
	3.87	-0.46	-0.000550		
	4.45	0.26	0.000311		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	0.24	0.000139	Within authorized band for BAND IV	Pass
	-20	2.09	0.001206		
	-10	0.97	0.000560		
	0	0.29	0.000167		
	10	1.71	0.000987		
	20	2.09	0.001206		
	30	0.97	0.000560		
	40	1.37	0.000791		
	50	0.98	0.000566		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.30	0.87	0.000502	Within authorized band for BAND IV	Pass
	3.87	1.19	0.000687		
	4.45	0.38	0.000219		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	4.34	0.002309	Within authorized band for BAND II	Pass
	-20	4.75	0.002527		
	-10	4.53	0.002410		
	0	4.26	0.002266		
	10	4.53	0.002410		
	20	4.33	0.002303		
	30	4.28	0.002277		
	40	4.26	0.002266		
	50	4.09	0.002176		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.30	4.09	0.002176	Within authorized band for BAND II	Pass
	3.87	4.20	0.002234		
	4.45	4.56	0.002426		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

