

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 1 of 56

TEST REPORT

Application No.: FYCR2208000318AT

Applicant: Radio Flyer Inc.

Address of Applicant: 6515 West grand Ave, Chicago, USA IL 60707

Manufacturer: Radio Flyer Inc.

Address of Manufacturer: 6515 West grand Ave, Chicago, USA IL 60707

Factory: Aigeni Technology Co., Ltd

Address of Factory: Area A, Donggang industrial park, Xishan district, Wuxi city, Jiangsu

Province, China

Equipment Under Test (EUT):

EUT Name: 850BK/850S Mid-step Cruiser; 851W/851R/851G/851BL Step Thru Cruiser

Model No.: 850BK, 850S, 851W, 851R, 851G, 851BL ♣

Please refer to section 2 of this report which indicates which model was

actually tested and which were electrically identical.

Trade Mark: FLYER

FCC ID: 2AMIG-85022

Standard(s): 47 CFR Part 15, Subpart C 15.247

Date of Receipt: 2022-08-21

Date of Test: 2022-08-22 to 2022-08-24

Date of Issue: 2022-08-30

Test Result: Pass*

Winkey Wang EMC Technical Manager

WinkeyWang



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Comditions/Terms-en/

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 2 of 56

| | Revision Record | | | | | | | |
|---------|-----------------|------------|----------|----------|--|--|--|--|
| Version | Chapter | Date | Modifier | Remark | | | | |
| 01 | | 2022-08-30 | | Original | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Authorized for issue by: | | |
|--------------------------|-----------------------------|--|
| | Jones Bao | |
| | Powell Bao/Project Engineer | |
| | WinkeyWarg | |
| | Winkey Wang/Reviewer | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Inserted the such entirely of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 3 of 56

2 Test Summary

| Radio Spectrum Technical Requirement | | | | | | | |
|--------------------------------------|-------------------------------------|--------|---|--------|--|--|--|
| Item | Standard | Method | Requirement | Result | | | |
| Antenna Requirement | 47 CFR Part 15, Subpart C 15.247 | N/A | 47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4) | Pass | | | |

| Radio Spectrum Matter Part | | | | | | |
|---|-------------------------------------|---|--|--------|--|--|
| Item | Standard | Method | Requirement | Result | | |
| Conducted Peak Output Power | | ANSI C63.10 (2013) Section 11.9.1 | 47 CFR Part 15, Subpart C 15.247(b)(3) | Pass | | |
| Minimum 6dB Bandwidth | | ANSI C63.10 (2013) Section 11.8.1 | 47 CFR Part 15, Subpart C 15.247a(2) | Pass | | |
| Power Spectrum Density | | ANSI C63.10 (2013) Section 11.10.2 | 47 CFR Part 15, Subpart C 15.247(e) | Pass | | |
| Conducted Band Edges Measurement | | ANSI C63.10 (2013) Section 11.13.3.2 | 47 CFR Part 15, Subpart C 15.247(d) | Pass | | |
| Conducted Spurious Emissions | 47 CFR Part 15, Subpart C 15.247 | ANSI C63.10 (2013) Section 11.11 | 47 CFR Part 15, Subpart C 15.247(d) | Pass | | |
| Radiated Emissions which fall in the restricted bands | | ANSI C63.10 (2013) Section 6.10.5 | 47 CFR Part 15, Subpart C 15.205 & 15.209 | Pass | | |
| Radiated Spurious Emissions Below 1GHz | | ANSI C63.10 (2013) Section 6.4,6.5 | 47 CFR Part 15, Subpart C 15.205 & 15.209 | Pass | | |
| Radiated Spurious Emissions Above 1GHz | | ANSI C63.10 (2013) Section 6.6 | 47 CFR Part 15, Subpart C 15.205 & 15.209 | Pass | | |

Declaration of EUT Family Grouping:

Model No.: 850BK, 850S, 851W, 851R, 851G, 851BL

Only the model 850BK was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used and internal wiring and functions were identical for the above models, with only difference on color and frame.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CPD Descheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 4 of 56

3 Contents

| | | Page |
|---|--|------|
| 1 | 1 COVER PAGE | 1 |
| 2 | 2 TEST SUMMARY | 3 |
| | | |
| 3 | 3 CONTENTS | 4 |
| 4 | 4 GENERAL INFORMATION | 6 |
| | 4.1 DETAILS OF E.U.T | 6 |
| | 4.2 DESCRIPTION OF SUPPORT UNITS | 6 |
| | 4.3 MEASUREMENT UNCERTAINTY | 6 |
| | 4.4 Test Location | 7 |
| | 4.5 Test Facility | |
| | 4.6 DEVIATION FROM STANDARDS | |
| | 4.7 ABNORMALITIES FROM STANDARD CONDITIONS | 7 |
| 5 | 5 EQUIPMENT LIST | 8 |
| 6 | RADIO SPECTRUM TECHNICAL REQUIREMENT | 13 |
| Ü | 6.1 Antenna Requirement | |
| | 6.1.1 Test Requirement: | |
| | 6.1.2 Conclusion | |
| _ | | |
| 7 | | |
| | 7.1 CONDUCTED PEAK OUTPUT POWER | |
| | 7.1.1 E.U.T. Operation | |
| | 7.1.2 Test Mode Description | |
| | 7.1.3 Test Setup Diagram | |
| | 7.1.4 Measurement Procedure and Data | |
| | 7.2.1 E.U.T. Operation | |
| | 7.2.2 Test Mode Description | |
| | 7.2.3 Test Setup Diagram | |
| | 7.2.4 Measurement Procedure and Data | |
| | 7.3 Power Spectrum Density | |
| | 7.3.1 E.U.T. Operation | |
| | 7.3.2 Test Mode Description | |
| | 7.3.3 Test Setup Diagram | 16 |
| | 7.3.4 Measurement Procedure and Data | 16 |
| | 7.4 CONDUCTED BAND EDGES MEASUREMENT | 17 |
| | 7.4.1 E.U.T. Operation | 17 |
| | 7.4.2 Test Mode Description | |
| | 7.4.3 Test Setup Diagram | |
| | 7.4.4 Measurement Procedure and Data | |
| | 7.5 CONDUCTED SPURIOUS EMISSIONS | |
| | 7.5.1 E.U.T. Operation | 18 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CND Doccheck-Mass.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 5 of 56

| | 7.5.2 | Test Mode Description | 18 |
|----|--------|--|----|
| | 7.5.3 | Test Setup Diagram | 18 |
| | 7.5.4 | Measurement Procedure and Data | 18 |
| 7 | .6 R | ADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS | 19 |
| | 7.6.1 | E.U.T. Operation | 19 |
| | 7.6.2 | Test Mode Description | 19 |
| | 7.6.3 | Test Setup Diagram | |
| | 7.6.4 | Measurement Procedure and Data | |
| 7 | .7 R | ADIATED SPURIOUS EMISSIONS BELOW 1GHZ | |
| | 7.7.1 | E.U.T. Operation | 25 |
| | 7.7.2 | Test Mode Description | |
| | 7.7.3 | Test Setup Diagram | |
| | 7.7.4 | Measurement Procedure and Data | |
| 7 | .8 R | ADIATED SPURIOUS EMISSIONS ABOVE 1GHz | |
| | 7.8.1 | E.U.T. Operation | 29 |
| | 7.8.2 | Test Mode Description | |
| | 7.8.3 | Test Setup Diagram | 29 |
| | 7.8.4 | Measurement Procedure and Data | 30 |
| 8 | TEST : | SETUP PHOTO | 37 |
| | | | |
| 9 | EUT C | ONSTRUCTIONAL DETAILS (EUT PHOTOS) | 37 |
| 10 | APPE | NDIX | 38 |
| | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 6 of 56

4 General Information

4.1 Details of E.U.T.

| Power supply: | Powered by DC42V and can be charged by adapter | |
|----------------------|---|--|
| | Adapter:model:BC311480020-T | |
| | Input: AC100-240V, 50/60Hz, 1.8A MAX | |
| | Output:DC54.6V, 2.0A 109.2W | |
| Cable(s): | Battery charger AC input cable: 150cm unshielded | |
| | Battery charger DC output cable: 120cm unshielded | |
| Operation Frequency: | 2402MHz to 2480MHz | |
| Modulation Type: | GFSK | |
| Number of Channels: | 40 | |
| Channel Spacing: | 2MHz | |
| Antenna Type: | PCB Antenna | |
| Antenna Gain: | 3dBi | |

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

| Description | Manufacturer | Model No. | Serial No. | | | |
|---|--------------|-----------|------------|--|--|--|
| | - | - | | | | |
| The EUT has been tested as an independent unit. | | | | | | |

4.3 Measurement Uncertainty

| Test Item | Measurement Uncertainty |
|---|-------------------------|
| Conducted Peak Output Power | ± 0.8dB |
| Minimum 6dB Bandwidth | ± 0.3% |
| Power Spectrum Density | ± 0.4dB |
| Conducted Band Edges Measurement | ± 2.7dB |
| Conducted Spurious Emissions | ± 2.7dB |
| Radiated Emissions which fall in the restricted bands | ± 4.4dB (Above 1GHz) |
| Radiated Spurious Emissions Below 1GHz | ± 3.1dB (Below 1GHz) |
| Radiated Spurious Emissions Above 1GHz | ± 4.4dB (Above 1GHz) |

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispt/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents a flttp://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 7 of 56

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 8 of 56

5 Equipment List

| Conducted Peak Output Power | | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 | |
| MXA Signal Analyzer | Agilent | N9020A | SEM004-20 | 2022/7/12 | 2023/7/11 | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 | |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 | |
| Measurement software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A | |

| Minimum 6dB Bandwidth | | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 | |
| MXA Signal Analyzer | Agilent | N9020A | SEM004-20 | 2022/7/12 | 2023/7/11 | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 | |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 | |
| Measurement software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CPA Doccheck@ses.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 9 of 56

| Power Spectrum Densit | у | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 |
| MXA Signal Analyzer | Agilent | N9020A | SEM004-20 | 2022/7/12 | 2023/7/11 |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 |
| Measurement software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| Conducted Band Edges | Conducted Band Edges Measurement | | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 | | |
| MXA Signal Analyzer | Agilent | N9020A | SEM004-20 | 2022/7/12 | 2023/7/11 | | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 | | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 | | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 | | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 | | |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 | | |
| Measurement software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CPA Doccheck@ses.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 10 of 56

| Conducted Spurious Emissions | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 |
| MXA Signal Analyzer | Agilent | N9020A | SEM004-20 | 2022/7/12 | 2023/7/11 |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 |
| Measurement software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| Radiated Emissions which fall in the restricted bands | | | | | |
|---|--|-----------------------|---------------|------------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Trilog-Broadband Antenna | Schwarzbeck | VULB9168 | SEM003-33 | 2021/9/25 | 2024/9/24 |
| Biconical Antenna | Schwarzbeck | VUBA9117 | SEM003-35 | 2021/12/26 | 2024/12/25 |
| Loop Antenna | ETS-LINDGREN | 6502 | SEM003-36 | 2021/9/26 | 2024/9/25 |
| MXE EMI receiver | Agilent | N9038A | SEM004-05 | 2022/7/12 | 2023/7/11 |
| Pre-amplifier | HP | 8447D | SEM005-02 | 2022/7/12 | 2023/7/11 |
| Broad-Band Horn Antenna | Schwarzbeck | BBHA 9170 | SEM003-15 | 2021/7/11 | 2024/7/10 |
| Broad-Band Horn Antenna | Schwarzbeck | BBHA 9120D | SEM003-32 | 2021/9/26 | 2024/9/25 |
| Double-ridged waveguide horn | ETS-LINDGREN | 3117 | SEM003-34 | 2021/9/25 | 2024/9/24 |
| Spectrum Analyzer | Rohde & Schwarz | 101288 | SEM004-08 | 2022/7/12 | 2023/7/11 |
| Low Noise Amplifier | CLAVIIO | BDLNA-0118- 352810 | SEM005-05 | 2022/7/12 | 2023/7/11 |
| Pre-amplifier | Compliance Directions Systems Inc. | PAP-2640-50 | SEM005-08 | 2022/7/12 | 2023/7/11 |
| Pre-amplifier | Rohde & Schwarz | CH14-H052 | SEM005-17 | 2022/7/12 | 2023/7/11 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 11 of 56

| Pre-amplifier | TST PASS | LNA04080G30 | SEM005-27 | 2022/4/15 | 2023/4/14 |
|----------------------|----------|---------------------|-----------|-----------|-----------|
| Pre-amplifier | TST PASS | LNA10180G45 | SEM005-28 | 2022/4/15 | 2023/4/14 |
| Measurement software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A |

| Radiated Spurious Emissions Below 1GHz | | | | | |
|--|--------------|---------------------|---------------|------------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| 3m Anechoic Chamber | CRT | N/A | SEM001-13 | 2021/7/13 | 2024/7/12 |
| Trilog-Broadband Antenna | Schwarzbeck | VULB9168 | SEM003-33 | 2021/9/25 | 2024/9/24 |
| Biconical Antenna | Schwarzbeck | VUBA9117 | SEM003-35 | 2021/12/26 | 2024/12/25 |
| Loop Antenna | ETS-LINDGREN | 6502 | SEM003-36 | 2021/9/26 | 2024/9/25 |
| MXE EMI receiver | Agilent | N9038A | SEM004-05 | 2022/7/12 | 2023/7/11 |
| Pre-amplifier | HP | 8447D | SEM005-02 | 2022/7/12 | 2023/7/11 |
| Measurement software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A |

| Radiated Spurious Emis | Radiated Spurious Emissions Above 1GHz | | | | | |
|------------------------------|--|-----------------------|---------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| 3m Anechoic Chamber | CRT | N/A | SEM001-13 | 2021/7/13 | 2024/7/12 | |
| MXE EMI receiver | Agilent | N9038A | SEM004-05 | 2022/7/12 | 2023/7/11 | |
| Pre-amplifier | HP | 8447D | SEM005-02 | 2022/7/12 | 2023/7/11 | |
| Broad-Band Horn Antenna | Schwarzbeck | BBHA 9170 | SEM003-15 | 2021/7/11 | 2024/7/10 | |
| Broad-Band Horn Antenna | Schwarzbeck | BBHA 9120D | SEM003-32 | 2021/9/26 | 2024/9/25 | |
| Double-ridged waveguide horn | ETS-LINDGREN | 3117 | SEM003-34 | 2021/9/25 | 2024/9/24 | |
| Spectrum Analyzer | Rohde & Schwarz | 101288 | SEM004-08 | 2022/7/12 | 2023/7/11 | |
| Low Noise Amplifier | CLAVIIO | BDLNA-0118- 352810 | SEM005-05 | 2022/7/12 | 2023/7/11 | |
| Pre-amplifier | Compliance Directions Systems Inc. | PAP-2640-50 | SEM005-08 | 2022/7/12 | 2023/7/11 | |
| Pre-amplifier | Rohde & Schwarz | CH14-H052 | SEM005-17 | 2022/7/12 | 2023/7/11 | |
| Pre-amplifier | TST PASS | LNA04080G30 | SEM005-27 | 2022/4/15 | 2023/4/14 | |
| Pre-amplifier | TST PASS | LNA10180G45 | SEM005-28 | 2022/4/15 | 2023/4/14 | |
| Measurement software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are referred for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Castili (24) **Doceshoe/document**



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 12 of 56

| General used equipment | | | | | | |
|--|--------|-------|---------------|------------|--------------|--|
| Equipment Manufacturer Model No. Inventory | | | Inventory No. | Cal Date | Cal Due Date | |
| Humidity/ Temperature Indicator | Mingle | TH607 | SEM002-22 | 2022-07-12 | 2023-07-11 | |
| Humidity/ Temperature Indicator | Mingle | TH607 | SEM002-23 | 2022-07-12 | 2023-07-11 | |
| Barometer | DUMAI | DYM3 | SEM002-24 | 2022-07-12 | 2023-07-11 | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 13 of 56

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 3 dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, *Terms and the company and the content or appearance contact us at telephone: (86-755) 8307 1443, ***Terms and the company and the com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 14 of 56

7 Radio Spectrum Matter Test Results

7.1 Conducted Peak Output Power

Test Requirement 47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method: ANSI C63.10 (2013) Section 11.9.1

Limit:

| Frequency range(MHz) | Output power of the intentional radiator(watt) |
|----------------------|--|
| | 1 for ≥50 hopping channels |
| 902-928 | 0.25 for 25≤ hopping channels <50 |
| | 1 for digital modulation |
| | 1 for ≥75 non-overlapping hopping channels |
| 2400-2483.5 | 0.125 for all other frequency hopping systems |
| | 1 for digital modulation |
| 5725-5850 | 1 for frequency hopping systems and digital modulation |

7.1.1 E.U.T. Operation


Operating Environment:

Temperature: 26.2 °C Humidity: 55.9 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

| | Pre-scan / Final test | Mode Code | Description |
|---|--------------------------|--------------|---|
| ı | Final test | 00 | TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

7.1.3 Test Setup Diagram



7.1.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 15 of 56

7.2 Minimum 6dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.247a(2)
Test Method: ANSI C63.10 (2013) Section 11.8.1

Limit:

≥500 kHz

7.2.1 E.U.T. Operation


Operating Environment:

Temperature: 26.2 °C Humidity: 55.9 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|---|
| Final test | 00 | TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

7.2.3 Test Setup Diagram



7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 16 of 56

7.3 Power Spectrum Density

Test Requirement 47 CFR Part 15, Subpart C 15.247(e)
Test Method: ANSI C63.10 (2013) Section 11.10.2

Limit:

≤8dBm in any 3 kHz band during any time interval of continuous transmission

7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 26.2 °C Humidity: 55.9 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|---|
| Final test | 00 | TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

7.3.3 Test Setup Diagram



7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 17 of 56

7.4 Conducted Band Edges Measurement

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.13.3.2

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 26.2 °C Humidity: 55.9 % RH Atmospheric Pressure: 1020 mbar

7.4.2 Test Mode Description

| 7 | 040 00 | n paon | | |
|--------------------------|--------------|---|--|--|
| Pre-scan / Final test | Mode Code | Description | | |
| Final test | 00 | TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation. | | |

7.4.3 Test Setup Diagram



Ground Reference Plane

7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 18 of 56

7.5 Conducted Spurious Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.11

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.5.1 E.U.T. Operation


Operating Environment:

Temperature: 26.2 °C Humidity: 55.9 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|---|
| Final test | 00 | TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

7.5.3 Test Setup Diagram



7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 19 of 56

7.6 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.10.5

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30.0 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 22.2 °C Humidity: 52.0 % RH Atmospheric Pressure: 1020 mbar

7.6.2 Test Mode Description

| 7.0.2 . 000 | ouc bo | so iption |
|--------------------------|--------------|---|
| Pre-scan / Final test | Mode Code | Description |
| Final test | 00 | TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation. |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ass.com.





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 20 of 56

7.6.3 Test Setup Diagram





30MHz-1GHz

Above 1GHz

7.6.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 21 of 56

Test Mode: 00; Polarity: Horizontal; Modulation: GFSK; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00318AT

Mode : 2402 Band edge

Note : BLE

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 2316.5680 | 5.00 | 26.99 | 32.50 | 51.80 | 51.29 | 74.00 | -22.71 | peak |
| 2 | 2390.0000 | 5.05 | 27.16 | 32.50 | 48.84 | 48.55 | 74.00 | -25.45 | peak |
| 3 | 2402.0000 | 5.06 | 27.18 | 32.50 | 98.52 | 98.26 | 74.00 | 24.26 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (2012).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 22 of 56

Test Mode: 00; Polarity: Vertical; Modulation:GFSK; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00318AT

Mode : 2402 Band edge

Note : BLE

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 2389.7610 | 5.05 | 27.16 | 32.50 | 51.42 | 51.13 | 74.00 | -22.87 | peak |
| 2 | 2390.0000 | 5.05 | 27.16 | 32.50 | 51.28 | 50.99 | 74.00 | -23.01 | peak |
| 3 | 2402.0000 | 5.06 | 27.18 | 32.50 | 98.36 | 98.10 | 74.00 | 24.10 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small cells.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 23 of 56

Test Mode: 00; Polarity: Horizontal; Modulation:GFSK; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00318AT

Mode : 2480 Band edge

Note : BLE

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 2480.0000 | 5.12 | 27.36 | 32.50 | 96.81 | 96.79 | 74.00 | 22.79 | peak |
| 2 | 2483.5000 | 5.12 | 27.36 | 32.50 | 50.74 | 50.72 | 74.00 | -23.28 | peak |
| 3 | 2483.9460 | 5.12 | 27.37 | 32.50 | 54.00 | 53.99 | 74.00 | -20.01 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company** and the content of the conte




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 24 of 56

Test Mode: 00; Polarity: Vertical; Modulation:GFSK; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00318AT

Mode : 2480 Band edge

Note : BLE

| OCC | . DLL | | | | | | | | | |
|-----|-----------|-------|--------|--------|-------|--------|--------|--------|--------|--|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2480.0000 | 5.12 | 27.36 | 32.50 | 96.65 | 96.63 | 74.00 | 22.63 | peak | |
| 2 | 2483.5000 | 5.12 | 27.36 | 32.50 | 49.39 | 49.37 | 74.00 | -24.63 | peak | |
| 3 | 2490 3450 | 5 12 | 27 38 | 32 50 | 52 92 | 52 92 | 74 00 | -21 08 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CPA Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 25 of 56

7.7 Radiated Spurious Emissions Below 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4,6.5

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30.0 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| 960-1000 | 500 | 3 |

7.7.1 E.U.T. Operation


Operating Environment:


Temperature: 22.1 °C Humidity: 52.9 % RH Atmospheric Pressure: 1020 mbar

7.7.2 Test Mode Description

| 1.1.2 103014 | ouc Dc. | puon | | | | | | | |
|--------------------------|--------------|---|--|--|--|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | | | | | |
| Final test | 00 | TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation. | | | | | | | |

7.7.3 Test Setup Diagram





Below 30MHz

30MHz-1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents as the time of the Terms and Conditions for Electronic Document sets.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend the law. Duless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificite, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 26 of 56

7.7.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete. Remark:
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 27 of 56

Test Mode: 00; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00318AT

Mode : 00

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| 1 | 79.8003 | 0.44 | 14.48 | 24.80 | 33.32 | 23.44 | 40.00 | -16.56 | QP | |
| 2 | 115.3205 | 0.91 | 15.29 | 25.51 | 33.40 | 24.09 | 43.50 | -19.41 | QP | |
| 3 | 164.3302 | 0.76 | 17.07 | 25.55 | 38.38 | 30.66 | 43.50 | -12.84 | QP | |
| 4 | 186.4409 | 0.67 | 15.74 | 25.56 | 39.28 | 30.13 | 43.50 | -13.37 | QP | |
| 5 | 239.9874 | 0.80 | 16.38 | 25.58 | 45.41 | 37.01 | 46.00 | -8.99 | QP | |
| 6 | 255.6231 | 0.84 | 16.79 | 25.59 | 44.87 | 36.91 | 46.00 | -9.09 | OP | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CPA Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 28 of 56

Test Mode: 00; Polarity: Vertical



Site : chamber

Condition: 3m VERTICAL Job No : 00318AT

Mode : 00

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 51.8430 | 0.22 | 17.30 | 24.89 | 30.29 | 22.92 | 40.00 | -17.08 | QP |
| 2 | 78.1389 | 0.41 | 14.50 | 24.81 | 37.08 | 27.18 | 40.00 | -12.82 | QP |
| 3 | 93.7685 | 0.73 | 13.92 | 25.30 | 35.06 | 24.41 | 43.50 | -19.09 | QP |
| 4 | 113.3163 | 0.90 | 15.27 | 25.51 | 39.38 | 30.04 | 43.50 | -13.46 | QP |
| 5 | 164.3302 | 0.76 | 17.07 | 25.55 | 33.89 | 26.17 | 43.50 | -17.33 | QP |
| 6 | 257.4221 | 0.85 | 16.78 | 25.59 | 36.41 | 28.45 | 46.00 | -17.55 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CPA Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 29 of 56

7.8 Radiated Spurious Emissions Above 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.6

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| Above 1000 | 500 | 3 |

7.8.1 E.U.T. Operation


Operating Environment:

Temperature: 21.2 °C Humidity: 53.0 % RH Atmospheric Pressure: 1020 mbar

7.8.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|---|
| Final test | 00 | TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

7.8.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents as this provided in the service of the service



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 30 of 56

7.8.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete. Remark:
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 31 of 56

Test Mode: 00; Polarity: Horizontal; Modulation: GFSK; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00318AT Mode : 2402 TX RSE

Note : BLE

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|---------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | dB | | dDu\//m | dDuV/m | | |
| | MHz | ub | ub/m | ub | ubuv | ubuv/m | ubuv/m | dB | |
| 1 | 2214.1140 | 4.92 | 26.75 | 53.10 | 72.61 | 51.18 | 74.00 | -22.82 | Peak |
| 2 | 3318.4710 | 6.55 | 28.67 | 52.99 | 62.43 | 44.66 | 74.00 | -29.34 | peak |
| 3 | 4804.0000 | 7.98 | 30.94 | 53.05 | 61.60 | 47.47 | 74.00 | -26.53 | peak |
| 4 | 7206.0000 | 8.29 | 36.05 | 53.52 | 54.99 | 45.81 | 74.00 | -28.19 | peak |
| 5 | 9608.0000 | 11.41 | 37.53 | 53.58 | 53.80 | 49.16 | 74.00 | -24.84 | peak |
| 6 | 16504.960 | 14.69 | 39.94 | 52.89 | 50.08 | 51.82 | 74.00 | -22.18 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small cells.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 32 of 56

Test Mode: 00; Polarity: Vertical; Modulation:GFSK; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00318AT Mode : 2402 TX RSE

Note : BLE

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1106.4570 | 2.92 | 24.21 | 52.59 | 74.09 | 48.63 | 74.00 | -25.37 | peak |
| 2 | 3289.8210 | 6.48 | 28.66 | 53.00 | 66.06 | 48.20 | 74.00 | -25.80 | peak |
| 3 | 4804.0000 | 7.98 | 30.94 | 53.05 | 65.95 | 51.82 | 74.00 | -22.18 | peak |
| 4 | 6995.1720 | 8.19 | 35.79 | 53.50 | 57.36 | 47.84 | 74.00 | -26.16 | peak |
| 5 | 7206.0000 | 8.29 | 36.05 | 53.52 | 55.92 | 46.74 | 74.00 | -27.26 | peak |
| 6 | 9608.0000 | 11.41 | 37.53 | 53.58 | 55.74 | 51.10 | 74.00 | -22.90 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 33 of 56

Test Mode: 00; Polarity: Horizontal; Modulation:GFSK; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00318AT Mode : 2440 TX RSE

Note : BLE

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|----------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | d Bu V/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1158.8280 | 3.05 | 24.26 | 52.63 | 76.42 | 51.10 | 74.00 | -22.90 | peak |
| 2 | 3132.0790 | 6.07 | 28.63 | 53.06 | 65.57 | 47.21 | 74.00 | -26.79 | peak |
| 3 | 4880.0000 | 8.11 | 31.12 | 53.07 | 61.16 | 47.32 | 74.00 | -26.68 | peak |
| 4 | 6974.9820 | 8.17 | 35.74 | 53.48 | 57.33 | 47.76 | 74.00 | -26.24 | peak |
| 5 | 7320.0000 | 8.35 | 36.19 | 53.53 | 54.73 | 45.74 | 74.00 | -28.26 | peak |
| 6 | 9760,0000 | 11.30 | 37.87 | 53.43 | 54.52 | 50.26 | 74.00 | -23.74 | neak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (2012).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 34 of 56

Test Mode: 00; Polarity: Vertical; Modulation:GFSK; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00318AT Mode : 2440 TX RSE

Note : BLE

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1210.1740 | 3.17 | 24.29 | 52.67 | 78.13 | 52.92 | 74.00 | -21.08 | peak |
| 2 | 3693.0330 | 7.19 | 29.02 | 52.88 | 68.01 | 51.34 | 74.00 | -22.66 | peak |
| 3 | 4880.0000 | 8.11 | 31.12 | 53.07 | 66.21 | 52.37 | 74.00 | -21.63 | peak |
| 4 | 7320.0000 | 8.35 | 36.19 | 53.53 | 56.99 | 48.00 | 74.00 | -26.00 | peak |
| 5 | 9760.0000 | 11.30 | 37.87 | 53.43 | 56.31 | 52.05 | 74.00 | -21.95 | peak |
| | 14201.690 | | | | | | | | - |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (2012).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 35 of 56

Test Mode: 00; Polarity: Horizontal; Modulation:GFSK; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00318AT Mode : 2480 TX RSE

Note : BLE

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1312.1870 | 3.40 | 24.24 | 52.74 | 77.40 | 52.30 | 74.00 | -21.70 | peak |
| 2 | 3233.2600 | 6.34 | 28.65 | 53.02 | 64.70 | 46.67 | 74.00 | -27.33 | peak |
| 3 | 4960.0000 | 8.24 | 31.31 | 53.09 | 53.56 | 40.02 | 74.00 | -33.98 | peak |
| 4 | 6954.8520 | 8.15 | 35.70 | 53.47 | 54.91 | 45.29 | 74.00 | -28.71 | peak |
| 5 | 7440.0000 | 8.40 | 36.33 | 53.55 | 55.58 | 46.76 | 74.00 | -27.24 | peak |
| 6 | 9920.0000 | 11.18 | 38.22 | 53.28 | 55.75 | 51.87 | 74.00 | -22.13 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small cells.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 36 of 56

Test Mode: 00; Polarity: Vertical; Modulation:GFSK; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00318AT Mode : 2480 TX RSE

Note : BLE

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 2226.9500 | 4.93 | 26.78 | 53.10 | 71.46 | 50.07 | 74.00 | -23.93 | Peak |
| 2 | 3671.7460 | 7.17 | 28.99 | 52.89 | 65.51 | 48.78 | 74.00 | -25.22 | peak |
| 3 | 4960.0000 | 8.24 | 31.31 | 53.09 | 66.07 | 52.53 | 74.00 | -21.47 | peak |
| 4 | 7440.0000 | 8.40 | 36.33 | 53.55 | 58.68 | 49.86 | 74.00 | -24.14 | peak |
| 5 | 9920.0000 | 11.18 | 38.22 | 53.28 | 54.40 | 50.52 | 74.00 | -23.48 | peak |
| 6 | 15177.890 | 12.78 | 40.98 | 53.61 | 51.78 | 51.93 | 74.00 | -22.07 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small cells.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 37 of 56

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2208000318AT

9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for FYCR2208000318AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CPA Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 38 of 56

10 Appendix

1. Duty Cycle

1.1 Ant1

1.1.1 Test Result

| | Ant1 | | | | | | | | |
|------|------------|--------------------|--------------|----------------|-------------------|--------------------------------------|--------------------------|--|--|
| Mode | TX Type | Frequency (MHz) | T_on (ms) | Period (ms) | Duty Cycle (%) | Duty Cycle Correction Factor (dB) | Max. DC Variation (%) | | |
| | SISO | 2402 | 0.093 | 0.626 | 14.86 | 8.28 | 0.05 | | |
| 1M | | 2440 | 0.093 | 0.626 | 14.86 | 8.28 | 0.08 | | |
| | | 2480 | 0.092 | 0.626 | 14.70 | 8.33 | 0.08 | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 39 of 56

1.1.2 Test Graph





0.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CPD Descheck@ass.com.

Time (ms)

| Fuyorg lab. Xinlong TechnoPark, Fargiang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Trace


6.0



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 40 of 56





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 41 of 56

2. Bandwidth

2.1 OBW

2.1.1 Test Result

| Mada | TX Type | Frequency (MHz) | ANT | 99% Occupied Bandwidth (MHz) | Vardiat |
|------|------------|--------------------|-----|------------------------------|---------|
| Mode | | | | Result | Verdict |
| 1M | SISO | 2402 | 1 | 1.032 | Pass |
| | | 2440 | 1 | 1.034 | Pass |
| | | 2480 | 1 | 1.038 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CPA Doccheck@ses.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 42 of 56

2.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ass.com.


Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishird, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 43 of 56





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 44 of 56

2.2 6dB BW

2.2.1 Test Result

| Mode | TX Type | Frequency (MHz) | ANT | 6dB Bandwidth (MHz) | | Vardiat |
|------|------------|--------------------|-----|---------------------|-------|---------|
| Mode | | | | Result | Limit | Verdict |
| 1M | SISO | 2402 | 1 | 0.522 | >=0.5 | Pass |
| | | 2440 | 1 | 0.518 | >=0.5 | Pass |
| | | 2480 | 1 | 0.511 | >=0.5 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CPA Doccheck@ses.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 45 of 56

2.2.2 Test Graph



Frequency (MHz)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ass.com.


Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishid, Bad'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 46 of 56





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 47 of 56

3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

| Mada | TX Type | Frequency (MHz) | Maximum Peak Conduc | Vordict | | |
|-------------------------------------|------------|--------------------|---------------------|---------|---------|--|
| Mode | | | ANT1 | Limit | Verdict | |
| | | 2402 | 0.89 | <=30 | Pass | |
| 1M | SISO | 2440 | 0.63 | <=30 | Pass | |
| | | 2480 | 0.36 | <=30 | Pass | |
| Note1: Antenna Gain: Ant1: 3.00dBi; | | | | | | |

4. Maximum Power Spectral Density

4.1 PSD

4.1.1 Test Result

| Mode | TX Type | Frequency (MHz) | Maximum PS | Vardiot | | |
|-------------------------------------|------------|-----------------|------------|---------|---------|--|
| | | | ANT1 | Limit | Verdict | |
| 1M | SISO | 2402 | -19.74 | <=8 | Pass | |
| | | 2440 | -19.84 | <=8 | Pass | |
| | | 2480 | -20.02 | <=8 | Pass | |
| Note1: Antenna Gain: Ant1: 3.00dBi; | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPA Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 48 of 56

4.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents a flttp://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Barian, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 49 of 56





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small cells.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 50 of 56

5. Unwanted Emissions InStandard Non-restricted Frequency Bands

5.1 Ref

5.1.1 Test Result

| Mode | TX Type | Frequency (MHz) | ANT | Level of Reference (dBm) |
|------|------------|--------------------|-----|-----------------------------|
| 1M | SISO | 2402 | 1 | 0.52 |
| | | 2440 | 1 | 0.25 |
| | | 2480 | 1 | -0.04 |

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

Note2: RBW = 1MHz was used during the pre-test. The final test will be performed at RBW=100kHz while the margin is less than 3dB.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPA Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 51 of 56

5.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Descheck@ass.com.


Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishird, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 52 of 56





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CPA Doccheck@ses.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 53 of 56

5.2 CSE

5.2.1 Test Result

| Mode | TX Type | Frequency (MHz) | ANT | Level of Reference (dBm) | Limit (dBm) | Verdict |
|------|------------|--------------------|-----|-----------------------------|----------------|---------|
| 1M | SISO | 2402 | 1 | 0.52 | -19.48 | Pass |
| | | 2440 | 1 | 0.52 | -19.48 | Pass |
| | | 2480 | 1 | 0.52 | -19.48 | Pass |

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

Note2: RBW = 1MHz was used during the pre-test. The final test will be performed at RBW=100kHz while the margin is less than 3dB.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (2012).





SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR220800031802

Page: 54 of 56

5.2.2 Test Graph









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ass.com.


Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishird, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 55 of 56





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ass.com.


Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Barian, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031802

Page: 56 of 56



- End of the Report -



| Fuyorg lab. Xinlong TechnoPark, Fargiang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com