




5G NR n77_CH650000_100M_1RB_pi/2 BPSK_Ratio




5G NR n77_CH650000_100M_1RB_QPSK_Ratio




5G NR n77_CH650000_100M_1RB_16-QAM_Ratio




5G NR n77_CH656000_100M_1RB_16-QAM_Ratio




5G NR n77_CH656000_100M_1RB_QPSK_Ratio




5G NR n77_CH656000_100M_1RB_16-QAM_Ratio




5G NR n77_CH662000_100M_1RB_pi/2 BPSK_Ratio



5G NR n77_CH662000_100M_1RB_QPSK_Ratio




5G NR n77_CH662000_100M_1RB_16-QAM_Ratio




6. Spurious Emissions

6.1. Test Setup


Conducted Spurious Measurement



Radiated Spurious Measurement: below 1GHz



Radiated Spurious Measurement: above 1GHz



6.2. Test Procedure

Conducted Spurious Measurement:

The EUT makes a call to the communication simulator. The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency. The path loss was compensated to the results for each measurement. The resolution bandwidth of the spectrum analyzer was set at 1 MHz, sufficient scans were taken to show the out of band Emission if any up to 10th harmonic.

Radiated Spurious Measurement:

The EUT and its simulators are placed on a turn table which is 0.8 or 1.5 meter above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations. The resolution bandwidth of the spectrum analyzer was set at 1 MHz, sufficient scans were taken to show the out of band Emission if any up to 10th harmonic. Taking the record of maximum spurious emission.

6.3. Test Methodology and Reference Procedures


KDB 971168 D01 Power Meas License Digital Systems v03r01

ANSI C63.26-2015


KDB 662911 D01 Multiple Transmitter Output v02r01

6.4. Test Result of Conducted Spurious Emission


Mode 1: 5G NR n2




5G NR n2_CH371500_15M_1RB39_pi/2 BPSK




5G NR n2_CH376000_15M_1RB39_pi/2 BPSK




5G NR n2_CH380500_15M_1RB39_pi/2 BPSK




5G NR n2_CH372000_20M_1RB52_pi/2 BPSK



5G NR n2_CH376000_20M_1RB52_pi/2 BPSK




5G NR n2_CH380000_20M_1RB52_pi/2 BPSK




Mode 2: 5G NR n5


5G NR n5_CH165300_5M_1RB12_pi/2 BPSK




5G NR n5_CH167300_5M_1RB12_pi/2 BPSK




5G NR n5_CH169300_5M_1RB12_pi/2 BPSK




5G NR n5_CH165800_10M_1RB25_pi/2 BPSK




5G NR n5_CH167300_10M_1RB25_pi/2 BPSK




5G NR n5_CH168800_10M_1RB25_pi/2 BPSK




5G NR n5_CH166300_15M_1RB39_pi/2 BPSK




5G NR n5_CH167300_15M_1RB39_pi/2 BPSK




5G NR n5_CH168300_15M_1RB39_pi/2 BPSK




5G NR n5_CH166800_20M_1RB52_pi/2 BPSK



5G NR n5_CH167300_20M_1RB52_pi/2 BPSK




5G NR n5_CH167800_20M_1RB52_pi/2 BPSK




Mode 3: 5G NR n12


5G NR n12_CH140300_5M_1RB12_pi/2 BPSK




5G NR n12_CH141500_5M_1RB12_pi/2 BPSK




5G NR n12_CH142700_5M_1RB12_pi/2 BPSK




5G NR n12_CH140800_10M_1RB25_pi/2 BPSK




5G NR n12_CH141500_10M_1RB25_pi/2 BPSK




5G NR n12_CH142200_10M_1RB25_pi/2 BPSK




5G NR n12_CH141300_15M_1RB39_pi/2 BPSK



5G NR n12_CH141500_15M_1RB39_pi/2 BPSK




5G NR n12_CH141700_15M_1RB39_pi/2 BPSK




Mode 4: 5G NR n30


5G NR n30_CH461500_5M_1RB12_pi/2 BPSK




5G NR n30_CH462000_5M_1RB12_pi/2 BPSK



5G NR n30_CH462500_5M_1RB12_pi/2 BPSK




5G NR n30_CH462000_10M_1RB25_pi/2 BPSK




Mode 5: 5G NR n66


5G NR n66_CH342500_5M_1RB12_pi/2 BPSK




5G NR n66_CH349000_5M_1RB12_pi/2 BPSK




5G NR n66_CH355500_5M_1RB12_pi/2 BPSK




5G NR n66_CH343000_10M_1RB25_pi/2 BPSK




5G NR n66_CH349000_10M_1RB25_pi/2 BPSK




5G NR n66_CH355000_10M_1RB25_pi/2 BPSK




5G NR n66_CH343500_15M_1RB39_pi/2 BPSK




5G NR n66_CH349000_15M_1RB39_pi/2 BPSK




5G NR n66_CH354500_15M_1RB39_pi/2 BPSK




5G NR n66_CH344000_20M_1RB52_pi/2 BPSK




5G NR n66_CH349000_20M_1RB52_pi/2 BPSK




5G NR n66_CH354000_20M_1RB52_pi/2 BPSK




5G NR n66_CH345000_30M_1RB79_pi/2 BPSK




5G NR n66_CH349000_30M_1RB79_pi/2 BPSK




5G NR n66_CH353000_30M_1RB79_pi/2 BPSK




5G NR n66_CH346000_40M_1RB117_pi/2 BPSK



5G NR n66_CH349000_40M_1RB117_pi/2 BPSK




5G NR n66_CH352000_40M_1RB117_pi/2 BPSK




Mode 6: 5G NR n77 (Part 27 3450~3550 MHz)


5G NR n77_CH630334_10M_1RB12_pi/2 BPSK




5G NR n77_CH633334_10M_1RB12_pi/2 BPSK




5G NR n77_CH636332_10M_1RB12_pi/2 BPSK




5G NR n77_CH630500_15M_1RB19_pi/2 BPSK




5G NR n77_CH633334_15M_1RB19_pi/2 BPSK




5G NR n77_CH636166_15M_1RB19_pi/2 BPSK




5G NR n77_CH630668_20M_1RB25_pi/2 BPSK




5G NR n77_CH633334_20M_1RB25_pi/2 BPSK




5G NR n77_CH636000_20M_1RB25_pi/2 BPSK




5G NR n77_CH631000_30M_1RB38_pi/2 BPSK




5G NR n77_CH633334_30M_1RB38_pi/2 BPSK




5G NR n77_CH635666_30M_1RB38_pi/2 BPSK




5G NR n77_CH631334_40M_1RB52_pi/2 BPSK




5G NR n77_CH633334_40M_1RB52_pi/2 BPSK




5G NR n77_CH635332_40M_1RB52_pi/2 BPSK




5G NR n77_CH631666_50M_1RB66_pi/2 BPSK




5G NR n77_CH633334_50M_1RB66_pi/2 BPSK




5G NR n77_CH635000_50M_1RB66_pi/2 BPSK




5G NR n77_CH632000_60M_1RB80_pi/2 BPSK




5G NR n77_CH633334_60M_1RB80_pi/2 BPSK




5G NR n77_CH634666_60M_1RB80_pi/2 BPSK




5G NR n77_CH632334_70M_1RB94_pi/2 BPSK




5G NR n77_CH633334_70M_1RB94_pi/2 BPSK




5G NR n77_CH634332_70M_1RB94_pi/2 BPSK




5G NR n77_CH632668_80M_1RB108_pi/2 BPSK




5G NR n77_CH633334_80M_1RB108_pi/2 BPSK




5G NR n77_CH634000_80M_1RB108_pi/2 BPSK




5G NR n77_CH633000_90M_1RB122_pi/2 BPSK





5G NR n77_CH633334_90M_1RB122_pi/2 BPSK




5G NR n77_CH633666_90M_1RB122_pi/2 BPSK






Mode 7: 5G NR n77 (Part 27 3700~3980 MHz)


5G NR n77_CH647334_20M_1RB25_pi/2 BPSK




5G NR n77_CH 656000_20M_1RB25_pi/2 BPSK




5G NR n77_CH636000_20M_1RB25_pi/2 BPSK




5G NR n77_CH647668_30M_1RB38_pi/2 BPSK




5G NR n77_CH656000_30M_1RB38_pi/2 BPSK




5G NR n77_CH664332_30M_1RB38_pi/2 BPSK




5G NR n77_CH648000_40M_1RB52_pi/2 BPSK




5G NR n77_CH656000_40M_1RB52_pi/2 BPSK




5G NR n77_CH66400_40M_1RB52_pi/2 BPSK




5G NR n77_CH631666_50M_1RB66_pi/2 BPSK




5G NR n77_CH656000_50M_1RB66_pi/2 BPSK



5G NR n77_CH663666_50M_1RB66_pi/2 BPSK




5G NR n77_CH648668_60M_1RB80_pi/2 BPSK




Date: 11 JAN 2022 23:38:06

5G NR n77_CH656000_60M_1RB80_pi/2 BPSK




Date: 11 JAN 2022 23:38:33

5G NR n77_CH663332_60M_1RB80_pi/2 BPSK




Date: 11 JAN 2022 23:40:51

5G NR n77_CH649000_70M_1RB94_pi/2 BPSK




Date: 11 JAN 2022 23:42:30

5G NR n77_CH656000_70M_1RB94_pi/2 BPSK




Date: 11 JAN 2022 23:44:11

5G NR n77_CH663000_70M_1RB94_pi/2 BPSK




Date: 11 JAN 2022 23:45:45


5G NR n77_CH649334_80M_1RB108_pi/2 BPSK




5G NR n77_CH656000_80M_1RB108_pi/2 BPSK




5G NR n77_CH662666_80M_1RB108_pi/2 BPSK




5G NR n77_CH649668_90M_1RB122_pi/2 BPSK




5G NR n77_CH656000_90M_1RB122_pi/2 BPSK




5G NR n77_CH662332_90M_1RB122_pi/2 BPSK




5G NR n77_CH 650000 _100M_1RB136_ pi/2 BPSK



5G NR n77_CH656000 _100M_1RB136_ pi/2 BPSK




5G NR n77_CH662000 _100M_1RB136_ pi/2 BPSK



6.5. Test Result of Radiated Spurious Emission

Mode 1: 5G NR n2


Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N2_20M_Ch372000_BPSK_1RB0
Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3720.000	-54.93	-13.00	-41.93	-47.19	-7.74	Peak
2	5580.000	-54.40	-13.00	-41.40	-49.98	-4.42	Peak
3	7440.000	-49.60	-13.00	-36.60	-50.58	0.98	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N2_20M_Ch372000_BPSK_1RB0
Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3720.000	-46.63	-13.00	-33.63	-38.89	-7.74	Peak
2	5580.000	-47.65	-13.00	-34.65	-43.23	-4.42	Peak
3	7440.000	-49.83	-13.00	-36.83	-50.81	0.98	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N2_20M_Ch376000_BPSK_1RB0
Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3760.000	-56.16	-13.00	-43.16	-48.37	-7.79	Peak
2	5640.000	-55.07	-13.00	-42.07	-50.47	-4.60	Peak
3	7520.000	-50.42	-13.00	-37.42	-51.58	1.16	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N2_20M_Ch376000_BPSK_1RB0
Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3760.000	-47.61	-13.00	-34.61	-39.82	-7.79	Peak
2	5640.000	-49.96	-13.00	-36.96	-45.36	-4.60	Peak
3	7520.000	-50.22	-13.00	-37.22	-51.38	1.16	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N2_20M_Ch380000_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3800.000	-57.09	-13.00	-44.09	-49.33	-7.76	Peak
2	5700.000	-54.41	-13.00	-41.41	-49.82	-4.59	Peak
3	7600.000	-50.41	-13.00	-37.41	-51.45	1.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N2_20M_Ch380000_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3800.000	-48.83	-13.00	-35.83	-41.07	-7.76	Peak
2	5700.000	-52.51	-13.00	-39.51	-47.92	-4.59	Peak
3	7600.000	-50.51	-13.00	-37.51	-51.55	1.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 2: 5G NR n5

Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N5_20M_Ch166800_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1668.000	-61.68	-13.00	-48.68	-48.01	-13.67	Peak
2	2502.000	-59.90	-13.00	-46.90	-49.76	-10.14	Peak
3	3336.000	-59.21	-13.00	-46.21	-50.48	-8.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N5_20M_Ch166800_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1668.000	-63.12	-13.00	-50.12	-49.45	-13.67	Peak
2	2502.000	-59.45	-13.00	-46.45	-49.31	-10.14	Peak
3	3336.000	-59.69	-13.00	-46.69	-50.96	-8.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N5_20M_Ch167300_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1673.000	-63.08	-13.00	-50.08	-49.44	-13.64	Peak
2	2509.500	-59.91	-13.00	-46.91	-49.80	-10.11	Peak
3	3346.000	-58.81	-13.00	-45.81	-50.08	-8.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N5_20M_Ch167300_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1673.000	-62.44	-13.00	-49.44	-48.80	-13.64	Peak
2	2509.500	-59.44	-13.00	-46.44	-49.33	-10.11	Peak
3	3346.000	-59.19	-13.00	-46.19	-50.46	-8.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
 Condition :3m Horizontal
 Mode :5G NR_N5_20M_Ch167800_BPSK_1RB0
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1678.000	-62.90	-13.00	-49.90	-49.29	-13.61	Peak
2	2517.000	-59.32	-13.00	-46.32	-49.24	-10.08	Peak
3	3356.000	-58.81	-13.00	-45.81	-50.07	-8.74	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
 Condition :3m Vertical
 Mode :5G NR_N5_20M_Ch167800_BPSK_1RB0
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1678.000	-63.07	-13.00	-50.07	-49.46	-13.61	Peak
2	2517.000	-59.57	-13.00	-46.57	-49.49	-10.08	Peak
3	3356.000	-59.30	-13.00	-46.30	-50.56	-8.74	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 3: 5G NR n12

Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N12_15M_Ch141300_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1413.000	-60.93	-13.00	-47.93	-48.80	-12.13	Peak
2	2119.500	-59.76	-13.00	-46.76	-48.99	-10.77	Peak
3	2826.000	-58.78	-13.00	-45.78	-49.43	-9.35	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N12_15M_Ch141300_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1413.000	-61.11	-13.00	-48.11	-48.98	-12.13	Peak
2	2119.500	-59.81	-13.00	-46.81	-49.04	-10.77	Peak
3	2826.000	-58.85	-13.00	-45.85	-49.50	-9.35	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N12_15M_Ch141500_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1415.000	-61.50	-13.00	-48.50	-49.35	-12.15	Peak
2	2122.500	-59.67	-13.00	-46.67	-48.95	-10.72	Peak
3	2830.000	-58.75	-13.00	-45.75	-49.38	-9.37	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N12_15M_Ch141500_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1415.000	-60.79	-13.00	-47.79	-48.64	-12.15	Peak
2	2122.500	-59.20	-13.00	-46.20	-48.48	-10.72	Peak
3	2830.000	-59.49	-13.00	-46.49	-50.12	-9.37	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N12_15M_Ch141700_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1417.000	-61.15	-13.00	-48.15	-48.98	-12.17	Peak
2	2125.500	-59.63	-13.00	-46.63	-48.96	-10.67	Peak
3	2834.000	-58.92	-13.00	-45.92	-49.52	-9.40	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N12_15M_Ch141700_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1417.000	-60.99	-13.00	-47.99	-48.82	-12.17	Peak
2	2125.500	-59.65	-13.00	-46.65	-48.98	-10.67	Peak
3	2834.000	-59.21	-13.00	-46.21	-49.81	-9.40	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 4: 5G NR n30

Site :CB4-H
 Condition :3m Horizontal
 Mode :5G NR_N30_10M_Ch462000_BPSK_1RB0
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	4620.000	-50.58	-40.00	-10.58	-44.86	-5.72	Peak
2	6930.000	-50.95	-40.00	-10.95	-49.86	-1.09	Peak
3	9240.000	-46.78	-40.00	-6.78	-52.10	5.32	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
 Condition :3m Vertical
 Mode :5G NR_N30_10M_Ch462000_BPSK_1RB0
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	4620.000	-44.78	-40.00	-4.78	-39.06	-5.72	Peak
2	6930.000	-50.53	-40.00	-10.53	-49.44	-1.09	Peak
3	9240.000	-46.47	-40.00	-6.47	-51.79	5.32	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 5: 5G NR n66


Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N66_40M_Ch346000_BPSK_1RB0
Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3460.000	-58.14	-13.00	-45.14	-49.49	-8.65	Peak
2	5190.000	-54.99	-13.00	-41.99	-50.51	-4.48	Peak
3	6920.000	-51.20	-13.00	-38.20	-50.04	-1.16	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N66_40M_Ch346000_BPSK_1RB0
Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3460.000	-51.90	-13.00	-38.90	-43.25	-8.65	Peak
2	5190.000	-54.30	-13.00	-41.30	-49.82	-4.48	Peak
3	6920.000	-51.37	-13.00	-38.37	-50.21	-1.16	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N66_40M_Ch349000_BPSK_1RB0
Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3490.000	-57.27	-13.00	-44.27	-48.99	-8.28	Peak
2	5235.000	-54.60	-13.00	-41.60	-49.77	-4.83	Peak
3	6980.000	-51.13	-13.00	-38.13	-50.39	-0.74	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N66_40M_Ch349000_BPSK_1RB0
Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3490.000	-50.34	-13.00	-37.34	-42.06	-8.28	Peak
2	5235.000	-54.18	-13.00	-41.18	-49.35	-4.83	Peak
3	6980.000	-49.86	-13.00	-36.86	-49.12	-0.74	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N66_40M_Ch352000_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3520.000	-58.88	-13.00	-45.88	-50.78	-8.10	Peak
2	5280.000	-55.48	-13.00	-42.48	-50.33	-5.15	Peak
3	7040.000	-50.19	-13.00	-37.19	-50.01	-0.18	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N66_40M_Ch352000_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3520.000	-50.38	-13.00	-37.38	-42.28	-8.10	Peak
2	5280.000	-54.47	-13.00	-41.47	-49.32	-5.15	Peak
3	7040.000	-49.53	-13.00	-36.53	-49.35	-0.18	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 6: 5G NR n77 (Part 27 3450~3550 MHz)

Site :CB4-H
 Condition :3m Horizontal
 Mode :5G NR_N77_100M_Ch633334_BPSK_1RB0
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7000.000	-50.03	-13.00	-37.03	-49.42	-0.61	Peak
2	10500.000	-45.50	-13.00	-32.50	-54.46	8.96	Peak
3	14500.000	-43.13	-13.00	-30.13	-54.66	11.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
 Condition :3m Vertical
 Mode :5G NR_N77_100M_Ch633334_BPSK_1RB0
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7000.000	-47.37	-13.00	-34.37	-46.76	-0.61	Peak
2	10500.000	-38.60	-13.00	-25.60	-47.56	8.96	Peak
3	14500.000	-43.39	-13.00	-30.39	-54.92	11.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 7: 5G NR n77 (Part 27 3700~3980 MHz)

Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N77_100M_Ch650000_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	7500.000	-46.86	-13.00	-33.86	-47.92	1.06	Peak
2	11250.000	-45.25	-13.00	-32.25	-55.05	9.80	Peak
3	15000.000	-45.32	-13.00	-32.32	-56.57	11.25	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N77_100M_Ch650000_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	7500.000	-41.81	-13.00	-28.81	-42.87	1.06	Peak
2	11250.000	-45.28	-13.00	-32.28	-55.08	9.80	Peak
3	15000.000	-43.40	-13.00	-30.40	-54.65	11.25	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Horizontal
Mode :5G NR_N77_100M_Ch650000_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	7600.000	-46.21	-13.00	-33.21	-47.22	1.01	Peak
2	11520.000	-43.82	-13.00	-30.82	-54.11	10.29	Peak
3	15360.000	-45.65	-13.00	-32.65	-55.74	10.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
Condition :3m Vertical
Mode :5G NR_N77_100M_Ch650000_BPSK_1RB0
Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	7600.000	-44.96	-13.00	-31.96	-45.97	1.01	Peak
2	11520.000	-44.99	-13.00	-31.99	-55.28	10.29	Peak
3	15360.000	-45.51	-13.00	-32.51	-55.60	10.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
 Condition :3m Horizontal
 Mode :5G NR_N77_100M_Ch662000_BPSK_1RB0
 Test By :Gary




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7860.000	-48.70	-13.00	-35.70	-50.32	1.62	Peak
2	11790.000	-44.76	-13.00	-31.76	-53.89	9.13	Peak
3	15720.000	-47.32	-13.00	-34.32	-56.46	9.14	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB4-H
 Condition :3m Vertical
 Mode :5G NR_N77_100M_Ch662000_BPSK_1RB0
 Test By :Gary




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7860.000	-43.72	-13.00	-30.72	-45.34	1.62	Peak
2	11790.000	-44.71	-13.00	-31.71	-53.84	9.13	Peak
3	15720.000	-47.40	-13.00	-34.40	-56.54	9.14	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

7. Conducted Band Edge

7.1. Test Setup



7.2. Test Procedure

1. The EUT makes a call to the communication simulator. The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency. The path loss was compensated to the results for each measurement.
2. In the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions.

7.3. Test Methodology and Reference Procedures

KDB 971168 D01 Power Meas License Digital Systems v03r01


ANSI C63.26-2015

KDB 662911 D01 Multiple Transmitter Output v02r01


7.4. Test Result of Conducted Band Edge

Mode 1: 5G NR n2


5G NR n2_CH370500_5M_pi/2 BPSK_1RB0




5G NR n2_CH370500_5M_pi/2 BPSK_25RB0




5G NR n2_CH381500_5M_pi/2 BPSK_1RB24



5G NR n2_CH381500_5M_pi/2 BPSK_25RB0



5G NR n2_CH371000_10M_pi/2 BPSK_1RB0



5G NR n2_CH371000_10M_pi/2 BPSK_50RB0

