



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File :1

Data :#4

Date: 2024/8/12

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:22:44

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-TX\_Spurious\_OP

EUT : W6M22405-23507

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 88.2565         | -88.60        | peak     | 20.66             | -67.94       | -54.00      | 150          | 85             | -13.94      |         |
| *   | 94.0480         | -85.64        | peak     | 21.30             | -64.34       | -54.00      | 150          | 155            | -10.34      |         |

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/8/12

Temperature:22 °C

-20.0 dBm

Time: 上午 08:21:11

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-TX\_Spurious\_OP

EUT : W6M22405-23507

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 661.7234        | -76.43        | peak     | -1.75             | -78.18       | -54.00      | 150          | 320            | -24.18      |         |
| *   | 789.9800        | -71.56        | peak     | -3.90             | -75.46       | -54.00      | 150          | 165            | -21.46      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/8/12

Temperature:22 °C

-20.0 dBm

Time: 上午 08:25:18

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-TX\_Spurious\_OP

EUT : W6M22405-23507

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 713.0261        | -75.61        | peak     | -4.02             | -79.63       | -54.00      | 150          | 35             | -25.63      |         |
| *   | 764.3287        | -68.71        | peak     | -4.13             | -72.84       | -54.00      | 150          | 255            | -18.84      |         |

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/8/12

Temperature: 22 °C

-20.0 dBm

Time: 上午 07:59:05

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-TX\_Spurious\_OP

EUT : W6M22405-23507

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 1210.421        | -53.53        | peak     | 3.62              | -49.91       | -30.00      | 150          | 165            | -19.91      |         |
| *   | 3645.291        | -53.31        | peak     | 4.61              | -48.70       | -30.00      | 150          | 85             | -18.70      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

### Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/8/12

Temperature: 22 °C

-20.0 dBm

Time: 上午 08:02:21

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-TX\_Spurious\_OP

EUT : W6M22405-23507

M/N:

Test Mode : Tx 607MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 3038.076        | -56.69        | peak     | 7.54              | -49.15       | -30.00      | 150          | 325            | -19.15      |         |
| *   | 3645.291        | -51.52        | peak     | 8.12              | -43.40       | -30.00      | 150          | 240            | -13.40      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1


Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:31:51

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #3

Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:41:54

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/7/1

Temperature:22 °C

-20.0 dBm

Time: 上午 09:32:28

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 66.7936         | -93.68        | peak     | 22.21             | -71.47       | -57.00      | 150          | 200            | -14.47      |         |
| *   | 84.5090         | -92.11        | peak     | 21.57             | -70.54       | -57.00      | 150          | 115            | -13.54      |         |



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 1

Data : #4

Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:42:31

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 84.5090         | -81.21        | peak     | 20.82             | -60.39       | -57.00      | 150          | 255            | -3.39       |         |
|     | 91.3226         | -84.84        | peak     | 20.81             | -64.03       | -57.00      | 150          | 105            | -7.03       |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2024/7/2

Temperature: 22 °C

Time: 上午 09:57:48

Humidity: 55 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 777.1543        | -70.21        | peak     | -4.35             | -74.56       | -57.00      | 150          | 165            | -17.56      |         |
|     | 945.4910        | -71.88        | peak     | -3.68             | -75.56       | -57.00      | 150          | 80             | -18.56      |         |

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:05:02

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 745.0902        | -56.79        | peak     | -4.29             | -61.08       | -57.00      | 150          | 195            | -4.08       |         |
|     | 942.2846        | -69.07        | peak     | -3.12             | -72.19       | -57.00      | 150          | 210            | -15.19      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:09:08

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 1937.876        | -52.63        | peak     | 3.79              | -48.84       | -47.00      | 150          | 135            | -1.84       |         |
|     | 2448.898        | -53.17        | peak     | 1.25              | -51.92       | -47.00      | 150          | 210            | -4.92       |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:16:59

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 478MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 1811.623        | -56.49        | peak     | 6.49              | -50.00       | -47.00      | 150          | 285            | -3.00       |         |
| *   | 2448.898        | -54.86        | peak     | 6.38              | -48.48       | -47.00      | 150          | 240            | -1.48       |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/7/1

Temperature:22 °C

Time: 上午 09:33:42

Humidity:55 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#3


Date: 2024/7/1

Temperature:22 °C

-20.0 dBm

Time: 上午 09:40:06

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:34:19

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 66.7936         | -93.78        | peak     | 22.21             | -71.57       | -57.00      | 150          | 165            | -14.57      |         |
|     | 107.6754        | -92.82        | peak     | 20.16             | -72.66       | -57.00      | 150          | 90             | -15.66      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

### Radiated Emission Measurement

Operator: Sora

File : 1

Data : #4


Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:40:42

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 86.8938         | -83.81        | peak     | 20.72             | -63.09       | -57.00      | 150          | 240            | -6.09       |         |
| *   | 92.6854         | -84.13        | peak     | 21.06             | -63.07       | -57.00      | 150          | 65             | -6.07       |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/7/2

Temperature:22 °C

-20.0 dBm

Time: 上午 09:59:18

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 777.1543        | -69.10        | peak     | -4.35             | -73.45       | -57.00      | 150          | 165            | -16.45      |         |
|     | 945.4910        | -69.87        | peak     | -3.68             | -73.55       | -57.00      | 150          | 95             | -16.55      |         |

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

### Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:03:21

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 741.8837        | -66.61        | peak     | -4.26             | -70.87       | -57.00      | 150          | 350            | -13.87      |         |
|     | 945.4910        | -69.05        | peak     | -3.20             | -72.25       | -57.00      | 150          | 275            | -15.25      |         |

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:10:15

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 1811.623        | -56.71        | peak     | 3.72              | -52.99       | -47.00      | 150          | 35             | -5.99       |         |
| *   | 2448.898        | -53.27        | peak     | 1.25              | -52.02       | -47.00      | 150          | 165            | -5.02       |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:15:38

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 540MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 1817.635        | -58.43        | peak     | 6.54              | -51.89       | -47.00      | 150          | 315            | -4.89       |         |
| *   | 2448.898        | -55.98        | peak     | 6.38              | -49.60       | -47.00      | 150          | 285            | -2.60       |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:35:57

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 1

Data : #3

Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:38:06

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/7/1

Temperature:22 °C

-20.0 dBm

Time: 上午 09:36:35

Humidity:55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 66.7936         | -94.43        | peak     | 22.21             | -72.22       | -57.00      | 150          | 185            | -15.22      |         |
|     | 180.2405        | -94.21        | peak     | 21.08             | -73.13       | -57.00      | 150          | 205            | -16.13      |         |



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 1

Data : #4

Date: 2024/7/1

Temperature: 22 °C

-20.0 dBm

Time: 上午 09:38:43

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 82.8055         | -83.30        | peak     | 20.90             | -62.40       | -57.00      | 150          | 295            | -5.40       |         |
|     | 85.8717         | -85.27        | peak     | 20.76             | -64.51       | -57.00      | 150          | 255            | -7.51       |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2024/7/2

Temperature: 22 °C

-20.0 dBm

Time: 上午 10:00:38

Humidity: 55 %



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 777.1543        | -67.29        | peak     | -4.35             | -71.64       | -57.00      | 150          | 145            | -14.64      |         |
|     | 919.8397        | -72.74        | peak     | -2.37             | -75.11       | -57.00      | 150          | 115            | -18.11      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/7/2

Temperature: 22 °C

Time: 上午 10:02:11

Humidity: 55 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300\_422-RX\_Spurious

EUT : W6M22405-23507

M/N:

Test Mode : Rx 607MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 777.1543        | -67.50        | peak     | -3.94             | -71.44       | -57.00      | 150          | 65             | -14.44      |         |
|     | 943.8878        | -69.11        | peak     | -3.16             | -72.27       | -57.00      | 150          | 255            | -15.27      |         |

\*:Maximum data    x:Over limit    !:over margin