


802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50024G	46.09	54.00	-7.91	18.88	3	Vertical	11	1.54	-	27.21	40.10	12.84	34.06
AV	23.00758G	28.94	54.00	-25.06	-8.36	3	Vertical	231	1.57	-	37.30	39.61	17.87	56.30
PK	11.50128G	59.57	74.00	-14.43	18.88	3	Vertical	11	1.54	-	40.69	40.10	12.84	34.06
PK	17.2786G	63.46	68.20	-4.74	22.02	3	Vertical	338	1.12	-	41.44	39.58	15.70	33.26
PK	23.00734G	41.80	74.00	-32.20	-8.36	3	Vertical	231	1.57	-	50.16	39.61	17.87	56.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.512G	47.23	54.00	-6.77	18.84	3	Horizontal	5	2.29	-	28.39	40.06	12.85	34.07
AV	23.02G	29.18	54.00	-24.82	-8.34	3	Horizontal	349	1.06	-	37.52	39.63	17.87	56.30
PK	11.51272G	61.11	74.00	-12.89	18.84	3	Horizontal	5	2.29	-	42.27	40.06	12.85	34.07
PK	17.25988G	63.37	68.20	-4.83	21.99	3	Horizontal	327	1.50	-	41.38	39.56	15.69	33.26
PK	23.0077G	42.45	74.00	-31.55	-8.36	3	Horizontal	349	1.06	-	50.81	39.61	17.87	56.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	100.20	Inf	-Inf	7.41	3	Vertical	5	1.26	-	92.79	32.10	9.52	34.21
PK	5.6474G	58.25	68.20	-9.95	6.88	3	Vertical	5	1.26	-	51.37	31.61	9.47	34.20
PK	5.7974G	113.56	Inf	-Inf	7.40	3	Vertical	5	1.26	-	106.16	32.09	9.52	34.21
PK	5.993G	58.38	68.20	-9.82	7.95	3	Vertical	5	1.26	-	50.43	32.50	9.67	34.22

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	108.34	Inf	-Inf	7.41	3	Horizontal	316	1.30	-	100.93	32.10	9.52	34.21
PK	5.651G	64.33	68.94	-4.61	6.89	3	Horizontal	316	1.30	-	57.44	31.61	9.48	34.20
PK	5.801G	118.81	Inf	-Inf	7.41	3	Horizontal	316	1.30	-	111.40	32.10	9.52	34.21
PK	6.095G	58.70	68.20	-9.50	7.94	3	Horizontal	316	1.30	-	50.76	32.41	9.76	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5804G	46.48	54.00	-7.52	18.63	3	Vertical	11	1.52	-	27.85	39.86	12.87	34.10
PK	17.38412G	59.01	74.00	-14.99	22.97	3	Vertical	0	2.97	-	43.56	40.44	15.76	33.23
PK	23.16764G	45.87	68.20	-22.33	-8.08	3	Vertical	104	2.22	-	53.95	39.87	17.92	56.33

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5816G	47.44	54.00	-6.56	18.63	3	Horizontal	6	1.41	-	28.81	39.86	12.87	34.10
PK	11.58112G	60.82	74.00	-13.18	18.63	3	Horizontal	6	1.41	-	42.19	39.86	12.87	34.10
PK	17.38604G	65.75	68.20	-2.45	22.99	3	Horizontal	0	2.57	-	42.76	40.46	15.76	33.23
PK	23.1701G	45.21	68.20	-22.99	-8.08	3	Horizontal	95	1.39	-	53.29	39.87	17.92	56.33

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.77	54.00	-4.23	6.84	3	Vertical	0	2.76	-	42.93	31.90	9.07	34.13
AV	5.208G	95.16	Inf	-Inf	6.60	3	Vertical	0	2.76	-	88.56	31.65	9.09	34.14
AV	5.35G	45.38	54.00	-8.62	6.39	3	Vertical	0	2.76	-	38.99	31.30	9.25	34.16
PK	5.147G	63.75	74.00	-10.25	6.84	3	Vertical	0	2.76	-	56.91	31.90	9.07	34.13
PK	5.208G	107.26	Inf	-Inf	6.60	3	Vertical	0	2.76	-	100.66	31.65	9.09	34.14
PK	5.362G	57.90	74.00	-16.10	6.49	3	Vertical	0	2.76	-	51.41	31.40	9.26	34.17

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	52.55	54.00	-1.45	6.84	3	Horizontal	306	2.83	-	45.71	31.90	9.07	34.13
AV	5.204G	101.23	Inf	-Inf	6.62	3	Horizontal	306	2.83	-	94.61	31.68	9.08	34.14
AV	5.365G	46.14	54.00	-7.86	6.51	3	Horizontal	306	2.83	-	39.63	31.42	9.26	34.17
PK	5.146G	67.62	74.00	-6.38	6.84	3	Horizontal	306	2.83	-	60.78	31.90	9.07	34.13
PK	5.225G	113.90	Inf	-Inf	6.52	3	Horizontal	306	2.83	-	107.38	31.55	9.11	34.14
PK	5.452G	58.22	74.00	-15.78	6.86	3	Horizontal	306	2.83	-	51.36	31.70	9.34	34.18

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59288G	45.87	54.00	-8.13	18.00	3	Vertical	15	1.50	-	27.87	37.64	14.82	34.46
AV	20.83394G	33.14	54.00	-20.86	-8.55	3	Vertical	270	1.26	-	41.69	38.27	16.95	54.23
PK	10.4312G	55.80	68.20	-12.40	17.41	3	Vertical	292	2.12	-	38.39	39.56	12.39	34.54
PK	15.5916G	59.28	74.00	-14.72	18.01	3	Vertical	15	1.50	-	41.27	37.65	14.82	34.46
PK	20.83352G	45.91	74.00	-28.09	-8.55	3	Vertical	270	1.26	-	54.46	38.27	16.95	54.23

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59144G	45.91	54.00	-8.09	18.01	3	Horizontal	325	1.50	-	27.90	37.65	14.82	34.46
AV	20.83376G	32.42	54.00	-21.58	-8.55	3	Horizontal	0	1.86	-	40.97	38.27	16.95	54.23
PK	10.41808G	55.42	68.20	-12.78	17.38	3	Horizontal	314	1.50	-	38.04	39.54	12.39	34.55
PK	15.60792G	59.22	74.00	-14.78	17.97	3	Horizontal	325	1.50	-	41.25	37.61	14.83	34.47
PK	20.83376G	46.31	74.00	-27.69	-8.55	3	Horizontal	0	1.86	-	54.86	38.27	16.95	54.23

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7702G	93.67	Inf	-Inf	7.34	3	Vertical	15	1.00	-	86.33	32.04	9.51	34.21
PK	5.6502G	62.60	68.35	-5.75	6.88	3	Vertical	15	1.00	-	55.72	31.60	9.48	34.20
PK	5.769G	105.73	Inf	-Inf	7.34	3	Vertical	15	1.00	-	98.39	32.04	9.51	34.21
PK	6.0246G	58.48	68.20	-9.72	7.98	3	Vertical	15	1.00	-	50.50	32.50	9.70	34.22

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7606G	101.14	Inf	-Inf	7.32	3	Horizontal	311	1.30	-	93.82	32.02	9.51	34.21
PK	5.643G	67.66	68.20	-0.54	6.88	3	Horizontal	311	1.30	-	60.78	31.61	9.47	34.20
PK	5.7606G	113.41	Inf	-Inf	7.32	3	Horizontal	311	1.30	-	106.09	32.02	9.51	34.21
PK	5.991G	59.12	68.20	-9.08	7.95	3	Horizontal	311	1.30	-	51.17	32.50	9.67	34.22

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	43.95	54.00	-10.05	18.72	3	Vertical	15	1.50	-	25.23	39.95	12.86	34.09
AV	23.0886G	29.81	54.00	-24.19	-8.23	3	Vertical	118	1.68	-	38.04	39.74	17.89	56.32
PK	11.51816G	57.04	74.00	-16.96	18.83	3	Vertical	15	1.50	-	38.21	40.05	12.85	34.07
PK	17.31556G	64.60	68.20	-3.60	22.23	3	Vertical	85	1.50	-	42.37	39.76	15.72	33.25
PK	23.0892G	42.56	74.00	-31.44	-8.23	3	Vertical	118	1.68	-	50.79	39.74	17.89	56.32

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54088G	43.69	54.00	-10.31	18.76	3	Horizontal	6	1.48	-	24.93	39.98	12.86	34.08
AV	23.08614G	29.64	54.00	-24.36	-8.23	3	Horizontal	194	2.40	-	37.87	39.74	17.89	56.32
PK	11.54152G	56.64	74.00	-17.36	18.76	3	Horizontal	6	1.48	-	37.88	39.98	12.86	34.08
PK	17.34436G	63.54	68.20	-4.66	22.54	3	Horizontal	360	1.50	-	41.00	40.04	15.74	33.24
PK	23.09226G	43.13	74.00	-30.87	-8.22	3	Horizontal	194	2.40	-	51.35	39.75	17.89	56.32



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	37.76M	34.55	40.00	-5.45	3	Vertical	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	125.06M	24.82	43.50	-18.68	3	Vertical	360	1.00	-
5775MHz	Pass	PK	249.22M	24.30	46.00	-21.70	3	Vertical	360	1.00	-
5775MHz	Pass	PK	311.3M	25.14	46.00	-20.86	3	Vertical	360	1.00	-
5775MHz	Pass	PK	497.54M	28.16	46.00	-17.84	3	Vertical	360	1.00	-
5775MHz	Pass	PK	720.64M	34.06	46.00	-11.94	3	Vertical	360	1.00	-
5775MHz	Pass	PK	939.86M	32.81	46.00	-13.19	3	Vertical	360	1.00	-
5775MHz	Pass	PK	45.52M	28.78	40.00	-11.22	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	194.9M	23.74	43.50	-19.76	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	419.94M	27.28	46.00	-18.72	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	555.74M	29.84	46.00	-16.16	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	685.72M	30.40	46.00	-15.60	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	903M	32.72	46.00	-13.28	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	37.76M	34.55	40.00	-5.45	3	Vertical	0	1.00	-
5775MHz	Pass	PK	192.96M	25.38	43.50	-18.12	3	Vertical	0	1.00	-
5775MHz	Pass	PK	307.42M	25.66	46.00	-20.34	3	Vertical	0	1.00	-
5775MHz	Pass	PK	476.2M	28.47	46.00	-17.53	3	Vertical	0	1.00	-
5775MHz	Pass	PK	720.64M	31.98	46.00	-14.02	3	Vertical	0	1.00	-
5775MHz	Pass	PK	904.94M	34.70	46.00	-11.30	3	Vertical	0	1.00	-
5775MHz	Pass	PK	196.84M	25.20	43.50	-18.30	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	255.04M	25.12	46.00	-20.88	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	445.16M	27.54	46.00	-18.46	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	662.44M	30.62	46.00	-15.38	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	747.8M	32.50	46.00	-13.50	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	904.94M	34.24	46.00	-11.76	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	35.82M	33.74	40.00	-6.26	3	Vertical	360	1.00	-
5775MHz	Pass	PK	142.52M	24.97	43.50	-18.53	3	Vertical	360	1.00	-
5775MHz	Pass	PK	198.78M	25.37	43.50	-18.13	3	Vertical	360	1.00	-
5775MHz	Pass	PK	534.4M	28.31	46.00	-17.69	3	Vertical	360	1.00	-
5775MHz	Pass	PK	800.18M	31.36	46.00	-14.64	3	Vertical	360	1.00	-
5775MHz	Pass	PK	904.94M	33.50	46.00	-12.50	3	Vertical	360	1.00	-
5775MHz	Pass	PK	194.9M	23.85	43.50	-19.65	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	258.92M	24.62	46.00	-21.38	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	423.82M	27.78	46.00	-18.22	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	561.56M	29.19	46.00	-16.81	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	745.86M	32.20	46.00	-13.80	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	897.18M	34.32	46.00	-11.68	3	Horizontal	0	1.00	-

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	125.06M	24.82	43.50	-18.68	-8.85	3	Vertical	360	1.00	-	33.67	17.33	1.57	27.75
PK	249.22M	24.30	46.00	-21.70	-7.40	3	Vertical	360	1.00	-	31.70	17.47	2.15	27.02
PK	311.3M	25.14	46.00	-20.86	-6.03	3	Vertical	360	1.00	-	31.17	18.69	2.40	27.12
PK	497.54M	28.16	46.00	-17.84	-2.54	3	Vertical	360	1.00	-	30.70	22.73	3.07	28.34
PK	720.64M	34.06	46.00	-11.94	-0.06	3	Vertical	360	1.00	-	34.12	24.47	3.64	28.17
PK	939.86M	32.81	46.00	-13.19	2.80	3	Vertical	360	1.00	-	30.01	25.95	4.17	27.32

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	28.78	40.00	-11.22	-11.58	3	Horizontal	0	1.00	-	40.36	14.97	1.03	27.58
PK	194.9M	23.74	43.50	-19.76	-11.03	3	Horizontal	0	1.00	-	34.77	14.40	1.93	27.36
PK	419.94M	27.28	46.00	-18.72	-3.30	3	Horizontal	0	1.00	-	30.58	21.80	2.80	27.90
PK	555.74M	29.84	46.00	-16.16	-1.10	3	Horizontal	0	1.00	-	30.94	24.02	3.21	28.33
PK	685.72M	30.40	46.00	-15.60	-0.48	3	Horizontal	0	1.00	-	30.88	24.19	3.56	28.23
PK	903M	32.72	46.00	-13.28	2.30	3	Horizontal	0	1.00	-	30.42	25.68	4.11	27.49

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_PoE 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	34.55	40.00	-5.45	-7.31	3	Vertical	0	1.00	-	41.86	19.02	0.94	27.27
PK	192.96M	25.38	43.50	-18.12	-11.14	3	Vertical	0	1.00	-	36.52	14.31	1.92	27.37
PK	307.42M	25.66	46.00	-20.34	-6.11	3	Vertical	0	1.00	-	31.77	18.60	2.39	27.10
PK	476.2M	28.47	46.00	-17.53	-2.62	3	Vertical	0	1.00	-	31.09	22.61	2.99	28.22
PK	720.64M	31.98	46.00	-14.02	-0.06	3	Vertical	0	1.00	-	32.04	24.47	3.64	28.17
PK	904.94M	34.70	46.00	-11.30	2.34	3	Vertical	0	1.00	-	32.36	25.70	4.12	27.48

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_PoE 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	196.84M	25.20	43.50	-18.30	-10.94	3	Horizontal	360	1.00	-	36.14	14.46	1.94	27.34
PK	255.04M	25.12	46.00	-20.88	-6.69	3	Horizontal	360	1.00	-	31.81	18.16	2.17	27.02
PK	445.16M	27.54	46.00	-18.46	-3.33	3	Horizontal	360	1.00	-	30.87	21.83	2.88	28.04
PK	662.44M	30.62	46.00	-15.38	-0.55	3	Horizontal	360	1.00	-	31.17	24.17	3.49	28.21
PK	747.8M	32.50	46.00	-13.50	0.49	3	Horizontal	360	1.00	-	32.01	24.87	3.70	28.08
PK	904.94M	34.24	46.00	-11.76	2.34	3	Horizontal	360	1.00	-	31.90	25.70	4.12	27.48

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_PoE 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	33.74	40.00	-6.26	-6.09	3	Vertical	360	1.00	-	39.83	20.17	0.92	27.18
PK	142.52M	24.97	43.50	-18.53	-9.75	3	Vertical	360	1.00	-	34.72	16.18	1.66	27.59
PK	198.78M	25.37	43.50	-18.13	-10.83	3	Vertical	360	1.00	-	36.20	14.55	1.95	27.33
PK	534.4M	28.31	46.00	-17.69	-2.23	3	Vertical	360	1.00	-	30.54	22.94	3.16	28.33
PK	800.18M	31.36	46.00	-14.64	1.05	3	Vertical	360	1.00	-	30.31	25.05	3.88	27.88
PK	904.94M	33.50	46.00	-12.50	2.34	3	Vertical	360	1.00	-	31.16	25.70	4.12	27.48

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_PoE 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	194.9M	23.85	43.50	-19.65	-11.03	3	Horizontal	0	1.00	-	34.88	14.40	1.93	27.36
PK	258.92M	24.62	46.00	-21.38	-6.20	3	Horizontal	0	1.00	-	30.82	18.64	2.19	27.03
PK	423.82M	27.78	46.00	-18.22	-3.29	3	Horizontal	0	1.00	-	31.07	21.81	2.82	27.92
PK	561.56M	29.19	46.00	-16.81	-1.12	3	Horizontal	0	1.00	-	30.31	24.00	3.23	28.35
PK	745.86M	32.20	46.00	-13.80	0.47	3	Horizontal	0	1.00	-	31.73	24.86	3.69	28.08
PK	897.18M	34.32	46.00	-11.68	2.23	3	Horizontal	0	1.00	-	32.09	25.64	4.10	27.51

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	11.49014G	47.41	54.00	-6.59	3	Horizontal	303	1.05	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.6338G	64.45	68.20	-3.75	3	Horizontal	49	1.74	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.6402G	65.09	68.20	-3.11	3	Horizontal	46	2.59	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6418G	66.43	68.20	-1.77	3	Horizontal	48	2.74	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.7414G	108.43	Inf	-Inf	3	Vertical	11	2.91	-
5745MHz	Pass	PK	5.6418G	58.75	68.20	-9.45	3	Vertical	11	2.91	-
5745MHz	Pass	PK	5.7426G	118.25	Inf	-Inf	3	Vertical	11	2.91	-
5745MHz	Pass	PK	5.9418G	58.92	68.20	-9.28	3	Vertical	11	2.91	-
5745MHz	Pass	AV	5.7462G	111.92	Inf	-Inf	3	Horizontal	71	2.48	-
5745MHz	Pass	PK	5.6454G	60.91	68.20	-7.29	3	Horizontal	71	2.48	-
5745MHz	Pass	PK	5.7462G	121.60	Inf	-Inf	3	Horizontal	71	2.48	-
5745MHz	Pass	PK	5.9694G	58.15	68.20	-10.05	3	Horizontal	71	2.48	-
5745MHz	Pass	AV	11.49032G	45.49	54.00	-8.51	3	Vertical	16	1.38	-
5745MHz	Pass	PK	11.4904G	59.09	74.00	-14.91	3	Vertical	16	1.38	-
5745MHz	Pass	AV	11.49014G	47.41	54.00	-6.59	3	Horizontal	303	1.05	-
5745MHz	Pass	PK	11.48994G	60.36	74.00	-13.64	3	Horizontal	303	1.05	-
5785MHz	Pass	AV	5.7838G	102.71	Inf	-Inf	3	Vertical	299	1.52	-
5785MHz	Pass	PK	5.4958G	57.24	68.20	-10.96	3	Vertical	299	1.52	-
5785MHz	Pass	PK	5.7838G	112.65	Inf	-Inf	3	Vertical	299	1.52	-
5785MHz	Pass	PK	6.0298G	58.45	68.20	-9.75	3	Vertical	299	1.52	-
5785MHz	Pass	AV	5.7898G	110.97	Inf	-Inf	3	Horizontal	80	1.81	-
5785MHz	Pass	PK	5.6482G	60.27	68.20	-7.93	3	Horizontal	80	1.81	-
5785MHz	Pass	PK	5.7898G	121.16	Inf	-Inf	3	Horizontal	80	1.81	-
5785MHz	Pass	PK	6.0658G	57.92	68.20	-10.28	3	Horizontal	80	1.81	-
5785MHz	Pass	AV	11.57006G	45.57	54.00	-8.43	3	Vertical	15	1.41	-
5785MHz	Pass	PK	11.5695G	59.14	74.00	-14.86	3	Vertical	15	1.41	-
5785MHz	Pass	AV	11.56988G	46.20	54.00	-7.80	3	Horizontal	320	1.68	-
5785MHz	Pass	PK	11.56808G	58.87	74.00	-15.13	3	Horizontal	320	1.68	-
5825MHz	Pass	AV	5.8214G	109.21	Inf	-Inf	3	Vertical	11	2.96	-
5825MHz	Pass	PK	5.5526G	57.27	68.20	-10.93	3	Vertical	11	2.96	-
5825MHz	Pass	PK	5.8214G	118.99	Inf	-Inf	3	Vertical	11	2.96	-
5825MHz	Pass	PK	6.1142G	58.14	68.20	-10.06	3	Vertical	11	2.96	-
5825MHz	Pass	AV	5.8262G	112.94	Inf	-Inf	3	Horizontal	66	2.46	-
5825MHz	Pass	PK	5.6462G	58.51	68.20	-9.69	3	Horizontal	66	2.46	-
5825MHz	Pass	PK	5.8262G	122.90	Inf	-Inf	3	Horizontal	66	2.46	-
5825MHz	Pass	PK	6.041G	58.03	68.20	-10.17	3	Horizontal	66	2.46	-
5825MHz	Pass	AV	11.6498G	44.78	54.00	-9.22	3	Vertical	14	1.39	-
5825MHz	Pass	PK	11.65066G	58.16	74.00	-15.84	3	Vertical	14	1.39	-
5825MHz	Pass	AV	11.65G	47.32	54.00	-6.68	3	Horizontal	302	1.00	-
5825MHz	Pass	PK	11.65048G	60.92	74.00	-13.08	3	Horizontal	302	1.00	-
802.11ax HEW20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.7522G	107.13	Inf	-Inf	3	Vertical	6	2.55	-
5745MHz	Pass	PK	5.6526G	61.56	70.12	-8.56	3	Vertical	6	2.55	-
5745MHz	Pass	PK	5.751G	117.97	Inf	-Inf	3	Vertical	6	2.55	-
5745MHz	Pass	PK	5.9694G	58.50	68.20	-9.70	3	Vertical	6	2.55	-
5745MHz	Pass	AV	5.739G	113.14	Inf	-Inf	3	Horizontal	62	3.00	-
5745MHz	Pass	PK	5.6394G	64.14	68.20	-4.06	3	Horizontal	62	3.00	-
5745MHz	Pass	PK	5.739G	124.35	Inf	-Inf	3	Horizontal	62	3.00	-
5745MHz	Pass	PK	6.021G	58.33	68.20	-9.87	3	Horizontal	62	3.00	-
5745MHz	Pass	AV	11.49036G	44.14	54.00	-9.86	3	Vertical	18	1.50	-
5745MHz	Pass	PK	11.49016G	57.44	74.00	-16.56	3	Vertical	18	1.50	-
5745MHz	Pass	AV	11.49004G	46.66	54.00	-7.34	3	Horizontal	302	1.00	-
5745MHz	Pass	PK	11.49016G	60.15	74.00	-13.85	3	Horizontal	302	1.00	-
5785MHz	Pass	AV	5.7778G	106.78	Inf	-Inf	3	Vertical	56	2.97	-
5785MHz	Pass	PK	5.6398G	60.35	68.20	-7.85	3	Vertical	56	2.97	-
5785MHz	Pass	PK	5.779G	119.56	Inf	-Inf	3	Vertical	56	2.97	-
5785MHz	Pass	PK	5.9674G	58.71	68.20	-9.49	3	Vertical	56	2.97	-
5785MHz	Pass	AV	5.7766G	111.37	Inf	-Inf	3	Horizontal	49	1.74	-
5785MHz	Pass	PK	5.6338G	64.45	68.20	-3.75	3	Horizontal	49	1.74	-
5785MHz	Pass	PK	5.7766G	124.30	Inf	-Inf	3	Horizontal	49	1.74	-
5785MHz	Pass	PK	5.9734G	58.58	68.20	-9.62	3	Horizontal	49	1.74	-
5785MHz	Pass	AV	11.57124G	44.57	54.00	-9.43	3	Vertical	17	1.51	-
5785MHz	Pass	PK	11.57036G	57.96	74.00	-16.04	3	Vertical	17	1.51	-
5785MHz	Pass	AV	11.56996G	46.55	54.00	-7.45	3	Horizontal	303	1.00	-




RSE TX above 1GHz Non-Beamforming Radio3

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	11.56972G	60.35	74.00	-13.65	3	Horizontal	303	1.00	-
5825MHz	Pass	AV	5.8322G	107.27	Inf	-Inf	3	Vertical	5	2.49	-
5825MHz	Pass	PK	5.531G	57.93	68.20	-10.27	3	Vertical	5	2.49	-
5825MHz	Pass	PK	5.8322G	117.20	Inf	-Inf	3	Vertical	5	2.49	-
5825MHz	Pass	PK	6.0278G	59.26	68.20	-8.94	3	Vertical	5	2.49	-
5825MHz	Pass	AV	5.8322G	112.32	Inf	-Inf	3	Horizontal	49	2.71	-
5825MHz	Pass	PK	5.6498G	60.58	68.20	-7.62	3	Horizontal	49	2.71	-
5825MHz	Pass	PK	5.8322G	124.01	Inf	-Inf	3	Horizontal	49	2.71	-
5825MHz	Pass	PK	6.0134G	58.70	68.20	-9.50	3	Horizontal	49	2.71	-
5825MHz	Pass	AV	11.64984G	43.96	54.00	-10.04	3	Vertical	14	1.50	-
5825MHz	Pass	PK	11.65132G	57.05	74.00	-16.95	3	Vertical	14	1.50	-
5825MHz	Pass	AV	11.65176G	45.37	54.00	-8.63	3	Horizontal	305	2.40	-
5825MHz	Pass	PK	11.651G	58.75	74.00	-15.25	3	Horizontal	305	2.40	-
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	AV	5.7538G	98.38	Inf	-Inf	3	Vertical	300	1.46	-
5755MHz	Pass	PK	5.5234G	57.43	68.20	-10.77	3	Vertical	300	1.46	-
5755MHz	Pass	PK	5.7538G	110.07	Inf	-Inf	3	Vertical	300	1.46	-
5755MHz	Pass	PK	5.9398G	58.85	68.20	-9.35	3	Vertical	300	1.46	-
5755MHz	Pass	AV	5.7454G	107.88	Inf	-Inf	3	Horizontal	49	1.80	-
5755MHz	Pass	PK	5.6446G	64.88	68.20	-3.32	3	Horizontal	49	1.80	-
5755MHz	Pass	PK	5.7442G	119.73	Inf	-Inf	3	Horizontal	49	1.80	-
5755MHz	Pass	PK	6.0454G	58.10	68.20	-10.10	3	Horizontal	49	1.80	-
5755MHz	Pass	AV	11.50992G	43.53	54.00	-10.47	3	Vertical	12	1.40	-
5755MHz	Pass	PK	11.50952G	56.50	74.00	-17.50	3	Vertical	12	1.40	-
5755MHz	Pass	AV	11.51G	44.53	54.00	-9.47	3	Horizontal	321	1.64	-
5755MHz	Pass	PK	11.51016G	56.21	74.00	-17.79	3	Horizontal	321	1.64	-
5795MHz	Pass	AV	5.7914G	105.11	Inf	-Inf	3	Vertical	14	3.00	-
5795MHz	Pass	PK	5.6522G	62.47	69.83	-7.36	3	Vertical	14	3.00	-
5795MHz	Pass	PK	5.7914G	116.69	Inf	-Inf	3	Vertical	14	3.00	-
5795MHz	Pass	PK	6.0122G	59.20	68.20	-9.00	3	Vertical	14	3.00	-
5795MHz	Pass	AV	5.801G	108.86	Inf	-Inf	3	Horizontal	46	2.59	-
5795MHz	Pass	PK	5.6402G	65.09	68.20	-3.11	3	Horizontal	46	2.59	-
5795MHz	Pass	PK	5.801G	119.93	Inf	-Inf	3	Horizontal	46	2.59	-
5795MHz	Pass	PK	6.023G	59.09	68.20	-9.11	3	Horizontal	46	2.59	-
5795MHz	Pass	AV	11.59016G	43.00	54.00	-11.00	3	Vertical	16	1.50	-
5795MHz	Pass	PK	11.59136G	56.15	74.00	-17.85	3	Vertical	16	1.50	-
5795MHz	Pass	AV	11.59G	44.59	54.00	-9.41	3	Horizontal	304	2.75	-
5795MHz	Pass	PK	11.582G	55.55	74.00	-18.45	3	Horizontal	304	2.75	-
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7714G	98.74	Inf	-Inf	3	Vertical	11	3.00	-
5775MHz	Pass	PK	5.6514G	65.82	69.24	-3.42	3	Vertical	11	3.00	-
5775MHz	Pass	PK	5.7714G	109.43	Inf	-Inf	3	Vertical	11	3.00	-
5775MHz	Pass	PK	6.0426G	58.42	68.20	-9.78	3	Vertical	11	3.00	-
5775MHz	Pass	AV	5.7618G	101.78	Inf	-Inf	3	Horizontal	48	2.74	-
5775MHz	Pass	PK	5.6418G	66.43	68.20	-1.77	3	Horizontal	48	2.74	-
5775MHz	Pass	PK	5.7606G	114.67	Inf	-Inf	3	Horizontal	48	2.74	-
5775MHz	Pass	PK	6.0678G	59.26	68.20	-8.94	3	Horizontal	48	2.74	-
5775MHz	Pass	AV	11.55G	42.99	54.00	-11.01	3	Vertical	218	2.50	-
5775MHz	Pass	PK	11.55112G	56.11	74.00	-17.89	3	Vertical	218	2.50	-
5775MHz	Pass	AV	11.51896G	42.84	54.00	-11.16	3	Horizontal	1	1.61	-
5775MHz	Pass	PK	11.57176G	55.99	74.00	-18.01	3	Horizontal	1	1.61	-

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7414G	108.43	Inf	-Inf	7.20	3	Vertical	11	2.91	-	101.23	31.98	9.50	34.28
PK	5.6418G	58.75	68.20	-9.45	6.82	3	Vertical	11	2.91	-	51.93	31.62	9.47	34.27
PK	5.7426G	118.25	Inf	-Inf	7.21	3	Vertical	11	2.91	-	111.04	31.99	9.50	34.28
PK	5.9418G	58.92	68.20	-9.28	7.83	3	Vertical	11	2.91	-	51.09	32.50	9.63	34.30

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	111.92	Inf	-Inf	7.21	3	Horizontal	71	2.48	-	104.71	31.99	9.50	34.28
PK	5.6454G	60.91	68.20	-7.29	6.81	3	Horizontal	71	2.48	-	54.10	31.61	9.47	34.27
PK	5.7462G	121.60	Inf	-Inf	7.21	3	Horizontal	71	2.48	-	114.39	31.99	9.50	34.28
PK	5.9694G	58.15	68.20	-10.05	7.85	3	Horizontal	71	2.48	-	50.30	32.50	9.66	34.31

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49032G	45.49	54.00	-8.51	18.76	3	Vertical	16	1.38	-	26.73	40.08	12.84	34.16
PK	11.4904G	59.09	74.00	-14.91	18.76	3	Vertical	16	1.38	-	40.33	40.08	12.84	34.16

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49014G	47.41	54.00	-6.59	18.76	3	Horizontal	303	1.05	-	28.65	40.08	12.84	34.16
PK	11.48994G	60.36	74.00	-13.64	18.76	3	Horizontal	303	1.05	-	41.60	40.08	12.84	34.16

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7838G	102.71	Inf	-Inf	7.30	3	Vertical	299	1.52	-	95.41	32.07	9.52	34.29
PK	5.4958G	57.24	68.20	-10.96	6.91	3	Vertical	299	1.52	-	50.33	31.79	9.38	34.26
PK	5.7838G	112.65	Inf	-Inf	7.30	3	Vertical	299	1.52	-	105.35	32.07	9.52	34.29
PK	6.0298G	58.45	68.20	-9.75	7.89	3	Vertical	299	1.52	-	50.56	32.50	9.70	34.31

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7898G	110.97	Inf	-Inf	7.31	3	Horizontal	80	1.81	-	103.66	32.08	9.52	34.29
PK	5.6482G	60.27	68.20	-7.93	6.80	3	Horizontal	80	1.81	-	53.47	31.60	9.47	34.27
PK	5.7898G	121.16	Inf	-Inf	7.31	3	Horizontal	80	1.81	-	113.85	32.08	9.52	34.29
PK	6.0658G	57.92	68.20	-10.28	7.88	3	Horizontal	80	1.81	-	50.04	32.47	9.73	34.32

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57006G	45.57	54.00	-8.43	18.57	3	Vertical	15	1.41	-	27.00	39.89	12.87	34.19
PK	11.5695G	59.14	74.00	-14.86	18.57	3	Vertical	15	1.41	-	40.57	39.89	12.87	34.19

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56988G	46.20	54.00	-7.80	18.57	3	Horizontal	320	1.68	-	27.63	39.89	12.87	34.19
PK	11.56808G	58.87	74.00	-15.13	18.58	3	Horizontal	320	1.68	-	40.29	39.90	12.87	34.19

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8214G	109.21	Inf	-Inf	7.44	3	Vertical	11	2.96	-	101.77	32.19	9.54	34.29
PK	5.5526G	57.27	68.20	-10.93	6.94	3	Vertical	11	2.96	-	50.33	31.79	9.42	34.27
PK	5.8214G	118.99	Inf	-Inf	7.44	3	Vertical	11	2.96	-	111.55	32.19	9.54	34.29
PK	6.1142G	58.14	68.20	-10.06	7.91	3	Vertical	11	2.96	-	50.23	32.46	9.77	34.32

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	112.94	Inf	-Inf	7.45	3	Horizontal	66	2.46	-	105.49	32.20	9.54	34.29
PK	5.6462G	58.51	68.20	-9.69	6.81	3	Horizontal	66	2.46	-	51.70	31.61	9.47	34.27
PK	5.8262G	122.90	Inf	-Inf	7.45	3	Horizontal	66	2.46	-	115.45	32.20	9.54	34.29
PK	6.041G	58.03	68.20	-10.17	7.90	3	Horizontal	66	2.46	-	50.13	32.50	9.71	34.31

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6498G	44.78	54.00	-9.22	18.17	3	Vertical	14	1.39	-	26.61	39.50	12.90	34.23
PK	11.65066G	58.16	74.00	-15.84	18.17	3	Vertical	14	1.39	-	39.99	39.50	12.90	34.23

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65G	47.32	54.00	-6.68	18.17	3	Horizontal	302	1.00	-	29.15	39.50	12.90	34.23
PK	11.65048G	60.92	74.00	-13.08	18.17	3	Horizontal	302	1.00	-	42.75	39.50	12.90	34.23

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7522G	107.13	Inf	-Inf	7.22	3	Vertical	6	2.55	-	99.91	32.00	9.51	34.29
PK	5.6526G	61.56	70.12	-8.56	6.82	3	Vertical	6	2.55	-	54.74	31.62	9.48	34.28
PK	5.751G	117.97	Inf	-Inf	7.22	3	Vertical	6	2.55	-	110.75	32.00	9.51	34.29
PK	5.9694G	58.50	68.20	-9.70	7.85	3	Vertical	6	2.55	-	50.65	32.50	9.66	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.739G	113.14	Inf	-Inf	7.20	3	Horizontal	62	3.00	-	105.94	31.98	9.50	34.28
PK	5.6394G	64.14	68.20	-4.06	6.82	3	Horizontal	62	3.00	-	57.32	31.62	9.47	34.27
PK	5.739G	124.35	Inf	-Inf	7.20	3	Horizontal	62	3.00	-	117.15	31.98	9.50	34.28
PK	6.021G	58.33	68.20	-9.87	7.89	3	Horizontal	62	3.00	-	50.44	32.50	9.70	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49036G	44.14	54.00	-9.86	18.76	3	Vertical	18	1.50	-	25.38	40.08	12.84	34.16
PK	11.49016G	57.44	74.00	-16.56	18.76	3	Vertical	18	1.50	-	38.68	40.08	12.84	34.16

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49004G	46.66	54.00	-7.34	18.76	3	Horizontal	302	1.00	-	27.90	40.08	12.84	34.16
PK	11.49016G	60.15	74.00	-13.85	18.76	3	Horizontal	302	1.00	-	41.39	40.08	12.84	34.16

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	106.78	Inf	-Inf	7.28	3	Vertical	56	2.97	-	99.50	32.06	9.51	34.29
PK	5.6398G	60.35	68.20	-7.85	6.82	3	Vertical	56	2.97	-	53.53	31.62	9.47	34.27
PK	5.779G	119.56	Inf	-Inf	7.28	3	Vertical	56	2.97	-	112.28	32.06	9.51	34.29
PK	5.9674G	58.71	68.20	-9.49	7.84	3	Vertical	56	2.97	-	50.87	32.50	9.65	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	111.37	Inf	-Inf	7.27	3	Horizontal	49	1.74	-	104.10	32.05	9.51	34.29
PK	5.6338G	64.45	68.20	-3.75	6.83	3	Horizontal	49	1.74	-	57.62	31.63	9.47	34.27
PK	5.7766G	124.30	Inf	-Inf	7.27	3	Horizontal	49	1.74	-	117.03	32.05	9.51	34.29
PK	5.9734G	58.58	68.20	-9.62	7.85	3	Horizontal	49	1.74	-	50.73	32.50	9.66	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57124G	44.57	54.00	-9.43	18.57	3	Vertical	17	1.51	-	26.00	39.89	12.87	34.19
PK	11.57036G	57.96	74.00	-16.04	18.57	3	Vertical	17	1.51	-	39.39	39.89	12.87	34.19

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56996G	46.55	54.00	-7.45	18.57	3	Horizontal	303	1.00	-	27.98	39.89	12.87	34.19
PK	11.56972G	60.35	74.00	-13.65	18.57	3	Horizontal	303	1.00	-	41.78	39.89	12.87	34.19

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	107.27	Inf	-Inf	7.49	3	Vertical	5	2.49	-	99.78	32.23	9.55	34.29
PK	5.531G	57.93	68.20	-10.27	6.94	3	Vertical	5	2.49	-	50.99	31.80	9.40	34.26
PK	5.8322G	117.20	Inf	-Inf	7.49	3	Vertical	5	2.49	-	109.71	32.23	9.55	34.29
PK	6.0278G	59.26	68.20	-8.94	7.89	3	Vertical	5	2.49	-	51.37	32.50	9.70	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	112.32	Inf	-Inf	7.49	3	Horizontal	49	2.71	-	104.83	32.23	9.55	34.29
PK	5.6498G	60.58	68.20	-7.62	6.80	3	Horizontal	49	2.71	-	53.78	31.60	9.47	34.27
PK	5.8322G	124.01	Inf	-Inf	7.49	3	Horizontal	49	2.71	-	116.52	32.23	9.55	34.29
PK	6.0134G	58.70	68.20	-9.50	7.88	3	Horizontal	49	2.71	-	50.82	32.50	9.69	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64984G	43.96	54.00	-10.04	18.17	3	Vertical	14	1.50	-	25.79	39.50	12.90	34.23
PK	11.65132G	57.05	74.00	-16.95	18.16	3	Vertical	14	1.50	-	38.89	39.49	12.90	34.23

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65176G	45.37	54.00	-8.63	18.16	3	Horizontal	305	2.40	-	27.21	39.49	12.90	34.23
PK	11.651G	58.75	74.00	-15.25	18.16	3	Horizontal	305	2.40	-	40.59	39.49	12.90	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	98.38	Inf	-Inf	7.23	3	Vertical	300	1.46	-	91.15	32.01	9.51	34.29
PK	5.5234G	57.43	68.20	-10.77	6.94	3	Vertical	300	1.46	-	50.49	31.80	9.40	34.26
PK	5.7538G	110.07	Inf	-Inf	7.23	3	Vertical	300	1.46	-	102.84	32.01	9.51	34.29
PK	5.9398G	58.85	68.20	-9.35	7.83	3	Vertical	300	1.46	-	51.02	32.50	9.63	34.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7454G	107.88	Inf	-Inf	7.21	3	Horizontal	49	1.80	-	100.67	31.99	9.50	34.28
PK	5.6446G	64.88	68.20	-3.32	6.81	3	Horizontal	49	1.80	-	58.07	31.61	9.47	34.27
PK	5.7442G	119.73	Inf	-Inf	7.21	3	Horizontal	49	1.80	-	112.52	31.99	9.50	34.28
PK	6.0454G	58.10	68.20	-10.10	7.91	3	Horizontal	49	1.80	-	50.19	32.50	9.72	34.31

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50992G	43.53	54.00	-10.47	18.75	3	Vertical	12	1.40	-	24.78	40.07	12.84	34.16
PK	11.50952G	56.50	74.00	-17.50	18.75	3	Vertical	12	1.40	-	37.75	40.07	12.84	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51G	44.53	54.00	-9.47	18.75	3	Horizontal	321	1.64	-	25.78	40.07	12.84	34.16
PK	11.51016G	56.21	74.00	-17.79	18.75	3	Horizontal	321	1.64	-	37.46	40.07	12.84	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7914G	105.11	Inf	-Inf	7.31	3	Vertical	14	3.00	-	97.80	32.08	9.52	34.29
PK	5.6522G	62.47	69.83	-7.36	6.81	3	Vertical	14	3.00	-	55.66	31.61	9.48	34.28
PK	5.7914G	116.69	Inf	-Inf	7.31	3	Vertical	14	3.00	-	109.38	32.08	9.52	34.29
PK	6.0122G	59.20	68.20	-9.00	7.88	3	Vertical	14	3.00	-	51.32	32.50	9.69	34.31

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	108.86	Inf	-Inf	7.33	3	Horizontal	46	2.59	-	101.53	32.10	9.52	34.29
PK	5.6402G	65.09	68.20	-3.11	6.82	3	Horizontal	46	2.59	-	58.27	31.62	9.47	34.27
PK	5.801G	119.93	Inf	-Inf	7.33	3	Horizontal	46	2.59	-	112.60	32.10	9.52	34.29
PK	6.023G	59.09	68.20	-9.11	7.89	3	Horizontal	46	2.59	-	51.20	32.50	9.70	34.31

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59016G	43.00	54.00	-11.00	18.51	3	Vertical	16	1.50	-	24.49	39.83	12.88	34.20
PK	11.59136G	56.15	74.00	-17.85	18.51	3	Vertical	16	1.50	-	37.64	39.83	12.88	34.20

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59G	44.59	54.00	-9.41	18.51	3	Horizontal	304	2.75	-	26.08	39.83	12.88	34.20
PK	11.582G	55.55	74.00	-18.45	18.52	3	Horizontal	304	2.75	-	37.03	39.85	12.87	34.20

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7714G	98.74	Inf	-Inf	7.26	3	Vertical	11	3.00	-	91.48	32.04	9.51	34.29
PK	5.6514G	65.82	69.24	-3.42	6.81	3	Vertical	11	3.00	-	59.01	31.61	9.48	34.28
PK	5.7714G	109.43	Inf	-Inf	7.26	3	Vertical	11	3.00	-	102.17	32.04	9.51	34.29
PK	6.0426G	58.42	68.20	-9.78	7.90	3	Vertical	11	3.00	-	50.52	32.50	9.71	34.31

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7618G	101.78	Inf	-Inf	7.24	3	Horizontal	48	2.74	-	94.54	32.02	9.51	34.29
PK	5.6418G	66.43	68.20	-1.77	6.82	3	Horizontal	48	2.74	-	59.61	31.62	9.47	34.27
PK	5.7606G	114.67	Inf	-Inf	7.24	3	Horizontal	48	2.74	-	107.43	32.02	9.51	34.29
PK	6.0678G	59.26	68.20	-8.94	7.87	3	Horizontal	48	2.74	-	51.39	32.46	9.73	34.32

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	42.99	54.00	-11.01	18.63	3	Vertical	218	2.50	-	24.36	39.95	12.86	34.18
PK	11.55112G	56.11	74.00	-17.89	18.63	3	Vertical	218	2.50	-	37.48	39.95	12.86	34.18

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51896G	42.84	54.00	-11.16	18.72	3	Horizontal	1	1.61	-	24.12	40.04	12.85	34.17
PK	11.57176G	55.99	74.00	-18.01	18.56	3	Horizontal	1	1.61	-	37.43	39.88	12.87	34.19



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	179.38M	31.70	43.50	-11.80	3	Horizontal	360	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	183.26M	27.08	43.50	-16.42	3	Vertical	360	1.00	-
5775MHz	Pass	PK	245.34M	27.17	46.00	-18.83	3	Vertical	360	1.00	-
5775MHz	Pass	PK	383.08M	26.30	46.00	-19.70	3	Vertical	360	1.00	-
5775MHz	Pass	PK	553.8M	31.00	46.00	-15.00	3	Vertical	360	1.00	-
5775MHz	Pass	PK	730.34M	32.00	46.00	-14.00	3	Vertical	360	1.00	-
5775MHz	Pass	PK	877.78M	32.99	46.00	-13.01	3	Vertical	360	1.00	-
5775MHz	Pass	PK	169.68M	27.63	43.50	-15.87	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	255.04M	27.41	46.00	-18.59	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	408.3M	27.96	46.00	-18.04	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	608.12M	30.82	46.00	-15.18	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	732.28M	33.12	46.00	-12.88	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	904.94M	32.76	46.00	-13.24	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	125.06M	27.74	43.50	-15.76	3	Vertical	0	1.00	-
5775MHz	Pass	PK	241.46M	27.54	46.00	-18.46	3	Vertical	0	1.00	-
5775MHz	Pass	PK	400.54M	27.01	46.00	-18.99	3	Vertical	0	1.00	-
5775MHz	Pass	PK	563.5M	30.16	46.00	-15.84	3	Vertical	0	1.00	-
5775MHz	Pass	PK	730.34M	32.17	46.00	-13.83	3	Vertical	0	1.00	-
5775MHz	Pass	PK	951.5M	33.83	46.00	-12.17	3	Vertical	0	1.00	-
5775MHz	Pass	PK	179.38M	31.70	43.50	-11.80	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	258.92M	31.17	46.00	-14.83	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	400.54M	29.43	46.00	-16.57	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	573.2M	29.81	46.00	-16.19	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	738.1M	33.49	46.00	-12.51	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	934.04M	32.89	46.00	-13.11	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	125.06M	27.55	43.50	-15.95	3	Vertical	360	1.00	-
5775MHz	Pass	PK	187.14M	26.63	43.50	-16.87	3	Vertical	360	1.00	-
5775MHz	Pass	PK	262.8M	27.00	46.00	-19.00	3	Vertical	360	1.00	-
5775MHz	Pass	PK	433.52M	27.76	46.00	-18.24	3	Vertical	360	1.00	-
5775MHz	Pass	PK	557.68M	30.24	46.00	-15.76	3	Vertical	360	1.00	-
5775MHz	Pass	PK	930.16M	33.91	46.00	-12.09	3	Vertical	360	1.00	-
5775MHz	Pass	PK	177.44M	30.80	43.50	-12.70	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	251.16M	32.59	46.00	-13.41	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	540.22M	30.61	46.00	-15.39	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	730.34M	33.14	46.00	-12.86	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	811.82M	32.49	46.00	-13.51	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	963.14M	34.10	54.00	-19.90	3	Horizontal	0	1.00	-

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	183.26M	27.08	43.50	-16.42	-11.18	3	Vertical	360	1.00	-	38.26	14.38	1.88	27.44
PK	245.34M	27.17	46.00	-18.83	-7.89	3	Vertical	360	1.00	-	35.06	17.03	2.13	27.05
PK	383.08M	26.30	46.00	-19.70	-4.74	3	Vertical	360	1.00	-	31.04	20.21	2.68	27.63
PK	553.8M	31.00	46.00	-15.00	-1.14	3	Vertical	360	1.00	-	32.14	23.99	3.20	28.33
PK	730.34M	32.00	46.00	-14.00	0.20	3	Vertical	360	1.00	-	31.80	24.68	3.66	28.14
PK	877.78M	32.99	46.00	-13.01	2.10	3	Vertical	360	1.00	-	30.89	25.64	4.06	27.60

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	169.68M	27.63	43.50	-15.87	-10.75	3	Horizontal	0	1.00	-	38.38	14.93	1.81	27.49
PK	255.04M	27.41	46.00	-18.59	-6.69	3	Horizontal	0	1.00	-	34.10	18.16	2.17	27.02
PK	408.3M	27.96	46.00	-18.04	-3.61	3	Horizontal	0	1.00	-	31.57	21.45	2.77	27.83
PK	608.12M	30.82	46.00	-15.18	-0.99	3	Horizontal	0	1.00	-	31.81	24.02	3.38	28.39
PK	732.28M	33.12	46.00	-12.88	0.25	3	Horizontal	0	1.00	-	32.87	24.72	3.66	28.13
PK	904.94M	32.76	46.00	-13.24	2.34	3	Horizontal	0	1.00	-	30.42	25.70	4.12	27.48

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_PoE 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	125.06M	27.74	43.50	-15.76	-8.85	3	Vertical	0	1.00	-	36.59	17.33	1.57	27.75
PK	241.46M	27.54	46.00	-18.46	-8.33	3	Vertical	0	1.00	-	35.87	16.62	2.12	27.07
PK	400.54M	27.01	46.00	-18.99	-3.99	3	Vertical	0	1.00	-	31.00	21.05	2.74	27.78
PK	563.5M	30.16	46.00	-15.84	-1.14	3	Vertical	0	1.00	-	31.30	23.97	3.24	28.35
PK	730.34M	32.17	46.00	-13.83	0.20	3	Vertical	0	1.00	-	31.97	24.68	3.66	28.14
PK	951.5M	33.83	46.00	-12.17	2.99	3	Vertical	0	1.00	-	30.84	26.09	4.18	27.28

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_PoE 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	179.38M	31.70	43.50	-11.80	-11.09	3	Horizontal	360	1.00	-	42.79	14.51	1.86	27.46
PK	258.92M	31.17	46.00	-14.83	-6.20	3	Horizontal	360	1.00	-	37.37	18.64	2.19	27.03
PK	400.54M	29.43	46.00	-16.57	-3.99	3	Horizontal	360	1.00	-	33.42	21.05	2.74	27.78
PK	573.2M	29.81	46.00	-16.19	-1.20	3	Horizontal	360	1.00	-	31.01	23.90	3.27	28.37
PK	738.1M	33.49	46.00	-12.51	0.40	3	Horizontal	360	1.00	-	33.09	24.83	3.68	28.11
PK	934.04M	32.89	46.00	-13.11	2.73	3	Horizontal	360	1.00	-	30.16	25.92	4.16	27.35

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_PoE 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	125.06M	27.55	43.50	-15.95	-8.85	3	Vertical	360	1.00	-	36.40	17.33	1.57	27.75
PK	187.14M	26.63	43.50	-16.87	-11.21	3	Vertical	360	1.00	-	37.84	14.30	1.90	27.41
PK	262.8M	27.00	46.00	-19.00	-6.16	3	Vertical	360	1.00	-	33.16	18.67	2.20	27.03
PK	433.52M	27.76	46.00	-18.24	-3.36	3	Vertical	360	1.00	-	31.12	21.76	2.85	27.97
PK	557.68M	30.24	46.00	-15.76	-1.10	3	Vertical	360	1.00	-	31.34	24.02	3.22	28.34
PK	930.16M	33.91	46.00	-12.09	2.66	3	Vertical	360	1.00	-	31.25	25.88	4.15	27.37

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_PoE 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	177.44M	30.80	43.50	-12.70	-10.99	3	Horizontal	0	1.00	-	41.79	14.63	1.85	27.47
PK	251.16M	32.59	46.00	-13.41	-7.17	3	Horizontal	0	1.00	-	39.76	17.70	2.15	27.02
PK	540.22M	30.61	46.00	-15.39	-1.91	3	Horizontal	0	1.00	-	32.52	23.25	3.17	28.33
PK	730.34M	33.14	46.00	-12.86	0.20	3	Horizontal	0	1.00	-	32.94	24.68	3.66	28.14
PK	811.82M	32.49	46.00	-13.51	1.16	3	Horizontal	0	1.00	-	31.33	25.09	3.91	27.84
PK	963.14M	34.10	54.00	-19.90	3.19	3	Horizontal	0	1.00	-	30.91	26.21	4.22	27.24

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1488G	53.24	54.00	-0.76	3	Vertical	67	2.94	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.1482G	53.14	54.00	-0.86	3	Vertical	75	3.00	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.1472G	53.21	54.00	-0.79	3	Vertical	77	2.87	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.147G	51.19	54.00	-2.81	3	Vertical	72	2.79	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.655G	68.73	71.90	-3.17	3	Vertical	61	2.51	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.6454G	65.88	68.20	-2.32	3	Vertical	64	2.42	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.9234G	68.89	69.38	-0.49	3	Vertical	16	2.36	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.649G	67.48	68.20	-0.72	3	Horizontal	74	3.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1486G	52.52	54.00	-1.48	3	Vertical	65	2.92	-
5180MHz	Pass	AV	5.1732G	105.18	Inf	-Inf	3	Vertical	65	2.92	-
5180MHz	Pass	PK	5.1488G	67.36	74.00	-6.64	3	Vertical	65	2.92	-
5180MHz	Pass	PK	5.1736G	115.12	Inf	-Inf	3	Vertical	65	2.92	-
5180MHz	Pass	AV	5.15G	49.77	54.00	-4.23	3	Horizontal	86	3.00	-
5180MHz	Pass	AV	5.1864G	101.14	Inf	-Inf	3	Horizontal	86	3.00	-
5180MHz	Pass	PK	5.15G	63.47	74.00	-10.53	3	Horizontal	86	3.00	-
5180MHz	Pass	PK	5.1864G	110.71	Inf	-Inf	3	Horizontal	86	3.00	-
5180MHz	Pass	PK	10.36236G	55.41	68.20	-12.79	3	Vertical	315	1.60	-
5180MHz	Pass	PK	10.3544G	54.41	68.20	-13.79	3	Horizontal	3	2.03	-
5200MHz	Pass	AV	5.1488G	53.24	54.00	-0.76	3	Vertical	67	2.94	-
5200MHz	Pass	AV	5.1936G	107.73	Inf	-Inf	3	Vertical	67	2.94	-
5200MHz	Pass	PK	5.1492G	66.95	74.00	-7.05	3	Vertical	67	2.94	-
5200MHz	Pass	PK	5.1932G	116.93	Inf	-Inf	3	Vertical	67	2.94	-
5200MHz	Pass	AV	5.148G	51.73	54.00	-2.27	3	Horizontal	87	3.00	-
5200MHz	Pass	AV	5.2064G	103.87	Inf	-Inf	3	Horizontal	87	3.00	-
5200MHz	Pass	PK	5.1476G	68.68	74.00	-5.32	3	Horizontal	87	3.00	-
5200MHz	Pass	PK	5.206G	113.59	Inf	-Inf	3	Horizontal	87	3.00	-
5200MHz	Pass	PK	10.3895G	54.54	68.20	-13.66	3	Vertical	90	1.50	-
5200MHz	Pass	PK	10.3901G	55.24	68.20	-12.96	3	Horizontal	292	1.50	-
5240MHz	Pass	AV	5.1476G	51.01	54.00	-2.99	3	Vertical	121	2.49	-
5240MHz	Pass	AV	5.2472G	108.55	Inf	-Inf	3	Vertical	121	2.49	-
5240MHz	Pass	AV	5.3522G	48.79	54.00	-5.21	3	Vertical	121	2.49	-
5240MHz	Pass	PK	5.1482G	66.22	74.00	-7.78	3	Vertical	121	2.49	-
5240MHz	Pass	PK	5.2478G	120.05	Inf	-Inf	3	Vertical	121	2.49	-
5240MHz	Pass	PK	5.3594G	62.62	74.00	-11.38	3	Vertical	121	2.49	-
5240MHz	Pass	AV	5.1464G	50.25	54.00	-3.75	3	Horizontal	82	3.00	-
5240MHz	Pass	AV	5.2466G	105.44	Inf	-Inf	3	Horizontal	82	3.00	-
5240MHz	Pass	AV	5.3522G	47.29	54.00	-6.71	3	Horizontal	82	3.00	-
5240MHz	Pass	PK	5.141G	65.57	74.00	-8.43	3	Horizontal	82	3.00	-
5240MHz	Pass	PK	5.2364G	115.63	Inf	-Inf	3	Horizontal	82	3.00	-
5240MHz	Pass	PK	5.351G	59.99	74.00	-14.01	3	Horizontal	82	3.00	-
5240MHz	Pass	PK	10.48752G	54.71	68.20	-13.49	3	Vertical	51	1.50	-
5240MHz	Pass	PK	10.48378G	54.82	68.20	-13.38	3	Horizontal	360	2.69	-
5745MHz	Pass	AV	5.7402G	110.94	Inf	-Inf	3	Vertical	61	2.51	-
5745MHz	Pass	PK	5.655G	68.73	71.90	-3.17	3	Vertical	61	2.51	-
5745MHz	Pass	PK	5.7498G	120.45	Inf	-Inf	3	Vertical	61	2.51	-
5745MHz	Pass	PK	5.9418G	58.19	68.20	-10.01	3	Vertical	61	2.51	-
5745MHz	Pass	AV	5.7522G	107.37	Inf	-Inf	3	Horizontal	75	3.00	-
5745MHz	Pass	PK	5.6514G	61.30	69.24	-7.94	3	Horizontal	75	3.00	-
5745MHz	Pass	PK	5.7522G	118.41	Inf	-Inf	3	Horizontal	75	3.00	-
5745MHz	Pass	PK	6.027G	59.38	68.20	-8.82	3	Horizontal	75	3.00	-
5745MHz	Pass	AV	11.49128G	42.74	54.00	-11.26	3	Vertical	177	1.50	-
5745MHz	Pass	PK	11.48804G	55.72	74.00	-18.28	3	Vertical	177	1.50	-
5745MHz	Pass	AV	11.495G	42.86	54.00	-11.14	3	Horizontal	63	1.27	-
5745MHz	Pass	PK	11.4852G	55.75	74.00	-18.25	3	Horizontal	63	1.27	-
5785MHz	Pass	AV	5.7898G	110.64	Inf	-Inf	3	Vertical	228	2.78	-
5785MHz	Pass	PK	5.6506G	59.10	68.64	-9.54	3	Vertical	228	2.78	-
5785MHz	Pass	PK	5.7898G	120.48	Inf	-Inf	3	Vertical	228	2.78	-
5785MHz	Pass	PK	6.0706G	58.72	68.20	-9.48	3	Vertical	228	2.78	-
5785MHz	Pass	AV	5.7922G	107.52	Inf	-Inf	3	Horizontal	81	3.00	-
5785MHz	Pass	PK	5.5534G	57.60	68.20	-10.60	3	Horizontal	81	3.00	-
5785MHz	Pass	PK	5.7922G	118.51	Inf	-Inf	3	Horizontal	81	3.00	-
5785MHz	Pass	PK	6.0202G	58.26	68.20	-9.94	3	Horizontal	81	3.00	-
5785MHz	Pass	AV	11.56972G	42.37	54.00	-11.63	3	Vertical	134	2.22	-
5785MHz	Pass	PK	11.5692G	56.16	74.00	-17.84	3	Vertical	134	2.22	-
5785MHz	Pass	AV	11.56728G	42.54	54.00	-11.46	3	Horizontal	109	1.50	-
5785MHz	Pass	PK	11.56132G	56.94	74.00	-17.06	3	Horizontal	109	1.50	-
5825MHz	Pass	AV	5.8202G	111.80	Inf	-Inf	3	Vertical	65	2.76	-
5825MHz	Pass	PK	5.639G	57.93	68.20	-10.27	3	Vertical	65	2.76	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8298G	122.22	Inf	-Inf	3	Vertical	65	2.76	-
5825MHz	Pass	PK	5.9318G	63.44	68.20	-4.76	3	Vertical	65	2.76	-
5825MHz	Pass	AV	5.8178G	107.99	Inf	-Inf	3	Horizontal	83	2.97	-
5825MHz	Pass	PK	5.6318G	57.68	68.20	-10.52	3	Horizontal	83	2.97	-
5825MHz	Pass	PK	5.8322G	118.45	Inf	-Inf	3	Horizontal	83	2.97	-
5825MHz	Pass	PK	5.9378G	59.70	68.20	-8.50	3	Horizontal	83	2.97	-
5825MHz	Pass	AV	11.64704G	42.14	54.00	-11.86	3	Vertical	173	3.00	-
5825MHz	Pass	PK	11.6532G	55.11	74.00	-18.89	3	Vertical	173	3.00	-
5825MHz	Pass	AV	11.64484G	42.01	54.00	-11.99	3	Horizontal	55	1.50	-
5825MHz	Pass	PK	11.64804G	55.18	74.00	-18.82	3	Horizontal	55	1.50	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.148G	52.51	54.00	-1.49	3	Vertical	74	2.93	-
5180MHz	Pass	AV	5.1868G	104.84	Inf	-Inf	3	Vertical	74	2.93	-
5180MHz	Pass	PK	5.147G	69.23	74.00	-4.77	3	Vertical	74	2.93	-
5180MHz	Pass	PK	5.1878G	117.58	Inf	-Inf	3	Vertical	74	2.93	-
5180MHz	Pass	AV	5.15G	50.29	54.00	-3.71	3	Horizontal	84	3.00	-
5180MHz	Pass	AV	5.1722G	101.14	Inf	-Inf	3	Horizontal	84	3.00	-
5180MHz	Pass	PK	5.15G	66.44	74.00	-7.56	3	Horizontal	84	3.00	-
5180MHz	Pass	PK	5.1722G	113.39	Inf	-Inf	3	Horizontal	84	3.00	-
5180MHz	Pass	PK	10.36772G	55.43	68.20	-12.77	3	Vertical	234	1.00	-
5180MHz	Pass	PK	10.36508G	55.91	68.20	-12.29	3	Horizontal	90	1.50	-
5200MHz	Pass	AV	5.1484G	52.71	54.00	-1.29	3	Vertical	71	2.90	-
5200MHz	Pass	AV	5.2076G	107.24	Inf	-Inf	3	Vertical	71	2.90	-
5200MHz	Pass	PK	5.1488G	68.93	74.00	-5.07	3	Vertical	71	2.90	-
5200MHz	Pass	PK	5.2084G	119.24	Inf	-Inf	3	Vertical	71	2.90	-
5200MHz	Pass	AV	5.15G	50.35	54.00	-3.65	3	Horizontal	86	3.00	-
5200MHz	Pass	AV	5.1924G	103.66	Inf	-Inf	3	Horizontal	86	3.00	-
5200MHz	Pass	PK	5.15G	63.60	74.00	-10.40	3	Horizontal	86	3.00	-
5200MHz	Pass	PK	5.1928G	116.66	Inf	-Inf	3	Horizontal	86	3.00	-
5200MHz	Pass	PK	10.39648G	55.23	68.20	-12.97	3	Vertical	190	1.50	-
5200MHz	Pass	PK	10.39612G	55.60	68.20	-12.60	3	Horizontal	220	1.50	-
5240MHz	Pass	AV	5.1482G	53.14	54.00	-0.86	3	Vertical	75	3.00	-
5240MHz	Pass	AV	5.2472G	109.23	Inf	-Inf	3	Vertical	75	3.00	-
5240MHz	Pass	AV	5.35G	48.81	54.00	-5.19	3	Vertical	75	3.00	-
5240MHz	Pass	PK	5.147G	70.84	74.00	-3.16	3	Vertical	75	3.00	-
5240MHz	Pass	PK	5.2466G	121.39	Inf	-Inf	3	Vertical	75	3.00	-
5240MHz	Pass	PK	5.3576G	61.77	74.00	-12.23	3	Vertical	75	3.00	-
5240MHz	Pass	AV	5.15G	50.63	54.00	-3.37	3	Horizontal	85	3.00	-
5240MHz	Pass	AV	5.2316G	105.83	Inf	-Inf	3	Horizontal	85	3.00	-
5240MHz	Pass	AV	5.3546G	47.17	54.00	-6.83	3	Horizontal	85	3.00	-
5240MHz	Pass	PK	5.15G	67.89	74.00	-6.11	3	Horizontal	85	3.00	-
5240MHz	Pass	PK	5.2328G	117.05	Inf	-Inf	3	Horizontal	85	3.00	-
5240MHz	Pass	PK	5.3546G	60.38	74.00	-13.62	3	Horizontal	85	3.00	-
5240MHz	Pass	PK	10.47828G	55.96	68.20	-12.24	3	Vertical	360	1.50	-
5240MHz	Pass	PK	10.48384G	55.38	68.20	-12.82	3	Horizontal	16	1.50	-
5745MHz	Pass	AV	5.7366G	110.04	Inf	-Inf	3	Vertical	64	2.42	-
5745MHz	Pass	PK	5.6454G	65.88	68.20	-2.32	3	Vertical	64	2.42	-
5745MHz	Pass	PK	5.7546G	121.79	Inf	-Inf	3	Vertical	64	2.42	-
5745MHz	Pass	PK	5.9598G	59.07	68.20	-9.13	3	Vertical	64	2.42	-
5745MHz	Pass	AV	5.7498G	106.03	Inf	-Inf	3	Horizontal	75	3.00	-
5745MHz	Pass	PK	5.649G	64.59	68.20	-3.61	3	Horizontal	75	3.00	-
5745MHz	Pass	PK	5.7498G	119.50	Inf	-Inf	3	Horizontal	75	3.00	-
5745MHz	Pass	PK	5.9862G	58.31	68.20	-9.89	3	Horizontal	75	3.00	-
5745MHz	Pass	AV	11.48848G	42.55	54.00	-11.45	3	Vertical	0	2.98	-
5745MHz	Pass	PK	11.4932G	56.02	74.00	-17.98	3	Vertical	0	2.98	-
5745MHz	Pass	AV	11.4902G	42.57	54.00	-11.43	3	Horizontal	14	2.71	-
5745MHz	Pass	PK	11.48392G	55.81	74.00	-18.19	3	Horizontal	14	2.71	-
5785MHz	Pass	AV	5.7754G	110.50	Inf	-Inf	3	Vertical	226	2.73	-
5785MHz	Pass	PK	5.6458G	60.31	68.20	-7.89	3	Vertical	226	2.73	-
5785MHz	Pass	PK	5.7766G	121.26	Inf	-Inf	3	Vertical	226	2.73	-
5785MHz	Pass	PK	5.9254G	60.09	68.20	-8.11	3	Vertical	226	2.73	-
5785MHz	Pass	AV	5.791G	106.66	Inf	-Inf	3	Horizontal	82	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.6374G	58.29	68.20	-9.91	3	Horizontal	82	3.00	-
5785MHz	Pass	PK	5.7802G	118.24	Inf	-Inf	3	Horizontal	82	3.00	-
5785MHz	Pass	PK	5.9482G	58.97	68.20	-9.23	3	Horizontal	82	3.00	-
5785MHz	Pass	AV	11.56144G	42.05	54.00	-11.95	3	Vertical	0	1.52	-
5785MHz	Pass	PK	11.57704G	55.74	74.00	-18.26	3	Vertical	0	1.52	-
5785MHz	Pass	AV	11.56164G	42.34	54.00	-11.66	3	Horizontal	117	2.06	-
5785MHz	Pass	PK	11.5754G	55.81	74.00	-18.19	3	Horizontal	117	2.06	-
5825MHz	Pass	AV	5.8346G	110.99	Inf	-Inf	3	Vertical	66	2.66	-
5825MHz	Pass	PK	5.6042G	57.81	68.20	-10.39	3	Vertical	66	2.66	-
5825MHz	Pass	PK	5.8346G	123.11	Inf	-Inf	3	Vertical	66	2.66	-
5825MHz	Pass	PK	5.9282G	65.22	68.20	-2.98	3	Vertical	66	2.66	-
5825MHz	Pass	AV	5.8298G	106.82	Inf	-Inf	3	Horizontal	75	3.00	-
5825MHz	Pass	PK	5.5274G	58.83	68.20	-9.37	3	Horizontal	75	3.00	-
5825MHz	Pass	PK	5.831G	119.96	Inf	-Inf	3	Horizontal	75	3.00	-
5825MHz	Pass	PK	5.9222G	65.13	70.27	-5.14	3	Horizontal	75	3.00	-
5825MHz	Pass	AV	11.64612G	41.84	54.00	-12.16	3	Vertical	31	2.15	-
5825MHz	Pass	PK	11.6418G	56.10	74.00	-17.90	3	Vertical	31	2.15	-
5825MHz	Pass	AV	11.64464G	41.81	54.00	-12.19	3	Horizontal	146	1.84	-
5825MHz	Pass	PK	11.65284G	55.35	74.00	-18.65	3	Horizontal	146	1.84	-
802.11ax HEW40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1468G	52.00	54.00	-2.00	3	Vertical	69	2.92	-
5190MHz	Pass	AV	5.1868G	101.13	Inf	-Inf	3	Vertical	69	2.92	-
5190MHz	Pass	PK	5.1464G	70.51	74.00	-3.49	3	Vertical	69	2.92	-
5190MHz	Pass	PK	5.1988G	112.62	Inf	-Inf	3	Vertical	69	2.92	-
5190MHz	Pass	AV	5.1424G	49.25	54.00	-4.75	3	Horizontal	84	3.00	-
5190MHz	Pass	AV	5.1924G	97.38	Inf	-Inf	3	Horizontal	84	3.00	-
5190MHz	Pass	PK	5.15G	64.73	74.00	-9.27	3	Horizontal	84	3.00	-
5190MHz	Pass	PK	5.1916G	109.31	Inf	-Inf	3	Horizontal	84	3.00	-
5190MHz	Pass	PK	10.36344G	55.39	68.20	-12.81	3	Vertical	91	1.50	-
5190MHz	Pass	PK	10.37992G	55.03	68.20	-13.17	3	Horizontal	309	1.50	-
5230MHz	Pass	AV	5.1472G	53.21	54.00	-0.79	3	Vertical	77	2.87	-
5230MHz	Pass	AV	5.2272G	103.37	Inf	-Inf	3	Vertical	77	2.87	-
5230MHz	Pass	PK	5.1476G	67.23	74.00	-6.77	3	Vertical	77	2.87	-
5230MHz	Pass	PK	5.2264G	115.93	Inf	-Inf	3	Vertical	77	2.87	-
5230MHz	Pass	AV	5.15G	50.65	54.00	-3.35	3	Horizontal	84	3.00	-
5230MHz	Pass	AV	5.2328G	100.49	Inf	-Inf	3	Horizontal	84	3.00	-
5230MHz	Pass	PK	5.15G	64.64	74.00	-9.36	3	Horizontal	84	3.00	-
5230MHz	Pass	PK	5.2232G	113.17	Inf	-Inf	3	Horizontal	84	3.00	-
5230MHz	Pass	PK	10.47784G	54.83	68.20	-13.37	3	Vertical	343	2.52	-
5230MHz	Pass	PK	10.478G	56.34	68.20	-11.86	3	Horizontal	211	1.50	-
5755MHz	Pass	AV	5.7562G	105.42	Inf	-Inf	3	Vertical	63	2.39	-
5755MHz	Pass	PK	5.653G	69.78	70.42	-0.64	3	Vertical	63	2.39	-
5755MHz	Pass	PK	5.7562G	117.75	Inf	-Inf	3	Vertical	63	2.39	-
5755MHz	Pass	PK	6.0442G	59.36	68.20	-8.84	3	Vertical	63	2.39	-
5755MHz	Pass	AV	5.7598G	102.14	Inf	-Inf	3	Horizontal	74	3.00	-
5755MHz	Pass	PK	5.6506G	62.25	68.64	-6.39	3	Horizontal	74	3.00	-
5755MHz	Pass	PK	5.7514G	113.14	Inf	-Inf	3	Horizontal	74	3.00	-
5755MHz	Pass	PK	6.0046G	58.78	68.20	-9.42	3	Horizontal	74	3.00	-
5755MHz	Pass	AV	11.51152G	42.61	54.00	-11.39	3	Vertical	85	1.50	-
5755MHz	Pass	PK	11.51064G	57.32	74.00	-16.68	3	Vertical	85	1.50	-
5755MHz	Pass	AV	11.5008G	42.64	54.00	-11.36	3	Horizontal	324	1.50	-
5755MHz	Pass	PK	11.51168G	55.86	74.00	-18.14	3	Horizontal	324	1.50	-
5795MHz	Pass	AV	5.7914G	106.33	Inf	-Inf	3	Vertical	16	2.36	-
5795MHz	Pass	PK	5.639G	64.85	68.20	-3.35	3	Vertical	16	2.36	-
5795MHz	Pass	PK	5.7914G	117.85	Inf	-Inf	3	Vertical	16	2.36	-
5795MHz	Pass	PK	5.9234G	68.89	69.38	-0.49	3	Vertical	16	2.36	-
5795MHz	Pass	AV	5.7998G	104.07	Inf	-Inf	3	Horizontal	80	3.00	-
5795MHz	Pass	PK	5.6486G	62.95	68.20	-5.25	3	Horizontal	80	3.00	-
5795MHz	Pass	PK	5.7806G	115.47	Inf	-Inf	3	Horizontal	80	3.00	-
5795MHz	Pass	PK	5.9318G	66.18	68.20	-2.02	3	Horizontal	80	3.00	-
5795MHz	Pass	AV	11.57528G	42.31	54.00	-11.69	3	Vertical	44	1.50	-
5795MHz	Pass	PK	11.5968G	55.45	74.00	-18.55	3	Vertical	44	1.50	-




RSE TX above 1GHz_Non-Beamforming_Radio4

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz	Pass	AV	11.57656G	42.31	54.00	-11.69	3	Horizontal	284	1.50	-
5795MHz	Pass	PK	11.59416G	56.07	74.00	-17.93	3	Horizontal	284	1.50	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	51.19	54.00	-2.81	3	Vertical	72	2.79	-
5210MHz	Pass	AV	5.196G	97.62	Inf	-Inf	3	Vertical	72	2.79	-
5210MHz	Pass	AV	5.409G	45.31	54.00	-8.69	3	Vertical	72	2.79	-
5210MHz	Pass	PK	5.145G	69.12	74.00	-4.88	3	Vertical	72	2.79	-
5210MHz	Pass	PK	5.187G	110.43	Inf	-Inf	3	Vertical	72	2.79	-
5210MHz	Pass	PK	5.355G	57.57	74.00	-16.43	3	Vertical	72	2.79	-
5210MHz	Pass	AV	5.141G	48.94	54.00	-5.06	3	Horizontal	84	2.95	-
5210MHz	Pass	AV	5.212G	94.13	Inf	-Inf	3	Horizontal	84	2.95	-
5210MHz	Pass	AV	5.376G	45.07	54.00	-8.93	3	Horizontal	84	2.95	-
5210MHz	Pass	PK	5.143G	63.96	74.00	-10.04	3	Horizontal	84	2.95	-
5210MHz	Pass	PK	5.213G	106.99	Inf	-Inf	3	Horizontal	84	2.95	-
5210MHz	Pass	PK	5.458G	57.66	74.00	-16.34	3	Horizontal	84	2.95	-
5210MHz	Pass	PK	10.41358G	55.01	68.20	-13.19	3	Vertical	319	1.89	-
5210MHz	Pass	PK	10.42324G	55.09	68.20	-13.11	3	Horizontal	36	2.13	-
5775MHz	Pass	AV	5.7654G	100.80	Inf	-Inf	3	Vertical	234	2.82	-
5775MHz	Pass	PK	5.6466G	66.46	68.20	-1.74	3	Vertical	234	2.82	-
5775MHz	Pass	PK	5.7558G	112.35	Inf	-Inf	3	Vertical	234	2.82	-
5775MHz	Pass	PK	5.9262G	66.15	68.20	-2.05	3	Vertical	234	2.82	-
5775MHz	Pass	AV	5.7798G	97.49	Inf	-Inf	3	Horizontal	74	3.00	-
5775MHz	Pass	PK	5.649G	67.48	68.20	-0.72	3	Horizontal	74	3.00	-
5775MHz	Pass	PK	5.7894G	109.92	Inf	-Inf	3	Horizontal	74	3.00	-
5775MHz	Pass	PK	5.9322G	62.10	68.20	-6.10	3	Horizontal	74	3.00	-
5775MHz	Pass	AV	11.54142G	42.51	54.00	-11.49	3	Vertical	12	1.58	-
5775MHz	Pass	PK	11.54208G	56.32	74.00	-17.68	3	Vertical	12	1.58	-
5775MHz	Pass	AV	11.53638G	42.50	54.00	-11.50	3	Horizontal	125	2.57	-
5775MHz	Pass	PK	11.55636G	55.71	74.00	-18.29	3	Horizontal	125	2.57	-

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	52.52	54.00	-1.48	6.74	3	Vertical	65	2.92	-	45.78	31.90	9.07	34.23
AV	5.1732G	105.18	Inf	-Inf	6.66	3	Vertical	65	2.92	-	98.52	31.81	9.08	34.23
PK	5.1488G	67.36	74.00	-6.64	6.74	3	Vertical	65	2.92	-	60.62	31.90	9.07	34.23
PK	5.1736G	115.12	Inf	-Inf	6.66	3	Vertical	65	2.92	-	108.46	31.81	9.08	34.23

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.77	54.00	-4.23	6.74	3	Horizontal	86	3.00	-	43.03	31.90	9.07	34.23
AV	5.1864G	101.14	Inf	-Inf	6.60	3	Horizontal	86	3.00	-	94.54	31.75	9.08	34.23
PK	5.15G	63.47	74.00	-10.53	6.74	3	Horizontal	86	3.00	-	56.73	31.90	9.07	34.23
PK	5.1864G	110.71	Inf	-Inf	6.60	3	Horizontal	86	3.00	-	104.11	31.75	9.08	34.23

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36236G	55.41	68.20	-12.79	17.04	3	Vertical	315	1.60	-	38.37	39.35	12.36	34.67

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3544G	54.41	68.20	-13.79	17.00	3	Horizontal	3	2.03	-	37.41	39.32	12.36	34.68

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.24	54.00	-0.76	6.74	3	Vertical	67	2.94	-	46.50	31.90	9.07	34.23
AV	5.1936G	107.73	Inf	-Inf	6.57	3	Vertical	67	2.94	-	101.16	31.73	9.08	34.24
PK	5.1492G	66.95	74.00	-7.05	6.74	3	Vertical	67	2.94	-	60.21	31.90	9.07	34.23
PK	5.1932G	116.93	Inf	-Inf	6.57	3	Vertical	67	2.94	-	110.36	31.73	9.08	34.24

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	51.73	54.00	-2.27	6.74	3	Horizontal	87	3.00	-	44.99	31.90	9.07	34.23
AV	5.2064G	103.87	Inf	-Inf	6.51	3	Horizontal	87	3.00	-	97.36	31.66	9.09	34.24
PK	5.1476G	68.68	74.00	-5.32	6.74	3	Horizontal	87	3.00	-	61.94	31.90	9.07	34.23
PK	5.206G	113.59	Inf	-Inf	6.51	3	Horizontal	87	3.00	-	107.08	31.66	9.09	34.24

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.3895G	54.54	68.20	-13.66	17.18	3	Vertical	90	1.50	-	37.36	39.46	12.37	34.65

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3901G	55.24	68.20	-12.96	17.18	3	Horizontal	292	1.50	-	38.06	39.46	12.37	34.65

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1476G	51.01	54.00	-2.99	6.74	3	Vertical	121	2.49	-	44.27	31.90	9.07	34.23
AV	5.2472G	108.55	Inf	-Inf	6.31	3	Vertical	121	2.49	-	102.24	31.42	9.13	34.24
AV	5.3522G	48.79	54.00	-5.21	6.32	3	Vertical	121	2.49	-	42.47	31.32	9.25	34.25
PK	5.1482G	66.22	74.00	-7.78	6.74	3	Vertical	121	2.49	-	59.48	31.90	9.07	34.23
PK	5.2478G	120.05	Inf	-Inf	6.30	3	Vertical	121	2.49	-	113.75	31.41	9.13	34.24
PK	5.3594G	62.62	74.00	-11.38	6.39	3	Vertical	121	2.49	-	56.23	31.38	9.26	34.25

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	50.25	54.00	-3.75	6.74	3	Horizontal	82	3.00	-	43.51	31.90	9.07	34.23
AV	5.2466G	105.44	Inf	-Inf	6.31	3	Horizontal	82	3.00	-	99.13	31.42	9.13	34.24
AV	5.3522G	47.29	54.00	-6.71	6.32	3	Horizontal	82	3.00	-	40.97	31.32	9.25	34.25
PK	5.141G	65.57	74.00	-8.43	6.74	3	Horizontal	82	3.00	-	58.83	31.90	9.07	34.23
PK	5.2364G	115.63	Inf	-Inf	6.36	3	Horizontal	82	3.00	-	109.27	31.48	9.12	34.24
PK	5.351G	59.99	74.00	-14.01	6.31	3	Horizontal	82	3.00	-	53.68	31.31	9.25	34.25

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48752G	54.71	68.20	-13.49	17.51	3	Vertical	51	1.50	-	37.20	39.68	12.41	34.58

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48378G	54.82	68.20	-13.38	17.50	3	Horizontal	360	2.69	-	37.32	39.67	12.41	34.58

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7402G	110.94	Inf	-Inf	7.20	3	Vertical	61	2.51	-	103.74	31.98	9.50	34.28
PK	5.655G	68.73	71.90	-3.17	6.83	3	Vertical	61	2.51	-	61.90	31.63	9.48	34.28
PK	5.7498G	120.45	Inf	-Inf	7.22	3	Vertical	61	2.51	-	113.23	32.00	9.50	34.28
PK	5.9418G	58.19	68.20	-10.01	7.83	3	Vertical	61	2.51	-	50.36	32.50	9.63	34.30

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7522G	107.37	Inf	-Inf	7.22	3	Horizontal	75	3.00	-	100.15	32.00	9.51	34.29
PK	5.6514G	61.30	69.24	-7.94	6.81	3	Horizontal	75	3.00	-	54.49	31.61	9.48	34.28
PK	5.7522G	118.41	Inf	-Inf	7.22	3	Horizontal	75	3.00	-	111.19	32.00	9.51	34.29
PK	6.027G	59.38	68.20	-8.82	7.89	3	Horizontal	75	3.00	-	51.49	32.50	9.70	34.31

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49128G	42.74	54.00	-11.26	18.76	3	Vertical	177	1.50	-	23.98	40.08	12.84	34.16
PK	11.48804G	55.72	74.00	-18.28	18.75	3	Vertical	177	1.50	-	36.97	40.08	12.83	34.16

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.495G	42.86	54.00	-11.14	18.77	3	Horizontal	63	1.27	-	24.09	40.09	12.84	34.16
PK	11.4852G	55.75	74.00	-18.25	18.74	3	Horizontal	63	1.27	-	37.01	40.07	12.83	34.16

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7898G	110.64	Inf	-Inf	7.31	3	Vertical	228	2.78	-	103.33	32.08	9.52	34.29
PK	5.6506G	59.10	68.64	-9.54	6.80	3	Vertical	228	2.78	-	52.30	31.60	9.48	34.28
PK	5.7898G	120.48	Inf	-Inf	7.31	3	Vertical	228	2.78	-	113.17	32.08	9.52	34.29
PK	6.0706G	58.72	68.20	-9.48	7.88	3	Vertical	228	2.78	-	50.84	32.46	9.74	34.32

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7922G	107.52	Inf	-Inf	7.31	3	Horizontal	81	3.00	-	100.21	32.08	9.52	34.29
PK	5.5534G	57.60	68.20	-10.60	6.94	3	Horizontal	81	3.00	-	50.66	31.79	9.42	34.27
PK	5.7922G	118.51	Inf	-Inf	7.31	3	Horizontal	81	3.00	-	111.20	32.08	9.52	34.29
PK	6.0202G	58.26	68.20	-9.94	7.89	3	Horizontal	81	3.00	-	50.37	32.50	9.70	34.31

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56972G	42.37	54.00	-11.63	18.57	3	Vertical	134	2.22	-	23.80	39.89	12.87	34.19
PK	11.5692G	56.16	74.00	-17.84	18.57	3	Vertical	134	2.22	-	37.59	39.89	12.87	34.19

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56728G	42.54	54.00	-11.46	18.58	3	Horizontal	109	1.50	-	23.96	39.90	12.87	34.19
PK	11.56132G	56.94	74.00	-17.06	18.60	3	Horizontal	109	1.50	-	38.34	39.92	12.87	34.19

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	111.80	Inf	-Inf	7.43	3	Vertical	65	2.76	-	104.37	32.18	9.54	34.29
PK	5.639G	57.93	68.20	-10.27	6.82	3	Vertical	65	2.76	-	51.11	31.62	9.47	34.27
PK	5.8298G	122.22	Inf	-Inf	7.47	3	Vertical	65	2.76	-	114.75	32.22	9.54	34.29
PK	5.9318G	63.44	68.20	-4.76	7.83	3	Vertical	65	2.76	-	55.61	32.50	9.63	34.30

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	107.99	Inf	-Inf	7.41	3	Horizontal	83	2.97	-	100.58	32.17	9.53	34.29
PK	5.6318G	57.68	68.20	-10.52	6.84	3	Horizontal	83	2.97	-	50.84	31.64	9.47	34.27
PK	5.8322G	118.45	Inf	-Inf	7.49	3	Horizontal	83	2.97	-	110.96	32.23	9.55	34.29
PK	5.9378G	59.70	68.20	-8.50	7.83	3	Horizontal	83	2.97	-	51.87	32.50	9.63	34.30

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64704G	42.14	54.00	-11.86	18.19	3	Vertical	173	3.00	-	23.95	39.52	12.90	34.23
PK	11.6532G	55.11	74.00	-18.89	18.15	3	Vertical	173	3.00	-	36.96	39.48	12.90	34.23

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64484G	42.01	54.00	-11.99	18.20	3	Horizontal	55	1.50	-	23.81	39.53	12.90	34.23
PK	11.64804G	55.18	74.00	-18.82	18.18	3	Horizontal	55	1.50	-	37.00	39.51	12.90	34.23

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	52.51	54.00	-1.49	6.74	3	Vertical	74	2.93	-	45.77	31.90	9.07	34.23
AV	5.1868G	104.84	Inf	-Inf	6.60	3	Vertical	74	2.93	-	98.24	31.75	9.08	34.23
PK	5.147G	69.23	74.00	-4.77	6.74	3	Vertical	74	2.93	-	62.49	31.90	9.07	34.23
PK	5.1878G	117.58	Inf	-Inf	6.59	3	Vertical	74	2.93	-	110.99	31.75	9.08	34.24

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.29	54.00	-3.71	6.74	3	Horizontal	84	3.00	-	43.55	31.90	9.07	34.23
AV	5.1722G	101.14	Inf	-Inf	6.66	3	Horizontal	84	3.00	-	94.48	31.81	9.08	34.23
PK	5.15G	66.44	74.00	-7.56	6.74	3	Horizontal	84	3.00	-	59.70	31.90	9.07	34.23
PK	5.1722G	113.39	Inf	-Inf	6.66	3	Horizontal	84	3.00	-	106.73	31.81	9.08	34.23

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36772G	55.43	68.20	-12.77	17.06	3	Vertical	234	1.00	-	38.37	39.37	12.36	34.67

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36508G	55.91	68.20	-12.29	17.05	3	Horizontal	90	1.50	-	38.86	39.36	12.36	34.67

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	52.71	54.00	-1.29	6.74	3	Vertical	71	2.90	-	45.97	31.90	9.07	34.23
AV	5.2076G	107.24	Inf	-Inf	6.50	3	Vertical	71	2.90	-	100.74	31.65	9.09	34.24
PK	5.1488G	68.93	74.00	-5.07	6.74	3	Vertical	71	2.90	-	62.19	31.90	9.07	34.23
PK	5.2084G	119.24	Inf	-Inf	6.50	3	Vertical	71	2.90	-	112.74	31.65	9.09	34.24

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.35	54.00	-3.65	6.74	3	Horizontal	86	3.00	-	43.61	31.90	9.07	34.23
AV	5.1924G	103.66	Inf	-Inf	6.57	3	Horizontal	86	3.00	-	97.09	31.73	9.08	34.24
PK	5.15G	63.60	74.00	-10.40	6.74	3	Horizontal	86	3.00	-	56.86	31.90	9.07	34.23
PK	5.1928G	116.66	Inf	-Inf	6.57	3	Horizontal	86	3.00	-	110.09	31.73	9.08	34.24

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39648G	55.23	68.20	-12.97	17.22	3	Vertical	190	1.50	-	38.01	39.49	12.38	34.65

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39612G	55.60	68.20	-12.60	17.21	3	Horizontal	220	1.50	-	38.39	39.48	12.38	34.65

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	53.14	54.00	-0.86	6.74	3	Vertical	75	3.00	-	46.40	31.90	9.07	34.23
AV	5.2472G	109.23	Inf	-Inf	6.31	3	Vertical	75	3.00	-	102.92	31.42	9.13	34.24
AV	5.35G	48.81	54.00	-5.19	6.30	3	Vertical	75	3.00	-	42.51	31.30	9.25	34.25
PK	5.147G	70.84	74.00	-3.16	6.74	3	Vertical	75	3.00	-	64.10	31.90	9.07	34.23
PK	5.2466G	121.39	Inf	-Inf	6.31	3	Vertical	75	3.00	-	115.08	31.42	9.13	34.24
PK	5.3576G	61.77	74.00	-12.23	6.36	3	Vertical	75	3.00	-	55.41	31.36	9.25	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.63	54.00	-3.37	6.74	3	Horizontal	85	3.00	-	43.89	31.90	9.07	34.23
AV	5.2316G	105.83	Inf	-Inf	6.38	3	Horizontal	85	3.00	-	99.45	31.51	9.11	34.24
AV	5.3546G	47.17	54.00	-6.83	6.34	3	Horizontal	85	3.00	-	40.83	31.34	9.25	34.25
PK	5.15G	67.89	74.00	-6.11	6.74	3	Horizontal	85	3.00	-	61.15	31.90	9.07	34.23
PK	5.2328G	117.05	Inf	-Inf	6.38	3	Horizontal	85	3.00	-	110.67	31.50	9.12	34.24
PK	5.3546G	60.38	74.00	-13.62	6.34	3	Horizontal	85	3.00	-	54.04	31.34	9.25	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47828G	55.96	68.20	-12.24	17.48	3	Vertical	360	1.50	-	38.48	39.66	12.41	34.59

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48384G	55.38	68.20	-12.82	17.50	3	Horizontal	16	1.50	-	37.88	39.67	12.41	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	110.04	Inf	-Inf	7.19	3	Vertical	64	2.42	-	102.85	31.97	9.50	34.28
PK	5.6454G	65.88	68.20	-2.32	6.81	3	Vertical	64	2.42	-	59.07	31.61	9.47	34.27
PK	5.7546G	121.79	Inf	-Inf	7.23	3	Vertical	64	2.42	-	114.56	32.01	9.51	34.29
PK	5.9598G	59.07	68.20	-9.13	7.84	3	Vertical	64	2.42	-	51.23	32.50	9.65	34.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	106.03	Inf	-Inf	7.22	3	Horizontal	75	3.00	-	98.81	32.00	9.50	34.28
PK	5.649G	64.59	68.20	-3.61	6.80	3	Horizontal	75	3.00	-	57.79	31.60	9.47	34.27
PK	5.7498G	119.50	Inf	-Inf	7.22	3	Horizontal	75	3.00	-	112.28	32.00	9.50	34.28
PK	5.9862G	58.31	68.20	-9.89	7.86	3	Horizontal	75	3.00	-	50.45	32.50	9.67	34.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48848G	42.55	54.00	-11.45	18.76	3	Vertical	0	2.98	-	23.79	40.08	12.84	34.16
PK	11.4932G	56.02	74.00	-17.98	18.77	3	Vertical	0	2.98	-	37.25	40.09	12.84	34.16

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4902G	42.57	54.00	-11.43	18.76	3	Horizontal	14	2.71	-	23.81	40.08	12.84	34.16
PK	11.48392G	55.81	74.00	-18.19	18.74	3	Horizontal	14	2.71	-	37.07	40.07	12.83	34.16

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7754G	110.50	Inf	-Inf	7.27	3	Vertical	226	2.73	-	103.23	32.05	9.51	34.29
PK	5.6458G	60.31	68.20	-7.89	6.81	3	Vertical	226	2.73	-	53.50	31.61	9.47	34.27
PK	5.7766G	121.26	Inf	-Inf	7.27	3	Vertical	226	2.73	-	113.99	32.05	9.51	34.29
PK	5.9254G	60.09	68.20	-8.11	7.82	3	Vertical	226	2.73	-	52.27	32.50	9.62	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	106.66	Inf	-Inf	7.31	3	Horizontal	82	3.00	-	99.35	32.08	9.52	34.29
PK	5.6374G	58.29	68.20	-9.91	6.83	3	Horizontal	82	3.00	-	51.46	31.63	9.47	34.27
PK	5.7802G	118.24	Inf	-Inf	7.28	3	Horizontal	82	3.00	-	110.96	32.06	9.51	34.29
PK	5.9482G	58.97	68.20	-9.23	7.84	3	Horizontal	82	3.00	-	51.13	32.50	9.64	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56144G	42.05	54.00	-11.95	18.60	3	Vertical	0	1.52	-	23.45	39.92	12.87	34.19
PK	11.57704G	55.74	74.00	-18.26	18.54	3	Vertical	0	1.52	-	37.20	39.87	12.87	34.20

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56164G	42.34	54.00	-11.66	18.60	3	Horizontal	117	2.06	-	23.74	39.92	12.87	34.19
PK	11.5754G	55.81	74.00	-18.19	18.54	3	Horizontal	117	2.06	-	37.27	39.87	12.87	34.20

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8346G	110.99	Inf	-Inf	7.50	3	Vertical	66	2.66	-	103.49	32.24	9.55	34.29
PK	5.6042G	57.81	68.20	-10.39	6.88	3	Vertical	66	2.66	-	50.93	31.69	9.46	34.27
PK	5.8346G	123.11	Inf	-Inf	7.50	3	Vertical	66	2.66	-	115.61	32.24	9.55	34.29
PK	5.9282G	65.22	68.20	-2.98	7.82	3	Vertical	66	2.66	-	57.40	32.50	9.62	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	106.82	Inf	-Inf	7.47	3	Horizontal	75	3.00	-	99.35	32.22	9.54	34.29
PK	5.5274G	58.83	68.20	-9.37	6.94	3	Horizontal	75	3.00	-	51.89	31.80	9.40	34.26
PK	5.831G	119.96	Inf	-Inf	7.47	3	Horizontal	75	3.00	-	112.49	32.22	9.54	34.29
PK	5.9222G	65.13	70.27	-5.14	7.82	3	Horizontal	75	3.00	-	57.31	32.50	9.62	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64612G	41.84	54.00	-12.16	18.19	3	Vertical	31	2.15	-	23.65	39.52	12.90	34.23
PK	11.6418G	56.10	74.00	-17.90	18.22	3	Vertical	31	2.15	-	37.88	39.55	12.90	34.23

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64464G	41.81	54.00	-12.19	18.20	3	Horizontal	146	1.84	-	23.61	39.53	12.90	34.23
PK	11.65284G	55.35	74.00	-18.65	18.15	3	Horizontal	146	1.84	-	37.20	39.48	12.90	34.23

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1468G	52.00	54.00	-2.00	6.74	3	Vertical	69	2.92	-	45.26	31.90	9.07	34.23
AV	5.1868G	101.13	Inf	-Inf	6.60	3	Vertical	69	2.92	-	94.53	31.75	9.08	34.23
PK	5.1464G	70.51	74.00	-3.49	6.74	3	Vertical	69	2.92	-	63.77	31.90	9.07	34.23
PK	5.1988G	112.62	Inf	-Inf	6.54	3	Vertical	69	2.92	-	106.08	31.70	9.08	34.24

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1424G	49.25	54.00	-4.75	6.74	3	Horizontal	84	3.00	-	42.51	31.90	9.07	34.23
AV	5.1924G	97.38	Inf	-Inf	6.57	3	Horizontal	84	3.00	-	90.81	31.73	9.08	34.24
PK	5.15G	64.73	74.00	-9.27	6.74	3	Horizontal	84	3.00	-	57.99	31.90	9.07	34.23
PK	5.1916G	109.31	Inf	-Inf	6.57	3	Horizontal	84	3.00	-	102.74	31.73	9.08	34.24

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36344G	55.39	68.20	-12.81	17.04	3	Vertical	91	1.50	-	38.35	39.35	12.36	34.67

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37992G	55.03	68.20	-13.17	17.13	3	Horizontal	309	1.50	-	37.90	39.42	12.37	34.66

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	53.21	54.00	-0.79	6.74	3	Vertical	77	2.87	-	46.47	31.90	9.07	34.23
AV	5.2272G	103.37	Inf	-Inf	6.41	3	Vertical	77	2.87	-	96.96	31.54	9.11	34.24
PK	5.1476G	67.23	74.00	-6.77	6.74	3	Vertical	77	2.87	-	60.49	31.90	9.07	34.23
PK	5.2264G	115.93	Inf	-Inf	6.41	3	Vertical	77	2.87	-	109.52	31.54	9.11	34.24

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.65	54.00	-3.35	6.74	3	Horizontal	84	3.00	-	43.91	31.90	9.07	34.23
AV	5.2328G	100.49	Inf	-Inf	6.38	3	Horizontal	84	3.00	-	94.11	31.50	9.12	34.24
PK	5.15G	64.64	74.00	-9.36	6.74	3	Horizontal	84	3.00	-	57.90	31.90	9.07	34.23
PK	5.2232G	113.17	Inf	-Inf	6.43	3	Horizontal	84	3.00	-	106.74	31.56	9.11	34.24

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47784G	54.83	68.20	-13.37	17.48	3	Vertical	343	2.52	-	37.35	39.66	12.41	34.59

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.478G	56.34	68.20	-11.86	17.48	3	Horizontal	211	1.50	-	38.86	39.66	12.41	34.59

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	105.42	Inf	-Inf	7.23	3	Vertical	63	2.39	-	98.19	32.01	9.51	34.29
PK	5.653G	69.78	70.42	-0.64	6.82	3	Vertical	63	2.39	-	62.96	31.62	9.48	34.28
PK	5.7562G	117.75	Inf	-Inf	7.23	3	Vertical	63	2.39	-	110.52	32.01	9.51	34.29
PK	6.0442G	59.36	68.20	-8.84	7.91	3	Vertical	63	2.39	-	51.45	32.50	9.72	34.31

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	102.14	Inf	-Inf	7.24	3	Horizontal	74	3.00	-	94.90	32.02	9.51	34.29
PK	5.6506G	62.25	68.64	-6.39	6.80	3	Horizontal	74	3.00	-	55.45	31.60	9.48	34.28
PK	5.7514G	113.14	Inf	-Inf	7.22	3	Horizontal	74	3.00	-	105.92	32.00	9.51	34.29
PK	6.0046G	58.78	68.20	-9.42	7.87	3	Horizontal	74	3.00	-	50.91	32.50	9.68	34.31

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51152G	42.61	54.00	-11.39	18.74	3	Vertical	85	1.50	-	23.87	40.07	12.84	34.17
PK	11.51064G	57.32	74.00	-16.68	18.74	3	Vertical	85	1.50	-	38.58	40.07	12.84	34.17

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5008G	42.64	54.00	-11.36	18.78	3	Horizontal	324	1.50	-	23.86	40.10	12.84	34.16
PK	11.51168G	55.86	74.00	-18.14	18.73	3	Horizontal	324	1.50	-	37.13	40.06	12.84	34.17

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	106.33	Inf	-Inf	7.31	3	Vertical	16	2.36	-	99.02	32.08	9.52	34.29
PK	5.639G	64.85	68.20	-3.35	6.82	3	Vertical	16	2.36	-	58.03	31.62	9.47	34.27
PK	5.7914G	117.85	Inf	-Inf	7.31	3	Vertical	16	2.36	-	110.54	32.08	9.52	34.29
PK	5.9234G	68.89	69.38	-0.49	7.82	3	Vertical	16	2.36	-	61.07	32.50	9.62	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	104.07	Inf	-Inf	7.33	3	Horizontal	80	3.00	-	96.74	32.10	9.52	34.29
PK	5.6486G	62.95	68.20	-5.25	6.80	3	Horizontal	80	3.00	-	56.15	31.60	9.47	34.27
PK	5.7806G	115.47	Inf	-Inf	7.28	3	Horizontal	80	3.00	-	108.19	32.06	9.51	34.29
PK	5.9318G	66.18	68.20	-2.02	7.83	3	Horizontal	80	3.00	-	58.35	32.50	9.63	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57528G	42.31	54.00	-11.69	18.54	3	Vertical	44	1.50	-	23.77	39.87	12.87	34.20
PK	11.5968G	55.45	74.00	-18.55	18.48	3	Vertical	44	1.50	-	36.97	39.81	12.88	34.21

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57656G	42.31	54.00	-11.69	18.54	3	Horizontal	284	1.50	-	23.77	39.87	12.87	34.20
PK	11.59416G	56.07	74.00	-17.93	18.49	3	Horizontal	284	1.50	-	37.58	39.82	12.88	34.21

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.147G	51.19	54.00	-2.81	6.74	3	Vertical	72	2.79	-	44.45	31.90	9.07	34.23
AV	5.196G	97.62	Inf	-Inf	6.56	3	Vertical	72	2.79	-	91.06	31.72	9.08	34.24
AV	5.409G	45.31	54.00	-8.69	6.76	3	Vertical	72	2.79	-	38.55	31.70	9.31	34.25
PK	5.145G	69.12	74.00	-4.88	6.74	3	Vertical	72	2.79	-	62.38	31.90	9.07	34.23
PK	5.187G	110.43	Inf	-Inf	6.60	3	Vertical	72	2.79	-	103.83	31.75	9.08	34.23
PK	5.355G	57.57	74.00	-16.43	6.34	3	Vertical	72	2.79	-	51.23	31.34	9.25	34.25

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.141G	48.94	54.00	-5.06	6.74	3	Horizontal	84	2.95	-	42.20	31.90	9.07	34.23
AV	5.212G	94.13	Inf	-Inf	6.48	3	Horizontal	84	2.95	-	87.65	31.63	9.09	34.24
AV	5.376G	45.07	54.00	-8.93	6.53	3	Horizontal	84	2.95	-	38.54	31.51	9.27	34.25
PK	5.143G	63.96	74.00	-10.04	6.74	3	Horizontal	84	2.95	-	57.22	31.90	9.07	34.23
PK	5.213G	106.99	Inf	-Inf	6.47	3	Horizontal	84	2.95	-	100.52	31.62	9.09	34.24
PK	5.458G	57.66	74.00	-16.34	6.81	3	Horizontal	84	2.95	-	50.85	31.72	9.35	34.26

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41358G	55.01	68.20	-13.19	17.27	3	Vertical	319	1.89	-	37.74	39.53	12.38	34.64

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42324G	55.09	68.20	-13.11	17.31	3	Horizontal	36	2.13	-	37.78	39.55	12.39	34.63

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	100.80	Inf	-Inf	7.25	3	Vertical	234	2.82	-	93.55	32.03	9.51	34.29
PK	5.6466G	66.46	68.20	-1.74	6.81	3	Vertical	234	2.82	-	59.65	31.61	9.47	34.27
PK	5.7558G	112.35	Inf	-Inf	7.23	3	Vertical	234	2.82	-	105.12	32.01	9.51	34.29
PK	5.9262G	66.15	68.20	-2.05	7.82	3	Vertical	234	2.82	-	58.33	32.50	9.62	34.30

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7798G	97.49	Inf	-Inf	7.28	3	Horizontal	74	3.00	-	90.21	32.06	9.51	34.29
PK	5.649G	67.48	68.20	-0.72	6.80	3	Horizontal	74	3.00	-	60.68	31.60	9.47	34.27
PK	5.7894G	109.92	Inf	-Inf	7.31	3	Horizontal	74	3.00	-	102.61	32.08	9.52	34.29
PK	5.9322G	62.10	68.20	-6.10	7.83	3	Horizontal	74	3.00	-	54.27	32.50	9.63	34.30

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54142G	42.51	54.00	-11.49	18.66	3	Vertical	12	1.58	-	23.85	39.98	12.86	34.18
PK	11.54208G	56.32	74.00	-17.68	18.65	3	Vertical	12	1.58	-	37.67	39.97	12.86	34.18

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.53638G	42.50	54.00	-11.50	18.67	3	Horizontal	125	2.57	-	23.83	39.99	12.86	34.18
PK	11.55636G	55.71	74.00	-18.29	18.60	3	Horizontal	125	2.57	-	37.11	39.93	12.86	34.19