


RH200-WLE主板天线测试数据										
Freq (MHz)	Efft (%)	Efft (dB)	Gain (dBi)	Gain (dBi)	UHS (%)	DHIS (%)	Max (dB)	Min (dB)	Antenna Hor	Antenna Ver
2400	60.37	-2.19	2.39	0.24	37.401	22.968	2.39	-11.99	47.67	47.55
2401	61.18	-2.13	2.45	0.3	37.827	23.351	2.45	-11.82	47.57	47.45
2402	61.98	-2.08	2.53	0.38	38.255	23.724	2.53	-11.7	47.46	47.35
2403	62.62	-2.03	2.59	0.44	38.558	24.062	2.59	-11.66	47.35	47.25
2404	62.86	-2.02	2.58	0.43	38.667	24.195	2.58	-11.51	47.24	47.14
2405	62.58	-2.04	2.57	0.42	38.475	24.101	2.57	-11.56	47.14	47.04
2406	61.57	-2.11	2.48	0.33	37.792	23.779	2.48	-11.63	47.03	46.94
2407	59.87	-2.23	2.36	0.21	36.725	23.147	2.36	-11.66	46.92	46.84
2408	57.58	-2.4	2.16	0.01	35.342	22.237	2.16	-11.88	46.81	46.73
2409	54.81	-2.61	1.92	-0.23	33.633	21.175	1.92	-12.01	46.71	46.63
2410	51.91	-2.85	1.67	-0.48	31.872	20.04	1.67	-12.25	46.6	46.53
2411	51.76	-2.86	1.63	-0.52	31.805	19.954	1.63	-12.18	46.73	46.65
2412	51.69	-2.87	1.59	-0.56	31.75	19.935	1.59	-12.11	46.86	46.77
2413	51.96	-2.84	1.56	-0.59	31.92	20.04	1.56	-12.07	46.99	46.89
2414	52.61	-2.79	1.61	-0.54	32.34	20.269	1.61	-12.07	47.12	47.01
2415	53.74	-2.7	1.67	-0.48	33.039	20.702	1.67	-12.13	47.25	47.13
2416	55.51	-2.56	1.79	-0.36	34.136	21.377	1.79	-11.98	47.38	47.25
2417	57.89	-2.37	1.94	-0.21	35.595	22.298	1.94	-11.77	47.51	47.37
2418	60.68	-2.17	2.15	0	37.301	23.383	2.15	-11.5	47.64	47.49
2419	63.76	-1.95	2.36	0.21	39.144	24.616	2.36	-11.08	47.77	47.6
2420	66.77	-1.75	2.57	0.42	40.964	25.806	2.57	-10.73	47.9	47.72
2421	66.61	-1.76	2.57	0.42	40.795	25.815	2.57	-10.66	47.84	47.67
2422	65.7	-1.82	2.51	0.36	40.134	25.563	2.51	-10.77	47.78	47.62
2423	63.8	-1.95	2.4	0.25	38.882	24.914	2.4	-10.83	47.71	47.56
2424	61.11	-2.14	2.24	0.09	37.131	23.975	2.24	-11	47.65	47.51
2425	58.01	-2.36	2.04	-0.11	35.174	22.835	2.04	-11.22	47.59	47.45
2426	54.76	-2.62	1.81	-0.34	33.098	21.666	1.81	-11.52	47.52	47.4
2427	51.71	-2.86	1.57	-0.58	31.181	20.53	1.57	-11.81	47.46	47.34
2428	49.26	-3.07	1.38	-0.77	29.631	19.631	1.38	-12	47.4	47.29
2429	47.35	-3.25	1.19	-0.96	28.397	18.955	1.19	-12.15	47.34	47.24
2430	46.22	-3.35	1.07	-1.08	27.643	18.579	1.07	-12.38	47.27	47.18
2431	46.07	-3.37	1.06	-1.09	27.507	18.564	1.06	-12.62	47.24	47.17
2432	46.66	-3.31	1.1	-1.05	27.809	18.847	1.1	-12.82	47.21	47.15
2433	47.84	-3.2	1.17	-0.98	28.46	19.379	1.17	-12.86	47.18	47.13
2434	49.52	-3.05	1.33	-0.82	29.403	20.117	1.33	-12.95	47.14	47.12
2435	51.57	-2.88	1.47	-0.68	30.617	20.953	1.47	-12.96	47.11	47.1
2436	53.75	-2.7	1.6	-0.55	31.862	21.886	1.6	-13.02	47.08	47.09
2437	55.75	-2.54	1.72	-0.43	33.046	22.705	1.72	-13.11	47.05	47.07
2438	57.31	-2.42	1.82	-0.33	33.939	23.374	1.82	-13.22	47.02	47.05
2439	58.13	-2.36	1.82	-0.33	34.382	23.751	1.82	-13.39	46.98	47.04
2440	58.16	-2.35	1.8	-0.35	34.407	23.752	1.8	-13.61	46.95	47.02
2441	58.17	-2.35	1.77	-0.38	34.391	23.784	1.77	-13.81	47	47.04
2442	57.52	-2.4	1.68	-0.47	33.976	23.543	1.68	-14.25	47.05	47.07
2443	56.37	-2.49	1.57	-0.58	33.291	23.079	1.57	-14.43	47.09	47.09
2444	54.88	-2.61	1.41	-0.74	32.404	22.472	1.41	-14.89	47.14	47.11
2445	53.28	-2.73	1.26	-0.89	31.44	21.839	1.26	-15.11	47.19	47.13
2446	51.68	-2.87	1.09	-1.06	30.502	21.176	1.09	-15.44	47.23	47.15
2447	50.28	-2.99	0.95	-1.2	29.651	20.629	0.95	-15.72	47.28	47.18
2448	49.16	-3.08	0.83	-1.32	29.005	20.159	0.83	-15.84	47.33	47.2
2449	48.34	-3.16	0.73	-1.42	28.516	19.828	0.73	-16.12	47.38	47.22
2450	47.83	-3.2	0.65	-1.5	28.207	19.622	0.65	-15.95	47.42	47.24
2451	46.73	-3.3	0.53	-1.62	27.559	19.172	0.53	-16.12	47.36	47.2
2452	46.17	-3.36	0.47	-1.68	27.243	18.928	0.47	-16	47.29	47.16
2453	46.06	-3.37	0.43	-1.72	27.193	18.865	0.43	-15.9	47.23	47.12
2454	46.47	-3.33	0.46	-1.69	27.417	19.049	0.46	-15.43	47.17	47.07
2455	47.48	-3.23	0.56	-1.59	28.004	19.48	0.56	-15.16	47.1	47.03
2456	48.87	-3.11	0.67	-1.48	28.777	20.089	0.67	-14.65	47.04	46.99
2457	50.81	-2.94	0.85	-1.3	29.88	20.928	0.85	-14.05	46.97	46.95
2458	52.91	-2.76	1.04	-1.11	31.033	21.88	1.04	-13.61	46.91	46.9
2459	55.03	-2.59	1.22	-0.93	32.205	22.827	1.22	-13.08	46.84	46.86
2460	56.91	-2.45	1.38	-0.77	33.181	23.728	1.38	-12.65	46.78	46.82
2461	58.41	-2.34	1.52	-0.63	33.944	24.462	1.52	-12.52	46.75	46.79
2462	58.92	-2.3	1.56	-0.59	34.121	24.799	1.56	-12.58	46.72	46.76
2463	58.25	-2.35	1.48	-0.67	33.65	24.604	1.48	-12.71	46.7	46.73
2464	56.61	-2.47	1.37	-0.78	32.639	23.967	1.37	-13	46.67	46.7
2465	54.28	-2.65	1.15	-1	31.302	22.977	1.15	-13.23	46.64	46.67
2466	51.77	-2.86	0.93	-1.22	29.831	21.939	0.93	-13.84	46.61	46.64
2467	49.41	-3.06	0.71	-1.44	28.456	20.957	0.71	-14.11	46.59	46.6
2468	47.35	-3.25	0.52	-1.63	27.278	20.07	0.52	-14.5	46.56	46.57
2469	45.8	-3.39	0.33	-1.82	26.394	19.411	0.33	-14.8	46.53	46.54
2470	44.87	-3.48	0.22	-1.93	25.858	19.009	0.22	-14.84	46.5	46.51
2471	45.91	-3.38	0.32	-1.83	26.473	19.44	0.32	-14.84	46.62	46.61
2472	47.63	-3.22	0.46	-1.69	27.438	20.196	0.46	-14.72	46.73	46.7
2473	49.94	-3.02	0.65	-1.5	28.784	21.154	0.65	-14.39	46.85	46.8
2474	52.65	-2.79	0.85	-1.3	30.356	22.299	0.85	-14.17	46.96	46.89
2475	55.79	-2.53	1.11	-1.04	32.216	23.577	1.11	-13.91	47.07	46.99
2476	58.8	-2.31	1.31	-0.84	33.93	24.866	1.31	-13.43	47.19	47.08
2477	61.36	-2.12	1.52	-0.63	35.451	25.913	1.52	-13.22	47.3	47.18
2478	63.12	-2	1.62	-0.53	36.49	26.627	1.62	-12.75	47.42	47.27
2479	63.87	-1.95	1.7	-0.45	36.917	26.949	1.7	-12.56	47.53	47.37
2480	63.46	-1.98	1.69	-0.46	36.675	26.785	1.69	-12.31	47.65	47.47
2481	60.51	-2.18	1.49	-0.66	34.923	25.589	1.49	-12.19	47.61	47.45
2482	57.24	-2.42	1.3	-0.85	32.927	24.309	1.3	-12.18	47.57	47.44
2483	54.08	-2.67	1.06	-1.09	30.972	23.103	1.06	-12.15	47.53	47.43
2484	51.38	-2.89	0.85	-1.3	29.275	22.103	0.85	-12.37	47.5	47.42
2485	49.3	-3.07	0.64	-1.51	28.039	21.264	0.64	-12.48	47.46	47.41
2486	47.97	-3.19	0.47	-1.68	27.274	20.696	0.47	-12.71	47.42	47.39
2487	47.07	-3.27	0.4	-1.75	26.793	20.275	0.4	-12.85	47.39	47.38
2488	46.73	-3.3	0.36	-1.79	26.606	20.123	0.36	-12.8	47.35	47.37
2489	46.71	-3.31	0.33	-1.82	26.652	20.06	0.33	-12.81	47.31	47.36
2490	47.11	-3.27	0.38	-1.77	26.888	20.217	0.38	-12.52	47.28	47.35
2491	47.07	-3.27	0.41	-1.74	26.851	20.222	0.41	-12.41	47.2	47.25
2492	47.2	-3.26	0.46	-1.69	26.832	20.372	0.46	-11.99	47.12	47.16
2493	47.54	-3.23	0.53	-1.62	26.87	20.668	0.53	-11.7	47.04	47.06


Application Information	
Q4Version	4.95.303
TotalTime	5m 47s 719ms
AdditionalInfor	NULL

Antenna Information		P/N:22.H200-0002	
天线厂商	东莞市翔通电子科技有限公司		
天线种类	PCB板载天线		
AVG. Peak Gain	1.30	dBi	
AVG. Efficiency	53.64	%	




2494	47.97	-3.19	0.55	-1.6	26.965	21.005	0.55	-11.61	46.96	46.96
2495	48.48	-3.14	0.56	-1.59	27.325	21.158	0.56	-11.68	46.88	46.87
2496	48.84	-3.11	0.59	-1.56	27.58	21.258	0.59	-11.5	46.8	46.77
2497	49.15	-3.09	0.63	-1.52	27.647	21.501	0.63	-11.14	46.72	46.68
2498	49.34	-3.07	0.64	-1.51	27.512	21.825	0.64	-10.92	46.65	46.58
2499	49.28	-3.07	0.62	-1.53	27.339	21.937	0.62	-10.87	46.57	46.48
2500	48.96	-3.11	0.56	-1.59	27.104	21.859	0.56	-10.84	46.49	46.39


2400.00MHz - 2500.00MHz Gain




2400.00MHz - 2500.00MHz Efficiency




2402.000MHz




2402.000MHz H




2402.000MHz E1




2402.000MHz E2




2441.000MHz




2441.000MHz H





2441.000MHz E1





2441.000MHz E2







2484.000MHz



2484.000MHz H



2484.000MHz E1



2484.000MHz E2

