



FCC PART 22H, PART 24E
FCC PART 27
MEASUREMENT AND TEST REPORT

For

SWAGTEK

10205 NW 19th Street, STE101, Miami, Florida, United States, 33172

FCC ID: 055554516

Report Type: Original Report	Product Name: 5.5 inch LTE Smart Phone
Test Engineer: <u>Tom Tang</u>	<i>Tom Tang</i>
Report Number: <u>RDG161209003B</u>	
Report Date: <u>2017-02-07</u>	
Reviewed By: <u>Henry Ding</u> EMC Leader	<i>Henry Ding</i>
Test Laboratory:	Bay Area Compliance Laboratories Corp. (Chengdu) 5040, HuiLongWan Plaza, No. 1, ShaWan Road, JinNiu District, ChengDu, China Tel: 028-65523123, Fax: 028-65525125 www.baclcorp.com

Note: This test report was prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp. (Chengdu). Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. This report was valid only with a valid digital signature.

TABLE OF CONTENTS

GENERAL INFORMATION	4
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	4
OBJECTIVE	4
RELATED SUBMITTAL(S)/GRANT(S)	4
TEST METHODOLOGY	4
TEST FACILITY	5
SYSTEM TEST CONFIGURATION.....	6
JUSTIFICATION.....	6
EQUIPMENT MODIFICATIONS	6
SUPPORT EQUIPMENT LIST AND DETAILS	6
CONFIGURATION OF TEST SETUP.....	6
BLOCK DIAGRAM OF TEST SETUP	7
SUMMARY OF TEST RESULTS	8
FCC §1.1310 & §2.1093- RF EXPOSURE.....	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC.....	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C) & § 27.50 - RF OUTPUT POWER	11
APPLICABLE STANDARD	11
TEST PROCEDURE	11
TEST EQUIPMENT LIST AND DETAILS	16
TEST DATA	16
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH.....	38
APPLICABLE STANDARD	38
TEST PROCEDURE	38
TEST EQUIPMENT LIST AND DETAILS	38
TEST DATA	38
FCC §2.1051, §22.917(A) & §24.238(A) & §27.53- SPURIOUS EMISSIONS AT ANTENNA TERMINALS.....	74
APPLICABLE STANDARD	74
TEST PROCEDURE	74
TEST EQUIPMENT LIST AND DETAILS	74
TEST DATA	74
FCC §2.1053, §22.917 & §24.238 & §27.53- SPURIOUS RADIATED EMISSIONS	106
APPLICABLE STANDARD	106
TEST PROCEDURE	106
TEST EQUIPMENT LIST AND DETAILS	107
TEST DATA	107
FCC §22.917(A) & §24.238(A) & §27.53- BAND EDGES	112
APPLICABLE STANDARD	112
TEST PROCEDURE	112
TEST EQUIPMENT LIST AND DETAILS	113
TEST DATA	113

FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY	179
APPLICABLE STANDARD	179
TEST PROCEDURE	179
TEST EQUIPMENT LIST AND DETAILS	180
TEST DATA	180

FINAL

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

The **SWAGTEK**'s product, model number: **L5.5 (FCC ID: O55554516)** (the "EUT") in this report was a **5.5 inch LTE Smart Phone**, which was measured approximately: 15.6 cm (L) × 7.8 cm (W) × 0.8 cm (H), rated input voltage: DC3.8V Li-polymer or DC5V from adapter.

Adapter Information:

Input: AC100-240V 50/60 Hz 0.2A

Output: DC5V/1.0A

Note: The series product, model L5.5, LOGIC L5.5, iSWAG MEGA, UNONU UL551 are electrically identical, the differences between them are the model name and color, we selected L5.5 for fully testing, the details was explained in the declaration letter.

**All measurement and test data in this report was gathered from final production sample, serial number: 161209003 (assigned by the BACL, Chengdu). It may have deviation from any other sample. The EUT supplied by the applicant was received on 2016-12-29, and EUT conformed to test requirement.*

Objective

This report is prepared on behalf of **SWAGTEK** in accordance with: Part 2-Subpart J, Part 22-Subpart H, Part 24-Subpart E and part 27 of the Federal Communications Commission's rules.

The objective is to determine compliance with FCC rules for output power, modulation characteristic, occupied bandwidth, spurious emissions at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15B JBP submissions with FCC ID: O55554516.

FCC Part 15C DTS submissions with FCC ID: O55554516.

FCC Part 15C DSS submissions with FCC ID: O55554516.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2, Sub-part J, Part 22 Subpart H, Part 24 Subpart E and Part 27.

Applicable Standards: TIA/EIA 603-D-2010.

All emissions measurement was performed and Bay Area Compliance Laboratories Corp. (Chengdu).

Test Facility

The test site used by BACL to collect test data is located in the 5040, HuiLongWan Plaza, No. 1, ShaWan Road, JinNiu District, ChengDu, China.

Test site at BACL has been fully described in reports submitted to the Federal Communication Commission (FCC). The details of these reports have been found to be in compliance with the requirements of Section 2.948 of the FCC Rules on April 24, 2015. The facility also complies with the radiated and AC line conducted test site criteria set forth in ANSI C63.4-2014.

The Federal Communications Commission has the reports on file and is listed under FCC Registration No.: 560332. The test site has been approved by the FCC for public use and is listed in the FCC Public Access Link (PAL) database.

FINAL

SYSTEM TEST CONFIGURATION

Justification

The EUT was configured for testing according to TIA/EIA-603-D-2010.

The test items were performed with the EUT operating at testing mode.


Equipment Modifications

No modification was made to the EUT.


Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
R&S	Universal Radio Communication Tester	CMU200	11-9435686-111
R&S	Universal Radio Communication Tester	CMW500	106891
N/A	ANTENNA	N/A	N/A

Configuration of Test Setup



Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§1.1310, §2.1093	RF Exposure	Compliance
§2.1046; § 22.913 (a); § 24.232 (c); §27.50	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905 § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051, § 22.917 (a); § 24.238 (a); §27.53	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053 § 22.917 (a); § 24.238 (a); §27.53	Spurious Radiation Emissions	Compliance
§ 22.917 (a); § 24.238 (a); §27.53	Out of band emission, Band Edge	Compliance
§ 2.1055 § 22.355; § 24.235; §27.54	Frequency stability vs. temperature Frequency stability vs. voltage	Compliance

FCC §1.1310 & §2.1093- RF EXPOSURE

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliant, please refer to the SAR report: RDG161209003-20.

FINAL

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E, Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FINAL

FCC § 2.1046, § 22.913 (a) & § 24.232 (c) & § 27.50 - RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications..

According to FCC §2.1046 and §27.50 (d), (4) Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP. Fixed stations operating in the 1710-1755 MHz band are limited to a maximum antenna height of 10 meters above ground. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

According to §24.232 (d) Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of §24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

Test Procedure

GSM/GPRS/EGPRS

Function: Menu select > GSM Mobile Station > GSM 850/1900

Press Connection control to choose the different menus

Press RESET > choose all the reset all settings

Connection Press Signal Off to turn off the signal and change settings

Network Support > GSM + GPRS or GSM + EGSM

Main Service > Packet Data

Service selection > Test Mode A – Auto Slot Config. off

MS Signal Press Slot Config Bottom on the right twice to select and change the number of time slots and power setting

> Slot configuration > Uplink/Gamma

> 33 dBm for GPRS 850

> 30 dBm for GPRS 1900

> 27 dBm for EGPRS 850

> 26 dBm for EGPRS 1900

BS Signal Enter the same channel number for TCH channel (test channel) and BCCH channel

Frequency Offset > + 0 Hz

Mode > BCCH and TCH

BCCH Level > -85 dBm (May need to adjust if link is not stable)

BCCH Channel > choose desire test channel [Enter the same channel number for TCH channel (test channel) and BCCH channel]

Channel Type > Off

P0 > 4 dB
 Slot Config > Unchanged (if already set under MS signal)
 TCH > choose desired test channel
 Hopping > Off
 Main Timeslot > 3
 Network Coding Scheme > CS4 (GPRS) and MCS5 (EGPRS)

Bit Stream > 2E9-1 PSR Bit Stream
 AF/RF Enter appropriate offsets for Ext. Att. Output and Ext. Att. Input
 Connection Press Signal on to turn on the signal and change settings

WCDMA-Release 99

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification. The EUT has a nominal maximum output power of 24dBm (+1.7/-3.7).

WCDMA General Settings	Loopback Mode	Test Mode 1
	Rel99 RMC	12.2kbps RMC
	Power Control Algorithm	Algorithm2
	β_c / β_d	8/15

WCDMA HSDPA

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

	Mode Subset	HSDPA 1	HSDPA 2	HSDPA 3	HSDPA 4
WCDMA General Settings	Loopback Mode	Test Mode 1			
	Rel99 RMC	12.2kbps RMC			
	HSDPA FRC	H-Set1			
	Power Control Algorithm	Algorithm2			
	β_c	2/15	12/15	15/15	15/15
	β_d	15/15	15/15	8/15	4/15
	β_d (SF)	64			
	β_c / β_d	2/15	12/15	15/8	15/4
	β_{hs}	4/15	24/15	30/15	30/15
	MPR(dB)	0	0	0.5	0.5
HSDPA Specific Settings	DACK	8			
	DNAK	8			
	DCQI	8			
	Ack-Nack repetition factor	3			
	CQI Feedback	4ms			
	CQI Repetition Factor	2			
	$A_{hs} = \beta_{hs} / \beta_c$	30/15			

WCDMA HSUPA

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

	Mode Subset	HSUPA 1	HSUPA 2	HSUPA 3	HSUPA 4	HSUPA 5
WCDMA General Settings	Loopback Mode	Test Mode 1				
	Rel99 RMC	12.2kbps RMC				
	HSDPA FRC	H-Set1				
	HSUPA Test	HSUPA Loopback				
	Power Control Algorithm	Algorithm2				
	β_c	11/15	6/15	15/15	2/15	15/15
	β_d	15/15	15/15	9/15	15/15	0
	β_{ec}	209/225	12/15	30/15	2/15	5/15
	β_c/β_d	11/15	6/15	15/9	2/15	-
	β_{hs}	22/15	12/15	30/15	4/15	5/15
	CM(dB)	1.0	3.0	2.0	3.0	1.0
	MPR(dB)	0	2	1	2	0
HSDPA Specific Settings	DACK	8				
	DNAK	8				
	DCQI	8				
	Ack-Nack repetition factor	3				
	CQI Feedback	4ms				
	CQI Repetition Factor	2				
	$A_{hs}=\beta_{hs}/\beta_c$	30/15				
HSUPA Specific Settings	DE-DPCCH	6	8	8	5	7
	DHARQ	0	0	0	0	0
	AG Index	20	12	15	17	21
	ETFCI	75	67	92	71	81
	Associated Max UL Data Rate kbps	242.1	174.9	482.8	205.8	308.9
	Reference E_FCI	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	E-TFCI 11 E-TFCI PO4 E-TFCI 92 E-TFCI PO 18	E-TFCI 11 E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	

HSPA+

The following tests were conducted according to the test requirements in Table C.11.1.4 of 3GPP TS 34.121-1

Sub-test	β_c (Note 3)	β_d	β_{HS} (Note 1)	β_{ec}	β_{ed} (2xSF2) (Note 4)	β_{ed} (2xSF4) (Note 4)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 4)	E-TFCI (Note 5)	E-TFCI (boost)
1	1	0	30/15	30/15	β_{ed1} : 30/15 β_{ed2} : 30/15	β_{ed3} : 24/15 β_{ed4} : 24/15	3.5	2.5	14	105	105
Note 1: Δ_{ACK}, Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$. Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0). Note 3: DPDCH is not configured, therefore the β_c is set to 1 and $\beta_d = 0$ by default. Note 4: β_{ed} can not be set directly; it is set by Absolute Grant Value. Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signalled to use the extrapolation algorithm.											

DC-HSDPA

The following tests were conducted according to the test requirements in Table C.8.1.12 of 3GPP TS 34.121-1

Table C.8.1.12: Fixed Reference Channel H-Set 12

Parameter	Unit	Value
Nominal Avg. Inf. Bit Rate	kbps	60
Inter-TTI Distance	TTI's	1
Number of HARQ Processes	Processes	6
Information Bit Payload (N_{INF})	Bits	120
Number Code Blocks	Blocks	1
Binary Channel Bits Per TTI	Bits	960
Total Available SML's in UE	SML's	19200
Number of SML's per HARQ Proc.	SML's	3200
Coding Rate		0.15
Number of Physical Channel Codes	Codes	1
Modulation		QPSK
Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table. Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.		

LTE (FDD):

The following tests were conducted according to the test requirements in 3GPP TS36.101

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP TS36.101 specification.

UE Power Class: 3 (23 +/- 2dBm). The allowed Maximum Power Reduction (MPR) for the maximum output power due to higher order modulation and transmit bandwidth configuration (resource blocks) is specified in Table 6.2.3-1 of the 3GPP TS36.101.

Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 3

Modulation	Channel bandwidth / Transmission bandwidth (RB)						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2

The allowed A-MPR values specified below in Table 6.2.4-1 of 3GPP TS36.101 are in addition to the allowed MPR requirements. All the measurements below were performed with A-MPR disabled, by using Network Signaling Value of "NS_01".

Table 6.2.4-1: Additional Maximum Power Reduction (A-MPR)

Network Signalling value	Requirements (sub-clause)	E-UTRA Band	Channel bandwidth (MHz)	Resources Blocks (N_{RB})	A-MPR (dB)
NS_01	6.6.2.1.1	Table 5.5-1	1.4, 3, 5, 10, 15, 20	Table 5.6-1	NA
NS_03	6.6.2.2.1	2, 4, 10, 23, 25, 35, 36	3	>5	≤ 1
			5	>6	≤ 1
			10	>6	≤ 1
			15	>8	≤ 1
			20	>10	≤ 1
NS_04	6.6.2.2.2	41	5	>6	≤ 1
			10, 15, 20	See Table 6.2.4-4	
NS_05	6.6.3.3.1	1	10, 15, 20	≥ 50	≤ 1
NS_06	6.6.2.2.3	12, 13, 14, 17	1.4, 3, 5, 10	Table 5.6-1	n/a
NS_07	6.6.2.2.3	13	10	Table 6.2.4-2	Table 6.2.4-2
	6.6.3.3.2				
NS_08	6.6.3.3.3	19	10, 15	> 44	≤ 3
NS_09	6.6.3.3.4	21	10, 15	> 40	≤ 1
				> 55	≤ 2
NS_10		20	15, 20	Table 6.2.4-3	Table 6.2.4-3
NS_11	6.6.2.2.1	23 ¹	1.4, 3, 5, 10	Table 6.2.4-5	Table 6.2.4-5
NS_32					

Note 1: Applies to the lower block of Band 23, i.e. a carrier placed in the 2000-2010 MHz region.

Radiated method:

ANSI/TIA 603-D section 2.2.17

Test Equipment List and Details

Manufacturer	Description	Model Number	Serial Number	Calibration Date	Calibration Due Date
Rohde & Schwarz	EMI Test Receiver	ESCI	100028	2016-12-02	2017-12-01
Sunol Sciences	Broadband Antenna	JB3	A101808	2016-04-10	2019-04-09
Rohde & Schwarz	Spectrum Analyzer	FSEM30	100018	2016-12-02	2017-12-01
ETS	Horn Antenna	3115	003-6076	2016-12-02	2017-12-01
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-0113024	2014-06-16	2017-06-15
EMCO	Adjustable Dipole Antenna	3121C	9109-258	N/A	N/A
HP	Signal Generator	8648C	3623A04150	2016-05-23	2017-05-22
WILTRON	SWEPT FREQUENCY SYNTHESIZER	6737	213001	2016-05-23	2017-05-22
EMCT	Semi-Anechoic Chamber	966	N/A	2015-04-24	2018-04-23
N/A	RF Cable (below 1GHz)	NO.1	N/A	2016-11-10	2017-11-09
N/A	RF Cable (below 1GHz)	NO.1	N/A	2016-11-10	2017-11-09
N/A	RF Cable (below 1GHz)	NO.4	N/A	2016-11-10	2017-11-09
N/A	RF Cable (below 1GHz)	NO.4	N/A	2016-11-10	2017-11-09
N/A	RF Cable (above 1GHz)	NO.2	N/A	2016-11-10	2017-11-09
N/A	RF Cable (above 1GHz)	NO.2	N/A	2016-11-10	2017-11-09
R&S	Universal Radio Communication Tester	CMU200	11-9435686-111	2016-07-28	2017-07-27
R&S	Wideband Radio Communication Tester	CMW500	106891	2016-11-23	2017-11-23

* **Statement of Traceability:** BACL (Chengdu) attested that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Temperature:	23.8~28.8 °C
Relative Humidity:	31~51 %
ATM Pressure:	101 ~102.1 kPa

The testing was performed by Tom Tang from 2016-12-16 to 2017-01-05.

Conducted Power

Cellular Band (Part 22H) & PCS Band (Part 24E)

Band	Channel No.	Peak Output Power (dBm)								
		GSM	GPRS 1 TX Slot	GPRS 2 TX Slot	GPRS 3 TX Slot	GPRS 4 TX Slot	EDGE 1 TX Slot	EDGE 2 TX Slot	EDGE 3 TX Slot	EDGE 4 TX Slot
Cellular	128	32.70	32.77	32.43	31.41	30.73	25.99	25.00	22.08	20.97
	190	32.80	32.74	32.42	31.35	30.68	25.89	24.85	22.81	20.86
	251	32.80	32.76	31.43	31.31	30.68	25.79	24.68	21.89	20.72
PCS	512	30.50	30.48	29.99	28.64	27.86	26.12	25.18	23.27	22.25
	661	30.30	30.38	29.86	28.52	27.79	25.92	25.01	23.12	22.06
	810	30.10	30.22	29.74	28.55	27.87	25.77	24.84	22.95	21.86

WCDMA Band II

Mode	3GPP Sub Test	Average Output Power (dBm)					
		Low Channel (Ave. Power)	Low Channel (PAR)	Middle Channel (Ave. Power)	Middle Channel (PAR)	High Channel (Ave. Power)	High Channel (PAR)
Rel 99 (QPSK)	1	22.27	2.36	22.06	2.36	22.32	1.84
HSDPA (QPSK)	1	21.03	2.32	20.87	2.45	21.28	1.93
	2	21.01	2.28	20.90	2.49	21.25	1.99
	3	21.05	2.36	20.85	2.51	21.32	1.87
	4	21.00	2.23	20.83	2.50	21.31	1.83
HSUPA (QPSK)	1	21.04	2.29	20.89	2.35	21.27	1.99
	2	21.02	2.21	20.84	2.45	21.22	1.96
	3	20.98	2.39	20.92	2.46	21.31	1.92
	4	21.08	2.35	20.95	2.31	21.35	1.85
	5	21.06	2.27	20.86	2.33	21.23	1.81
DC-HSDPA (QPSK)	1	21.42	2.40	21.34	2.43	21.32	1.92
	2	21.49	2.26	21.30	2.49	21.26	1.94
	3	21.41	2.28	21.42	2.47	21.23	1.76
	4	21.30	2.31	21.36	2.37	21.25	1.72
HSPA+ (16QAM)	1	21.62	2.32	21.36	2.25	21.42	1.75

WCDMA Band IV

Mode	3GPP Sub Test	Average Output Power (dBm)					
		Low Channel (Ave. Power)	Low Channel (PAR)	Middle Channel (Ave. Power)	Middle Channel (PAR)	High Channel (Ave. Power)	High Channel (PAR)
Rel 99 (QPSK)	1	23.16	1.80	23.12	2.32	22.82	1.76
HSDPA (QPSK)	1	22.36	1.92	22.31	2.28	21.93	1.90
	2	22.41	1.94	22.36	2.31	21.98	1.88
	3	22.43	1.77	22.38	2.17	21.97	1.82
	4	22.32	1.82	22.27	2.25	21.90	1.72
HSUPA (QPSK)	1	22.29	1.73	22.27	2.18	21.92	1.61
	2	22.36	1.69	22.18	2.32	21.88	1.63
	3	22.34	1.89	22.23	2.19	21.86	1.66
	4	22.25	1.90	22.16	2.21	21.96	1.82
DC-HSDPA (QPSK)	1	22.26	1.93	22.24	2.18	21.85	1.86
	2	22.26	2.18	22.02	2.24	22.28	1.72
	3	22.22	1.67	22.00	2.30	22.20	1.74
	4	22.29	1.65	22.07	2.18	22.26	1.77
	5	22.24	1.86	22.05	2.17	22.21	1.83
HSPA+ (16QAM)	1	22.26	1.82	22.03	2.25	22.21	1.85

WCDMA Band V

Mode	3GPP Sub Test	Average Output Power (dBm)					
		Low Channel (Ave. Power)	Low Channel (PAR)	Middle Channel (Ave. Power)	Middle Channel (PAR)	High Channel (Ave. Power)	High Channel (PAR)
Rel 99 (QPSK)	1	22.84	2.16	22.92	3.01	23.17	2.81
HSDPA (QPSK)	1	21.73	2.22	21.92	2.94	21.92	2.96
	2	21.70	2.31	21.88	2.99	21.87	2.92
	3	21.68	2.24	21.86	2.91	21.86	2.68
	4	21.75	2.12	21.96	2.95	21.95	2.69
HSUPA (QPSK)	1	21.79	2.15	21.97	3.06	21.97	2.95
	2	21.75	2.17	22.00	2.92	21.96	2.90
	3	21.73	2.05	21.99	3.04	21.92	2.88
	4	21.82	2.99	21.93	2.86	22.02	2.75
DC-HSDPA (QPSK)	1	21.84	2.17	21.94	3.08	22.00	2.78
	2	20.93	2.02	21.17	3.08	21.23	2.89
	3	21.00	2.07	21.11	2.87	21.25	2.81
	4	20.96	2.18	21.16	2.91	21.16	2.66
	5	20.97	2.10	21.14	2.86	21.11	2.70
HSPA+ (16QAM)	1	21.32	2.14	21.12	2.95	21.07	2.86

LTE Band II (PART 24)

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4 MHz	QPSK	1#0	21.85	21.99	21.58
		1#3	22.56	22.36	22.49
		1#5	22.38	22.36	22.48
		3#0	22.31	22.08	21.83
		3#1	22.30	22.11	21.80
		3#3	22.16	22.19	21.84
		6#0	20.76	20.85	20.79
	16QAM	1#0	21.61	21.59	21.16
		1#3	22.58	22.06	21.85
		1#5	22.41	22.05	21.99
		3#0	21.69	21.56	21.45
		3#1	21.71	21.51	21.67
		3#3	21.64	21.47	21.63
		6#0	20.72	20.69	20.77
3 MHz	QPSK	1#0	22.61	22.33	22.32
		1#7	22.55	22.26	22.15
		1#14	22.57	22.45	22.00
		8#0	21.89	21.99	21.88
		8#4	21.88	22.12	21.76
		8#7	21.89	21.85	21.74
		15#0	21.42	21.18	21.08
	16QAM	1#0	22.35	21.93	21.76
		1#7	22.42	21.86	21.63
		1#14	22.38	21.76	21.62
		8#0	21.74	21.47	21.20
		8#4	21.70	21.34	21.17
		8#7	21.69	21.41	21.40
		15#0	20.79	20.70	20.78
5 MHz	QPSK	1#0	22.66	22.29	22.11
		1#12	22.51	22.08	22.08
		1#24	22.33	20.21	22.05
		12#0	21.71	21.57	21.51
		12#6	21.80	21.49	21.51
		12#11	21.60	21.34	21.56
		25#0	21.41	21.09	20.73
	16QAM	1#0	21.75	21.61	21.71
		1#12	21.74	21.58	21.88
		1#24	21.70	21.67	21.70
		12#0	21.57	21.46	21.11
		12#6	21.47	21.41	21.13
		12#11	21.45	21.38	20.92
		25#0	20.80	20.65	20.56

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
10 MHz	QPSK	1#0	22.53	22.19	22.10
		1#24	22.64	22.16	22.14
		1#49	22.46	22.23	22.15
		25#0	21.81	21.46	21.61
		25#12	21.67	21.47	21.60
		25#24	21.67	21.49	21.48
		50#0	21.12	20.73	20.84
	16QAM	1#0	22.04	21.71	21.61
		1#24	22.16	21.57	21.69
		1#49	21.05	21.78	21.53
		25#0	21.31	21.27	20.84
		25#12	21.35	21.38	21.07
		25#24	21.36	21.31	21.01
		50#0	20.93	20.49	20.24
15 MHz	QPSK	1#0	22.46	22.23	22.24
		1#37	22.24	22.41	22.20
		1#74	22.36	22.30	22.41
		36#0	21.49	21.89	21.68
		36#17	21.64	21.73	21.80
		36#35	21.64	21.87	21.83
		75#0	21.17	20.89	20.62
	16QAM	1#0	21.96	21.64	21.67
		1#37	21.95	21.78	21.47
		1#74	21.95	21.61	21.46
		36#0	21.51	21.19	20.80
		36#17	21.55	21.03	20.85
		36#35	21.38	21.21	20.75
		75#0	20.75	20.40	19.95
20 MHz	QPSK	1#0	22.38	22.48	22.27
		1#49	22.40	22.33	22.16
		1#99	22.32	22.28	22.23
		50#0	21.73	21.78	21.33
		50#24	21.56	21.34	21.80
		50#49	21.71	21.52	21.78
		100#0	20.80	20.77	20.82
	16QAM	1#0	21.67	21.78	21.76
		1#49	21.61	21.61	21.72
		1#99	21.59	21.73	21.65
		50#0	21.16	21.22	21.02
		50#24	21.16	21.15	20.88
		50#49	21.09	21.06	20.99
		100#0	20.68	20.57	20.30

LTE Band IV (PART 27)

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	1#0	22.04	21.89	21.12
		1#3	22.23	21.99	22.48
		1#5	22.51	22.07	22.35
		3#0	21.87	21.46	21.89
		3#1	21.82	21.29	21.70
		3#3	21.74	21.36	21.71
		6#0	21.05	21.79	21.62
	16QAM	1#0	21.84	21.32	21.47
		1#3	21.89	21.66	21.96
		1#5	21.98	21.64	22.05
		3#0	21.41	21.06	21.29
		3#1	21.38	20.98	21.32
		3#3	21.47	20.95	21.35
		6#0	20.78	20.66	20.64
3 MHz	QPSK	1#0	21.83	21.60	21.35
		1#7	22.37	21.82	22.18
		1#14	22.30	21.76	22.36
		8#0	21.74	21.35	21.58
		8#4	21.80	21.30	21.49
		8#7	21.75	21.41	21.50
		15#0	20.77	20.45	20.17
	16QAM	1#0	21.79	21.42	21.76
		1#7	21.98	21.35	22.00
		1#14	21.85	21.46	21.99
		8#0	21.10	20.64	21.24
		8#4	21.11	20.76	21.28
		8#7	21.10	20.82	21.29
		15#0	21.51	20.66	20.48
5 MHz	QPSK	1#0	22.49	22.03	21.72
		1#12	22.10	21.70	22.29
		1#24	22.08	21.75	22.37
		12#0	21.39	21.33	21.65
		12#6	22.41	21.30	21.68
		12#11	21.37	21.29	21.49
		25#0	20.44	20.69	20.82
	16QAM	1#0	21.56	20.99	20.95
		1#12	21.78	21.29	21.58
		1#24	21.79	21.43	21.63
		12#0	21.16	20.72	21.06
		12#6	21.29	20.77	21.11
		12#11	21.21	20.67	21.09
		25#0	21.41	21.68	20.98

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
10 MHz	QPSK	1#0	21.60	21.06	20.17
		1#24	21.90	21.69	22.07
		1#49	21.83	21.48	22.04
		25#0	21.47	21.11	21.30
		25#12	21.39	21.08	21.26
		25#24	21.41	20.86	21.26
		50#0	21.35	21.75	21.05
	16QAM	1#0	21.11	21.71	21.03
		1#24	21.80	21.48	21.49
		1#49	21.73	21.38	21.55
		25#0	20.98	20.67	21.06
		25#12	20.97	20.79	21.09
		25#24	21.15	20.87	21.19
		50#0	20.33	20.68	20.23
15 MHz	QPSK	1#0	21.47	21.04	20.32
		1#37	21.98	21.46	21.88
		1#74	22.01	21.51	21.83
		36#0	21.46	21.16	21.33
		36#17	21.40	20.99	21.22
		36#35	21.50	21.02	21.36
		75#0	21.28	21.68	21.14
	16QAM	1#0	21.27	21.69	20.95
		1#37	21.42	21.36	21.57
		1#74	21.56	21.30	21.47
		36#0	20.98	20.93	20.92
		36#17	20.89	20.88	20.97
		36#35	20.75	21.00	21.09
		75#0	20.21	20.60	20.02
20 MHz	QPSK	1#0	22.20	22.50	22.08
		1#49	22.31	22.46	21.93
		1#99	22.07	22.26	22.08
		50#0	21.59	21.66	21.51
		50#24	21.73	21.61	21.34
		50#49	21.75	21.50	21.34
		100#0	21.17	20.65	20.93
	16QAM	1#0	21.57	21.37	21.50
		1#49	21.46	21.24	21.53
		1#99	21.45	21.31	21.54
		50#0	20.69	20.85	20.92
		50#24	20.64	20.68	20.83
		50#49	20.70	20.71	20.85
		100#0	20.19	20.27	20.38

LTE Band V (PART 22)

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4 MHz	QPSK	1#0	22.64	22.41	22.47
		1#3	22.50	22.29	22.61
		1#5	22.60	22.34	22.35
		3#0	22.26	22.17	22.20
		3#1	22.33	22.04	22.30
		3#3	22.27	22.17	22.05
		6#0	21.87	21.89	21.35
	16QAM	1#0	22.03	21.85	21.81
		1#3	21.87	22.00	21.73
		1#5	21.82	21.79	21.98
		3#0	21.44	21.55	21.51
		3#1	21.60	21.63	21.46
		3#3	21.71	21.82	21.51
		6#0	20.79	21.20	20.92
3 MHz	QPSK	1#0	22.62	22.88	22.52
		1#7	22.84	23.00	22.55
		1#14	22.84	22.74	22.69
		8#0	22.41	22.41	22.24
		8#4	22.30	22.33	22.25
		8#7	22.32	22.56	22.18
		15#0	21.98	22.01	21.82
	16QAM	1#0	21.94	22.25	21.86
		1#7	21.96	22.18	21.90
		1#14	21.98	22.06	21.75
		8#0	21.65	21.64	21.24
		8#4	21.50	21.78	21.35
		8#7	21.56	21.82	21.31
		15#0	21.02	21.26	21.07

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5 MHz	QPSK	1#0	22.86	22.85	22.75
		1#12	22.97	22.68	22.73
		1#24	22.79	22.85	22.89
		12#0	22.37	22.62	22.49
		12#6	22.29	22.54	22.25
		12#11	22.34	22.69	22.41
		25#0	21.78	21.69	21.48
	16QAM	1#0	22.15	22.24	21.79
		1#12	21.86	22.12	21.73
		1#24	22.07	22.14	21.73
		12#0	21.51	21.90	21.41
		12#6	21.54	21.83	21.34
		12#11	21.52	21.81	21.34
		25#0	21.05	21.14	20.88
10 MHz	QPSK	1#0	22.59	22.97	22.69
		1#24	22.70	22.91	22.67
		1#49	22.69	22.83	22.64
		25#0	22.33	22.55	22.18
		25#12	22.38	22.57	21.97
		25#24	22.22	22.57	21.98
		50#0	21.58	21.95	21.47
	16QAM	1#0	22.18	22.35	21.77
		1#24	22.23	22.38	21.81
		1#49	22.16	22.30	21.80
		25#0	21.63	21.97	21.47
		25#12	21.58	22.01	21.56
		25#24	21.79	21.83	21.33
		50#0	20.75	21.08	20.79

LTE Band VII (PART 27)

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5 MHz	QPSK	1#0	22.58	22.44	22.15
		1#12	22.53	22.56	22.12
		1#24	22.45	22.50	22.12
		12#0	21.75	21.76	21.47
		12#6	21.74	21.81	21.44
		12#11	19.73	21.77	21.55
		25#0	20.94	21.44	21.20
	16QAM	1#0	21.63	21.84	21.90
		1#12	21.60	21.89	21.73
		1#24	21.74	21.96	21.76
		12#0	21.15	21.45	20.97
		12#6	21.04	21.35	20.86
		12#11	21.17	21.33	21.04
		25#0	20.63	20.82	20.38
10 MHz	QPSK	1#0	22.60	22.50	22.20
		1#24	22.64	22.55	22.21
		1#49	22.57	22.55	22.24
		25#0	21.56	21.84	21.43
		25#12	21.55	21.67	21.48
		25#24	21.74	21.74	21.49
		50#0	21.07	21.47	21.07
	16QAM	1#0	21.52	21.89	21.88
		1#24	21.54	22.03	21.77
		1#49	21.54	22.02	21.89
		25#0	21.03	21.22	20.72
		25#12	20.92	21.20	20.89
		25#24	21.04	21.36	20.88
		50#0	20.46	20.51	20.41

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15 MHz	QPSK	1#0	22.44	22.53	22.00
		1#37	22.54	22.62	22.11
		1#74	22.50	22.47	22.16
		36#0	21.80	21.76	21.49
		36#17	21.91	21.74	21.63
		36#35	22.04	21.87	21.52
		75#0	21.08	21.15	21.00
	16QAM	1#0	21.71	21.89	21.58
		1#37	21.81	21.92	21.56
		1#74	21.81	21.93	21.55
		36#0	21.11	21.15	20.73
		36#17	21.04	21.17	20.88
		36#35	20.95	21.35	20.74
		75#0	20.58	20.50	20.18
20 MHz	QPSK	1#0	22.58	22.45	22.18
		1#49	22.57	22.68	22.05
		1#99	22.44	22.48	22.30
		50#0	21.88	21.93	21.69
		50#24	21.77	21.94	21.55
		50#49	21.86	21.90	21.54
		100#0	21.13	21.23	21.09
	16QAM	1#0	21.91	21.82	21.57
		1#49	21.83	21.93	21.54
		1#99	21.74	21.83	21.61
		50#0	20.89	21.24	21.02
		50#24	20.71	21.19	21.03
		50#49	20.87	21.15	20.92
		100#0	20.48	20.41	20.34

LTE Band 12 (PART 27)

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4 MHz	QPSK	1#0	23.21	21.42	23.15
		1#3	23.31	21.15	22.41
		1#5	23.18	21.38	22.09
		3#0	22.36	21.02	21.25
		3#1	22.54	21.14	21.72
		3#3	22.23	20.98	21.46
		6#0	22.14	20.69	22.14
	16QAM	1#0	22.09	20.56	21.75
		1#3	22.15	20.21	21.78
		1#5	21.83	20.38	21.33
		3#0	21.98	20.68	21.91
		3#1	22.03	21.21	21.56
		3#3	21.52	20.66	21.74
		6#0	20.99	20.78	21.03
3 MHz	QPSK	1#0	23.05	21.82	23.16
		1#7	23.17	21.51	23.23
		1#14	23.04	22.10	22.76
		8#0	22.58	22.35	21.97
		8#4	22.05	22.42	22.14
		8#7	21.87	21.54	22.32
		15#0	22.21	20.92	22.16
	16QAM	1#0	22.16	21.93	22.01
		1#7	21.99	20.99	22.05
		1#14	22.60	20.82	21.83
		8#0	22.12	21.20	21.63
		8#4	22.06	21.56	21.34
		8#7	21.42	21.86	22.75
		15#0	21.21	20.72	21.26

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5 MHz	QPSK	1#0	23.39	22.08	22.49
		1#12	23.24	21.16	23.32
		1#24	22.70	21.63	22.29
		12#0	22.15	20.61	21.82
		12#6	22.31	20.28	22.30
		12#11	22.31	20.23	22.23
		25#0	22.22	20.94	22.21
	16QAM	1#0	22.26	20.63	21.55
		1#12	21.97	20.56	22.32
		1#24	21.94	20.75	21.66
		12#0	21.18	20.84	20.89
		12#6	21.35	20.55	21.28
		12#11	21.32	20.45	21.29
		25#0	21.28	20.65	21.16
10 MHz	QPSK	1#0	23.29	23.33	22.16
		1#24	22.84	22.72	21.96
		1#49	22.66	22.25	21.56
		25#0	22.32	22.12	20.99
		25#12	20.84	21.51	21.34
		25#24	21.73	21.39	22.05
		50#0	21.80	20.93	21.27
	16QAM	1#0	22.26	22.67	20.95
		1#24	21.95	21.56	20.32
		1#49	21.42	22.07	21.14
		25#0	22.26	22.54	22.45
		25#12	21.95	22.23	22.11
		25#24	21.56	21.62	21.98
		50#0	20.97	20.35	20.70

LTE Band 17 (PART 27)

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5 MHz	QPSK	1#0	22.51	22.48	22.55
		1#12	22.56	22.53	22.59
		1#24	22.57	22.54	22.51
		12#0	22.01	21.91	21.88
		12#6	21.95	21.79	21.94
		12#11	22.03	21.86	21.88
		25#0	21.73	21.43	21.53
	16QAM	1#0	21.71	21.65	21.97
		1#12	21.60	21.58	21.84
		1#24	21.82	21.69	21.80
		12#0	20.93	21.17	21.37
		12#6	21.07	21.34	21.26
		12#11	21.15	21.18	21.32
		25#0	20.40	20.57	20.72
10 MHz	QPSK	1#0	22.41	22.38	22.31
		1#24	22.33	22.39	22.36
		1#49	22.45	22.36	22.34
		25#0	21.84	21.80	21.81
		25#12	21.82	21.79	21.96
		25#24	21.87	21.80	21.96
		50#0	20.49	21.22	21.36
	16QAM	1#0	21.85	21.57	21.90
		1#24	21.55	21.66	21.95
		1#49	21.45	21.71	21.90
		25#0	21.17	21.11	21.42
		25#12	21.15	21.03	21.42
		25#24	21.00	21.01	21.24
		50#0	20.47	20.57	20.72

PAR, Band II

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	3.97	3.57	3.21	13
	100 RB		3.73	3.89	3.57	13
16QAM	1 RB	20 MHz	4.57	4.33	4.09	13
	100 RB		5.41	5.49	5.37	13

PAR, Band IV

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	2.53	3.37	3.73	13
	100 RB		3.77	3.89	3.85	13
16QAM	1 RB	20 MHz	2.77	4.29	4.93	13
	100 RB		5.13	5.53	5.37	13

PAR, Band V

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	4.53	3.65	4.81	13
	50 RB		4.21	3.69	4.37	13
16QAM	1 RB	10 MHz	5.09	4.73	5.17	13
	50 RB		5.61	5.45	5.81	13

PAR, Band VII

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	4.61	3.57	5.09	13
	100 RB		3.77	3.45	3.97	13
16QAM	1 RB	20 MHz	6.09	3.97	5.57	13
	100 RB		5.37	5.33	5.81	13

PAR, Band 12

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	4.37	3.81	4.29	13
	50 RB		4.01	4.21	4.17	13
16QAM	1 RB	10 MHz	5.33	4.05	5.25	13
	50 RB		5.49	5.41	5.65	13

PAR, Band 17

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	2.81	3.13	3.85	13
	50 RB		4.13	3.85	4.49	13
16QAM	1 RB	10 MHz	3.61	3.97	4.33	13
	50 RB		5.29	5.37	5.61	13

Note: peak-to-average ratio (PAR) <13 dB.

FINAL

ERP & EIRP

Part 22H

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			S.G. Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM 850_Middle Channel								
836.600	H	85.12	17.2	0.0	0.5	16.7	38.5	21.8
836.600	V	96.35	31.4	0.0	0.5	30.9	38.5	7.6
EDGE 850_Middle Channel								
836.600	H	79.23	11.3	0.0	0.5	10.8	38.5	27.7
836.600	V	88.49	23.6	0.0	0.5	23.1	38.5	15.4
WCDMA Band V Middle Channel								
836.600	H	85.30	17.4	0.0	0.5	16.9	38.5	21.6
836.600	V	85.10	20.2	0.0	0.5	19.7	38.5	18.8

Part 24E

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			S.G. Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
PCS 1900_Middle Channel								
1880.000	H	98.67	25.7	11.1	4.8	32.0	33.0	1.0
1880.000	V	94.57	21.4	11.1	4.8	27.7	33.0	5.3
EDGE 1900_Middle Channel								
1880.000	H	94.87	21.9	11.1	4.8	28.2	33.0	4.8
1880.000	V	90.27	17.1	11.1	4.8	23.4	33.0	9.6
WCDMA Band II Middle Channel								
1880.000	H	91.52	18.6	11.1	4.8	24.9	33.0	8.1
1880.000	V	85.74	12.6	11.1	4.8	18.9	33.0	14.1

Part 27

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			S.G. Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
WCDMA Band IV Middle Channel								
1732.500	H	90.21	16.7	10.7	4.6	22.8	30.0	7.2
1732.500	V	85.55	11.8	10.7	4.6	17.9	30.0	12.1

LTE Band II

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			S.G. Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK 1.4 MHz Middle Channel								
1880.000	H	86.37	14.8	11.7	1.4	25.1	33.00	7.9
1880.000	V	83.34	11.9	11.7	1.4	22.2	33.00	10.8
QPSK 3 MHz Middle Channel								
1880.000	H	85.41	13.8	11.7	1.4	24.1	33.00	8.9
1880.000	V	82.64	11.2	11.7	1.4	21.5	33.00	11.5
QPSK 5 MHz Middle Channel								
1880.000	H	85.34	13.7	11.7	1.4	24.0	33.00	9.0
1880.000	V	82.67	11.2	11.7	1.4	21.5	33.00	11.5
QPSK 10 MHz Middle Channel								
1880.000	H	84.85	13.3	11.7	1.4	23.6	33.00	9.4
1880.000	V	80.48	9	11.7	1.4	19.3	33.00	13.7
QPSK 15 MHz Middle Channel								
1880.000	H	83.27	11.7	11.7	1.4	22.0	33.00	11.0
1880.000	V	79.68	8.2	11.7	1.4	18.5	33.00	14.5
QPSK 20 MHz Middle Channel								
1880.000	H	83.18	11.6	11.7	1.4	21.9	33.00	11.1
1880.000	V	78.64	7.2	11.7	1.4	17.5	33.00	15.5
16QAM 1.4 MHz Middle Channel								
1880.000	H	86.13	14.5	11.7	1.4	24.8	33.00	8.2
1880.000	V	83.15	11.7	11.7	1.4	22.0	33.00	11.0
16QAM 3 MHz Middle Channel								
1880.000	H	85.06	13.5	11.7	1.4	23.8	33.00	9.2
1880.000	V	82.15	10.7	11.7	1.4	21.0	33.00	12.0
16QAM 5 MHz Middle Channel								
1880.000	H	85.05	13.5	11.7	1.4	23.8	33.00	9.2
1880.000	V	81.64	10.2	11.7	1.4	20.5	33.00	12.5
16QAM 10 MHz Middle Channel								
1880.000	H	84.67	13.1	11.7	1.4	23.4	33.00	9.6
1880.000	V	80.28	8.8	11.7	1.4	19.1	33.00	13.9
16QAM 15 MHz Middle Channel								
1880.000	H	83.16	11.6	11.7	1.4	21.9	33.00	11.1
1880.000	V	79.04	7.6	11.7	1.4	17.9	33.00	15.1
16QAM 20 MHz Middle Channel								
1880.000	H	82.37	10.8	11.7	1.4	21.1	33.00	11.9
1880.000	V	77.95	6.5	11.7	1.4	16.8	33.00	16.2

LTE Band IV

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			S.G. Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK 1.4 MHz Middle Channel								
1732.500	H	87.64	14.6	10.9	1.4	24.1	30.00	5.9
1732.500	V	85.23	11.9	10.9	1.4	21.4	30.00	8.6
QPSK 3 MHz Middle Channel								
1732.500	H	87.05	14	10.9	1.4	23.5	30.00	6.5
1732.500	V	84.68	11.4	10.9	1.4	20.9	30.00	9.1
QPSK 5 MHz Middle Channel								
1732.500	H	86.34	13.3	10.9	1.4	22.8	30.00	7.2
1732.500	V	84.86	11.5	10.9	1.4	21.0	30.00	9.0
QPSK 10 MHz Middle Channel								
1732.500	H	85.21	12.2	10.9	1.4	21.7	30.00	8.3
1732.500	V	83.60	10.3	10.9	1.4	19.8	30.00	10.2
QPSK 15 MHz Middle Channel								
1732.500	H	83.69	10.7	10.9	1.4	20.2	30.00	9.8
1732.500	V	81.75	8.4	10.9	1.4	17.9	30.00	12.1
QPSK 20 MHz Middle Channel								
1732.500	H	82.09	9.1	10.9	1.4	18.6	30.00	11.4
1732.500	V	79.86	6.5	10.9	1.4	16.0	30.00	14.0
16QAM 1.4 MHz Middle Channel								
1732.500	H	86.84	13.8	10.9	1.4	23.3	30.00	6.7
1732.500	V	84.38	11.1	10.9	1.4	20.6	30.00	9.4
16QAM 3 MHz Middle Channel								
1732.500	H	86.36	13.4	10.9	1.4	22.9	30.00	7.1
1732.500	V	85.15	11.8	10.9	1.4	21.3	30.00	8.7
16QAM 5 MHz Middle Channel								
1732.500	H	86.37	13.4	10.9	1.4	22.9	30.00	7.1
1732.500	V	84.88	11.6	10.9	1.4	21.1	30.00	8.9
16QAM 10 MHz Middle Channel								
1732.500	H	84.67	11.7	10.9	1.4	21.2	30.00	8.8
1732.500	V	82.42	9.1	10.9	1.4	18.6	30.00	11.4
16QAM 15 MHz Middle Channel								
1732.500	H	83.15	10.1	10.9	1.4	19.6	30.00	10.4
1732.500	V	81.06	7.7	10.9	1.4	17.2	30.00	12.8
16QAM 20 MHz Middle Channel								
1732.500	H	81.86	8.9	10.9	1.4	18.4	30.00	11.6
1732.500	V	79.26	5.9	10.9	1.4	15.4	30.00	14.6

LTE Band V

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			S.G. Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK 1.4 MHz Middle Channel								
836.500	H	78.25	10.4	0.0	0.5	9.9	38.5	28.6
836.500	V	86.54	21.6	0.0	0.5	21.1	38.5	17.4
QPSK 3 MHz Middle Channel								
836.500	H	77.36	9.5	0.0	0.5	9.0	38.5	29.5
836.500	V	85.00	20.1	0.0	0.5	19.6	38.5	18.9
QPSK 5 MHz Middle Channel								
836.500	H	76.12	8.2	0.0	0.5	7.7	38.5	30.8
836.500	V	83.25	18.3	0.0	0.5	17.8	38.5	20.7
QPSK 10MHz Middle Channel								
836.500	H	74.12	6.2	0.0	0.5	5.7	38.5	32.8
836.500	V	81.69	16.8	0.0	0.5	16.3	38.5	22.2
16QAM 1.4 MHz Middle Channel								
836.500	H	79.32	11.4	0.0	0.5	10.9	38.5	27.6
836.500	V	84.35	19.4	0.0	0.5	18.9	38.5	19.6
16QAM 3 MHz Middle Channel								
836.500	H	76.68	8.8	0.0	0.5	8.3	38.5	30.2
836.500	V	84.36	19.4	0.0	0.5	18.9	38.5	19.6
16QAM 5 MHz Middle Channel								
836.500	H	74.69	6.8	0.0	0.5	6.3	38.5	32.2
836.500	V	82.51	17.6	0.0	0.5	17.1	38.5	21.4
16QAM 10 MHz Middle Channel								
836.500	H	73.87	6	0.0	0.5	5.5	38.5	33
836.500	V	81.26	16.3	0.0	0.5	15.8	38.5	22.7

LTE Band VII

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			S.G. Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK 5 MHz Middle Channel								
2535.000	H	85.34	14.1	13.1	2.5	24.7	33.00	8.3
2535.000	V	83.45	13.7	13.1	2.5	24.3	33.00	8.7
QPSK 10 MHz Middle Channel								
2535.000	H	85.06	13.9	13.1	2.5	24.5	33.00	8.5
2535.000	V	83.64	13.9	13.1	2.5	24.5	33.00	8.5
QPSK 15 MHz Middle Channel								
2535.000	H	84.30	13.1	13.1	2.5	23.7	33.00	9.3
2535.000	V	82.17	12.4	13.1	2.5	23.0	33.00	10.0
QPSK 20MHz Middle Channel								
2535.000	H	83.07	11.9	13.1	2.5	22.5	33.00	10.5
2535.000	V	80.36	10.6	13.1	2.5	21.2	33.00	11.8
16QAM 5 MHz Middle Channel								
2535.000	H	84.87	13.7	13.1	2.5	24.3	33.00	8.7
2535.000	V	82.31	12.6	13.1	2.5	23.2	33.00	9.8
16QAM 10 MHz Middle Channel								
2535.000	H	84.38	13.2	13.1	2.5	23.8	33.00	9.2
2535.000	V	82.31	12.6	13.1	2.5	23.2	33.00	9.8
16QAM 15 MHz Middle Channel								
2535.000	H	83.34	12.1	13.1	2.5	22.7	33.00	10.3
2535.000	V	81.64	11.9	13.1	2.5	22.5	33.00	10.5
16QAM 20 MHz Middle Channel								
2535.000	H	82.35	11.1	13.1	2.5	21.7	33.00	11.3
2535.000	V	79.67	9.9	13.1	2.5	20.5	33.00	12.5

LTE Band 12

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			S.G. Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK 1.4 MHz Middle Channel								
707.500	H	80.87	10.3	0.0	0.4	9.9	34.77	24.87
707.500	V	88.94	21.3	0.0	0.4	20.9	34.77	13.87
QPSK 3 MHz Middle Channel								
707.500	H	82.68	12.1	0.0	0.4	11.7	34.77	23.07
707.500	V	87.22	19.6	0.0	0.4	19.2	34.77	15.57
QPSK 5 MHz Middle Channel								
707.500	H	83.01	12.5	0.0	0.4	12.1	34.77	22.67
707.500	V	88.14	20.5	0.0	0.4	20.1	34.77	14.67
QPSK 10MHz Middle Channel								
707.500	H	80.88	10.3	0.0	0.4	9.9	34.77	24.87
707.500	V	86.65	19	0.0	0.4	18.6	34.77	16.17
16QAM 1.4 MHz Middle Channel								
707.500	H	81.21	10.7	0.0	0.4	10.3	34.77	24.47
707.500	V	88.22	20.6	0.0	0.4	20.2	34.77	14.57
16QAM 3 MHz Middle Channel								
707.500	H	81.75	11.2	0.0	0.4	10.8	34.77	23.97
707.500	V	87.72	20.1	0.0	0.4	19.7	34.77	15.07
16QAM 5 MHz Middle Channel								
707.500	H	82.52	12	0.0	0.4	11.6	34.77	23.17
707.500	V	87.74	20.1	0.0	0.4	19.7	34.77	15.07
16QAM 10 MHz Middle Channel								
707.500	H	81.12	10.6	0.0	0.4	10.2	34.77	24.57
707.500	V	86.42	18.8	0.0	0.4	18.4	34.77	16.37

LTE Band 17

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			S.G. Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK 5 MHz Middle Channel								
710.000	H	82.12	11.6	0.0	0.4	11.2	34.77	23.57
710.000	V	88.36	20.8	0.0	0.4	20.4	34.77	14.37
QPSK 10 MHz Middle Channel								
710.000	H	80.69	10.2	0.0	0.4	9.8	34.77	24.97
710.000	V	86.74	19.1	0.0	0.4	18.7	34.77	16.07
16QAM 5 MHz Middle Channel								
710.000	H	81.35	10.9	0.0	0.4	10.5	34.77	24.27
710.000	V	87.45	19.8	0.0	0.4	19.4	34.77	15.37
16QAM 10MHz Middle Channel								
710.000	H	80.18	9.7	0.0	0.4	9.3	34.77	25.47
710.000	V	86.32	18.7	0.0	0.4	18.3	34.77	16.47

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH


Applicable Standard

FCC §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The 26 dB & 99% bandwidth was recorded.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Rohde & Schwarz	Signal Analyzer	FSIQ26	831929/005	2016-09-21	2017-09-20
N/A	RF Cable	N/A	N/A	Each Time	/
N/A	Two-way Splitter	N/A	OE0120121	Each Time	/

* **Statement of Traceability:** BACL (Chengdu) attested that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Temperature:	23.2~28.8 °C
Relative Humidity:	31~52 %
ATM Pressure:	100.7 ~102.3 kPa

The testing was performed by Tom Tang from 2016-12-16 to 2017-02-04.

Test Mode: Transmitting


Test Result: Compliant. Please refer to the following table and plots.

Band	Test Channel	Mode	99% Occupied Bandwidth (MHz)	26 dB Occupied Bandwidth (MHz)
Cellular	M	GSM	0.246	0.312
		EDGE	0.255	0.319
PCS		PCS	0.244	0.321
		EDGE	0.264	0.339
WCDMA Band II		Rel 99	4.248	4.950
		HSDPA	4.228	4.900
		HSUPA	4.228	4.910
WCDMA Band IV		Rel 99	4.228	4.890
		HSDPA	4.228	4.950
		HSUPA	4.228	4.950
WCDMA Band V		Rel 99	4.228	4.910
		HSDPA	4.248	4.930
		HSUPA	4.228	4.890


Band	Test Modulation	Test Bandwidth (MHz)	Test Channel	99% Occupied Bandwidth (MHz)	26 dB Occupied Bandwidth (MHz)
LTE Band II	QPSK	1.4	M	1.112	1.299
		3		2.766	3.102
		5		4.569	5.170
		10		9.138	10.421
		15		13.587	15.090
		20		18.196	20.200
	16QAM	1.4	M	1.106	1.287
		3		2.778	3.138
		5		4.569	5.150
		10		9.098	10.301
		15		13.587	15.210
		20		18.277	20.361
LTE Band IV	QPSK	1.4	M	1.100	1.299
		3		2.778	3.114
		5		4.569	5.130
		10		9.178	10.421
		15		13.647	15.030
		20		18.196	21.120
	16QAM	1.4	M	1.106	1.299
		3		2.778	3.138
		5		4.569	5.110
		10		9.138	10.301
		15		13.527	15.150
		20		18.277	20.120

Band	Test Modulation	Test Bandwidth (MHz)	Test Channel	99% Occupied Bandwidth (MHz)	26 dB Occupied Bandwidth (MHz)
LTE Band V	QPSK	1.4	M	1.100	1.287
		3		2.766	3.138
		5		4.549	5.070
		10		9.138	10.461
	16QAM	1.4	M	1.106	1.293
		3		2.778	3.102
		5		4.540	5.090
		10		9.138	10.260
LTE Band VII	QPSK	5	M	4.569	5.130
		10		9.138	10.341
		15		13.587	15.090
		20		18.196	19.960
	16QAM	5	M	4.549	5.090
		10		9.138	10.341
		15		13.587	15.271
		20		18.277	19.960
LTE Band 12	QPSK	1.4	M	1.118	1.287
		3		2.778	3.162
		5		4.569	5.130
		10		9.298	10.421
	16QAM	1.4	M	1.100	1.299
		3		2.790	3.162
		5		4.569	5.130
		10		9.299	10.461
LTE Band 17	QPSK	5	M	4.569	5.130
		10		9.218	10.381
	16QAM	5	M	4.569	5.130
		10		9.218	10.381


GMSK 850 Cellular Band




GMSK PCS Band




EDGE 850 Cellular Band




EDGE PCS Band




REL99 Band II




HSDPA Band II




HSUPA Band II




REL99 Band IV




HSDPA Band IV




HSUPA Band IV




REL99 Band V



HSDPA Band V




HSUPA Band V




LTE Band II


QPSK_1.4 MHz




QPSK_3 MHz




QPSK_5 MHz




QPSK_10 MHz




QPSK_15 MHz




QPSK_20 MHz




16QAM_1.4 MHz




16QAM_3 MHz




16QAM_5 MHz




16QAM_10 MHz



16QAM_15 MHz




16QAM_20 MHz




LTE Band IV:


QPSK_1.4 MHz




QPSK_3 MHz




QPSK_5 MHz




QPSK_10 MHz




QPSK_15 MHz




QPSK_20 MHz




16QAM_1.4 MHz




16QAM_3 MHz




16QAM_5 MHz




16QAM_10 MHz



16QAM_15 MHz




16QAM_20 MHz




LTE Band V:

QPSK_1.4 MHz




Date: 4.JAN.2017 23:53:19

QPSK_3 MHz




Date: 4.JAN.2017 23:59:39


QPSK_5 MHz




QPSK_10 MHz




16QAM_1.4 MHz




16QAM_3 MHz



16QAM_5 MHz




16QAM_10 MHz




LTE Band VII:

QPSK_5 MHz




Date: 5.JAN.2017 01:04:17

QPSK_10 MHz




Date: 5.JAN.2017 01:08:33


QPSK_15 MHz




QPSK_20 MHz




16QAM_5 MHz




16QAM_10 MHz



16QAM_15 MHz




16QAM_20 MHz




LTE Band 12

QPSK_1.4 MHz




Date: 4.FEB.2017 20:56:00

QPSK_3 MHz




Date: 4.FEB.2017 21:05:23


QPSK_5 MHz




QPSK_10 MHz




16QAM_1.4 MHz




16QAM_3 MHz



16QAM_5 MHz




16QAM_10 MHz




LTE Band 17:

QPSK_5 MHz




Date: 5.JAN.2017 01:17:06

QPSK_10 MHz




Date: 5.JAN.2017 01:21:25

16QAM_5 MHz



16QAM_10 MHz



FCC §2.1051, §22.917(a) & §24.238(a) & §27.53- SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) , §24.238(a) and §27.53.

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Rohde & Schwarz	Signal Analyzer	FSIQ26	831929/005	2016-09-21	2017-09-20
N/A	RF Cable	N/A	N/A	Each Time	/
N/A	Two-way Splitter	N/A	OE0120121	Each Time	/

* **Statement of Traceability:** BACL (Chengdu) attested that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data



Environmental Conditions

Temperature:	23.2~28.8 °C
Relative Humidity:	31~52 %
ATM Pressure:	100.7~102.3 kPa


The testing was performed by Tom Tang from 2016-12-16 to 2017-02-04.

Please refer to the following plots.


GSM850_Middle Channel




PCS 1900_ High Channel




Fundamental




REL99 Band II_ Middle Channel




Fundamental





REL99 Band IV_ Middle Channel



Fundamental




REL99 Band V_ Middle Channel




LTE Band II (Middle Channel)


QPSK_1.4 MHz




Fundamental




QPSK_3 MHz




Fundamental




QPSK_5 MHz




Fundamental




QPSK_10 MHz




Fundamental




QPSK_15 MHz




Fundamental



QPSK_20 MHz




Fundamental




LTE Band IV (Middle Channel)


QPSK_1.4 MHz




Fundamental




QPSK_3 MHz




Fundamental




QPSK_5 MHz




Fundamental



QPSK_10 MHz



Fundamental



Page 90 of 190

