









Mode	73																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	 Site : 03CH20-HY Condition: PEAK_BE(B4)_16-24 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5649.35</td><td>63.75</td><td>68.20</td><td>-4.45</td><td>55.08</td><td>33.10</td><td>13.56</td><td>37.99</td><td>0.00</td><td>113 360 PEAK</td></tr><tr><td>2 5650.23</td><td>62.58</td><td>68.37</td><td>-5.79</td><td>53.91</td><td>33.10</td><td>13.56</td><td>37.99</td><td>0.00</td><td>113 360 PEAK</td></tr><tr><td>3 5700.45</td><td>70.77</td><td>105.33</td><td>-34.56</td><td>61.62</td><td>33.50</td><td>13.63</td><td>37.98</td><td>0.00</td><td>113 360 PEAK</td></tr><tr><td>4 5720.05</td><td>70.38</td><td>110.91</td><td>-40.53</td><td>61.17</td><td>33.54</td><td>13.65</td><td>37.98</td><td>0.00</td><td>113 360 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5649.35	63.75	68.20	-4.45	55.08	33.10	13.56	37.99	0.00	113 360 PEAK	2 5650.23	62.58	68.37	-5.79	53.91	33.10	13.56	37.99	0.00	113 360 PEAK	3 5700.45	70.77	105.33	-34.56	61.62	33.50	13.63	37.98	0.00	113 360 PEAK	4 5720.05	70.38	110.91	-40.53	61.17	33.54	13.65	37.98	0.00	113 360 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>115.05</td><td>-----</td><td>-----</td><td>105.67</td><td>33.65</td><td>13.70</td><td>37.97</td><td>0.00</td><td>113 360 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5775.00	115.05	-----	-----	105.67	33.65	13.70	37.97	0.00	113 360 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5649.35	63.75	68.20	-4.45	55.08	33.10	13.56	37.99	0.00	113 360 PEAK																																																																																																							
2 5650.23	62.58	68.37	-5.79	53.91	33.10	13.56	37.99	0.00	113 360 PEAK																																																																																																							
3 5700.45	70.77	105.33	-34.56	61.62	33.50	13.63	37.98	0.00	113 360 PEAK																																																																																																							
4 5720.05	70.38	110.91	-40.53	61.17	33.54	13.65	37.98	0.00	113 360 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5775.00	115.05	-----	-----	105.67	33.65	13.70	37.97	0.00	113 360 PEAK																																																																																																							
Avg	Blank	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>107.24</td><td>-----</td><td>-----</td><td>97.63</td><td>33.83</td><td>13.74</td><td>37.96</td><td>0.00</td><td>113 360 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5775.00	107.24	-----	-----	97.63	33.83	13.74	37.96	0.00	113 360 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5775.00	107.24	-----	-----	97.63	33.83	13.74	37.96	0.00	113 360 AVERAGE																																																																																																							







Mode	73																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																				
ANT	1+2																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	 Site : 03CH20-HY Condition: PEAK_BE(B4)_16-24 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.28</td><td>66.88</td><td>112.45</td><td>-45.57</td><td>56.95</td><td>34.02</td><td>13.85</td><td>37.94</td><td>0.00</td><td>113</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5871.25</td><td>71.18</td><td>106.25</td><td>-35.07</td><td>61.17</td><td>34.00</td><td>13.87</td><td>37.94</td><td>0.00</td><td>113</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.23</td><td>60.88</td><td>69.51</td><td>-8.63</td><td>50.60</td><td>34.25</td><td>13.96</td><td>37.93</td><td>0.00</td><td>113</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5931.80</td><td>61.83</td><td>68.20</td><td>-6.37</td><td>51.53</td><td>34.26</td><td>13.97</td><td>37.93</td><td>0.00</td><td>113</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.28	66.88	112.45	-45.57	56.95	34.02	13.85	37.94	0.00	113	360	PEAK	2	5871.25	71.18	106.25	-35.07	61.17	34.00	13.87	37.94	0.00	113	360	PEAK	3	5923.23	60.88	69.51	-8.63	50.60	34.25	13.96	37.93	0.00	113	360	PEAK	4	5931.80	61.83	68.20	-6.37	51.53	34.26	13.97	37.93	0.00	113	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.28	66.88	112.45	-45.57	56.95	34.02	13.85	37.94	0.00	113	360	PEAK																																																																									
2	5871.25	71.18	106.25	-35.07	61.17	34.00	13.87	37.94	0.00	113	360	PEAK																																																																									
3	5923.23	60.88	69.51	-8.63	50.60	34.25	13.96	37.93	0.00	113	360	PEAK																																																																									
4	5931.80	61.83	68.20	-6.37	51.53	34.26	13.97	37.93	0.00	113	360	PEAK																																																																									





Mode	73																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																									
ANT	1+2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 11550.00</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>35.70</td><td>38.90</td><td>19.51</td><td>42.69</td><td>0.47</td><td>315 199 PEAK</td></tr><tr><td>2 11550.00</td><td>41.93</td><td>54.00</td><td>-12.07</td><td>25.74</td><td>38.90</td><td>19.51</td><td>42.69</td><td>0.47</td><td>315 199 Average</td></tr><tr><td>3 17325.00</td><td>53.86</td><td>68.20</td><td>-14.34</td><td>35.82</td><td>38.25</td><td>24.12</td><td>44.85</td><td>0.52</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11550.00	51.89	74.00	-22.11	35.70	38.90	19.51	42.69	0.47	315 199 PEAK	2 11550.00	41.93	54.00	-12.07	25.74	38.90	19.51	42.69	0.47	315 199 Average	3 17325.00	53.86	68.20	-14.34	35.82	38.25	24.12	44.85	0.52	-- -- PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 11550.00</td><td>52.20</td><td>74.00</td><td>-21.80</td><td>36.01</td><td>38.90</td><td>19.51</td><td>42.69</td><td>0.47</td><td>155 184 PEAK</td></tr><tr><td>2 11550.00</td><td>42.28</td><td>54.00</td><td>-11.72</td><td>26.09</td><td>38.90</td><td>19.51</td><td>42.69</td><td>0.47</td><td>155 184 Average</td></tr><tr><td>3 17325.00</td><td>53.90</td><td>68.20</td><td>-14.30</td><td>35.86</td><td>38.25</td><td>24.12</td><td>44.85</td><td>0.52</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11550.00	52.20	74.00	-21.80	36.01	38.90	19.51	42.69	0.47	155 184 PEAK	2 11550.00	42.28	54.00	-11.72	26.09	38.90	19.51	42.69	0.47	155 184 Average	3 17325.00	53.90	68.20	-14.30	35.86	38.25	24.12	44.85	0.52	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 11550.00	51.89	74.00	-22.11	35.70	38.90	19.51	42.69	0.47	315 199 PEAK																																																																																																																	
2 11550.00	41.93	54.00	-12.07	25.74	38.90	19.51	42.69	0.47	315 199 Average																																																																																																																	
3 17325.00	53.86	68.20	-14.34	35.82	38.25	24.12	44.85	0.52	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 11550.00	52.20	74.00	-21.80	36.01	38.90	19.51	42.69	0.47	155 184 PEAK																																																																																																																	
2 11550.00	42.28	54.00	-11.72	26.09	38.90	19.51	42.69	0.47	155 184 Average																																																																																																																	
3 17325.00	53.90	68.20	-14.30	35.86	38.25	24.12	44.85	0.52	-- -- PEAK																																																																																																																	





Mode	73	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL





Mode	74																																																																																																																																																																																																																																					
	LF																																																																																																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																																																																																																																					
ANT	1+2																																																																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																																																																															
QP/ Peak																																																																																																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>24.33</td><td>40.00</td><td>-15.67</td><td>34.55</td><td>24.10</td><td>1.03</td><td>35.59</td><td>0.24</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>190.05</td><td>26.51</td><td>43.50</td><td>-16.99</td><td>44.19</td><td>14.91</td><td>2.55</td><td>35.34</td><td>0.20</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>247.28</td><td>24.18</td><td>46.00</td><td>-21.82</td><td>38.17</td><td>18.17</td><td>2.88</td><td>35.23</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>384.05</td><td>27.89</td><td>46.00</td><td>-18.11</td><td>37.82</td><td>21.19</td><td>3.57</td><td>34.84</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>678.20</td><td>32.73</td><td>46.00</td><td>-13.27</td><td>35.51</td><td>26.46</td><td>4.66</td><td>34.06</td><td>0.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>953.44</td><td>35.63</td><td>46.00</td><td>-10.37</td><td>32.10</td><td>30.89</td><td>5.51</td><td>32.96</td><td>0.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	31.94	24.33	40.00	-15.67	34.55	24.10	1.03	35.59	0.24	--	--	Peak	2	190.05	26.51	43.50	-16.99	44.19	14.91	2.55	35.34	0.20	--	--	Peak	3	247.28	24.18	46.00	-21.82	38.17	18.17	2.88	35.23	0.19	--	--	Peak	4	384.05	27.89	46.00	-18.11	37.82	21.19	3.57	34.84	0.15	--	--	Peak	5	678.20	32.73	46.00	-13.27	35.51	26.46	4.66	34.06	0.16	--	--	Peak	6	953.44	35.63	46.00	-10.37	32.10	30.89	5.51	32.96	0.09	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>26.04</td><td>40.00</td><td>-13.96</td><td>36.73</td><td>23.61</td><td>1.05</td><td>35.58</td><td>0.23</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>188.11</td><td>30.68</td><td>43.50</td><td>-12.82</td><td>48.37</td><td>14.94</td><td>2.53</td><td>35.35</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>224.00</td><td>29.21</td><td>46.00</td><td>-16.79</td><td>45.79</td><td>15.75</td><td>2.74</td><td>35.27</td><td>0.20</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>504.33</td><td>28.78</td><td>46.00</td><td>-17.22</td><td>35.15</td><td>24.02</td><td>4.08</td><td>34.60</td><td>0.13</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>716.76</td><td>34.54</td><td>46.00</td><td>-11.46</td><td>36.32</td><td>27.11</td><td>4.81</td><td>33.86</td><td>0.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>952.47</td><td>36.07</td><td>46.00</td><td>-9.93</td><td>32.57</td><td>30.86</td><td>5.51</td><td>32.97</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	32.91	26.04	40.00	-13.96	36.73	23.61	1.05	35.58	0.23	--	--	Peak	2	188.11	30.68	43.50	-12.82	48.37	14.94	2.53	35.35	0.19	--	--	Peak	3	224.00	29.21	46.00	-16.79	45.79	15.75	2.74	35.27	0.20	--	--	Peak	4	504.33	28.78	46.00	-17.22	35.15	24.02	4.08	34.60	0.13	--	--	Peak	5	716.76	34.54	46.00	-11.46	36.32	27.11	4.81	33.86	0.16	--	--	Peak	6	952.47	36.07	46.00	-9.93	32.57	30.86	5.51	32.97	0.10	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																												
1	31.94	24.33	40.00	-15.67	34.55	24.10	1.03	35.59	0.24	--	--	Peak																																																																																																																																																																																																																										
2	190.05	26.51	43.50	-16.99	44.19	14.91	2.55	35.34	0.20	--	--	Peak																																																																																																																																																																																																																										
3	247.28	24.18	46.00	-21.82	38.17	18.17	2.88	35.23	0.19	--	--	Peak																																																																																																																																																																																																																										
4	384.05	27.89	46.00	-18.11	37.82	21.19	3.57	34.84	0.15	--	--	Peak																																																																																																																																																																																																																										
5	678.20	32.73	46.00	-13.27	35.51	26.46	4.66	34.06	0.16	--	--	Peak																																																																																																																																																																																																																										
6	953.44	35.63	46.00	-10.37	32.10	30.89	5.51	32.96	0.09	--	--	Peak																																																																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																												
1	32.91	26.04	40.00	-13.96	36.73	23.61	1.05	35.58	0.23	--	--	Peak																																																																																																																																																																																																																										
2	188.11	30.68	43.50	-12.82	48.37	14.94	2.53	35.35	0.19	--	--	Peak																																																																																																																																																																																																																										
3	224.00	29.21	46.00	-16.79	45.79	15.75	2.74	35.27	0.20	--	--	Peak																																																																																																																																																																																																																										
4	504.33	28.78	46.00	-17.22	35.15	24.02	4.08	34.60	0.13	--	--	Peak																																																																																																																																																																																																																										
5	716.76	34.54	46.00	-11.46	36.32	27.11	4.81	33.86	0.16	--	--	Peak																																																																																																																																																																																																																										
6	952.47	36.07	46.00	-9.93	32.57	30.86	5.51	32.97	0.10	--	--	Peak																																																																																																																																																																																																																										



Mode	75																																																																																																																																											
	SHF																																																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 39440.72</td><td>54.45</td><td>74.00</td><td>-19.55</td><td>38.16</td><td>45.24</td><td>36.83</td><td>56.24</td><td>-9.54</td><td>150</td><td>358</td><td></td><td>PEAK</td></tr><tr><td>2 39440.72</td><td>44.84</td><td>54.00</td><td>-9.16</td><td>28.55</td><td>45.24</td><td>36.83</td><td>56.24</td><td>-9.54</td><td>150</td><td>358</td><td></td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 39440.72	54.45	74.00	-19.55	38.16	45.24	36.83	56.24	-9.54	150	358		PEAK	2 39440.72	44.84	54.00	-9.16	28.55	45.24	36.83	56.24	-9.54	150	358		Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 38724.00</td><td>54.29</td><td>74.00</td><td>-19.71</td><td>39.28</td><td>44.46</td><td>36.70</td><td>56.61</td><td>-9.54</td><td>150</td><td>39</td><td></td><td>Peak</td></tr><tr><td>2 38724.00</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>29.24</td><td>44.46</td><td>36.70</td><td>56.61</td><td>-9.54</td><td>150</td><td>39</td><td></td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 38724.00	54.29	74.00	-19.71	39.28	44.46	36.70	56.61	-9.54	150	39		Peak	2 38724.00	44.25	54.00	-9.75	29.24	44.46	36.70	56.61	-9.54	150	39		Average
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1 39440.72	54.45	74.00	-19.55	38.16	45.24	36.83	56.24	-9.54	150	358		PEAK																																																																																																																																
2 39440.72	44.84	54.00	-9.16	28.55	45.24	36.83	56.24	-9.54	150	358		Average																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1 38724.00	54.29	74.00	-19.71	39.28	44.46	36.70	56.61	-9.54	150	39		Peak																																																																																																																																
2 38724.00	44.25	54.00	-9.75	29.24	44.46	36.70	56.61	-9.54	150	39		Average																																																																																																																																





Mode	75	
	SHF	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
37.8G ~40G Avg	 Site : 03CH20-HY Condition: AVG_54 1m 88HA9170_1224_240624 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 1m 88HA9170_1224_240624 VERTICAL



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1+2	802.11a	96.34	1975	0.51	510Hz
1+2	5GHz 802.11n HT20	80.27	5430	0.18	200Hz
1+2	5GHz 802.11n HT40	80.09	5430	0.18	200Hz
1+2	5GHz 802.11ac VHT80	79.95	5424	0.18	200Hz
1+2	5GHz 802.11ax HE20 Full RU	80.24	5440	0.18	200Hz
1+2	5GHz 802.11ax HE40 Full RU	80.00	5440	0.18	200Hz
1+2	5GHz 802.11ax HE80 Full RU	80.16	5454	0.18	200Hz

MIMO <Ant. 1+2>






Appendix E. Setup Photographs

<Conducted Emission>


Mode 2

Remote View






Rear View



<Radiated Emission>

Ant. 90°

LF



HF



SHF



————THE END————