

Timco Engineering Inc.
FCC Authorized Telecommunications
Certification Body (TCB)

October 2, 2015

Sid Sanders - President Timco Engineering Inc. 849 N.W. State Road 45 P.O. Box 370 Newberry, Florida 32669 Alcatel-Lucent USA Inc. Building 5-111 600 Mountain Avenue Murray Hill, NJ 07974

Dear Mr. Sanders

The Alcatel-Lucent PCS LTE Remote Radio Head 4x30 Band 25 Transceiver System (RRH 4x30 B25) is the subject of this request for a Class II Permissive Change to the FCC Product Certification under FCC ID: AS5BBTRX-22. Alcatel-Lucent hereby requests this Class II change to add the 20M0F9W emissions designator. This emissions designator supports operation under the 3GPP2 Long Term Evolution (LTE) communication standard. The output power rating, hardware design and operational modes are unchanged from that previously reported to the FCC under FCC ID: AS5BBTRX-22

The PCS LTE RRH 4x30 Band 25 is a 65 MHz instantaneous bandwidth LTE Transceiver with a maximum total power for all ports equal to 120 Watts. Operational modes is unchanged as the product can operate as either a 2x60W or a 4x30W MIMO transceiver. The product was initially authorized for the nominal 5 MHz, 10 MHz and 15 MHz bandwidth LTE Emissions designators for PCS Blocks A through G (1930-1995 MHz).

This application for RRH 4x30 B25 demonstrates operation using the 20M0F9W Emissions designator in the Broadband PCS spectrum for PCS Blocks A through G (1930-1995 MHz). The measurement exhibits attached to this application demonstrate full compliance with FCC Part 24 Subpart E Broadband PCS following the procedural requirements specified in FCC Part 2 Subpart J – Equipment Authorization Procedures. The data, summarized below, is in the form presently used by the Commission's Radio Equipment List. All of the information, except the emissions designator, is unchanged.

**Equipment Identification:** 

AS5BBTRX-22

**Rules Part Number:** 

Part 24 SubPart E – Broadband PCS

Frequency Range:

Transmit 1930-1995 MHz (PCS Blocks A-D-B-E-F-C & G)

Output Power:

0-30W per LTE Carrier, 120W per unit for 4x30W configuration.

0-60W per LTE Carrier, 120W per unit for 2x60W configuration

**Frequency Tolerance:** 

 $\pm$  0.05 ppm

**Emission Designator:** 

l Johnson

20M0F9W

Attached are the FCC Form 731 (Application for Equipment Authorization – Radio Frequency Devices), the required measurement data and exhibits specific to this request for Class II change authorization of the PCS LTE RRH 4x30 Band 25. The technical or non-technical contact at Alcatel-Lucent will comply with any request for additional information should the need arise. The attached exhibits with the applicable FCC Rule section are assembled and presented in accordance with the *Table of Contents* attachment. Included is a formal letter requesting continued confidentiality for the previously identified confidential exhibits:

Should there be any questions or procedural issues please feel free to contact me by email and/or phone.

Sincerely,

Raymond J. Johnson Technical Manager

FCC Compliance Test Group

Global Product Compliance Laboratory

Phone: 908-582-5575

email: ray.johnson@alcatel-lucent.com