







Test Mode :	802.11ax HE20	Test Channel :	09
-------------	---------------	----------------	----







Test Mode : 802.11ax HE20

Test Channel : 10


100kHz PSD reference Level




Channel Plot




Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz








Test Mode : 802.11ax HE20


Test Channel : 12

100kHz PSD reference Level




Date: 4 JUN. 2023 01:41:18

Channel Plot




Date: 4 JUN. 2023 01:42:59

Spurious Emission 30MHz~3GHz



Date: 4 JUN. 2023 01:41:59

Spurious Emission 2GHz~25GHz




Date: 4 JUN. 2023 01:42:19




Test Mode : 802.11ax HE20

Test Channel : 13


100kHz PSD reference Level




Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



3.5 Radiated Band Edges and Spurious Emission Measurement

3.5.1 Limit of Radiated band edge and Spurious Emission Measurement

In any 100 kHz bandwidth outside the intentional radiator frequency band, all harmonics/spurious must be at least 20 dB below the highest emission level within the authorized band. If the output power of this device was measured by spectrum analyzer, the attenuation under this paragraph shall be 30 dB instead of 20 dB. In addition, radiated emissions which fall in the restricted bands must also comply with the limits as below.

Frequency (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009 – 0.490	2400/F(kHz)	300
0.490 – 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30
30 – 88	100	3
88 – 216	150	3
216 - 960	200	3
Above 960	500	3

3.5.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.5.3 Test Procedures


1. The testing follows ANSI C63.10-2013 clause 11.11 & 11.12
2. The EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level.
3. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
4. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
5. Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level
6. For testing below 1GHz, if the emission level of the EUT in peak mode was 3 dB lower than the limit specified, then peak values of EUT will be reported, otherwise, the emissions will be repeated one by one using the CISPR quasi-peak method and reported.
7. For testing above 1GHz, the emission level of the EUT in peak mode was 20dB lower than peak limit (that means the emission level in average mode also complies with the limit in average mode), then peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
8. Use the following spectrum analyzer settings:
 - (1) Span shall wide enough to fully capture the emission being measured;
 - (2) Set RBW=100 kHz for $f < 1$ GHz; VBW $\geq$ RBW; Sweep = auto; Detector function = peak; Trace = max hold;
 - (3) Set RBW = 1 MHz, VBW= 3MHz for $f \geq 1$ GHz for peak measurement.

For average measurement:


 - VBW = 10 Hz, when duty cycle is no less than 98 percent.
 - VBW $\geq 1/T$, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.

3.5.4 Test Setup


For radiated emissions below 30MHz



For radiated emissions from 30MHz to 1GHz



For radiated emissions above 1GHz





3.5.5 Test Results of Radiated Spurious Emissions (9kHz ~ 30MHz)

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

3.5.6 Test Result of Radiated Spurious at Band Edges

Please refer to Appendix C.

3.5.7 Duty Cycle

Please refer to Appendix D.

3.5.8 Test Result of Radiated Spurious Emission (30MHz ~ 10th Harmonic or 40GHz, whichever is lower)

Please refer to Appendix C.

3.6 AC Conducted Emission Measurement

3.6.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

Frequency of Emission (MHz)	Conducted Limit (dB μ V)	
	Quasi-Peak	Average
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

*Decreases with the logarithm of the frequency.


3.6.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.6.3 Test Procedures

1. The EUT was placed 0.4 meter from the conducting wall of the shielding room, and it was kept at least 80 centimeters from any other grounded conducting surface.
2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
3. All the support units are connecting to the other LISN.
4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
6. Both sides of AC line were checked for maximum conducted interference.
7. The frequency range from 150 kHz to 30 MHz was searched.
8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF bandwidth = 9kHz) with Maximum Hold Mode.

3.6.4 Test Setup



3.6.5 Test Result of AC Conducted Emission

Please refer to Appendix B.



3.7 Antenna Requirements

3.7.1 Standard Applicable

If directional gain of transmitting Antennas is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi. The use of a permanently attached Antenna or of an Antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the rule.

3.7.2 Antenna Anti-Replacement Construction

An embedded-in antenna design is used.

3.7.3 Antenna Gain

The antenna peak gain of EUT is less than 6 dBi. Therefore, it is not necessary to reduce maximum peak output power limit.



4 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101040	10Hz~40GHz	Oct. 12, 2022	Apr. 14, 2023~ Sep. 05, 2023	Oct. 11, 2023	Conducted (TH01-KS)
Pulse Power Sensor	Anritsu	MA2411B	0917070	300MHz~40GHz	Jan. 05, 2023	Apr. 14, 2023~ Sep. 05, 2023	Jan. 04, 2024	Conducted (TH01-KS)
Power Meter	Anritsu	ML2495A	1005002	50MHz Bandwidth	Jan. 05, 2023	Apr. 14, 2023~ Sep. 05, 2023	Jan. 04, 2024	Conducted (TH01-KS)
EMI Test Receiver	Keysight	N9038A	MY56400023	3Hz~8.5GHz; Max 30dBm	Jan. 05, 2023	Aug. 28, 2023	Jan. 04, 2024	Radiation (03CH08-KS)
Spectrum Analyzer	R&S	FSV40	101932	10kHz~40GHz; Max 30dBm	Oct. 12, 2022	Aug. 28, 2023	Oct. 11, 2023	Radiation (03CH08-KS)
Loop Antenna	R&S	HFH2-Z2E	101125	9kHz~30MHz	Sep. 22, 2022	Aug. 28, 2023	Sep. 21, 2023	Radiation (03CH08-KS)
Bilog Antenna	TESEQ& VGT	CBL 61110	59915	30MHz~1GHz	Aug. 12, 2023	Aug. 28, 2023	Aug. 11, 2024	Radiation (03CH08-KS)
Double Ridge Horn Antenna	ETS-Lindgren	3117	75959	1GHz~18GHz	Mar. 18, 2023	Aug. 28, 2023	Mar. 17, 2024	Radiation (03CH08-KS)
high gain Amplifier	EM	EM01G18GA	060845	1Ghz-18Ghz	Jan. 05, 2023	Aug. 28, 2023	Jan. 04, 2024	Radiation (03CH08-KS)
SHF-EHF Horn	Com-power	AH-840	101070	18GHz~40GHz	Jan. 08, 2023	Aug. 28, 2023	Jan. 07, 2024	Radiation (03CH08-KS)
Amplifier	SONOMA	310N	413741	9KHz-1GHz	Jan. 05, 2023	Aug. 28, 2023	Jan. 04, 2024	Radiation (03CH08-KS)
Amplifier	EM	EM01G18GA	060834	1Ghz-18Ghz	Oct. 12, 2022	Aug. 28, 2023	Oct. 11, 2023	Radiation (03CH08-KS)
Amplifier	MITEQ	EM18G40GGA	060728	18~40GHz	Jan. 05, 2023	Aug. 28, 2023	Jan. 04, 2024	Radiation (03CH08-KS)
AC Power Source	Chroma	61601	616010002473	N/A	NCR	Aug. 28, 2023	NCR	Radiation (03CH08-KS)
Turn Table	EM	EM 1000-T	N/A	0~360 degree	NCR	Aug. 28, 2023	NCR	Radiation (03CH08-KS)
Antenna Mast	EM	EM 1000-A	N/A	1 m~4 m	NCR	Aug. 28, 2023	NCR	Radiation (03CH08-KS)
EMI Receiver	R&S	ESCI7	100768	9kHz~7GHz;	May 24, 2022	May 08, 2023	May 23, 2023	Conduction (CO01-KS)
AC LISN (for auxiliary equipment)	MessTec	AN3016	060103	9kHz~30MHz	Oct. 13, 2022	May 08, 2023	Oct. 12, 2023	Conduction (CO01-KS)
AC LISN	MessTec	AN3016	060105	9kHz~30MHz	May 24, 2022	May 08, 2023	May 23, 2023	Conduction (CO01-KS)
AC Power Source	Chroma	61602	ABP00000811	AC 0V~300V, 45Hz~1000Hz	Oct. 12, 2022	May 08, 2023	Oct. 11, 2023	Conduction (CO01-KS)

NCR: No Calibration Required

5 Measurement Uncertainty

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.10-2013. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Power	± 0.46 dB
Conducted Emissions	± 2.26 dB
Occupied Channel Bandwidth	± 0.1 %
Conducted Power Spectral Density	± 0.88 dB

Uncertainty of Conducted Emission Measurement (150 kHz ~ 30 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	2.94dB
---	--------

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	6.28dB
---	--------

Uncertainty of Radiated Emission Measurement (1000 MHz ~ 18000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.90dB
---	--------

Uncertainty of Radiated Emission Measurement (18000 MHz ~ 40000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.26dB
---	--------

----- THE END -----



Appendix A. Conducted Test Results

Test Engineer:	Jiang Jun	Temperature:	21~25	°C
Test Date:	2023.4.14~2023.9.5	Relative Humidity:	51~54	%

TEST RESULTS DATA
6dB and 99% Occupied Bandwidth

2.4GHz Band Single Antenna										
Mod.	Data Rate	Ntx	CH.	Freq. (MHz)	99% Occupied BW (MHz)		6dB BW (MHz)		6dB BW Limit (MHz)	Pass/Fail
					Ant1	Ant2	Ant1	Ant2		
11b	1Mbps	1	1	2412	13.89	13.84	8.06	8.08	0.50	Pass
11b	1Mbps	1	6	2437	14.24	14.69	8.56	8.08	0.50	Pass
11b	1Mbps	1	11	2462	13.74	13.99	8.08	8.08	0.50	Pass
11b	1Mbps	1	12	2467	13.19	13.24	9.02	8.56	0.50	Pass
11b	1Mbps	1	13	2472	13.29	13.34	8.06	9.04	0.50	Pass
11g	6Mbps	1	1	2412	16.78	16.68	15.12	15.12	0.50	Pass
11g	6Mbps	1	2	2417	17.98	17.68	15.08	15.12	0.50	Pass
11g	6Mbps	1	3	2422	17.13	17.68	15.12	15.12	0.50	Pass
11g	6Mbps	1	4	2427	17.13	16.83	15.06	15.08	0.50	Pass
11g	6Mbps	1	6	2437	18.38	18.53	15.10	15.08	0.50	Pass
11g	6Mbps	1	9	2452	16.88	17.68	15.08	15.12	0.50	Pass
11g	6Mbps	1	10	2457	17.98	17.53	15.12	15.10	0.50	Pass
11g	6Mbps	1	11	2462	16.68	16.73	15.08	15.12	0.50	Pass
11g	6Mbps	1	12	2467	16.63	16.73	15.12	15.08	0.50	Pass
11g	6Mbps	1	13	2472	16.58	16.68	15.10	15.04	0.50	Pass
HT20	MCS0	1	1	2412	17.63	17.63	15.08	15.12	0.50	Pass
HT20	MCS0	1	2	2417	19.23	18.33	15.12	15.10	0.50	Pass
HT20	MCS0	1	3	2422	17.98	17.63	15.10	15.10	0.50	Pass
HT20	MCS0	1	4	2427	17.98	17.63	15.08	15.12	0.50	Pass
HT20	MCS0	1	6	2437	18.28	18.38	15.12	15.12	0.50	Pass
HT20	MCS0	1	9	2452	17.83	18.28	15.12	15.12	0.50	Pass
HT20	MCS0	1	10	2457	18.33	18.13	15.10	15.12	0.50	Pass
HT20	MCS0	1	11	2462	17.58	17.58	15.12	15.12	0.50	Pass
HT20	MCS0	1	12	2467	17.58	17.58	15.38	15.12	0.50	Pass
HT20	MCS0	1	13	2472	17.58	17.58	15.04	15.12	0.50	Pass

TEST RESULTS DATA
6dB and 99% Occupied Bandwidth

2.4GHz Band Single Antenna											
Mod.	Data Rate	Ntx	CH.	Freq. (MHz)	RU Config.	99% Occupied BW (MHz)		6dB BW (MHz)		6dB BW Limit (MHz)	Pass/Fail
						Ant1	Ant2	Ant1	Ant2		
HE20	MCS0	1	1	2412	Full	18.00	18.78	17.83	18.30	0.50	Pass
HE20	MCS0	1	2	2417	Full	17.55	19.13	17.83	17.15	0.50	Pass
HE20	MCS0	1	3	2422	Full	18.83	18.78	17.98	18.00	0.50	Pass
HE20	MCS0	1	4	2427	Full	18.83	18.78	17.93	17.50	0.50	Pass
HE20	MCS0	1	6	2437	Full	18.05	18.98	18.20	18.53	0.50	Pass
HE20	MCS0	1	8	2447	Full	18.83	18.78	17.93	17.45	0.50	Pass
HE20	MCS0	1	9	2452	Full	17.78	19.13	17.43	18.45	0.50	Pass
HE20	MCS0	1	10	2457	Full	17.93	19.13	17.28	17.63	0.50	Pass
HE20	MCS0	1	11	2462	Full	18.00	18.78	18.10	17.98	0.50	Pass
HE20	MCS0	1	12	2467	Full	17.50	18.73	17.85	18.00	0.50	Pass
HE20	MCS0	1	13	2472	Full	16.63	18.73	18.03	18.05	0.50	Pass

TEST RESULTS DATA
Average Output Power

2.4GHz Band Single Antenna																	
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)		Average Conducted Power with duty factor (dBm)		Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
					Ant 1	Ant 2	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	
11b	1Mbps	1	1	2412	0.14	0.17	16.61	16.76	30.00	30.00	1.90	2.20	18.51	18.96	36.00	36.00	Pass
11b	1Mbps	1	6	2437	0.14	0.17	18.32	18.41	30.00	30.00	1.90	2.20	20.22	20.61	36.00	36.00	Pass
11b	1Mbps	1	11	2462	0.14	0.17	16.25	16.58	30.00	30.00	1.90	2.20	18.15	18.78	36.00	36.00	Pass
11b	1Mbps	1	12	2467	0.14	0.17	16.80	16.88	30.00	30.00	1.90	2.20	18.70	19.08	36.00	36.00	Pass
11b	1Mbps	1	13	2472	0.14	0.17	10.80	10.95	30.00	30.00	1.90	2.20	12.70	13.15	36.00	36.00	Pass
11g	6Mbps	1	1	2412	0.11	0.11	12.76	12.93	30.00	30.00	1.90	2.20	14.66	15.13	36.00	36.00	Pass
11g	6Mbps	1	2	2417	0.11	0.11	12.81	12.89	30.00	30.00	1.90	2.20	14.71	15.09	36.00	36.00	Pass
11g	6Mbps	1	3	2422	0.11	0.11	16.12	16.10	30.00	30.00	1.90	2.20	18.02	18.30	36.00	36.00	Pass
11g	6Mbps	1	4	2427	0.11	0.11	17.69	17.83	30.00	30.00	1.90	2.20	19.59	20.03	36.00	36.00	Pass
11g	6Mbps	1	6	2437	0.11	0.11	18.34	18.32	30.00	30.00	1.90	2.20	20.24	20.52	36.00	36.00	Pass
11g	6Mbps	1	9	2452	0.11	0.11	17.78	18.04	30.00	30.00	1.90	2.20	19.68	20.24	36.00	36.00	Pass
11g	6Mbps	1	10	2457	0.11	0.11	12.93	13.03	30.00	30.00	1.90	2.20	14.83	15.23	36.00	36.00	Pass
11g	6Mbps	1	11	2462	0.11	0.11	12.89	13.00	30.00	30.00	1.90	2.20	14.79	15.20	36.00	36.00	Pass
11g	6Mbps	1	12	2467	0.11	0.11	10.57	10.63	30.00	30.00	1.90	2.20	12.47	12.83	36.00	36.00	Pass
11g	6Mbps	1	13	2472	0.11	0.11	9.16	9.22	30.00	30.00	1.90	2.20	11.06	11.42	36.00	36.00	Pass
HT20	MCS0	1	1	2412	0.09	0.07	13.37	13.44	30.00	30.00	1.90	2.20	15.27	15.64	36.00	36.00	Pass
HT20	MCS0	1	2	2417	0.09	0.07	13.44	13.50	30.00	30.00	1.90	2.20	15.34	15.70	36.00	36.00	Pass
HT20	MCS0	1	3	2422	0.09	0.07	16.01	16.22	30.00	30.00	1.90	2.20	17.91	18.42	36.00	36.00	Pass
HT20	MCS0	1	4	2427	0.09	0.07	16.45	16.69	30.00	30.00	1.90	2.20	18.35	18.89	36.00	36.00	Pass
HT20	MCS0	1	6	2437	0.09	0.07	18.24	18.21	30.00	30.00	1.90	2.20	20.14	20.41	36.00	36.00	Pass
HT20	MCS0	1	9	2452	0.09	0.07	16.32	16.82	30.00	30.00	1.90	2.20	18.22	19.02	36.00	36.00	Pass
HT20	MCS0	1	10	2457	0.09	0.07	12.51	12.55	30.00	30.00	1.90	2.20	14.41	14.75	36.00	36.00	Pass
HT20	MCS0	1	11	2462	0.09	0.07	12.48	12.52	30.00	30.00	1.90	2.20	14.38	14.72	36.00	36.00	Pass
HT20	MCS0	1	12	2467	0.09	0.07	11.17	11.12	30.00	30.00	1.90	2.20	13.07	13.32	36.00	36.00	Pass
HT20	MCS0	1	13	2472	0.09	0.07	6.11	6.00	30.00	30.00	1.90	2.20	8.01	8.20	36.00	36.00	Pass

Setting	
Ant 1	Ant 2
17.00	17.00
18.00	18.00
17.00	17.00
17.00	17.00
11.50	11.50
13.00	13.00
13.00	13.00
16.50	16.50
17.50	17.50
18.00	18.00
17.50	17.50
13.50	13.50
13.50	13.50
11.00	11.00
9.50	9.50
14.00	14.00
14.00	14.00
16.00	16.00
16.50	16.50
18.00	18.00
16.50	16.50
13.00	13.00
13.00	13.00
11.50	11.50
6.50	6.50

TEST RESULTS DATA
Average Output Power

2.4GHz Band Single Antenna																				
Mod.	Data Rate	Ntx	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)		Average Conducted Power with duty factor (dBm)		Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail	Setting	
						Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2		Ant1	Ant2
HE20	MCS0	1	1	2412	Full	0.11	0.10	13.66	13.55	30.00	30.00	1.90	2.20	15.56	15.75	36.00	36.00	Pass	14.00	14.00
HE20	MCS0	1	1	2412	26/0	0.25	0.25	3.92	3.89	30.00	30.00	1.90	2.20	5.82	6.09	36.00	36.00	Pass	4.00	4.00
HE20	MCS0	1	1	2412	52/37	0.44	0.44	7.22	7.21	30.00	30.00	1.90	2.20	9.12	9.41	36.00	36.00	Pass	7.00	7.00
HE20	MCS0	1	1	2412	106/53	0.71	0.71	9.39	10.44	30.00	30.00	1.90	2.20	11.29	12.64	36.00	36.00	Pass	9.00	10.00
HE20	MCS0	1	2	2417	Full	0.11	0.10	13.64	13.64	30.00	30.00	1.90	2.20	15.54	15.84	36.00	36.00	Pass	14.00	14.00
HE20	MCS0	1	3	2422	Full	0.11	0.10	15.70	15.84	30.00	30.00	1.90	2.20	17.60	18.04	36.00	36.00	Pass	15.50	15.50
HE20	MCS0	1	4	2427	Full	0.11	0.10	16.71	16.87	30.00	30.00	1.90	2.20	18.61	19.07	36.00	36.00	Pass	16.50	16.50
HE20	MCS0	1	6	2437	Full	0.11	0.10	18.37	18.36	30.00	30.00	1.90	2.20	20.27	20.56	36.00	36.00	Pass	18.00	18.00
HE20	MCS0	1	6	2437	26/0	0.25	0.25	7.84	7.79	30.00	30.00	1.90	2.20	9.74	9.99	36.00	36.00	Pass	7.50	7.50
HE20	MCS0	1	6	2437	52/37	0.44	0.44	10.90	10.92	30.00	30.00	1.90	2.20	12.80	13.12	36.00	36.00	Pass	10.50	10.50
HE20	MCS0	1	6	2437	106/53	0.71	0.71	13.05	13.76	30.00	30.00	1.90	2.20	14.95	15.96	36.00	36.00	Pass	12.50	13.50
HE20	MCS0	1	8	2447	Full	0.11	0.10	17.15	16.81	30.00	30.00	1.90	2.20	19.05	19.01	36.00	36.00	Pass	16.50	16.50
HE20	MCS0	1	9	2452	Full	0.11	0.10	16.47	16.68	30.00	30.00	1.90	2.20	18.37	18.88	36.00	36.00	Pass	16.00	16.00
HE20	MCS0	1	10	2457	Full	0.11	0.10	12.75	12.74	30.00	30.00	1.90	2.20	14.65	14.94	36.00	36.00	Pass	13.00	13.00
HE20	MCS0	1	11	2462	Full	0.11	0.10	12.72	12.69	30.00	30.00	1.90	2.20	14.62	14.89	36.00	36.00	Pass	13.00	13.00
HE20	MCS0	1	11	2462	26/8	0.25	0.25	3.40	3.40	30.00	30.00	1.90	2.20	5.30	5.60	36.00	36.00	Pass	4.00	4.00
HE20	MCS0	1	11	2462	52/40	0.44	0.44	6.83	6.83	30.00	30.00	1.90	2.20	8.73	9.03	36.00	36.00	Pass	7.00	7.00
HE20	MCS0	1	11	2462	106/54	0.71	0.71	9.15	8.50	30.00	30.00	1.90	2.20	11.05	10.70	36.00	36.00	Pass	9.00	8.50
HE20	MCS0	1	12	2467	Full	0.11	0.10	11.28	11.39	30.00	30.00	1.90	2.20	13.18	13.59	36.00	36.00	Pass	11.50	11.50
HE20	MCS0	1	12	2467	26/8	0.25	0.25	2.90	2.90	30.00	30.00	1.90	2.20	4.80	5.10	36.00	36.00	Pass	3.50	3.50
HE20	MCS0	1	12	2467	52/40	0.44	0.44	5.87	5.72	30.00	30.00	1.90	2.20	7.77	7.92	36.00	36.00	Pass	6.00	6.00
HE20	MCS0	1	12	2467	106/54	0.71	0.71	8.16	8.47	30.00	30.00	1.90	2.20	10.06	10.67	36.00	36.00	Pass	8.00	8.50
HE20	MCS0	1	13	2472	Full	0.11	0.10	6.16	6.21	30.00	30.00	1.90	2.20	8.06	8.41	36.00	36.00	Pass	6.50	6.50
HE20	MCS0	1	13	2472	26/8	0.25	0.25	-4.65	-4.71	30.00	30.00	1.90	2.20	-2.75	-2.51	36.00	36.00	Pass	-4.00	-4.00
HE20	MCS0	1	13	2472	52/40	0.44	0.44	-6.02	-6.02	30.00	30.00	1.90	2.20	-4.12	-3.82	36.00	36.00	Pass	-5.50	-5.50
HE20	MCS0	1	13	2472	106/54	0.71	0.71	-1.81	-1.81	30.00	30.00	1.90	2.20	0.09	0.39	36.00	36.00	Pass	-1.50	-1.50

TEST RESULTS DATA
Average Power Spectral Density

2.4GHz Band														
Mod.	Data Rate	Ntx	CH.	Freq. (MHz)	Duty Factor (dB)		Average PSD (dBm/3kHz)			DG (dBi)		Average PSD Limit (dBm/3kHz)		Pass/Fail
					Ant 1	Ant 2	Ant 1	Ant 2	Worse + 3.01	Ant 1	Ant 2	Ant 1	Ant 2	
11b	1Mbps	1	1	2412	0.14	0.17	-14.50	-13.82		1.90	2.20	8.00	8.00	Pass
11b	1Mbps	1	6	2437	0.14	0.17	-12.86	-13.18		1.90	2.20	8.00	8.00	Pass
11b	1Mbps	1	11	2462	0.14	0.17	-14.41	-14.31		1.90	2.20	8.00	8.00	Pass
11b	1Mbps	1	12	2467	0.14	0.17	-14.94	-14.58		1.90	2.20	8.00	8.00	Pass
11b	1Mbps	1	13	2472	0.14	0.17	-20.27	-19.75		1.90	2.20	8.00	8.00	Pass
11g	6Mbps	1	1	2412	0.11	0.11	-20.10	-19.96		1.90	2.20	8.00	8.00	Pass
11g	6Mbps	1	2	2417	0.11	0.11	-19.77	-19.93		1.90	2.20	8.00	8.00	Pass
11g	6Mbps	1	3	2422	0.11	0.11	-16.77	-16.99		1.90	2.20	8.00	8.00	Pass
11g	6Mbps	1	4	2427	0.11	0.11	-15.75	-15.90		1.90	2.20	8.00	8.00	Pass
11g	6Mbps	1	6	2437	0.11	0.11	-14.81	-15.36		1.90	2.20	8.00	8.00	Pass
11g	6Mbps	1	9	2452	0.11	0.11	-15.98	-16.54		1.90	2.20	8.00	8.00	Pass
11g	6Mbps	1	10	2457	0.11	0.11	-19.94	-20.00		1.90	2.20	8.00	8.00	Pass
11g	6Mbps	1	11	2462	0.11	0.11	-19.64	-19.95	-	1.90	2.20	8.00	8.00	Pass
11g	6Mbps	1	12	2467	0.11	0.11	-22.41	-21.89		1.90	2.20	8.00	8.00	Pass
11g	6Mbps	1	13	2472	0.11	0.11	-23.79	-23.63		1.90	2.20	8.00	8.00	Pass
HT20	MCS0	1	1	2412	0.09	0.07	-19.42	-20.06		1.90	2.20	8.00	8.00	Pass
HT20	MCS0	1	2	2417	0.09	0.07	-19.61	-19.68		1.90	2.20	8.00	8.00	Pass
HT20	MCS0	1	3	2422	0.09	0.07	-17.76	-17.43		1.90	2.20	8.00	8.00	Pass
HT20	MCS0	1	4	2427	0.09	0.07	-17.10	-17.02		1.90	2.20	8.00	8.00	Pass
HT20	MCS0	1	6	2437	0.09	0.07	-15.18	-15.32		1.90	2.20	8.00	8.00	Pass
HT20	MCS0	1	9	2452	0.09	0.07	-16.98	-17.47		1.90	2.20	8.00	8.00	Pass
HT20	MCS0	1	10	2457	0.09	0.07	-20.59	-20.38		1.90	2.20	8.00	8.00	Pass
HT20	MCS0	1	11	2462	0.09	0.07	-20.43	-20.25		1.90	2.20	8.00	8.00	Pass
HT20	MCS0	1	12	2467	0.09	0.07	-21.21	-21.27		1.90	2.20	8.00	8.00	Pass
HT20	MCS0	1	13	2472	0.09	0.07	-26.74	-27.08		1.90	2.20	8.00	8.00	Pass

Measured power density (dBm) has offset with cable loss.


TEST RESULTS DATA
Average Power Spectral Density

2.4GHz Band															
Mod.	Data Rate	Ntx	CH.	Freq. (MHz)	RU Config	Duty Factor (dB)		Average PSD (dBm/3kHz)			DG (dBi)		Average PSD Limit (dBm/3kHz)		Pass/Fail
						Ant 1	Ant 2	Ant 1	Ant 2	Worse + 3.01	Ant 1	Ant 2	Ant 1	Ant 2	
HE20	MCS0	1	1	2412	Full	0.11	0.10	-21.01	-21.23		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	1	2412	26	0.25	0.25	-22.30	-22.26		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	1	2412	52	0.44	0.44	-21.03	-21.56		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	1	2412	106	0.71	0.71	-21.00	-20.85		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	2	2417	Full	0.11	0.10	-21.16	-20.98		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	3	2422	Full	0.11	0.10	-19.49	-19.52		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	4	2427	Full	0.11	0.10	-18.51	-18.72		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	6	2437	Full	0.11	0.10	-17.23	-16.96		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	6	2437	26	0.25	0.25	-18.35	-17.98		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	6	2437	52	0.44	0.44	-17.46	-16.97		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	6	2437	106	0.71	0.71	-17.34	-16.91		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	8	2447	Full	0.11	0.10	-18.41	-18.85		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	9	2452	Full	0.11	0.10	-19.32	-19.44		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	10	2457	Full	0.11	0.10	-21.73	-21.74		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	11	2462	Full	0.11	0.10	-21.42	-21.93		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	11	2462	26	0.25	0.25	-21.73	-22.28		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	11	2462	52	0.44	0.44	-21.65	-21.60		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	11	2462	106	0.71	0.71	-20.88	-21.36		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	12	2467	Full	0.11	0.10	-22.38	-22.38		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	12	2467	26	0.25	0.25	-22.86	-22.87		1.90	2.20	8.00	8.00	Pass
HE20	MCS0	1	12	2467	52	0.44	0.44	-22.33	-22.35	1.90	2.20	8.00	8.00	Pass	
HE20	MCS0	1	12	2467	106	0.71	0.71	-21.87	-21.82	1.90	2.20	8.00	8.00	Pass	
HE20	MCS0	1	13	2472	Full	0.11	0.10	-28.14	-27.82	1.90	2.20	8.00	8.00	Pass	
HE20	MCS0	1	13	2472	26	0.25	0.25	-30.12	-30.36	1.90	2.20	8.00	8.00	Pass	
HE20	MCS0	1	13	2472	52	0.44	0.44	-33.14	-33.04	1.90	2.20	8.00	8.00	Pass	
HE20	MCS0	1	13	2472	106	0.71	0.71	-31.55	-30.67	1.90	2.20	8.00	8.00	Pass	

Measured power density (dBm) has offset with cable loss.




Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.153	31.06	-34.76	65.82	20.60	0.03	10.43	QP
2 *	0.153	28.96	-26.86	55.82	18.50	0.03	10.43	Average
3	0.169	20.96	-44.03	64.99	10.49	0.04	10.43	QP
4	0.169	14.06	-40.93	54.99	3.59	0.04	10.43	Average
5	0.200	23.67	-39.95	63.62	13.20	0.05	10.42	QP
6	0.200	20.77	-32.85	53.62	10.30	0.05	10.42	Average
7	0.513	16.33	-39.67	56.00	6.20	-0.08	10.21	QP
8	0.513	8.93	-37.07	46.00	-1.20	-0.08	10.21	Average
9	1.032	13.60	-42.40	56.00	3.60	-0.11	10.11	QP
10	1.032	7.40	-38.60	46.00	-2.60	-0.11	10.11	Average
11	16.226	18.65	-41.35	60.00	7.60	-0.21	11.26	QP
12	16.226	14.95	-35.05	50.00	3.90	-0.21	11.26	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	41~42%
		Temperature :	22~23℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Ant.	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 25	2400-2483.5	1	802.11b	01	2412	1Mbps	-	-
Mode 26	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 27	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 28	2400-2483.5	1	802.11b	12	2467	1Mbps	-	-
Mode 29	2400-2483.5	1	802.11b	13	2472	1Mbps	-	-
Mode 30	2400-2483.5	1	802.11g	01	2412	6Mbps	-	-
Mode 31	2400-2483.5	1	802.11g	02	2417	6Mbps	Full RU	-
Mode 32	2400-2483.5	1	802.11g	06	2437	6Mbps	-	-
Mode 33	2400-2483.5	1	802.11g	09	2452	6Mbps	Full RU	-
Mode 34	2400-2483.5	1	802.11g	10	2457	6Mbps	Full RU	-
Mode 35	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-
Mode 36	2400-2483.5	1	802.11g	12	2467	6Mbps	-	-
Mode 37	2400-2483.5	1	802.11g	13	2472	6Mbps	-	-
Mode 38	2400-2483.5	1	802.11n HT20	01	2412	MCS0	Full RU	-
Mode 39	2400-2483.5	1	802.11n HT20	02	2417	MCS0	Full RU	-
Mode 40	2400-2483.5	1	802.11n HT20	06	2437	MCS0	Full RU	-
Mode 41	2400-2483.5	1	802.11n HT20	9	2452	MCS0	Full RU	-
Mode 42	2400-2483.5	1	802.11n HT20	10	2457	MCS0	Full RU	-
Mode 43	2400-2483.5	1	802.11n HT20	11	2462	MCS0	Full RU	-
Mode 44	2400-2483.5	1	802.11n HT20	12	2467	MCS0	-	-
Mode 45	2400-2483.5	1	802.11n HT20	13	2472	MCS0	-	-
Mode 46	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 47	2400-2483.5	1	802.11ax HE20	02	2417	MCS0	Full RU	-
Mode 48	2400-2483.5	1	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 49	2400-2483.5	1	802.11ax HE20	9	2452	MCS0	Full RU	-
Mode 50	2400-2483.5	1	802.11ax HE20	10	2457	MCS0	Full RU	-
Mode 51	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 52	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	-	-
Mode 53	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	-	-
Mode 54	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 55	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 56	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 57	2400-2483.5	1	802.11ax HE20	06	2437	MCS0	RU26/0	-
Mode 58	2400-2483.5	1	802.11ax HE20	06	2437	MCS0	RU52/37	-
Mode 59	2400-2483.5	1	802.11ax HE20	06	2437	MCS0	RU106/53	-
Mode 60	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	RU26/8	-



Mode	Band (MHz)	Ant.	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 62	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 63	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	RU26/0	-
Mode 64	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	RU52/37	-
Mode 65	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	RU106/53	-
Mode 66	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	RU26/8	-
Mode 67	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	RU52/40	-
Mode 68	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	RU106/54	-
Mode 69	2400-2483.5	2	802.11b	01	2412	1Mbps	-	-
Mode 70	2400-2483.5	2	802.11b	06	2437	1Mbps	-	-
Mode 71	2400-2483.5	2	802.11b	11	2462	1Mbps	-	-
Mode 72	2400-2483.5	2	802.11b	12	2467	1Mbps	-	-
Mode 73	2400-2483.5	2	802.11b	13	2472	1Mbps	-	-
Mode 74	2400-2483.5	2	802.11g	01	2412	6Mbps	-	-
Mode 75	2400-2483.5	2	802.11g	02	2417	6Mbps	Full RU	-
Mode 76	2400-2483.5	2	802.11g	03	2422	6Mbps	Full RU	-
Mode 77	2400-2483.5	2	802.11g	04	2427	6Mbps	Full RU	-
Mode 78	2400-2483.5	2	802.11g	06	2437	6Mbps	-	-
Mode 79	2400-2483.5	2	802.11g	9	2452	6Mbps	Full RU	-
Mode 80	2400-2483.5	2	802.11g	10	2457	6Mbps	Full RU	-
Mode 81	2400-2483.5	2	802.11g	11	2462	6Mbps	-	-
Mode 82	2400-2483.5	2	802.11g	12	2467	6Mbps	-	-
Mode 83	2400-2483.5	2	802.11g	13	2472	6Mbps	-	-
Mode 84	2400-2483.5	2	802.11n HT20	01	2412	MCS0	Full RU	-
Mode 85	2400-2483.5	2	802.11n HT20	02	2417	MCS0	Full RU	-
Mode 86	2400-2483.5	2	802.11n HT20	03	2422	MCS0	Full RU	-
Mode 87	2400-2483.5	2	802.11n HT20	04	2427	MCS0	Full RU	-
Mode 88	2400-2483.5	2	802.11n HT20	06	2437	MCS0	Full RU	-
Mode 89	2400-2483.5	2	802.11n HT20	9	2452	MCS0	Full RU	-
Mode 90	2400-2483.5	2	802.11n HT20	10	2457	MCS0	Full RU	-
Mode 91	2400-2483.5	2	802.11n HT20	11	2462	MCS0	Full RU	-
Mode 92	2400-2483.5	2	802.11n HT20	12	2467	MCS0	-	-
Mode 93	2400-2483.5	2	802.11n HT20	13	2472	MCS0	-	-
Mode 94	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 95	2400-2483.5	2	802.11ax HE20	02	2417	MCS0	Full RU	-
Mode 96	2400-2483.5	2	802.11ax HE20	03	2422	MCS0	Full RU	-
Mode 97	2400-2483.5	2	802.11ax HE20	04	2427	MCS0	Full RU	-
Mode 98	2400-2483.5	2	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 99	2400-2483.5	2	802.11ax HE20	08	2447	MCS0	Full RU	-
Mode 100	2400-2483.5	2	802.11ax HE20	9	2452	MCS0	Full RU	-
Mode 101	2400-2483.5	2	802.11ax HE20	10	2457	MCS0	Full RU	-
Mode 102	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 103	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	-	-
Mode 104	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	-	-
Mode 105	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	RU26/0	-



Mode	Band (MHz)	Ant.	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 106	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 107	2400-2483.5	2	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 108	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 109	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 110	2400-2483.5	2	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 111	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	RU26/0	-
Mode 112	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	RU52/37	-
Mode 113	2400-2483.5	2	802.11ax HE20	12	2467	MCS0	RU106/53	-
Mode 114	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	RU26/8	-
Mode 115	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	RU52/40	-
Mode 116	2400-2483.5	2	802.11ax HE20	13	2472	MCS0	RU106/54	-
Mode 117	2400-2483.5	1	802.11n HT20	02	2417	MCS0	Full RU	Dormouse
Mode 118	2400-2483.5	1	802.11n HT20	02	2417	MCS0	Full RU	Original Faceplate
Mode 119	2400-2483.5	2	802.11g	10	2457	6Mbps	Full RU	Dormouse
Mode 120	2400-2483.5	2	802.11g	10	2457	6Mbps	Full RU	Original Faceplate
Mode 80	2400-2483.5	2	802.11g	10	2457	6Mbps	Full RU	LF

Note: the worst mode are verified with Dormouse / Original Faceplate.



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
25	802.11b	01	2387.09	48.58	54.00	-5.42	V	AVERAGE	Pass	Band Edge
	802.11b	01	4824.00	50.63	54.00	-3.37	V	AVERAGE	Pass	Harmonic
26	802.11b	06	-	-	-	-	-	-	-	Band Edge
	802.11b	06	4874.00	49.55	54.00	-4.45	V	Average	Pass	Harmonic
27	802.11b	11	2486.80	48.64	54.00	-5.36	H	AVERAGE	Pass	Band Edge
	802.11b	11	4924.00	50.97	54.00	-3.03	V	AVERAGE	Pass	Harmonic
28	802.11b	12	2483.50	49.68	54.00	-4.32	V	AVERAGE	Pass	Band Edge
	802.11b	12	4934.00	49.28	54.00	-4.72	H	AVERAGE	Pass	Harmonic
29	802.11b	13	2487.00	48.33	54.00	-5.67	H	AVERAGE	Pass	Band Edge
	802.11b	13	7416.00	42.62	74.00	-31.38	V	PEAK	Pass	Harmonic
30	802.11g	01	2389.69	49.63	54.00	-4.37	V	AVERAGE	Pass	Band Edge
	802.11g	01	4824.00	47.81	74.00	-26.19	V	Peak	Pass	Harmonic
31	802.11g	02	2388.78	50.90	54.00	-3.10	H	AVERAGE	Pass	Band Edge
	802.11g	02	4834.00	45.31	54.00	-8.69	V	AVERAGE	Pass	Harmonic
32	802.11g	06	-	-	-	-	-	-	-	Band Edge
	802.11g	06	4874.00	46.03	54.00	-7.97	V	Average	Pass	Harmonic
33	802.11g	9	2484.15	49.72	54.00	-4.28	H	AVERAGE	Pass	Band Edge
	802.11g	9	4904.00	41.12	54.00	-12.88	H	AVERAGE	Pass	Harmonic
34	802.11g	10	2483.58	50.10	54.00	-3.90	H	AVERAGE	Pass	Band Edge
	802.11g	10	4914.00	49.32	74.00	-24.68	H	Peak	Pass	Harmonic
35	802.11g	11	2483.56	45.56	54.00	-8.44	H	AVERAGE	Pass	Band Edge
	802.11g	11	4924.00	44.42	74.00	-29.58	V	Peak	Pass	Harmonic
36	802.11g	12	2483.50	47.06	54.00	-6.94	H	AVERAGE	Pass	Band Edge
	802.11g	12	7401.00	42.36	74.00	-31.64	V	PEAK	Pass	Harmonic
37	802.11g	13	2484.10	47.63	54.00	-6.37	H	AVERAGE	Pass	Band Edge
	802.11g	13	7416.00	42.11	74.00	-31.89	H	PEAK	Pass	Harmonic
38	802.11n HT20	01	2389.30	45.30	54.00	-8.70	V	AVERAGE	Pass	Band Edge
	802.11n HT20	01	4824.00	47.03	74.00	-26.97	V	Peak	Pass	Harmonic
39	802.11n HT20	02	2388.91	50.96	54.00	-3.04	H	AVERAGE	Pass	Band Edge
	802.11n HT20	02	4834.00	39.50	54.00	-14.50	H	AVERAGE	Pass	Harmonic
40	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
	802.11n HT20	06	4874.00	44.35	54.00	-9.65	V	Average	Pass	Harmonic
41	802.11n HT20	9	2483.96	49.45	54.00	-4.55	H	AVERAGE	Pass	Band Edge
	802.11n HT20	9	4904.00	40.95	54.00	-13.05	H	AVERAGE	Pass	Harmonic
42	802.11n HT20	10	2484.53	49.78	54.00	-4.22	H	AVERAGE	Pass	Band Edge
	802.11n HT20	10	4914.00	47.47	74.00	-26.53	H	PEAK	Pass	Harmonic
43	802.11n HT20	11	2483.74	50.95	54.00	-3.05	H	AVERAGE	Pass	Band Edge
	802.11n HT20	11	4924.00	46.33	74.00	-27.67	V	Peak	Pass	Harmonic
44	802.11n HT20	12	2484.00	50.14	54.00	-3.86	H	AVERAGE	Pass	Band Edge
	802.11n HT20	12	7401.00	42.70	74.00	-31.30	H	PEAK	Pass	Harmonic
45	802.11n HT20	13	2483.50	47.01	54.00	-6.99	H	AVERAGE	Pass	Band Edge
	802.11n HT20	13	7416.00	42.99	74.00	-31.01	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
46	802.11ax HE20	01	2389.30	44.99	54.00	-9.01	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	4824.00	46.19	74.00	-27.81	V	Peak	Pass	Harmonic
47	802.11ax HE20	02	2389.95	49.12	54.00	-4.88	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	02	4834.00	49.98	74.00	-24.02	V	Peak	Pass	Harmonic
48	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	06	4874.00	44.28	54.00	-9.72	V	Average	Pass	Harmonic
49	802.11ax HE20	9	2484.53	50.19	54.00	-3.81	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	9	4904.00	47.41	74.00	-26.59	V	PEAK	Pass	Harmonic
50	802.11ax HE20	10	2484.84	50.31	54.00	-3.69	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	10	4914.00	45.10	74.00	-28.90	H	PEAK	Pass	Harmonic
51	802.11ax HE20	11	2483.56	49.07	54.00	-4.93	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4924.00	42.84	74.00	-31.16	H	PEAK	Pass	Harmonic
52	802.11ax HE20	12	2484.75	49.20	54.00	-4.80	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	12	7401.00	42.33	74.00	-31.67	H	PEAK	Pass	Harmonic
53	802.11ax HE20	13	2483.50	46.06	54.00	-7.94	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	13	7416.00	42.71	74.00	-31.29	H	PEAK	Pass	Harmonic
54	802.11ax HE20	01	2383.71	45.82	54.00	-8.18	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	01	2363.30	45.95	54.00	-8.05	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	01	2388.39	47.72	54.00	-6.28	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	06	2493.70	46.66	54.00	-7.34	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	06	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	06	2493.45	47.03	54.00	-6.97	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	06	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	06	2492.50	47.15	54.00	-6.85	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	06	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE20	11	2493.62	46.76	54.00	-7.24	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE20	11	2493.84	47.17	54.00	-6.83	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	11	2490.01	47.81	54.00	-6.19	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE20	12	2492.60	46.90	54.00	-7.10	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
64	802.11ax HE20	12	2498.70	47.01	54.00	-6.99	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
65	802.11ax HE20	12	2485.45	48.10	54.00	-5.90	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
66	802.11ax HE20	13	2497.95	46.69	54.00	-7.31	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
67	802.11ax HE20	13	2483.65	49.40	54.00	-4.60	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
68	802.11ax HE20	13	2483.55	50.65	54.00	-3.35	H	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
69	802.11b	01	2386.96	45.64	54.00	-8.36	H	AVERAGE	Pass	Band Edge
	802.11b	01	4824.00	40.85	74.00	-33.15	H	PEAK	Pass	Harmonic
70	802.11b	06	-	-	-	-	-	-	-	Band Edge
	802.11b	06	7311.00	45.89	74.00	-28.11	H	PEAK	Pass	Harmonic
71	802.11b	11	2483.50	46.91	54.00	-7.09	H	AVERAGE	Pass	Band Edge
	802.11b	11	7386.00	46.41	74.00	-27.59	H	PEAK	Pass	Harmonic
72	802.11b	12	2483.50	49.29	54.00	-4.71	H	AVERAGE	Pass	Band Edge
	802.11b	12	7401.00	43.13	74.00	-30.87	H	PEAK	Pass	Harmonic
73	802.11b	13	2483.90	47.25	54.00	-6.75	V	AVERAGE	Pass	Band Edge
	802.11b	13	7416.00	42.92	74.00	-31.08	H	PEAK	Pass	Harmonic
74	802.11g	01	2389.82	70.12	74.00	-3.88	H	PEAK	Pass	Band Edge
	802.11g	01	4824.00	40.16	74.00	-33.84	H	PEAK	Pass	Harmonic
75	802.11g	02	2389.95	50.14	54.00	-3.86	H	AVERAGE	Pass	Band Edge
	802.11g	02	7251.00	43.29	74.00	-30.71	V	PEAK	Pass	Harmonic
76	802.11g	03	2389.82	50.02	54.00	-3.98	H	AVERAGE	Pass	Band Edge
	802.11g	03	7266.00	43.26	74.00	-30.74	V	PEAK	Pass	Harmonic
77	802.11g	04	2389.69	48.92	54.00	-5.08	H	AVERAGE	Pass	Band Edge
	802.11g	04	7281.00	43.08	74.00	-30.92	H	PEAK	Pass	Harmonic
78	802.11g	06	-	-	-	-	-	-	-	Band Edge
	802.11g	06	7311.00	49.52	74.00	-24.48	H	Peak	Pass	Harmonic
79	802.11g	9	2483.62	50.31	54.00	-3.69	V	AVERAGE	Pass	Band Edge
	802.11g	9	7356.00	43.34	74.00	-30.66	V	PEAK	Pass	Harmonic
80	802.11g	10	2483.77	50.99	54.00	-3.01	H	AVERAGE	Pass	Band Edge
	802.11g	10	7371.00	43.39	74.00	-30.61	H	PEAK	Pass	Harmonic
81	802.11g	11	2483.50	46.28	54.00	-7.72	H	AVERAGE	Pass	Band Edge
	802.11g	11	7386.00	42.86	74.00	-31.14	V	PEAK	Pass	Harmonic
82	802.11g	12	2483.50	45.90	54.00	-8.10	H	AVERAGE	Pass	Band Edge
	802.11g	12	7401.00	43.54	74.00	-30.46	H	PEAK	Pass	Harmonic
83	802.11g	13	2484.15	47.97	54.00	-6.03	H	AVERAGE	Pass	Band Edge
	802.11g	13	7416.00	43.08	74.00	-30.92	H	PEAK	Pass	Harmonic
84	802.11n HT20	01	2382.54	45.42	54.00	-8.58	H	AVERAGE	Pass	Band Edge
	802.11n HT20	01	4824.00	40.22	74.00	-33.78	V	PEAK	Pass	Harmonic
85	802.11n HT20	02	2389.17	50.15	54.00	-3.85	H	AVERAGE	Pass	Band Edge
	802.11n HT20	02	7251.00	44.25	74.00	-29.75	H	PEAK	Pass	Harmonic
86	802.11n HT20	03	2389.95	50.84	54.00	-3.16	H	AVERAGE	Pass	Band Edge
	802.11n HT20	03	7266.00	43.10	74.00	-30.90	H	PEAK	Pass	Harmonic
87	802.11n HT20	04	2389.95	49.25	54.00	-4.75	H	AVERAGE	Pass	Band Edge
	802.11n HT20	04	7281.00	42.34	74.00	-31.66	H	PEAK	Pass	Harmonic
88	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
	802.11n HT20	06	7311.00	44.39	74.00	-29.61	H	PEAK	Pass	Harmonic
89	802.11n HT20	9	2483.56	50.95	54.00	-3.05	V	AVERAGE	Pass	Band Edge
	802.11n HT20	9	7356.00	42.71	74.00	-31.29	V	PEAK	Pass	Harmonic
90	802.11n HT20	10	2484.80	50.98	54.00	-3.02	V	AVERAGE	Pass	Band Edge
	802.11n HT20	10	7371.00	43.46	74.00	-30.54	V	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
91	802.11n HT20	11	2484.28	47.90	54.00	-6.10	V	AVERAGE	Pass	Band Edge
	802.11n HT20	11	7386.00	43.25	74.00	-30.75	H	PEAK	Pass	Harmonic
92	802.11n HT20	12	2483.55	68.61	74.00	-5.39	H	PEAK	Pass	Band Edge
	802.11n HT20	12	7401.00	43.36	74.00	-30.64	V	PEAK	Pass	Harmonic
93	802.11n HT20	13	2483.50	47.41	54.00	-6.59	V	AVERAGE	Pass	Band Edge
	802.11n HT20	13	7416.00	42.54	74.00	-31.46	H	PEAK	Pass	Harmonic
94	802.11ax HE20	01	2377.60	46.12	54.00	-7.88	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	4824.00	40.20	74.00	-33.80	V	PEAK	Pass	Harmonic
95	802.11ax HE20	02	2389.82	50.35	54.00	-3.65	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	02	7251.00	42.74	74.00	-31.26	V	PEAK	Pass	Harmonic
96	802.11ax HE20	03	2389.56	50.66	54.00	-3.34	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	03	7266.00	43.25	74.00	-30.75	H	PEAK	Pass	Harmonic
97	802.11ax HE20	04	2389.95	50.56	54.00	-3.44	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	04	7281.00	42.59	74.00	-31.41	V	PEAK	Pass	Harmonic
98	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	06	7311.00	44.58	74.00	-29.42	H	PEAK	Pass	Harmonic
99	802.11ax HE20	08	2483.50	50.90	54.00	-3.10	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	08	7341.00	42.94	74.00	-31.06	H	PEAK	Pass	Harmonic
100	802.11ax HE20	9	2483.50	49.97	54.00	-4.03	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	9	7356.00	43.06	74.00	-30.94	V	PEAK	Pass	Harmonic
101	802.11ax HE20	10	2483.74	49.45	54.00	-4.55	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	10	7371.00	43.60	74.00	-30.40	V	PEAK	Pass	Harmonic
102	802.11ax HE20	11	2484.22	50.03	54.00	-3.97	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	7386.00	43.47	74.00	-30.53	H	PEAK	Pass	Harmonic
103	802.11ax HE20	12	2483.75	48.45	54.00	-5.55	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	12	7401.00	42.95	74.00	-31.05	V	PEAK	Pass	Harmonic
104	802.11ax HE20	13	2483.50	46.53	54.00	-7.47	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	13	7416.00	42.19	74.00	-31.81	H	PEAK	Pass	Harmonic
105	802.11ax HE20	01	2388.39	45.79	54.00	-8.21	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
106	802.11ax HE20	01	2387.09	46.04	54.00	-7.96	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
107	802.11ax HE20	01	2387.74	47.07	54.00	-6.93	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
108	802.11ax HE20	11	2499.13	46.76	54.00	-7.24	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
109	802.11ax HE20	11	2497.38	46.97	54.00	-7.03	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
110	802.11ax HE20	11	2484.04	50.95	54.00	-3.05	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
111	802.11ax HE20	12	2498.85	46.72	54.00	-7.28	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
112	802.11ax HE20	12	2489.40	47.03	54.00	-6.97	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
113	802.11ax HE20	12	2483.55	49.74	54.00	-4.26	H	AVERAGE	Pass	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
114	802.11ax HE20	13	2483.60	50.85	54.00	-3.15	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
115	802.11ax HE20	13	2483.55	50.74	54.00	-3.26	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
116	802.11ax HE20	13	2483.50	50.74	54.00	-3.26	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
117	802.11n HT20	02	2389.69	48.10	54.00	-5.90	H	AVERAGE	Pass	Band Edge
	802.11n HT20	02	-	-	-	-	-	-	-	Harmonic
118	802.11n HT20	02	2389.95	48.39	54.00	-5.61	V	AVERAGE	Pass	Band Edge
	802.11n HT20	02	-	-	-	-	-	-	-	Harmonic
119	802.11g	10	2483.50	48.60	54.00	-5.40	H	AVERAGE	Pass	Band Edge
	802.11g	10	-	-	-	-	-	-	-	Harmonic
120	802.11g	10	2483.56	48.98	54.00	-5.02	V	AVERAGE	Pass	Band Edge
	802.11g	10	-	-	-	-	-	-	-	Harmonic
80	802.11g	10	75.59	32.87	40.00	-7.13	V	PEAK	Pass	LF





Mode	25																																																																																																																	
	Band Edge																																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.74</td><td>57.64</td><td>74.00</td><td>-16.36</td><td>41.34</td><td>32.38</td><td>8.87</td><td>30.95</td><td>6.00</td><td>117</td><td>346 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.74	57.64	74.00	-16.36	41.34	32.38	8.87	30.95	6.00	117	346 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.65</td><td>-----</td><td>-----</td><td>87.26</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>117</td><td>346 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	103.65	-----	-----	87.26	32.40	8.92	30.93	6.00	117	346 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2387.74	57.64	74.00	-16.36	41.34	32.38	8.87	30.95	6.00	117	346 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2412.00	103.65	-----	-----	87.26	32.40	8.92	30.93	6.00	117	346 PEAK																																																																																																							
Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>47.21</td><td>54.00</td><td>-6.79</td><td>30.92</td><td>32.37</td><td>8.87</td><td>30.95</td><td>6.00</td><td>117</td><td>346 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.22	47.21	54.00	-6.79	30.92	32.37	8.87	30.95	6.00	117	346 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.13</td><td>-----</td><td>-----</td><td>82.74</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>117</td><td>346 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	99.13	-----	-----	82.74	32.40	8.92	30.93	6.00	117	346 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2387.22	47.21	54.00	-6.79	30.92	32.37	8.87	30.95	6.00	117	346 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2412.00	99.13	-----	-----	82.74	32.40	8.92	30.93	6.00	117	346 AVERAGE																																																																																																							





Mode	25																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.66</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>41.63</td><td>32.37</td><td>8.86</td><td>30.95</td><td>6.00</td><td>100</td><td>248 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.66	57.91	74.00	-16.09	41.63	32.37	8.86	30.95	6.00	100	248 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.80</td><td>-----</td><td>-----</td><td>89.41</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>100</td><td>248 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.80	-----	-----	89.41	32.40	8.92	30.93	6.00	100	248 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2385.66	57.91	74.00	-16.09	41.63	32.37	8.86	30.95	6.00	100	248 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	105.80	-----	-----	89.41	32.40	8.92	30.93	6.00	100	248 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.09</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>32.29</td><td>32.37</td><td>8.87</td><td>30.95</td><td>6.00</td><td>100</td><td>248 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.09	48.58	54.00	-5.42	32.29	32.37	8.87	30.95	6.00	100	248 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.35</td><td>-----</td><td>-----</td><td>84.96</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>100</td><td>248 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.35	-----	-----	84.96	32.40	8.92	30.93	6.00	100	248 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2387.09	48.58	54.00	-5.42	32.29	32.37	8.87	30.95	6.00	100	248 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	101.35	-----	-----	84.96	32.40	8.92	30.93	6.00	100	248 AVERAGE																																																																																										



Mode	25																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>4824.00</td><td>51.96</td><td>74.00</td><td>-22.04</td><td>70.81</td><td>34.10</td><td>12.48</td><td>65.43</td><td>0.00</td><td>296</td><td>202</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>50.40</td><td>54.00</td><td>-3.60</td><td>69.25</td><td>34.10</td><td>12.48</td><td>65.43</td><td>0.00</td><td>296</td><td>202</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	4824.00	51.96	74.00	-22.04	70.81	34.10	12.48	65.43	0.00	296	202	PEAK	2	4824.00	50.40	54.00	-3.60	69.25	34.10	12.48	65.43	0.00	296	202	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>4824.00</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>71.52</td><td>34.10</td><td>12.48</td><td>65.43</td><td>0.00</td><td>331</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>50.63</td><td>54.00</td><td>-3.37</td><td>69.48</td><td>34.10</td><td>12.48</td><td>65.43</td><td>0.00</td><td>331</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	4824.00	52.67	74.00	-21.33	71.52	34.10	12.48	65.43	0.00	331	235	PEAK	2	4824.00	50.63	54.00	-3.37	69.48	34.10	12.48	65.43	0.00	331	235	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																		
1	4824.00	51.96	74.00	-22.04	70.81	34.10	12.48	65.43	0.00	296	202	PEAK																																																																																																		
2	4824.00	50.40	54.00	-3.60	69.25	34.10	12.48	65.43	0.00	296	202	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																		
1	4824.00	52.67	74.00	-21.33	71.52	34.10	12.48	65.43	0.00	331	235	PEAK																																																																																																		
2	4824.00	50.63	54.00	-3.37	69.48	34.10	12.48	65.43	0.00	331	235	AVERAGE																																																																																																		







Mode	26																																																																																																																																												
	Harmonic																																																																																																																																												
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>48.73</td><td>74.00</td><td>-25.27</td><td>67.78</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.08</td><td>74.00</td><td>-30.92</td><td>57.80</td><td>35.00</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	48.73	74.00	-25.27	67.78	34.10	12.29	65.44	0.00	---	---	Peak	2	7311.00	43.08	74.00	-30.92	57.80	35.00	14.73	65.25	0.00	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>51.28</td><td>74.00</td><td>-22.72</td><td>70.33</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>329</td><td>232</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>49.55</td><td>54.00</td><td>-4.45</td><td>68.60</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>329</td><td>232</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>43.12</td><td>74.00</td><td>-30.88</td><td>57.84</td><td>35.80</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	51.28	74.00	-22.72	70.33	34.10	12.29	65.44	0.00	329	232	Peak	2	4874.00	49.55	54.00	-4.45	68.60	34.10	12.29	65.44	0.00	329	232	Average	3	7311.00	43.12	74.00	-30.88	57.84	35.80	14.73	65.25	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	4874.00	48.73	74.00	-25.27	67.78	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																																																	
2	7311.00	43.08	74.00	-30.92	57.80	35.00	14.73	65.25	0.00	---	---	Peak																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	4874.00	51.28	74.00	-22.72	70.33	34.10	12.29	65.44	0.00	329	232	Peak																																																																																																																																	
2	4874.00	49.55	54.00	-4.45	68.60	34.10	12.29	65.44	0.00	329	232	Average																																																																																																																																	
3	7311.00	43.12	74.00	-30.88	57.84	35.80	14.73	65.25	0.00	---	---	Peak																																																																																																																																	





Mode	27																																																								
	Band Edge																																																								
	2400-2483.5_802.11b_CH11_2462MHz																																																								
ANT	1																																																								
Pol.	Horizontal						Fundamental																																																		
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.04</td><td>58.36</td><td>74.00</td><td>-15.64</td><td>41.96</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>341</td><td>328 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2487.04	58.36	74.00	-15.64	41.96	32.40	8.88	30.88	6.00	341
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2487.04	58.36	74.00	-15.64	41.96	32.40	8.88	30.88	6.00	341	328 PEAK																																														
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.22</td><td>-----</td><td>-----</td><td>89.82</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>341</td><td>328 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	106.22	-----	-----	89.82	32.40	8.89	30.89	6.00	341
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	106.22	-----	-----	89.82	32.40	8.89	30.89	6.00	341	328 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.00</td><td>48.64</td><td>54.00</td><td>-5.36</td><td>32.24</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>341</td><td>328 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.00	48.64	54.00	-5.36	32.24	32.40	8.88	30.88	6.00	341
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2486.00	48.64	54.00	-5.36	32.24	32.40	8.88	30.88	6.00	341	328 AVERAGE																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.57</td><td>-----</td><td>-----</td><td>85.17</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>341</td><td>328 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	101.57	-----	-----	85.17	32.40	8.89	30.89	6.00	341
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	101.57	-----	-----	85.17	32.40	8.89	30.89	6.00	341	328 AVERAGE																																														







Mode	27																																																																																																						
	Band Edge																																																																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.28</td><td>58.02</td><td>74.00</td><td>-15.98</td><td>41.62</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>100</td><td>228</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.28	58.02	74.00	-15.98	41.62	32.40	8.88	30.88	6.00	100	228	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>105.97</td><td>-----</td><td>-----</td><td>89.57</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>100</td><td>228</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.97	-----	-----	89.57	32.40	8.89	30.89	6.00	100	228	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2487.28	58.02	74.00	-15.98	41.62	32.40	8.88	30.88	6.00	100	228	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2462.00	105.97	-----	-----	89.57	32.40	8.89	30.89	6.00	100	228	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.64</td><td>48.44</td><td>54.00</td><td>-5.56</td><td>32.04</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>100</td><td>228</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.64	48.44	54.00	-5.56	32.04	32.40	8.88	30.88	6.00	100	228	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>101.28</td><td>-----</td><td>-----</td><td>84.88</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>100</td><td>228</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.28	-----	-----	84.88	32.40	8.89	30.89	6.00	100	228	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2487.64	48.44	54.00	-5.56	32.04	32.40	8.88	30.88	6.00	100	228	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2462.00	101.28	-----	-----	84.88	32.40	8.89	30.89	6.00	100	228	AVERAGE																																																																																											







Mode	27																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>52.77</td><td>74.00</td><td>-21.23</td><td>71.89</td><td>34.10</td><td>12.22</td><td>65.44</td><td>0.00</td><td>366</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>50.78</td><td>54.00</td><td>-3.22</td><td>69.90</td><td>34.10</td><td>12.22</td><td>65.44</td><td>0.00</td><td>366</td><td>25</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>59.49</td><td>35.80</td><td>14.78</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	52.77	74.00	-21.23	71.89	34.10	12.22	65.44	0.00	366	25	PEAK	2	4924.00	50.78	54.00	-3.22	69.90	34.10	12.22	65.44	0.00	366	25	AVERAGE	3	7386.00	44.78	74.00	-29.22	59.49	35.80	14.78	65.29	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>53.00</td><td>74.00</td><td>-21.00</td><td>72.12</td><td>34.10</td><td>12.22</td><td>65.44</td><td>0.00</td><td>301</td><td>251</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>50.97</td><td>54.00</td><td>-3.03</td><td>70.09</td><td>34.10</td><td>12.22</td><td>65.44</td><td>0.00</td><td>301</td><td>251</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>58.85</td><td>35.80</td><td>14.78</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	53.00	74.00	-21.00	72.12	34.10	12.22	65.44	0.00	301	251	PEAK	2	4924.00	50.97	54.00	-3.03	70.09	34.10	12.22	65.44	0.00	301	251	AVERAGE	3	7386.00	44.14	74.00	-29.86	58.85	35.80	14.78	65.29	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4924.00	52.77	74.00	-21.23	71.89	34.10	12.22	65.44	0.00	366	25	PEAK																																																																																																																																												
2	4924.00	50.78	54.00	-3.22	69.90	34.10	12.22	65.44	0.00	366	25	AVERAGE																																																																																																																																												
3	7386.00	44.78	74.00	-29.22	59.49	35.80	14.78	65.29	0.00	---	---	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4924.00	53.00	74.00	-21.00	72.12	34.10	12.22	65.44	0.00	301	251	PEAK																																																																																																																																												
2	4924.00	50.97	54.00	-3.03	70.09	34.10	12.22	65.44	0.00	301	251	AVERAGE																																																																																																																																												
3	7386.00	44.14	74.00	-29.86	58.85	35.80	14.78	65.29	0.00	---	---	PEAK																																																																																																																																												





Mode	28																																																																																													
	Band Edge																																																																																													
	2400-2483.5_802.11b_CH12_2467MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.50</td><td>60.46</td><td>74.00</td><td>-13.54</td><td>43.93</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>100</td><td>247 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.50	60.46	74.00	-13.54	43.93	32.13	9.05	30.65	6.00	100	247 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2467.00</td><td>104.99</td><td>-----</td><td>-----</td><td>88.59</td><td>32.10</td><td>9.00</td><td>30.70</td><td>6.00</td><td>100</td><td>247 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2467.00	104.99	-----	-----	88.59	32.10	9.00	30.70	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2483.50	60.46	74.00	-13.54	43.93	32.13	9.05	30.65	6.00	100	247 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2467.00	104.99	-----	-----	88.59	32.10	9.00	30.70	6.00	100	247 PEAK																																																																																				
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.50</td><td>49.34</td><td>54.00</td><td>-4.66</td><td>32.81</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>100</td><td>247 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.50	49.34	54.00	-4.66	32.81	32.13	9.05	30.65	6.00	100	247 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2467.00</td><td>100.50</td><td>-----</td><td>-----</td><td>84.09</td><td>32.10</td><td>9.00</td><td>30.69</td><td>6.00</td><td>100</td><td>247 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2467.00	100.50	-----	-----	84.09	32.10	9.00	30.69	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2483.50	49.34	54.00	-4.66	32.81	32.13	9.05	30.65	6.00	100	247 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2467.00	100.50	-----	-----	84.09	32.10	9.00	30.69	6.00	100	247 AVERAGE																																																																																				







Mode	28																																																																																															
	Band Edge																																																																																															
	2400-2483.5_802.11b_CH12_2467MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>58.96</td><td>74.00</td><td>-15.04</td><td>42.43</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>359</td><td>309 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	58.96	74.00	-15.04	42.43	32.13	9.05	30.65	6.00	359	309 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>106.55</td><td>-----</td><td>-----</td><td>90.15</td><td>32.10</td><td>9.00</td><td>30.70</td><td>6.00</td><td>359</td><td>309 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	106.55	-----	-----	90.15	32.10	9.00	30.70	6.00	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.60	58.96	74.00	-15.04	42.43	32.13	9.05	30.65	6.00	359	309 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2467.00	106.55	-----	-----	90.15	32.10	9.00	30.70	6.00	359	309 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.68</td><td>54.00</td><td>-4.32</td><td>33.15</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>359</td><td>309 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.68	54.00	-4.32	33.15	32.13	9.05	30.65	6.00	359	309 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>102.05</td><td>-----</td><td>-----</td><td>85.65</td><td>32.10</td><td>9.00</td><td>30.70</td><td>6.00</td><td>359</td><td>309 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	102.05	-----	-----	85.65	32.10	9.00	30.70	6.00	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.50	49.68	54.00	-4.32	33.15	32.13	9.05	30.65	6.00	359	309 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2467.00	102.05	-----	-----	85.65	32.10	9.00	30.70	6.00	359	309 AVERAGE																																																																																					







Mode	28																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>51.36</td><td>74.00</td><td>-22.64</td><td>70.46</td><td>34.10</td><td>12.24</td><td>65.44</td><td>0.00</td><td>363</td><td>27</td><td>PEAK</td></tr><tr><td>2</td><td>4934.00</td><td>49.28</td><td>54.00</td><td>-4.72</td><td>68.38</td><td>34.10</td><td>12.24</td><td>65.44</td><td>0.00</td><td>363</td><td>27</td><td>AVERAGE</td></tr><tr><td>3</td><td>7401.00</td><td>43.71</td><td>74.00</td><td>-30.29</td><td>58.42</td><td>35.00</td><td>14.79</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	51.36	74.00	-22.64	70.46	34.10	12.24	65.44	0.00	363	27	PEAK	2	4934.00	49.28	54.00	-4.72	68.38	34.10	12.24	65.44	0.00	363	27	AVERAGE	3	7401.00	43.71	74.00	-30.29	58.42	35.00	14.79	65.30	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>69.70</td><td>34.10</td><td>12.24</td><td>65.44</td><td>0.00</td><td>338</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>4934.00</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>67.46</td><td>34.10</td><td>12.24</td><td>65.44</td><td>0.00</td><td>338</td><td>233</td><td>AVERAGE</td></tr><tr><td>3</td><td>7401.00</td><td>43.00</td><td>74.00</td><td>-31.00</td><td>57.71</td><td>35.80</td><td>14.79</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	50.60	74.00	-23.40	69.70	34.10	12.24	65.44	0.00	338	233	PEAK	2	4934.00	48.36	54.00	-5.64	67.46	34.10	12.24	65.44	0.00	338	233	AVERAGE	3	7401.00	43.00	74.00	-31.00	57.71	35.80	14.79	65.30	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4934.00	51.36	74.00	-22.64	70.46	34.10	12.24	65.44	0.00	363	27	PEAK																																																																																																																																											
2	4934.00	49.28	54.00	-4.72	68.38	34.10	12.24	65.44	0.00	363	27	AVERAGE																																																																																																																																											
3	7401.00	43.71	74.00	-30.29	58.42	35.00	14.79	65.30	0.00	---	---	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4934.00	50.60	74.00	-23.40	69.70	34.10	12.24	65.44	0.00	338	233	PEAK																																																																																																																																											
2	4934.00	48.36	54.00	-5.64	67.46	34.10	12.24	65.44	0.00	338	233	AVERAGE																																																																																																																																											
3	7401.00	43.00	74.00	-31.00	57.71	35.80	14.79	65.30	0.00	---	---	PEAK																																																																																																																																											



Mode	29																																																					
	Band Edge																																																					
	2400-2483.5_802.11b_CH13_2472MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.10</td><td>57.80</td><td>74.00</td><td>-16.20</td><td>41.40</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>332</td><td>330</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2487.10	57.80	74.00	-16.20	41.40	32.40	8.88	30.88	6.00	332	330
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	2487.10	57.80	74.00	-16.20	41.40	32.40	8.88	30.88	6.00	332	330	PEAK																																										
Peak																																																						
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>100.45</td><td>-----</td><td>-----</td><td>84.05</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>332</td><td>330</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2472.00	100.45	-----	-----	84.05	32.40	8.89	30.89	6.00	332	330
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	2472.00	100.45	-----	-----	84.05	32.40	8.89	30.89	6.00	332	330	PEAK																																										
Avg																																																						
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.00</td><td>48.33</td><td>54.00</td><td>-5.67</td><td>31.93</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>332</td><td>330</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2487.00	48.33	54.00	-5.67	31.93	32.40	8.88	30.88	6.00	332	330
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	2487.00	48.33	54.00	-5.67	31.93	32.40	8.88	30.88	6.00	332	330	AVERAGE																																										
Avg																																																						
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>95.85</td><td>-----</td><td>-----</td><td>79.45</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>332</td><td>330</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2472.00	95.85	-----	-----	79.45	32.40	8.89	30.89	6.00	332	330
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	2472.00	95.85	-----	-----	79.45	32.40	8.89	30.89	6.00	332	330	AVERAGE																																										







Mode	29																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.20</td><td>57.22</td><td>74.00</td><td>-16.78</td><td>40.82</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>111 233 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.20	57.22	74.00	-16.78	40.82	32.40	8.88	30.88	6.00	111 233 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>99.82</td><td>-----</td><td>-----</td><td>83.42</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>111 233 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	99.82	-----	-----	83.42	32.40	8.89	30.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.20	57.22	74.00	-16.78	40.82	32.40	8.88	30.88	6.00	111 233 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	99.82	-----	-----	83.42	32.40	8.89	30.89	6.00	111 233 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.05</td><td>47.38</td><td>54.00</td><td>-6.62</td><td>30.98</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>111 233 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.05	47.38	54.00	-6.62	30.98	32.40	8.88	30.88	6.00	111 233 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>95.15</td><td>-----</td><td>-----</td><td>78.75</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>111 233 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	95.15	-----	-----	78.75	32.40	8.89	30.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2487.05	47.38	54.00	-6.62	30.98	32.40	8.88	30.88	6.00	111 233 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	95.15	-----	-----	78.75	32.40	8.89	30.89	6.00	111 233 AVERAGE																																																																																									







Mode	29																																																																												
	Harmonic																																																																												
	2400-2483.5_802.11b_CH13_2472MHz																																																																												
ANT	1																																																																												
Pol.	Horizontal												Vertical																																																																
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4944.00</td><td>40.63</td><td>74.00</td><td>-33.37</td><td>59.72</td><td>34.10</td><td>12.25</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>41.44</td><td>74.00</td><td>-32.56</td><td>56.11</td><td>35.00</td><td>14.84</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4944.00	40.63	74.00	-33.37	59.72	34.10	12.25	65.44	0.00	---	---	PEAK	2	7416.00	41.44	74.00	-32.56	56.11	35.00	14.84	65.31	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4944.00	40.63	74.00	-33.37	59.72	34.10	12.25	65.44	0.00	---	---	PEAK																																																																	
2	7416.00	41.44	74.00	-32.56	56.11	35.00	14.84	65.31	0.00	---	---	PEAK																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4944.00</td><td>41.40</td><td>74.00</td><td>-32.60</td><td>60.49</td><td>34.10</td><td>12.25</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>42.62</td><td>74.00</td><td>-31.38</td><td>57.29</td><td>35.00</td><td>14.84</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4944.00	41.40	74.00	-32.60	60.49	34.10	12.25	65.44	0.00	---	---	PEAK	2	7416.00	42.62	74.00	-31.38	57.29	35.00	14.84	65.31	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4944.00	41.40	74.00	-32.60	60.49	34.10	12.25	65.44	0.00	---	---	PEAK																																																																	
2	7416.00	42.62	74.00	-31.38	57.29	35.00	14.84	65.31	0.00	---	---	PEAK																																																																	



Mode	30																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>65.60</td><td>74.00</td><td>-8.40</td><td>49.29</td><td>32.38</td><td>8.88</td><td>30.95</td><td>6.00</td><td>116 346 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	65.60	74.00	-8.40	49.29	32.38	8.88	30.95	6.00	116 346 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.54</td><td>-----</td><td>-----</td><td>87.14</td><td>32.40</td><td>8.93</td><td>30.93</td><td>6.00</td><td>116 346 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.54	-----	-----	87.14	32.40	8.93	30.93	6.00	116 346 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	65.60	74.00	-8.40	49.29	32.38	8.88	30.95	6.00	116 346 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	103.54	-----	-----	87.14	32.40	8.93	30.93	6.00	116 346 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>47.71</td><td>54.00</td><td>-6.29</td><td>31.40</td><td>32.38</td><td>8.88</td><td>30.95</td><td>6.00</td><td>116 346 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	47.71	54.00	-6.29	31.40	32.38	8.88	30.95	6.00	116 346 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>93.23</td><td>-----</td><td>-----</td><td>76.84</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>116 346 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	93.23	-----	-----	76.84	32.40	8.92	30.93	6.00	116 346 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.69	47.71	54.00	-6.29	31.40	32.38	8.88	30.95	6.00	116 346 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	93.23	-----	-----	76.84	32.40	8.92	30.93	6.00	116 346 AVERAGE																																																																																									







Mode	30																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>68.94</td><td>74.00</td><td>-5.06</td><td>52.63</td><td>32.38</td><td>8.88</td><td>30.95</td><td>6.00</td><td>100</td><td>248 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	68.94	74.00	-5.06	52.63	32.38	8.88	30.95	6.00	100	248 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>104.74</td><td>-----</td><td>-----</td><td>88.34</td><td>32.40</td><td>8.93</td><td>30.93</td><td>6.00</td><td>100</td><td>248 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.74	-----	-----	88.34	32.40	8.93	30.93	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.95	68.94	74.00	-5.06	52.63	32.38	8.88	30.95	6.00	100	248 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	104.74	-----	-----	88.34	32.40	8.93	30.93	6.00	100	248 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.69</td><td>49.63</td><td>54.00</td><td>-4.37</td><td>33.32</td><td>32.38</td><td>8.88</td><td>30.95</td><td>6.00</td><td>100</td><td>248 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	49.63	54.00	-4.37	33.32	32.38	8.88	30.95	6.00	100	248 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>95.24</td><td>-----</td><td>-----</td><td>78.85</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>100</td><td>248 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.24	-----	-----	78.85	32.40	8.92	30.93	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.69	49.63	54.00	-4.37	33.32	32.38	8.88	30.95	6.00	100	248 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	95.24	-----	-----	78.85	32.40	8.92	30.93	6.00	100	248 AVERAGE																																																																																									







Mode	30																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>64.62</td><td>34.10</td><td>12.48</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	45.77	74.00	-28.23	64.62	34.10	12.48	65.43	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>66.66</td><td>34.10</td><td>12.48</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	47.81	74.00	-26.19	66.66	34.10	12.48	65.43	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	45.77	74.00	-28.23	64.62	34.10	12.48	65.43	0.00	---	---	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	47.81	74.00	-26.19	66.66	34.10	12.48	65.43	0.00	---	---	Peak																																																																																								





Mode	31																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_802.11g_CH02_Full RU_2417MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.26</td><td>67.90</td><td>74.00</td><td>-6.10</td><td>52.06</td><td>31.97</td><td>8.76</td><td>30.89</td><td>6.00</td><td>176</td><td>34 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	67.90	74.00	-6.10	52.06	31.97	8.76	30.89	6.00	176	34 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>110.04</td><td>-----</td><td>-----</td><td>94.03</td><td>32.02</td><td>8.84</td><td>30.85</td><td>6.00</td><td>176</td><td>34 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	110.04	-----	-----	94.03	32.02	8.84	30.85	6.00	176
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2388.26	67.90	74.00	-6.10	52.06	31.97	8.76	30.89	6.00	176	34 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2417.00	110.04	-----	-----	94.03	32.02	8.84	30.85	6.00	176	34 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>35.04</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>176</td><td>34 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	50.90	54.00	-3.10	35.04	31.98	8.77	30.89	6.00	176	34 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>101.14</td><td>-----</td><td>-----</td><td>85.09</td><td>32.03</td><td>8.85</td><td>30.83</td><td>6.00</td><td>176</td><td>34 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	101.14	-----	-----	85.09	32.03	8.85	30.83	6.00	176
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2388.78	50.90	54.00	-3.10	35.04	31.98	8.77	30.89	6.00	176	34 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2417.00	101.14	-----	-----	85.09	32.03	8.85	30.83	6.00	176	34 AVERAGE																																																																																																		





Mode	31																																																						
	Band Edge																																																						
	2400-2483.5_802.11g_CH02_Full RU_2417MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.13</td><td>66.22</td><td>74.00</td><td>-7.78</td><td>50.38</td><td>31.97</td><td>8.76</td><td>30.89</td><td>6.00</td><td>379</td><td>131</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	66.22	74.00	-7.78	50.38	31.97	8.76	30.89	6.00	379	131
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2388.13	66.22	74.00	-7.78	50.38	31.97	8.76	30.89	6.00	379	131	PEAK																																											
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>109.40</td><td>-----</td><td>-----</td><td>93.39</td><td>32.02</td><td>8.84</td><td>30.85</td><td>6.00</td><td>379</td><td>131</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	109.40	-----	-----	93.39	32.02	8.84	30.85	6.00	379	131
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2417.00	109.40	-----	-----	93.39	32.02	8.84	30.85	6.00	379	131	PEAK																																											
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>50.41</td><td>54.00</td><td>-3.59</td><td>34.55</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>379</td><td>131</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.41	54.00	-3.59	34.55	31.98	8.77	30.89	6.00	379	131
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	50.41	54.00	-3.59	34.55	31.98	8.77	30.89	6.00	379	131	AVERAGE																																											
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>100.02</td><td>-----</td><td>-----</td><td>83.97</td><td>32.03</td><td>8.85</td><td>30.83</td><td>6.00</td><td>379</td><td>131</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	100.02	-----	-----	83.97	32.03	8.85	30.83	6.00	379	131
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2417.00	100.02	-----	-----	83.97	32.03	8.85	30.83	6.00	379	131	AVERAGE																																											







Mode	31																																																																																								
	Harmonic																																																																																								
	2400-2483.5_802.11g_CH02_Full RU_2417MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal						Vertical																																																																																		
Peak Avg																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 4834.00</td><td>52.24</td><td>74.00</td><td>-21.76</td><td>71.13</td><td>34.10</td><td>12.44</td><td>65.43</td><td>0.00</td><td>381</td><td>314</td><td>PEAK</td><td></td></tr><tr><td>2 4834.00</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>61.00</td><td>34.10</td><td>12.44</td><td>65.43</td><td>0.00</td><td>381</td><td>314</td><td>AVERAGE</td><td></td></tr><tr><td>3 7251.00</td><td>44.00</td><td>74.00</td><td>-30.00</td><td>58.74</td><td>35.00</td><td>14.67</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td><td></td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 4834.00	52.24	74.00	-21.76	71.13	34.10	12.44	65.43	0.00	381	314	PEAK		2 4834.00	42.11	54.00	-11.89	61.00	34.10	12.44	65.43	0.00	381	314	AVERAGE		3 7251.00	44.00	74.00	-30.00	58.74	35.00	14.67	65.21	0.00	---	---	PEAK	
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 4834.00	52.24	74.00	-21.76	71.13	34.10	12.44	65.43	0.00	381	314	PEAK																																																																														
2 4834.00	42.11	54.00	-11.89	61.00	34.10	12.44	65.43	0.00	381	314	AVERAGE																																																																														
3 7251.00	44.00	74.00	-30.00	58.74	35.00	14.67	65.21	0.00	---	---	PEAK																																																																														
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 4834.00</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>73.54</td><td>34.10</td><td>12.44</td><td>65.43</td><td>0.00</td><td>296</td><td>245</td><td>PEAK</td><td></td></tr><tr><td>2 4834.00</td><td>45.31</td><td>54.00</td><td>-8.69</td><td>64.20</td><td>34.10</td><td>12.44</td><td>65.43</td><td>0.00</td><td>296</td><td>245</td><td>AVERAGE</td><td></td></tr><tr><td>3 7251.00</td><td>43.34</td><td>74.00</td><td>-30.66</td><td>58.08</td><td>35.80</td><td>14.67</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td><td></td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 4834.00	54.65	74.00	-19.35	73.54	34.10	12.44	65.43	0.00	296	245	PEAK		2 4834.00	45.31	54.00	-8.69	64.20	34.10	12.44	65.43	0.00	296	245	AVERAGE		3 7251.00	43.34	74.00	-30.66	58.08	35.80	14.67	65.21	0.00	---	---	PEAK		
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 4834.00	54.65	74.00	-19.35	73.54	34.10	12.44	65.43	0.00	296	245	PEAK																																																																														
2 4834.00	45.31	54.00	-8.69	64.20	34.10	12.44	65.43	0.00	296	245	AVERAGE																																																																														
3 7251.00	43.34	74.00	-30.66	58.08	35.80	14.67	65.21	0.00	---	---	PEAK																																																																														







Mode	32																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>72.59</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>140</td><td>201</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>62.40</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>140</td><td>201</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>61.74</td><td>35.00</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	53.54	74.00	-20.46	72.59	34.10	12.29	65.44	0.00	140	201	Peak	2	4874.00	43.35	54.00	-10.65	62.40	34.10	12.29	65.44	0.00	140	201	Average	3	7311.00	47.02	74.00	-26.98	61.74	35.00	14.73	65.25	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>75.05</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>342</td><td>236</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>46.03</td><td>54.00</td><td>-7.97</td><td>65.08</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>342</td><td>236</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>50.01</td><td>74.00</td><td>-23.99</td><td>64.73</td><td>35.00</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	56.00	74.00	-18.00	75.05	34.10	12.29	65.44	0.00	342	236	Peak	2	4874.00	46.03	54.00	-7.97	65.08	34.10	12.29	65.44	0.00	342	236	Average	3	7311.00	50.01	74.00	-23.99	64.73	35.00	14.73	65.25	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4874.00	53.54	74.00	-20.46	72.59	34.10	12.29	65.44	0.00	140	201	Peak																																																																																																																																												
2	4874.00	43.35	54.00	-10.65	62.40	34.10	12.29	65.44	0.00	140	201	Average																																																																																																																																												
3	7311.00	47.02	74.00	-26.98	61.74	35.00	14.73	65.25	0.00	---	---	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4874.00	56.00	74.00	-18.00	75.05	34.10	12.29	65.44	0.00	342	236	Peak																																																																																																																																												
2	4874.00	46.03	54.00	-7.97	65.08	34.10	12.29	65.44	0.00	342	236	Average																																																																																																																																												
3	7311.00	50.01	74.00	-23.99	64.73	35.00	14.73	65.25	0.00	---	---	Peak																																																																																																																																												





Mode	33																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH9_Full RU_2452MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.07</td><td>68.90</td><td>74.00</td><td>-5.10</td><td>52.35</td><td>32.13</td><td>9.06</td><td>30.64</td><td>6.00</td><td>352</td><td>93</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.07	68.90	74.00	-5.10	52.35	32.13	9.06	30.64	6.00	352	93	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>109.46</td><td>-----</td><td>-----</td><td>93.15</td><td>32.08</td><td>8.96</td><td>30.73</td><td>6.00</td><td>352</td><td>93</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	109.46	-----	-----	93.15	32.08	8.96	30.73	6.00	352	93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2485.07	68.90	74.00	-5.10	52.35	32.13	9.06	30.64	6.00	352	93	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	109.46	-----	-----	93.15	32.08	8.96	30.73	6.00	352	93	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.15</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>33.18</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>352</td><td>93</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.15	49.72	54.00	-4.28	33.18	32.13	9.05	30.64	6.00	352	93	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>99.10</td><td>-----</td><td>-----</td><td>82.79</td><td>32.08</td><td>8.96</td><td>30.73</td><td>6.00</td><td>352</td><td>93</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	99.10	-----	-----	82.79	32.08	8.96	30.73	6.00	352	93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2484.15	49.72	54.00	-4.28	33.18	32.13	9.05	30.64	6.00	352	93	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	99.10	-----	-----	82.79	32.08	8.96	30.73	6.00	352	93	AVERAGE																																																																																																			







Mode	33																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH9_Full RU_2452MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.89</td><td>61.20</td><td>74.00</td><td>-12.80</td><td>44.67</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>143</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	61.20	74.00	-12.80	44.67	32.13	9.05	30.65	6.00	143	64	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>104.25</td><td>-----</td><td>-----</td><td>87.94</td><td>32.08</td><td>8.96</td><td>30.73</td><td>6.00</td><td>143</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	104.25	-----	-----	87.94	32.08	8.96	30.73	6.00	143	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.89	61.20	74.00	-12.80	44.67	32.13	9.05	30.65	6.00	143	64	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	104.25	-----	-----	87.94	32.08	8.96	30.73	6.00	143	64	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.89</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>30.12</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>143</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	46.65	54.00	-7.35	30.12	32.13	9.05	30.65	6.00	143	64	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>94.10</td><td>-----</td><td>-----</td><td>77.81</td><td>32.08</td><td>8.95</td><td>30.74</td><td>6.00</td><td>143</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	94.10	-----	-----	77.81	32.08	8.95	30.74	6.00	143	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.89	46.65	54.00	-7.35	30.12	32.13	9.05	30.65	6.00	143	64	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	94.10	-----	-----	77.81	32.08	8.95	30.74	6.00	143	64	AVERAGE																																																																																																			







Mode	33																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11g_CH9_Full RU_2452MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>70.79</td><td>34.10</td><td>12.20</td><td>65.44</td><td>0.00</td><td>105</td><td>209</td><td>PEAK</td></tr><tr><td>2</td><td>4904.00</td><td>41.12</td><td>54.00</td><td>-12.88</td><td>60.26</td><td>34.10</td><td>12.20</td><td>65.44</td><td>0.00</td><td>105</td><td>209</td><td>AVERAGE</td></tr><tr><td>3</td><td>7356.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>59.84</td><td>35.00</td><td>14.76</td><td>65.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	51.65	74.00	-22.35	70.79	34.10	12.20	65.44	0.00	105	209	PEAK	2	4904.00	41.12	54.00	-12.88	60.26	34.10	12.20	65.44	0.00	105	209	AVERAGE	3	7356.00	45.13	74.00	-28.87	59.84	35.00	14.76	65.27	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>65.06</td><td>34.10</td><td>12.20</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>42.44</td><td>74.00</td><td>-31.56</td><td>57.15</td><td>35.00</td><td>14.76</td><td>65.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	45.92	74.00	-28.08	65.06	34.10	12.20	65.44	0.00	---	---	PEAK	2	7356.00	42.44	74.00	-31.56	57.15	35.00	14.76	65.27	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4904.00	51.65	74.00	-22.35	70.79	34.10	12.20	65.44	0.00	105	209	PEAK																																																																																																																															
2	4904.00	41.12	54.00	-12.88	60.26	34.10	12.20	65.44	0.00	105	209	AVERAGE																																																																																																																															
3	7356.00	45.13	74.00	-28.87	59.84	35.00	14.76	65.27	0.00	---	---	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4904.00	45.92	74.00	-28.08	65.06	34.10	12.20	65.44	0.00	---	---	PEAK																																																																																																																															
2	7356.00	42.44	74.00	-31.56	57.15	35.00	14.76	65.27	0.00	---	---	PEAK																																																																																																																															





Mode	34																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11g_CH10_Full RU_2457MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.38</td><td>65.20</td><td>74.00</td><td>-8.80</td><td>48.66</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>100</td><td>96 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.38	65.20	74.00	-8.80	48.66	32.13	9.05	30.64	6.00	100	96 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>110.33</td><td>-----</td><td>-----</td><td>94.00</td><td>32.08</td><td>8.97</td><td>30.72</td><td>6.00</td><td>100</td><td>96 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	110.33	-----	-----	94.00	32.08	8.97	30.72	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2484.38	65.20	74.00	-8.80	48.66	32.13	9.05	30.64	6.00	100	96 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2457.00	110.33	-----	-----	94.00	32.08	8.97	30.72	6.00	100	96 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.58</td><td>50.10</td><td>54.00</td><td>-3.90</td><td>33.57</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>100</td><td>96 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	50.10	54.00	-3.90	33.57	32.13	9.05	30.65	6.00	100	96 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>101.27</td><td>-----</td><td>-----</td><td>84.94</td><td>32.08</td><td>8.97</td><td>30.72</td><td>6.00</td><td>100</td><td>96 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	101.27	-----	-----	84.94	32.08	8.97	30.72	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.58	50.10	54.00	-3.90	33.57	32.13	9.05	30.65	6.00	100	96 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2457.00	101.27	-----	-----	84.94	32.08	8.97	30.72	6.00	100	96 AVERAGE																																																																																						







Mode	34																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH10_Full RU_2457MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.34</td><td>62.25</td><td>74.00</td><td>-11.75</td><td>45.71</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>370</td><td>137</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	62.25	74.00	-11.75	45.71	32.13	9.05	30.64	6.00	370	137	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>108.77</td><td>-----</td><td>-----</td><td>92.44</td><td>32.08</td><td>8.97</td><td>30.72</td><td>6.00</td><td>370</td><td>137</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	108.77	-----	-----	92.44	32.08	8.97	30.72	6.00	370	137
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.34	62.25	74.00	-11.75	45.71	32.13	9.05	30.64	6.00	370	137	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	108.77	-----	-----	92.44	32.08	8.97	30.72	6.00	370	137	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.55</td><td>48.91</td><td>54.00</td><td>-5.09</td><td>32.38</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>370</td><td>137</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	48.91	54.00	-5.09	32.38	32.13	9.05	30.65	6.00	370	137	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>99.69</td><td>-----</td><td>-----</td><td>83.35</td><td>32.09</td><td>8.97</td><td>30.72</td><td>6.00</td><td>370</td><td>137</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	99.69	-----	-----	83.35	32.09	8.97	30.72	6.00	370	137
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.55	48.91	54.00	-5.09	32.38	32.13	9.05	30.65	6.00	370	137	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	99.69	-----	-----	83.35	32.09	8.97	30.72	6.00	370	137	AVERAGE																																																																																							







Mode	34																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11g_CH10_Full RU_2457MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal							Vertical																																																																																																																						
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>68.45</td><td>34.10</td><td>12.21</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7371.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>58.73</td><td>35.00</td><td>14.77</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4914.00	49.32	74.00	-24.68	68.45	34.10	12.21	65.44	0.00	---	---	Peak	2	7371.00	44.02	74.00	-29.98	58.73	35.00	14.77	65.28	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>68.36</td><td>34.10</td><td>12.21</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7371.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>58.07</td><td>35.00</td><td>14.77</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4914.00	49.23	74.00	-24.77	68.36	34.10	12.21	65.44	0.00	---	---	Peak	2	7371.00	43.36	74.00	-30.64	58.07	35.00	14.77	65.28	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4914.00	49.32	74.00	-24.68	68.45	34.10	12.21	65.44	0.00	---	---	Peak																																																																																																																		
2	7371.00	44.02	74.00	-29.98	58.73	35.00	14.77	65.28	0.00	---	---	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4914.00	49.23	74.00	-24.77	68.36	34.10	12.21	65.44	0.00	---	---	Peak																																																																																																																		
2	7371.00	43.36	74.00	-30.64	58.07	35.00	14.77	65.28	0.00	---	---	Peak																																																																																																																		



Mode	35																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.16</td><td>59.86</td><td>74.00</td><td>-14.14</td><td>43.46</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>240 328 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.16	59.86	74.00	-14.14	43.46	32.40	8.88	30.88	6.00	240 328 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.04</td><td>-----</td><td>-----</td><td>88.64</td><td>32.40</td><td>8.90</td><td>30.90</td><td>6.00</td><td>240 328 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	105.04	-----	-----	88.64	32.40	8.90	30.90	6.00	240 328 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2484.16	59.86	74.00	-14.14	43.46	32.40	8.88	30.88	6.00	240 328 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2462.00	105.04	-----	-----	88.64	32.40	8.90	30.90	6.00	240 328 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>29.16</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>240 328 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	45.56	54.00	-8.44	29.16	32.40	8.88	30.88	6.00	240 328 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.19</td><td>-----</td><td>-----</td><td>78.79</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>240 328 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	95.19	-----	-----	78.79	32.40	8.89	30.89	6.00	240 328 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2483.56	45.56	54.00	-8.44	29.16	32.40	8.88	30.88	6.00	240 328 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2462.00	95.19	-----	-----	78.79	32.40	8.89	30.89	6.00	240 328 AVERAGE																																																																																									



Mode	35																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>56.75</td><td>74.00</td><td>-17.25</td><td>40.35</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>112 252 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	56.75	74.00	-17.25	40.35	32.40	8.88	30.88	6.00	112 252 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.74</td><td>-----</td><td>-----</td><td>88.34</td><td>32.40</td><td>8.90</td><td>30.90</td><td>6.00</td><td>112 252 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.74	-----	-----	88.34	32.40	8.90	30.90	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.62	56.75	74.00	-17.25	40.35	32.40	8.88	30.88	6.00	112 252 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	104.74	-----	-----	88.34	32.40	8.90	30.90	6.00	112 252 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>44.88</td><td>54.00</td><td>-9.12</td><td>28.48</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>112 252 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	44.88	54.00	-9.12	28.48	32.40	8.88	30.88	6.00	112 252 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.25</td><td>-----</td><td>-----</td><td>78.85</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>112 252 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.25	-----	-----	78.85	32.40	8.89	30.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.62	44.88	54.00	-9.12	28.48	32.40	8.88	30.88	6.00	112 252 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	95.25	-----	-----	78.85	32.40	8.89	30.89	6.00	112 252 AVERAGE																																																																																								







Mode	35																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal												Vertical																																																																																																																																											
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>43.83</td><td>74.00</td><td>-30.17</td><td>62.95</td><td>34.10</td><td>12.22</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>57.47</td><td>35.00</td><td>14.78</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	43.83	74.00	-30.17	62.95	34.10	12.22	65.44	0.00	---	---	Peak	2	7386.00	42.76	74.00	-31.24	57.47	35.00	14.78	65.29	0.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>63.54</td><td>34.10</td><td>12.22</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>41.94</td><td>74.00</td><td>-32.06</td><td>56.65</td><td>35.00</td><td>14.78</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	44.42	74.00	-29.58	63.54	34.10	12.22	65.44	0.00	---	---	Peak	2	7386.00	41.94	74.00	-32.06	56.65	35.00	14.78	65.29	0.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4924.00	43.83	74.00	-30.17	62.95	34.10	12.22	65.44	0.00	---	---	Peak																																																																																																																																												
2	7386.00	42.76	74.00	-31.24	57.47	35.00	14.78	65.29	0.00	---	---	Peak																																																																																																																																												
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4924.00	44.42	74.00	-29.58	63.54	34.10	12.22	65.44	0.00	---	---	Peak																																																																																																																																												
2	7386.00	41.94	74.00	-32.06	56.65	35.00	14.78	65.29	0.00	---	---	Peak																																																																																																																																												





Mode	36																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>66.08</td><td>74.00</td><td>-7.92</td><td>49.68</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>374 325 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	66.08	74.00	-7.92	49.68	32.40	8.88	30.88	6.00	374 325 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>102.61</td><td>-----</td><td>-----</td><td>86.21</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>374 325 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	102.61	-----	-----	86.21	32.40	8.89	30.89	6.00	374 325 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.55	66.08	74.00	-7.92	49.68	32.40	8.88	30.88	6.00	374 325 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	102.61	-----	-----	86.21	32.40	8.89	30.89	6.00	374 325 PEAK																																																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.06</td><td>54.00</td><td>-6.94</td><td>30.66</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>374 325 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.06	54.00	-6.94	30.66	32.40	8.88	30.88	6.00	374 325 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>93.33</td><td>-----</td><td>-----</td><td>76.93</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>374 325 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	93.33	-----	-----	76.93	32.40	8.89	30.89	6.00	374 325 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	47.06	54.00	-6.94	30.66	32.40	8.88	30.88	6.00	374 325 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	93.33	-----	-----	76.93	32.40	8.89	30.89	6.00	374 325 AVERAGE																																																																																									







Mode	36																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>63.98</td><td>74.00</td><td>-10.02</td><td>47.58</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>111 250 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	63.98	74.00	-10.02	47.58	32.40	8.88	30.88	6.00	111 250 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>102.03</td><td>-----</td><td>-----</td><td>85.63</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>111 250 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	102.03	-----	-----	85.63	32.40	8.89	30.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.60	63.98	74.00	-10.02	47.58	32.40	8.88	30.88	6.00	111 250 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2467.00	102.03	-----	-----	85.63	32.40	8.89	30.89	6.00	111 250 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>29.31</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>111 250 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	45.71	54.00	-8.29	29.31	32.40	8.88	30.88	6.00	111 250 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>92.87</td><td>-----</td><td>-----</td><td>76.47</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>111 250 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	92.87	-----	-----	76.47	32.40	8.89	30.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.55	45.71	54.00	-8.29	29.31	32.40	8.88	30.88	6.00	111 250 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2467.00	92.87	-----	-----	76.47	32.40	8.89	30.89	6.00	111 250 AVERAGE																																																																																								







Mode	36																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>40.53</td><td>74.00</td><td>-33.47</td><td>59.63</td><td>34.10</td><td>12.24</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>42.30</td><td>74.00</td><td>-31.70</td><td>57.01</td><td>35.00</td><td>14.79</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	40.53	74.00	-33.47	59.63	34.10	12.24	65.44	0.00	---	---	PEAK	2	7401.00	42.30	74.00	-31.70	57.01	35.00	14.79	65.30	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>41.00</td><td>74.00</td><td>-33.00</td><td>60.10</td><td>34.10</td><td>12.24</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>42.36</td><td>74.00</td><td>-31.64</td><td>57.07</td><td>35.00</td><td>14.79</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	41.00	74.00	-33.00	60.10	34.10	12.24	65.44	0.00	---	---	PEAK	2	7401.00	42.36	74.00	-31.64	57.07	35.00	14.79	65.30	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4934.00	40.53	74.00	-33.47	59.63	34.10	12.24	65.44	0.00	---	---	PEAK																																																																																																																		
2	7401.00	42.30	74.00	-31.70	57.01	35.00	14.79	65.30	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4934.00	41.00	74.00	-33.00	60.10	34.10	12.24	65.44	0.00	---	---	PEAK																																																																																																																		
2	7401.00	42.36	74.00	-31.64	57.07	35.00	14.79	65.30	0.00	---	---	PEAK																																																																																																																		



Mode	37																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11g_CH13_2472MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>58.97</td><td>74.00</td><td>-15.03</td><td>42.57</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>232 328 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	58.97	74.00	-15.03	42.57	32.40	8.88	30.88	6.00	232 328 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>100.16</td><td>-----</td><td>83.76</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>232</td><td>328 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	100.16	-----	83.76	32.40	8.89	30.89	6.00	232	328 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.80	58.97	74.00	-15.03	42.57	32.40	8.88	30.88	6.00	232 328 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2472.00	100.16	-----	83.76	32.40	8.89	30.89	6.00	232	328 PEAK																																																																																
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.10</td><td>47.63</td><td>54.00</td><td>-6.37</td><td>31.23</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>232 328 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	47.63	54.00	-6.37	31.23	32.40	8.88	30.88	6.00	232 328 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2472.00</td><td>90.99</td><td>-----</td><td>74.59</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>232</td><td>328 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	90.99	-----	74.59	32.40	8.89	30.89	6.00	232	328 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2484.10	47.63	54.00	-6.37	31.23	32.40	8.88	30.88	6.00	232 328 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2472.00	90.99	-----	74.59	32.40	8.89	30.89	6.00	232	328 AVERAGE																																																																																







Mode	37																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.25</td><td>57.41</td><td>74.00</td><td>-16.59</td><td>41.01</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>116</td><td>251 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.25	57.41	74.00	-16.59	41.01	32.40	8.88	30.88	6.00	116	251 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>100.51</td><td>-----</td><td>-----</td><td>84.11</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>116</td><td>251 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	100.51	-----	-----	84.11	32.40	8.89	30.89	6.00	116
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2484.25	57.41	74.00	-16.59	41.01	32.40	8.88	30.88	6.00	116	251 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2472.00	100.51	-----	-----	84.11	32.40	8.89	30.89	6.00	116	251 PEAK																																																																																																				
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.20</td><td>46.84</td><td>54.00</td><td>-7.16</td><td>30.44</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>116</td><td>251 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.20	46.84	54.00	-7.16	30.44	32.40	8.88	30.88	6.00	116	251 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>90.73</td><td>-----</td><td>-----</td><td>74.33</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>116</td><td>251 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	90.73	-----	-----	74.33	32.40	8.89	30.89	6.00	116
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2484.20	46.84	54.00	-7.16	30.44	32.40	8.88	30.88	6.00	116	251 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2472.00	90.73	-----	-----	74.33	32.40	8.89	30.89	6.00	116	251 AVERAGE																																																																																																				







Mode	37																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4944.00</td><td>40.50</td><td>74.00</td><td>-33.50</td><td>59.59</td><td>34.10</td><td>12.25</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>42.11</td><td>74.00</td><td>-31.89</td><td>56.78</td><td>35.00</td><td>14.84</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.50	74.00	-33.50	59.59	34.10	12.25	65.44	0.00	---	---	PEAK	2	7416.00	42.11	74.00	-31.89	56.78	35.00	14.84	65.31	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4944.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>59.20</td><td>34.10</td><td>12.25</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>56.19</td><td>35.00</td><td>14.84</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	40.11	74.00	-33.89	59.20	34.10	12.25	65.44	0.00	---	---	PEAK	2	7416.00	41.52	74.00	-32.48	56.19	35.00	14.84	65.31	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4944.00	40.50	74.00	-33.50	59.59	34.10	12.25	65.44	0.00	---	---	PEAK																																																																																																																		
2	7416.00	42.11	74.00	-31.89	56.78	35.00	14.84	65.31	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4944.00	40.11	74.00	-33.89	59.20	34.10	12.25	65.44	0.00	---	---	PEAK																																																																																																																		
2	7416.00	41.52	74.00	-32.48	56.19	35.00	14.84	65.31	0.00	---	---	PEAK																																																																																																																		





Mode	38																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.00</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>39.78</td><td>32.35</td><td>8.81</td><td>30.95</td><td>6.00</td><td>100</td><td>333 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2375.00	55.99	74.00	-18.01	39.78	32.35	8.81	30.95	6.00	100	333 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.39</td><td>-----</td><td>-----</td><td>85.00</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>100</td><td>333 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	101.39	-----	-----	85.00	32.40	8.92	30.93	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2375.00	55.99	74.00	-18.01	39.78	32.35	8.81	30.95	6.00	100	333 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2412.00	101.39	-----	-----	85.00	32.40	8.92	30.93	6.00	100	333 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2309.69</td><td>44.40</td><td>54.00</td><td>-9.60</td><td>28.09</td><td>32.38</td><td>8.88</td><td>30.95</td><td>6.00</td><td>100</td><td>333 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2309.69	44.40	54.00	-9.60	28.09	32.38	8.88	30.95	6.00	100	333 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>92.22</td><td>-----</td><td>-----</td><td>75.83</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>100</td><td>333 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	92.22	-----	-----	75.83	32.40	8.92	30.93	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2309.69	44.40	54.00	-9.60	28.09	32.38	8.88	30.95	6.00	100	333 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2412.00	92.22	-----	-----	75.83	32.40	8.92	30.93	6.00	100	333 AVERAGE																																																																																										



Mode	38																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>56.69</td><td>74.00</td><td>-17.31</td><td>40.38</td><td>32.38</td><td>8.88</td><td>30.95</td><td>6.00</td><td>105</td><td>240 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	56.69	74.00	-17.31	40.38	32.38	8.88	30.95	6.00	105	240 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>105.09</td><td>-----</td><td>-----</td><td>88.70</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>105</td><td>240 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.09	-----	-----	88.70	32.40	8.92	30.93	6.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.43	56.69	74.00	-17.31	40.38	32.38	8.88	30.95	6.00	105	240 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	105.09	-----	-----	88.70	32.40	8.92	30.93	6.00	105	240 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.30</td><td>45.30</td><td>54.00</td><td>-8.70</td><td>28.99</td><td>32.38</td><td>8.88</td><td>30.95</td><td>6.00</td><td>105</td><td>240 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	45.30	54.00	-8.70	28.99	32.38	8.88	30.95	6.00	105	240 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>96.03</td><td>-----</td><td>-----</td><td>79.64</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>105</td><td>240 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.03	-----	-----	79.64	32.40	8.92	30.93	6.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.30	45.30	54.00	-8.70	28.99	32.38	8.88	30.95	6.00	105	240 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	96.03	-----	-----	79.64	32.40	8.92	30.93	6.00	105	240 AVERAGE																																																																																									



Mode	38																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>63.84</td><td>34.10</td><td>12.48</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	44.99	74.00	-29.01	63.84	34.10	12.48	65.43	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>65.88</td><td>34.10</td><td>12.48</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	47.03	74.00	-26.97	65.88	34.10	12.48	65.43	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	44.99	74.00	-29.01	63.84	34.10	12.48	65.43	0.00	---	---	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	47.03	74.00	-26.97	65.88	34.10	12.48	65.43	0.00	---	---	Peak																																																																																								





Mode	39																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11n HT20_CH02_Full RU_2417MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.65</td><td>68.83</td><td>74.00</td><td>-5.17</td><td>52.97</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>118</td><td>31 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	68.83	74.00	-5.17	52.97	31.98	8.77	30.89	6.00	118	31 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>108.73</td><td>-----</td><td>-----</td><td>92.66</td><td>32.03</td><td>8.86</td><td>30.82</td><td>6.00</td><td>118</td><td>31 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	108.73	-----	-----	92.66	32.03	8.86	30.82	6.00	118	31 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2388.65	68.83	74.00	-5.17	52.97	31.98	8.77	30.89	6.00	118	31 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2417.00	108.73	-----	-----	92.66	32.03	8.86	30.82	6.00	118	31 PEAK																																																																																							
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>50.96</td><td>54.00</td><td>-3.04</td><td>35.10</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>118</td><td>31 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	50.96	54.00	-3.04	35.10	31.98	8.77	30.89	6.00	118	31 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>99.67</td><td>-----</td><td>-----</td><td>83.62</td><td>32.03</td><td>8.85</td><td>30.83</td><td>6.00</td><td>118</td><td>31 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	99.67	-----	-----	83.62	32.03	8.85	30.83	6.00	118	31 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2388.91	50.96	54.00	-3.04	35.10	31.98	8.77	30.89	6.00	118	31 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2417.00	99.67	-----	-----	83.62	32.03	8.85	30.83	6.00	118	31 AVERAGE																																																																																							



Mode	39																																																						
	Band Edge																																																						
	2400-2483.5_802.11n HT20_CH02_Full RU_2417MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>65.23</td><td>74.00</td><td>-8.77</td><td>49.37</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>378</td><td>133</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	65.23	74.00	-8.77	49.37	31.98	8.77	30.89	6.00	378	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2388.91	65.23	74.00	-8.77	49.37	31.98	8.77	30.89	6.00	378	133	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>48.04</td><td>54.00</td><td>-5.96</td><td>32.18</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>378</td><td>133</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	48.04	54.00	-5.96	32.18	31.98	8.77	30.89	6.00	378	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.56	48.04	54.00	-5.96	32.18	31.98	8.77	30.89	6.00	378	133	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>107.16</td><td>-----</td><td>-----</td><td>91.09</td><td>32.03</td><td>8.86</td><td>30.82</td><td>6.00</td><td>378</td><td>133</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	107.16	-----	-----	91.09	32.03	8.86	30.82	6.00	378	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2417.00	107.16	-----	-----	91.09	32.03	8.86	30.82	6.00	378	133	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>98.03</td><td>-----</td><td>-----</td><td>81.98</td><td>32.03</td><td>8.85</td><td>30.83</td><td>6.00</td><td>378</td><td>133</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	98.03	-----	-----	81.98	32.03	8.85	30.83	6.00	378	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2417.00	98.03	-----	-----	81.98	32.03	8.85	30.83	6.00	378	133	AVERAGE																																											



Mode	39																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11n HT20_CH02_Full RU_2417MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>70.01</td><td>34.10</td><td>12.44</td><td>65.43</td><td>0.00</td><td>332</td><td>306</td><td>PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>39.50</td><td>54.00</td><td>-14.50</td><td>58.39</td><td>34.10</td><td>12.44</td><td>65.43</td><td>0.00</td><td>332</td><td>306</td><td>AVERAGE</td></tr><tr><td>3</td><td>7251.00</td><td>43.58</td><td>74.00</td><td>-30.42</td><td>58.32</td><td>35.00</td><td>14.67</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	51.12	74.00	-22.88	70.01	34.10	12.44	65.43	0.00	332	306	PEAK	2	4834.00	39.50	54.00	-14.50	58.39	34.10	12.44	65.43	0.00	332	306	AVERAGE	3	7251.00	43.58	74.00	-30.42	58.32	35.00	14.67	65.21	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>50.87</td><td>74.00</td><td>-23.13</td><td>69.76</td><td>34.10</td><td>12.44</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7251.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>58.28</td><td>35.00</td><td>14.67</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	50.87	74.00	-23.13	69.76	34.10	12.44	65.43	0.00	---	---	Peak	2	7251.00	43.54	74.00	-30.46	58.28	35.00	14.67	65.21	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4834.00	51.12	74.00	-22.88	70.01	34.10	12.44	65.43	0.00	332	306	PEAK																																																																																																																															
2	4834.00	39.50	54.00	-14.50	58.39	34.10	12.44	65.43	0.00	332	306	AVERAGE																																																																																																																															
3	7251.00	43.58	74.00	-30.42	58.32	35.00	14.67	65.21	0.00	---	---	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4834.00	50.87	74.00	-23.13	69.76	34.10	12.44	65.43	0.00	---	---	Peak																																																																																																																															
2	7251.00	43.54	74.00	-30.46	58.28	35.00	14.67	65.21	0.00	---	---	Peak																																																																																																																															



Mode	40																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11n HT20_CH06_Full RU_2437MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 70.0 dBuV/m (FCC PART 15C), and a red average line at 52.5 dBuV/m (FCC PART 15C (AVG)). Two peaks are marked with vertical blue lines and numbered 1 and 2.						Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 70.0 dBuV/m (FCC PART 15C), and a red average line at 52.5 dBuV/m (FCC PART 15C (AVG)). Three peaks are marked with vertical blue lines and numbered 1, 2, and 3.																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>49.48</td><td>74.00</td><td>-24.52</td><td>68.53</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>46.43</td><td>74.00</td><td>-27.57</td><td>61.15</td><td>35.00</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	49.48	74.00	-24.52	68.53	34.10	12.29	65.44	0.00	---	---	Peak	2	7311.00	46.43	74.00	-27.57	61.15	35.00	14.73	65.25	0.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>75.09</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>366</td><td>236</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>63.40</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>366</td><td>236</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>62.00</td><td>35.80</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	56.04	74.00	-17.96	75.09	34.10	12.29	65.44	0.00	366	236	Peak	2	4874.00	44.35	54.00	-9.65	63.40	34.10	12.29	65.44	0.00	366	236	Average	3	7311.00	48.08	74.00	-25.92	62.00	35.80	14.73	65.25	0.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4874.00	49.48	74.00	-24.52	68.53	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																																																											
2	7311.00	46.43	74.00	-27.57	61.15	35.00	14.73	65.25	0.00	---	---	Peak																																																																																																																																											
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4874.00	56.04	74.00	-17.96	75.09	34.10	12.29	65.44	0.00	366	236	Peak																																																																																																																																											
2	4874.00	44.35	54.00	-9.65	63.40	34.10	12.29	65.44	0.00	366	236	Average																																																																																																																																											
3	7311.00	48.08	74.00	-25.92	62.00	35.80	14.73	65.25	0.00	---	---	Peak																																																																																																																																											

Mode

41

Band Edge

2400-2483.5_802.11n HT20_CH9_Full RU_2452MHz


ANT

1


Pol.

Horizontal

Peak




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 2484.46	65.65	74.00	-8.35	49.11	32.13	9.05	30.64	6.00	348	91 PEAK




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 2452.00	110.63	-----	-----	94.32	32.08	8.96	30.73	6.00	348	91 PEAK

Avg







	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 2483.96	49.45	54.00	-4.55	32.91	32.13	9.05	30.64	6.00	348	91 AVERAGE



	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 2452.00	100.50	-----	-----	84.21	32.08	8.95	30.74	6.00	348	91 AVERAGE







Mode	41																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_802.11n HT20_CH9_Full RU_2452MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 2483.55</td><td>61.43</td><td>74.00</td><td>-12.57</td><td>44.90</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>108</td><td>67</td><td colspan="2">PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 2483.55	61.43	74.00	-12.57	44.90	32.13	9.05	30.65	6.00	108	67	PEAK		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 2452.00</td><td>108.17</td><td>-----</td><td>-----</td><td>91.86</td><td>32.08</td><td>8.96</td><td>30.73</td><td>6.00</td><td>108</td><td>67</td><td colspan="2">PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 2452.00	108.17	-----	-----	91.86	32.08	8.96	30.73	6.00	108	67	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1 2483.55	61.43	74.00	-12.57	44.90	32.13	9.05	30.65	6.00	108	67	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1 2452.00	108.17	-----	-----	91.86	32.08	8.96	30.73	6.00	108	67	PEAK																																																																																																								
Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 2484.38</td><td>46.94</td><td>54.00</td><td>-7.06</td><td>30.40</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>108</td><td>67</td><td colspan="2">AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 2484.38	46.94	54.00	-7.06	30.40	32.13	9.05	30.64	6.00	108	67	AVERAGE		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 2452.00</td><td>98.17</td><td>-----</td><td>-----</td><td>81.86</td><td>32.08</td><td>8.96</td><td>30.73</td><td>6.00</td><td>108</td><td>67</td><td colspan="2">AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 2452.00	98.17	-----	-----	81.86	32.08	8.96	30.73	6.00	108	67	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1 2484.38	46.94	54.00	-7.06	30.40	32.13	9.05	30.64	6.00	108	67	AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1 2452.00	98.17	-----	-----	81.86	32.08	8.96	30.73	6.00	108	67	AVERAGE																																																																																																								







Mode	41																																																																																	
	Harmonic																																																																																	
	2400-2483.5_802.11n HT20_CH9_Full RU_2452MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal trace, a red limit line at 70.0 dBuV/m (FCC PART 15C), and a red average line at 52.5 dBuV/m (FCC PART 15C (AVG)). Two peaks are marked with vertical blue lines and labeled 1 and 3. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>52.93</td><td>74.00</td><td>-21.07</td><td>72.07</td><td>34.10</td><td>12.20</td><td>65.44</td><td>0.00</td><td>100</td><td>207</td><td>PEAK</td></tr><tr><td>2</td><td>4904.00</td><td>40.95</td><td>54.00</td><td>-13.05</td><td>60.09</td><td>34.10</td><td>12.20</td><td>65.44</td><td>0.00</td><td>100</td><td>207</td><td>AVERAGE</td></tr><tr><td>3</td><td>7356.00</td><td>43.94</td><td>74.00</td><td>-30.06</td><td>58.65</td><td>35.00</td><td>14.76</td><td>65.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	52.93	74.00	-21.07	72.07	34.10	12.20	65.44	0.00	100	207	PEAK	2	4904.00	40.95	54.00	-13.05	60.09	34.10	12.20	65.44	0.00	100	207	AVERAGE	3	7356.00	43.94	74.00	-30.06	58.65	35.00	14.76	65.27	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	4904.00	52.93	74.00	-21.07	72.07	34.10	12.20	65.44	0.00	100	207	PEAK																																																																						
2	4904.00	40.95	54.00	-13.05	60.09	34.10	12.20	65.44	0.00	100	207	AVERAGE																																																																						
3	7356.00	43.94	74.00	-30.06	58.65	35.00	14.76	65.27	0.00	---	---	PEAK																																																																						
	Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal trace, a red limit line at 70.0 dBuV/m (FCC PART 15C), and a red average line at 52.5 dBuV/m (FCC PART 15C (AVG)). Two peaks are marked with vertical blue lines and labeled 1 and 2. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>64.99</td><td>34.10</td><td>12.20</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.23</td><td>74.00</td><td>-30.77</td><td>57.94</td><td>35.00</td><td>14.76</td><td>65.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	45.85	74.00	-28.15	64.99	34.10	12.20	65.44	0.00	---	---	PEAK	2	7356.00	43.23	74.00	-30.77	57.94	35.00	14.76	65.27	0.00	---	---	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	4904.00	45.85	74.00	-28.15	64.99	34.10	12.20	65.44	0.00	---	---	PEAK																																																																						
2	7356.00	43.23	74.00	-30.77	57.94	35.00	14.76	65.27	0.00	---	---	PEAK																																																																						





Mode	42																																																					
	Band Edge																																																					
	2400-2483.5_802.11n HT20_CH10_Full RU_2457MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>68.93</td><td>74.00</td><td>-5.07</td><td>52.39</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>100</td><td>95 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	68.93	74.00	-5.07	52.39	32.13	9.05	30.64	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.34	68.93	74.00	-5.07	52.39	32.13	9.05	30.64	6.00	100	95 PEAK																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>109.07</td><td>-----</td><td>-----</td><td>92.74</td><td>32.08</td><td>8.97</td><td>30.72</td><td>6.00</td><td>100</td><td>95 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	109.07	-----	-----	92.74	32.08	8.97	30.72	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2457.00	109.07	-----	-----	92.74	32.08	8.97	30.72	6.00	100	95 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.53</td><td>49.78</td><td>54.00</td><td>-4.22</td><td>33.24</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>100</td><td>95 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.53	49.78	54.00	-4.22	33.24	32.13	9.05	30.64	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.53	49.78	54.00	-4.22	33.24	32.13	9.05	30.64	6.00	100	95 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>99.80</td><td>-----</td><td>-----</td><td>83.47</td><td>32.08</td><td>8.97</td><td>30.72</td><td>6.00</td><td>100</td><td>95 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	99.80	-----	-----	83.47	32.08	8.97	30.72	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2457.00	99.80	-----	-----	83.47	32.08	8.97	30.72	6.00	100	95 AVERAGE																																											







Mode	42																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11n HT20_CH10_Full RU_2457MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.04</td><td>67.29</td><td>74.00</td><td>-6.71</td><td>50.75</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>369</td><td>137</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	67.29	74.00	-6.71	50.75	32.13	9.05	30.64	6.00	369	137	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>107.58</td><td>-----</td><td>-----</td><td>91.22</td><td>32.09</td><td>8.98</td><td>30.71</td><td>6.00</td><td>369</td><td>137</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	107.58	-----	-----	91.22	32.09	8.98	30.71	6.00	369	137
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.04	67.29	74.00	-6.71	50.75	32.13	9.05	30.64	6.00	369	137	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	107.58	-----	-----	91.22	32.09	8.98	30.71	6.00	369	137	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>48.62</td><td>54.00</td><td>-5.38</td><td>32.09</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>369</td><td>137</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	48.62	54.00	-5.38	32.09	32.13	9.05	30.65	6.00	369	137	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>98.59</td><td>-----</td><td>-----</td><td>82.25</td><td>32.09</td><td>8.97</td><td>30.72</td><td>6.00</td><td>369</td><td>137</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	98.59	-----	-----	82.25	32.09	8.97	30.72	6.00	369	137
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	48.62	54.00	-5.38	32.09	32.13	9.05	30.65	6.00	369	137	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	98.59	-----	-----	82.25	32.09	8.97	30.72	6.00	369	137	AVERAGE																																																																																							







Mode	42																																																																											
	Harmonic																																																																											
	2400-2483.5_802.11n HT20_CH10_Full RU_2457MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4914.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>66.60</td><td>34.10</td><td>12.21</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>58.47</td><td>35.00</td><td>14.77</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	47.47	74.00	-26.53	66.60	34.10	12.21	65.44	0.00	---	---	PEAK	2	7371.00	43.76	74.00	-30.24	58.47	35.00	14.77	65.28	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	4914.00	47.47	74.00	-26.53	66.60	34.10	12.21	65.44	0.00	---	---	PEAK																																																																
2	7371.00	43.76	74.00	-30.24	58.47	35.00	14.77	65.28	0.00	---	---	PEAK																																																																
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4914.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>65.75</td><td>34.10</td><td>12.21</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>42.88</td><td>74.00</td><td>-31.12</td><td>57.59</td><td>35.00</td><td>14.77</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	46.62	74.00	-27.38	65.75	34.10	12.21	65.44	0.00	---	---	PEAK	2	7371.00	42.88	74.00	-31.12	57.59	35.00	14.77	65.28	0.00	---	---	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	4914.00	46.62	74.00	-27.38	65.75	34.10	12.21	65.44	0.00	---	---	PEAK																																																																
2	7371.00	42.88	74.00	-31.12	57.59	35.00	14.77	65.28	0.00	---	---	PEAK																																																																





Mode	43																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.46</td><td>69.68</td><td>74.00</td><td>-4.32</td><td>53.28</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>341 329 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	69.68	74.00	-4.32	53.28	32.40	8.88	30.88	6.00	341 329 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.36</td><td>-----</td><td>-----</td><td>87.97</td><td>32.40</td><td>8.89</td><td>30.90</td><td>6.00</td><td>341 329 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.36	-----	-----	87.97	32.40	8.89	30.90	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.46	69.68	74.00	-4.32	53.28	32.40	8.88	30.88	6.00	341 329 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	104.36	-----	-----	87.97	32.40	8.89	30.90	6.00	341 329 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.74</td><td>50.95</td><td>54.00</td><td>-3.05</td><td>34.55</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>341 329 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	50.95	54.00	-3.05	34.55	32.40	8.88	30.88	6.00	341 329 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.05</td><td>-----</td><td>-----</td><td>78.65</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>341 329 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.05	-----	-----	78.65	32.40	8.89	30.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.74	50.95	54.00	-3.05	34.55	32.40	8.88	30.88	6.00	341 329 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	95.05	-----	-----	78.65	32.40	8.89	30.89	6.00	341 329 AVERAGE																																																																																								







Mode	43																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>69.72</td><td>74.00</td><td>-4.28</td><td>53.32</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>100</td><td>232 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	69.72	74.00	-4.28	53.32	32.40	8.88	30.88	6.00	100	232 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>103.29</td><td>-----</td><td>-----</td><td>86.90</td><td>32.40</td><td>8.89</td><td>30.90</td><td>6.00</td><td>100</td><td>232 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.29	-----	-----	86.90	32.40	8.89	30.90	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	69.72	74.00	-4.28	53.32	32.40	8.88	30.88	6.00	100	232 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	103.29	-----	-----	86.90	32.40	8.89	30.90	6.00	100	232 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>49.92</td><td>54.00</td><td>-4.08</td><td>33.52</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>100</td><td>232 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	49.92	54.00	-4.08	33.52	32.40	8.88	30.88	6.00	100	232 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>94.15</td><td>-----</td><td>-----</td><td>77.75</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>100</td><td>232 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.15	-----	-----	77.75	32.40	8.89	30.89	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.56	49.92	54.00	-4.08	33.52	32.40	8.88	30.88	6.00	100	232 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	94.15	-----	-----	77.75	32.40	8.89	30.89	6.00	100	232 AVERAGE																																																																																									



Mode	43																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4924.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>64.37</td><td>34.10</td><td>12.22</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>42.62</td><td>74.00</td><td>-31.38</td><td>57.33</td><td>35.00</td><td>14.78</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	45.25	74.00	-28.75	64.37	34.10	12.22	65.44	0.00	---	---	Peak	2	7386.00	42.62	74.00	-31.38	57.33	35.00	14.78	65.29	0.00	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4924.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>65.45</td><td>34.10</td><td>12.22</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>42.44</td><td>74.00</td><td>-31.56</td><td>57.15</td><td>35.00</td><td>14.78</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	46.33	74.00	-27.67	65.45	34.10	12.22	65.44	0.00	---	---	Peak	2	7386.00	42.44	74.00	-31.56	57.15	35.00	14.78	65.29	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4924.00	45.25	74.00	-28.75	64.37	34.10	12.22	65.44	0.00	---	---	Peak																																																																																																																		
2	7386.00	42.62	74.00	-31.38	57.33	35.00	14.78	65.29	0.00	---	---	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4924.00	46.33	74.00	-27.67	65.45	34.10	12.22	65.44	0.00	---	---	Peak																																																																																																																		
2	7386.00	42.44	74.00	-31.56	57.15	35.00	14.78	65.29	0.00	---	---	Peak																																																																																																																		





Mode	44																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11n HT20_CH12_2467MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.35</td><td>69.80</td><td>74.00</td><td>-4.20</td><td>53.40</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>373 325 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.35	69.80	74.00	-4.20	53.40	32.40	8.88	30.88	6.00	373 325 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>103.18</td><td>-----</td><td>86.78</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>373</td><td>325 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	103.18	-----	86.78	32.40	8.89	30.89	6.00	373	325 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.35	69.80	74.00	-4.20	53.40	32.40	8.88	30.88	6.00	373 325 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	103.18	-----	86.78	32.40	8.89	30.89	6.00	373	325 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.00</td><td>50.14</td><td>54.00</td><td>-3.86</td><td>33.74</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>373 325 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	50.14	54.00	-3.86	33.74	32.40	8.88	30.88	6.00	373 325 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>94.05</td><td>-----</td><td>77.65</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>373</td><td>325 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	94.05	-----	77.65	32.40	8.89	30.89	6.00	373	325 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.00	50.14	54.00	-3.86	33.74	32.40	8.88	30.88	6.00	373 325 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	94.05	-----	77.65	32.40	8.89	30.89	6.00	373	325 AVERAGE																																																																																									







		44																																																								
Mode		Band Edge																																																								
		2400-2483.5_802.11n HT20_CH12_2467MHz																																																								
ANT		1																																																								
Pol.		Vertical																																																								
Peak																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>69.21</td><td>74.00</td><td>-4.79</td><td>52.81</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>108</td><td>232 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2467.00	69.21	74.00	-4.79	52.81	32.40	8.88	30.88	6.00	108	232 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2467.00	69.21	74.00	-4.79	52.81	32.40	8.88	30.88	6.00	108	232 PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>101.87</td><td>-----</td><td>-----</td><td>85.47</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>108</td><td>232 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2467.00	101.87	-----	-----	85.47	32.40	8.89	30.89	6.00	108	232 PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2467.00	101.87	-----	-----	85.47	32.40	8.89	30.89	6.00	108	232 PEAK																																															
Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>93.00</td><td>-----</td><td>-----</td><td>76.60</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>108</td><td>232 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2467.00	93.00	-----	-----	76.60	32.40	8.89	30.89	6.00	108	232 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2467.00	93.00	-----	-----	76.60	32.40	8.89	30.89	6.00	108	232 AVERAGE																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>93.00</td><td>-----</td><td>-----</td><td>76.60</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>108</td><td>232 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2467.00	93.00	-----	-----	76.60	32.40	8.89	30.89	6.00	108	232 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2467.00	93.00	-----	-----	76.60	32.40	8.89	30.89	6.00	108	232 AVERAGE																																															



Mode	44																																																																																																																																																									
	Harmonic																																																																																																																																																									
	2400-2483.5_802.11n HT20_CH12_2467MHz																																																																																																																																																									
ANT	1																																																																																																																																																									
Pol.	Horizontal												Vertical																																																																																																																																													
Peak Avg																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4934.00</td><td>40.04</td><td>74.00</td><td>-33.96</td><td>59.14</td><td>34.10</td><td>12.24</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>42.70</td><td>74.00</td><td>-31.30</td><td>57.41</td><td>35.00</td><td>14.79</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4934.00	40.04	74.00	-33.96	59.14	34.10	12.24	65.44	0.00	---	---	PEAK	2	7401.00	42.70	74.00	-31.30	57.41	35.00	14.79	65.30	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4934.00</td><td>42.44</td><td>74.00</td><td>-31.56</td><td>61.54</td><td>34.10</td><td>12.24</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>42.09</td><td>74.00</td><td>-31.91</td><td>56.00</td><td>35.00</td><td>14.79</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4934.00	42.44	74.00	-31.56	61.54	34.10	12.24	65.44	0.00	---	---	PEAK	2	7401.00	42.09	74.00	-31.91	56.00	35.00	14.79	65.30	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	4934.00	40.04	74.00	-33.96	59.14	34.10	12.24	65.44	0.00	---	---	PEAK																																																																																																																																														
2	7401.00	42.70	74.00	-31.30	57.41	35.00	14.79	65.30	0.00	---	---	PEAK																																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	4934.00	42.44	74.00	-31.56	61.54	34.10	12.24	65.44	0.00	---	---	PEAK																																																																																																																																														
2	7401.00	42.09	74.00	-31.91	56.00	35.00	14.79	65.30	0.00	---	---	PEAK																																																																																																																																														





Mode	45																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n_HT20_CH13_2472MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.80</td><td>57.44</td><td>74.00</td><td>-16.56</td><td>41.04</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>312 303 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	57.44	74.00	-16.56	41.04	32.40	8.88	30.88	6.00	312 303 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>97.20</td><td>-----</td><td>-----</td><td>80.80</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>312 303 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	97.20	-----	-----	80.80	32.40	8.89	30.89	6.00	312 303 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.80	57.44	74.00	-16.56	41.04	32.40	8.88	30.88	6.00	312 303 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	97.20	-----	-----	80.80	32.40	8.89	30.89	6.00	312 303 PEAK																																																																																										
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>47.01</td><td>54.00</td><td>-6.99</td><td>30.61</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>312 303 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.01	54.00	-6.99	30.61	32.40	8.88	30.88	6.00	312 303 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>88.21</td><td>-----</td><td>-----</td><td>71.81</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>312 303 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	88.21	-----	-----	71.81	32.40	8.89	30.89	6.00	312 303 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	47.01	54.00	-6.99	30.61	32.40	8.88	30.88	6.00	312 303 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2472.00	88.21	-----	-----	71.81	32.40	8.89	30.89	6.00	312 303 AVERAGE																																																																																										







Mode	45																																																																																																						
	Band Edge																																																																																																						
	2400-2483.5_802.11n HT20_CH13_2472MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.25</td><td>56.83</td><td>74.00</td><td>-17.17</td><td>40.43</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>121</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.25	56.83	74.00	-17.17	40.43	32.40	8.88	30.88	6.00	121	236	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>95.83</td><td>-----</td><td>-----</td><td>79.43</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>121</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	95.83	-----	-----	79.43	32.40	8.89	30.89	6.00	121	236
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2484.25	56.83	74.00	-17.17	40.43	32.40	8.88	30.88	6.00	121	236	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2472.00	95.83	-----	-----	79.43	32.40	8.89	30.89	6.00	121	236	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>46.00</td><td>54.00</td><td>-7.92</td><td>29.68</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>121</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.00	54.00	-7.92	29.68	32.40	8.88	30.88	6.00	121	236	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>86.99</td><td>-----</td><td>-----</td><td>70.59</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>121</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	86.99	-----	-----	70.59	32.40	8.89	30.89	6.00	121	236
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2483.50	46.00	54.00	-7.92	29.68	32.40	8.88	30.88	6.00	121	236	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2472.00	86.99	-----	-----	70.59	32.40	8.89	30.89	6.00	121	236	AVERAGE																																																																																											



Mode	45																																																																													
	Harmonic																																																																													
	2400-2483.5_802.11n HT20_CH13_2472MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal												Vertical																																																																	
Peak Avg																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>40.93</td><td>74.00</td><td>-33.07</td><td>60.02</td><td>34.10</td><td>12.25</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>42.02</td><td>74.00</td><td>-31.98</td><td>56.69</td><td>35.00</td><td>14.84</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4944.00	40.93	74.00	-33.07	60.02	34.10	12.25	65.44	0.00	---	---	PEAK	2	7416.00	42.02	74.00	-31.98	56.69	35.00	14.84	65.31	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4944.00	40.93	74.00	-33.07	60.02	34.10	12.25	65.44	0.00	---	---	PEAK																																																																		
2	7416.00	42.02	74.00	-31.98	56.69	35.00	14.84	65.31	0.00	---	---	PEAK																																																																		
																																																																														
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>59.51</td><td>34.10</td><td>12.25</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7416.00</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>57.66</td><td>35.00</td><td>14.84</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4944.00	40.42	74.00	-33.58	59.51	34.10	12.25	65.44	0.00	---	---	PEAK	2	7416.00	42.99	74.00	-31.01	57.66	35.00	14.84	65.31	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4944.00	40.42	74.00	-33.58	59.51	34.10	12.25	65.44	0.00	---	---	PEAK																																																																		
2	7416.00	42.99	74.00	-31.01	57.66	35.00	14.84	65.31	0.00	---	---	PEAK																																																																		





Mode	46																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.11</td><td>56.20</td><td>74.00</td><td>-17.80</td><td>40.05</td><td>32.34</td><td>8.77</td><td>30.96</td><td>6.00</td><td>100</td><td>332 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2368.11	56.20	74.00	-17.80	40.05	32.34	8.77	30.96	6.00	100	332 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.97</td><td>-----</td><td>-----</td><td>88.58</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>100</td><td>332 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	104.97	-----	-----	88.58	32.40	8.92	30.93	6.00	100	332 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2368.11	56.20	74.00	-17.80	40.05	32.34	8.77	30.96	6.00	100	332 PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2412.00	104.97	-----	-----	88.58	32.40	8.92	30.93	6.00	100	332 PEAK																																																																																																									
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>44.99</td><td>54.00</td><td>-9.01</td><td>28.68</td><td>32.38</td><td>8.88</td><td>30.95</td><td>6.00</td><td>100</td><td>332 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.30	44.99	54.00	-9.01	28.68	32.38	8.88	30.95	6.00	100	332 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.32</td><td>-----</td><td>-----</td><td>77.93</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>100</td><td>332 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	94.32	-----	-----	77.93	32.40	8.92	30.93	6.00	100	332 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2389.30	44.99	54.00	-9.01	28.68	32.38	8.88	30.95	6.00	100	332 AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2412.00	94.32	-----	-----	77.93	32.40	8.92	30.93	6.00	100	332 AVERAGE																																																																																																									







Mode	46																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2377.99</td><td>56.08</td><td>74.00</td><td>-17.92</td><td>39.85</td><td>32.36</td><td>8.82</td><td>30.95</td><td>6.00</td><td>148</td><td>232 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.99	56.08	74.00	-17.92	39.85	32.36	8.82	30.95	6.00	148	232 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>105.90</td><td>-----</td><td>-----</td><td>89.51</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>148</td><td>232 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.90	-----	-----	89.51	32.40	8.92	30.93	6.00	148	232 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2377.99	56.08	74.00	-17.92	39.85	32.36	8.82	30.95	6.00	148	232 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	105.90	-----	-----	89.51	32.40	8.92	30.93	6.00	148	232 PEAK																																																																																										
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>28.43</td><td>32.38</td><td>8.87</td><td>30.95</td><td>6.00</td><td>148</td><td>232 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	44.73	54.00	-9.27	28.43	32.38	8.87	30.95	6.00	148	232 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>94.58</td><td>-----</td><td>-----</td><td>78.19</td><td>32.40</td><td>8.92</td><td>30.93</td><td>6.00</td><td>148</td><td>232 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.58	-----	-----	78.19	32.40	8.92	30.93	6.00	148	232 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2388.91	44.73	54.00	-9.27	28.43	32.38	8.87	30.95	6.00	148	232 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	94.58	-----	-----	78.19	32.40	8.92	30.93	6.00	148	232 AVERAGE																																																																																										







Mode	46																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>64.26</td><td>34.10</td><td>12.48</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	45.41	74.00	-28.59	64.26	34.10	12.48	65.43	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>65.04</td><td>34.10</td><td>12.48</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	46.19	74.00	-27.81	65.04	34.10	12.48	65.43	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	45.41	74.00	-28.59	64.26	34.10	12.48	65.43	0.00	---	---	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	46.19	74.00	-27.81	65.04	34.10	12.48	65.43	0.00	---	---	Peak																																																																																								





Mode	47																																																					
	Band Edge																																																					
	2400-2483.5_802.11ax HE20_CH02_Full RU_2417MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>68.53</td><td>74.00</td><td>-5.47</td><td>52.67</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>100</td><td>21 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	68.53	74.00	-5.47	52.67	31.98	8.77	30.89	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2389.30	68.53	74.00	-5.47	52.67	31.98	8.77	30.89	6.00	100	21 PEAK																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>108.42</td><td>-----</td><td>-----</td><td>92.37</td><td>32.03</td><td>8.85</td><td>30.83</td><td>6.00</td><td>100</td><td>21 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	108.42	-----	-----	92.37	32.03	8.85	30.83	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2417.00	108.42	-----	-----	92.37	32.03	8.85	30.83	6.00	100	21 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.12</td><td>54.00</td><td>-4.88</td><td>33.26</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>100</td><td>21 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.12	54.00	-4.88	33.26	31.98	8.77	30.89	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2389.95	49.12	54.00	-4.88	33.26	31.98	8.77	30.89	6.00	100	21 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>97.52</td><td>-----</td><td>-----</td><td>81.47</td><td>32.03</td><td>8.85</td><td>30.83</td><td>6.00</td><td>100</td><td>21 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	97.52	-----	-----	81.47	32.03	8.85	30.83	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2417.00	97.52	-----	-----	81.47	32.03	8.85	30.83	6.00	100	21 AVERAGE																																											





Mode	47																																																						
	Band Edge																																																						
	2400-2483.5_802.11ax HE20_CH02_Full RU_2417MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>65.98</td><td>74.00</td><td>-8.02</td><td>50.12</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>380</td><td>133</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	65.98	74.00	-8.02	50.12	31.98	8.77	30.89	6.00	380	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.30	65.98	74.00	-8.02	50.12	31.98	8.77	30.89	6.00	380	133	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>108.03</td><td>-----</td><td>-----</td><td>91.96</td><td>32.03</td><td>8.86</td><td>30.82</td><td>6.00</td><td>380</td><td>133</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	108.03	-----	-----	91.96	32.03	8.86	30.82	6.00	380	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2417.00	108.03	-----	-----	91.96	32.03	8.86	30.82	6.00	380	133	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.57</td><td>54.00</td><td>-5.43</td><td>32.71</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>380</td><td>133</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.57	54.00	-5.43	32.71	31.98	8.77	30.89	6.00	380	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	48.57	54.00	-5.43	32.71	31.98	8.77	30.89	6.00	380	133	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>97.69</td><td>-----</td><td>-----</td><td>81.64</td><td>32.03</td><td>8.85</td><td>30.83</td><td>6.00</td><td>380</td><td>133</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	97.69	-----	-----	81.64	32.03	8.85	30.83	6.00	380	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2417.00	97.69	-----	-----	81.64	32.03	8.85	30.83	6.00	380	133	AVERAGE																																											



Mode	47																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_802.11ax HE20_CH02_Full RU_2417MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal							Vertical																																																																																																																								
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>65.57</td><td>34.10</td><td>12.44</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7251.00</td><td>42.95</td><td>74.00</td><td>-31.05</td><td>57.69</td><td>35.00</td><td>14.67</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4834.00	46.68	74.00	-27.32	65.57	34.10	12.44	65.43	0.00	---	---	Peak	2	7251.00	42.95	74.00	-31.05	57.69	35.00	14.67	65.21	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>68.87</td><td>34.10</td><td>12.44</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7251.00</td><td>42.04</td><td>74.00</td><td>-31.96</td><td>56.78</td><td>35.80</td><td>14.67</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4834.00	49.98	74.00	-24.02	68.87	34.10	12.44	65.43	0.00	---	---	Peak	2	7251.00	42.04	74.00	-31.96	56.78	35.80	14.67	65.21	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4834.00	46.68	74.00	-27.32	65.57	34.10	12.44	65.43	0.00	---	---	Peak																																																																																																																				
2	7251.00	42.95	74.00	-31.05	57.69	35.00	14.67	65.21	0.00	---	---	Peak																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4834.00	49.98	74.00	-24.02	68.87	34.10	12.44	65.43	0.00	---	---	Peak																																																																																																																				
2	7251.00	42.04	74.00	-31.96	56.78	35.80	14.67	65.21	0.00	---	---	Peak																																																																																																																				



Mode	48																																																																																																																																																
	Harmonic																																																																																																																																																
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4872.00</td><td>49.64</td><td>74.00</td><td>-24.36</td><td>68.68</td><td>34.10</td><td>12.30</td><td>65.44</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>61.33</td><td>35.00</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4872.00	49.64	74.00	-24.36	68.68	34.10	12.30	65.44	0.00	---	Peak	2	7311.00	46.61	74.00	-27.39	61.33	35.00	14.73	65.25	0.00	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>55.09</td><td>74.00</td><td>-18.91</td><td>74.14</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>343</td><td>238 Peak</td></tr><tr><td>2</td><td>4874.00</td><td>44.28</td><td>54.00</td><td>-9.72</td><td>63.33</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>343</td><td>238 Average</td></tr><tr><td>3</td><td>7311.00</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>66.01</td><td>35.00</td><td>14.73</td><td>65.25</td><td>0.00</td><td>108</td><td>272 Peak</td></tr><tr><td>4</td><td>7311.00</td><td>39.34</td><td>54.00</td><td>-14.66</td><td>54.06</td><td>35.00</td><td>14.73</td><td>65.25</td><td>0.00</td><td>108</td><td>272 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	55.09	74.00	-18.91	74.14	34.10	12.29	65.44	0.00	343	238 Peak	2	4874.00	44.28	54.00	-9.72	63.33	34.10	12.29	65.44	0.00	343	238 Average	3	7311.00	51.29	74.00	-22.71	66.01	35.00	14.73	65.25	0.00	108	272 Peak	4	7311.00	39.34	54.00	-14.66	54.06	35.00	14.73	65.25	0.00	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	4872.00	49.64	74.00	-24.36	68.68	34.10	12.30	65.44	0.00	---	Peak																																																																																																																																						
2	7311.00	46.61	74.00	-27.39	61.33	35.00	14.73	65.25	0.00	---	Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	4874.00	55.09	74.00	-18.91	74.14	34.10	12.29	65.44	0.00	343	238 Peak																																																																																																																																						
2	4874.00	44.28	54.00	-9.72	63.33	34.10	12.29	65.44	0.00	343	238 Average																																																																																																																																						
3	7311.00	51.29	74.00	-22.71	66.01	35.00	14.73	65.25	0.00	108	272 Peak																																																																																																																																						
4	7311.00	39.34	54.00	-14.66	54.06	35.00	14.73	65.25	0.00	108	272 Average																																																																																																																																						

Mode

49

Band Edge

2400-2483.5_802.11ax HE20_CH9_Full RU_2452MHz


ANT

1


Pol.

Horizontal

Peak




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 2484.19	65.54	74.00	-8.46	49.00	32.13	9.05	30.64	6.00	100	98 PEAK




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 2452.00	111.04	-----	-----	94.73	32.08	8.96	30.73	6.00	100	98 PEAK

Avg







	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 2484.53	50.19	54.00	-3.81	33.65	32.13	9.05	30.64	6.00	100	98 AVERAGE





	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 2452.00	100.04	-----	-----	83.73	32.08	8.96	30.73	6.00	100	98 AVERAGE







Mode	49																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH9_Full RU_2452MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.70</td><td>64.07</td><td>74.00</td><td>-9.93</td><td>47.54</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>262</td><td>353</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.70	64.07	74.00	-9.93	47.54	32.13	9.05	30.65	6.00	262	353	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>108.89</td><td>-----</td><td>-----</td><td>92.58</td><td>32.08</td><td>8.96</td><td>30.73</td><td>6.00</td><td>262</td><td>353</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	108.89	-----	-----	92.58	32.08	8.96	30.73	6.00	262	353
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.70	64.07	74.00	-9.93	47.54	32.13	9.05	30.65	6.00	262	353	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	108.89	-----	-----	92.58	32.08	8.96	30.73	6.00	262	353	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>48.23</td><td>54.00</td><td>-5.77</td><td>31.70</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>262</td><td>353</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	48.23	54.00	-5.77	31.70	32.13	9.05	30.65	6.00	262	353	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>97.46</td><td>-----</td><td>-----</td><td>81.15</td><td>32.08</td><td>8.96</td><td>30.73</td><td>6.00</td><td>262</td><td>353</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	97.46	-----	-----	81.15	32.08	8.96	30.73	6.00	262	353
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.51	48.23	54.00	-5.77	31.70	32.13	9.05	30.65	6.00	262	353	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	97.46	-----	-----	81.15	32.08	8.96	30.73	6.00	262	353	AVERAGE																																																																																							







Mode	49																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11ax HE20_CH9_Full RU_2452MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>65.36</td><td>34.10</td><td>12.20</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.93</td><td>74.00</td><td>-30.07</td><td>58.64</td><td>35.00</td><td>14.76</td><td>65.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	46.22	74.00	-27.78	65.36	34.10	12.20	65.44	0.00	---	---	PEAK	2	7356.00	43.93	74.00	-30.07	58.64	35.00	14.76	65.27	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>66.55</td><td>34.10</td><td>12.20</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>42.87</td><td>74.00</td><td>-31.13</td><td>57.58</td><td>35.00</td><td>14.76</td><td>65.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	47.41	74.00	-26.59	66.55	34.10	12.20	65.44	0.00	---	---	PEAK	2	7356.00	42.87	74.00	-31.13	57.58	35.00	14.76	65.27	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4904.00	46.22	74.00	-27.78	65.36	34.10	12.20	65.44	0.00	---	---	PEAK																																																																																																																		
2	7356.00	43.93	74.00	-30.07	58.64	35.00	14.76	65.27	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4904.00	47.41	74.00	-26.59	66.55	34.10	12.20	65.44	0.00	---	---	PEAK																																																																																																																		
2	7356.00	42.87	74.00	-31.13	57.58	35.00	14.76	65.27	0.00	---	---	PEAK																																																																																																																		





Mode	50																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.08</td><td>69.49</td><td>74.00</td><td>-4.51</td><td>52.95</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>100</td><td>95 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.08	69.49	74.00	-4.51	52.95	32.13	9.05	30.64	6.00	100	95 PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>111.31</td><td>-----</td><td>-----</td><td>94.97</td><td>32.09</td><td>8.97</td><td>30.72</td><td>6.00</td><td>100</td><td>95 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	111.31	-----	-----	94.97	32.09	8.97	30.72	6.00	100	95 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.08	69.49	74.00	-4.51	52.95	32.13	9.05	30.64	6.00	100	95 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2457.00	111.31	-----	-----	94.97	32.09	8.97	30.72	6.00	100	95 PEAK																																																																																							
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.04</td><td>50.31</td><td>54.00</td><td>-3.69</td><td>33.77</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>100</td><td>95 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	50.31	54.00	-3.69	33.77	32.13	9.05	30.64	6.00	100	95 AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>99.22</td><td>-----</td><td>-----</td><td>82.89</td><td>32.08</td><td>8.97</td><td>30.72</td><td>6.00</td><td>100</td><td>95 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	99.22	-----	-----	82.89	32.08	8.97	30.72	6.00	100	95 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.04	50.31	54.00	-3.69	33.77	32.13	9.05	30.64	6.00	100	95 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2457.00	99.22	-----	-----	82.89	32.08	8.97	30.72	6.00	100	95 AVERAGE																																																																																							







Mode	50																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>63.93</td><td>74.00</td><td>-10.07</td><td>47.39</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>262</td><td>351</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	63.93	74.00	-10.07	47.39	32.13	9.05	30.64	6.00	262	351	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>107.20</td><td>-----</td><td>-----</td><td>90.87</td><td>32.08</td><td>8.97</td><td>30.72</td><td>6.00</td><td>262</td><td>351</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	107.20	-----	-----	90.87	32.08	8.97	30.72	6.00	262	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2484.34	63.93	74.00	-10.07	47.39	32.13	9.05	30.64	6.00	262	351	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2457.00	107.20	-----	-----	90.87	32.08	8.97	30.72	6.00	262	351	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>47.84</td><td>54.00</td><td>-6.16</td><td>31.31</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>262</td><td>351</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	47.84	54.00	-6.16	31.31	32.13	9.05	30.65	6.00	262	351	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>95.88</td><td>-----</td><td>-----</td><td>79.55</td><td>32.08</td><td>8.97</td><td>30.72</td><td>6.00</td><td>262</td><td>351</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	95.88	-----	-----	79.55	32.08	8.97	30.72	6.00	262	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.58	47.84	54.00	-6.16	31.31	32.13	9.05	30.65	6.00	262	351	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2457.00	95.88	-----	-----	79.55	32.08	8.97	30.72	6.00	262	351	AVERAGE																																																																																																			



Mode	50																																																																												
	Harmonic																																																																												
	2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz																																																																												
ANT	1																																																																												
Pol.	Horizontal												Vertical																																																																
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4914.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>64.23</td><td>34.10</td><td>12.21</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>57.65</td><td>35.00</td><td>14.77</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	45.10	74.00	-28.90	64.23	34.10	12.21	65.44	0.00	---	---	PEAK	2	7371.00	42.94	74.00	-31.06	57.65	35.00	14.77	65.28	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4914.00	45.10	74.00	-28.90	64.23	34.10	12.21	65.44	0.00	---	---	PEAK																																																																	
2	7371.00	42.94	74.00	-31.06	57.65	35.00	14.77	65.28	0.00	---	---	PEAK																																																																	
																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4914.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>63.92</td><td>34.10</td><td>12.21</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>43.55</td><td>74.00</td><td>-30.45</td><td>58.26</td><td>35.00</td><td>14.77</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	44.79	74.00	-29.21	63.92	34.10	12.21	65.44	0.00	---	---	PEAK	2	7371.00	43.55	74.00	-30.45	58.26	35.00	14.77	65.28	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4914.00	44.79	74.00	-29.21	63.92	34.10	12.21	65.44	0.00	---	---	PEAK																																																																	
2	7371.00	43.55	74.00	-30.45	58.26	35.00	14.77	65.28	0.00	---	---	PEAK																																																																	





Mode	51																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2484.10</td><td>65.41</td><td>74.00</td><td>-8.59</td><td>49.01</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>112</td><td>342 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2484.10	65.41	74.00	-8.59	49.01	32.40	8.88	30.88	6.00	112	342 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2462.00</td><td>105.35</td><td>-----</td><td>-----</td><td>88.95</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>112</td><td>342 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2462.00	105.35	-----	-----	88.95	32.40	8.89	30.89	6.00	112
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 2484.10	65.41	74.00	-8.59	49.01	32.40	8.88	30.88	6.00	112	342 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 2462.00	105.35	-----	-----	88.95	32.40	8.89	30.89	6.00	112	342 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2484.58</td><td>48.68</td><td>54.00</td><td>-5.32</td><td>32.28</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>112</td><td>342 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2484.58	48.68	54.00	-5.32	32.28	32.40	8.88	30.88	6.00	112	342 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2462.00</td><td>93.18</td><td>-----</td><td>-----</td><td>76.78</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>112</td><td>342 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2462.00	93.18	-----	-----	76.78	32.40	8.89	30.89	6.00	112
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 2484.58	48.68	54.00	-5.32	32.28	32.40	8.88	30.88	6.00	112	342 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 2462.00	93.18	-----	-----	76.78	32.40	8.89	30.89	6.00	112	342 AVERAGE																																																																																									



Mode	51																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.86</td><td>68.09</td><td>74.00</td><td>-5.91</td><td>51.69</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>106</td><td>246 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	68.09	74.00	-5.91	51.69	32.40	8.88	30.88	6.00	106	246 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.38</td><td>-----</td><td>-----</td><td>90.99</td><td>32.40</td><td>8.89</td><td>30.90</td><td>6.00</td><td>106</td><td>246 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.38	-----	-----	90.99	32.40	8.89	30.90	6.00	106	246 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.86	68.09	74.00	-5.91	51.69	32.40	8.88	30.88	6.00	106	246 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	107.38	-----	-----	90.99	32.40	8.89	30.90	6.00	106	246 PEAK																																																																																										
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>32.67</td><td>32.40</td><td>8.88</td><td>30.88</td><td>6.00</td><td>106</td><td>246 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	49.07	54.00	-4.93	32.67	32.40	8.88	30.88	6.00	106	246 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>94.87</td><td>-----</td><td>-----</td><td>78.47</td><td>32.40</td><td>8.89</td><td>30.89</td><td>6.00</td><td>106</td><td>246 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.87	-----	-----	78.47	32.40	8.89	30.89	6.00	106	246 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.56	49.07	54.00	-4.93	32.67	32.40	8.88	30.88	6.00	106	246 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	94.87	-----	-----	78.47	32.40	8.89	30.89	6.00	106	246 AVERAGE																																																																																										



Mode	51																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>42.84</td><td>74.00</td><td>-31.16</td><td>61.96</td><td>34.10</td><td>12.22</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.54</td><td>74.00</td><td>-31.46</td><td>57.25</td><td>35.00</td><td>14.78</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.84	74.00	-31.16	61.96	34.10	12.22	65.44	0.00	---	---	PEAK	2	7386.00	42.54	74.00	-31.46	57.25	35.00	14.78	65.29	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.79</td><td>74.00</td><td>-32.21</td><td>60.91</td><td>34.10</td><td>12.22</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.17</td><td>74.00</td><td>-31.83</td><td>56.88</td><td>35.00</td><td>14.78</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.79	74.00	-32.21	60.91	34.10	12.22	65.44	0.00	---	---	PEAK	2	7386.00	42.17	74.00	-31.83	56.88	35.00	14.78	65.29	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	42.84	74.00	-31.16	61.96	34.10	12.22	65.44	0.00	---	---	PEAK																																																																																																																		
2	7386.00	42.54	74.00	-31.46	57.25	35.00	14.78	65.29	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	41.79	74.00	-32.21	60.91	34.10	12.22	65.44	0.00	---	---	PEAK																																																																																																																		
2	7386.00	42.17	74.00	-31.83	56.88	35.00	14.78	65.29	0.00	---	---	PEAK																																																																																																																		