



Test Mode:	802.11a 20	Channel:	5320 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.96	10.53	47.49	74.00	-26.51	peak
2	10641.000	41.23	13.36	54.59	74.00	-19.41	peak
3	10641.000	26.11	13.36	39.47	54.00	-14.53	AVG
4	11686.000	32.50	17.12	49.62	74.00	-24.38	peak
5	12500.000	31.70	17.83	49.53	74.00	-24.47	peak
6	13952.000	28.08	21.76	49.84	74.00	-24.16	peak
7	17934.000	24.13	25.67	49.80	74.00	-24.20	peak

Test Mode:	802.11a 20	Channel:	5500 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	42.02	6.65	48.67	74.00	-25.33	peak
2	9222.000	37.03	10.48	47.51	74.00	-26.49	peak
3	10993.000	36.07	14.70	50.77	74.00	-23.23	peak
4	10993.000	36.07	14.70	50.77	74.00	-23.23	peak
5	11444.000	32.95	16.53	49.48	74.00	-24.52	peak
6	13974.000	28.03	21.82	49.85	74.00	-24.15	peak
7	18000.000	23.90	26.12	50.02	74.00	-23.98	peak

Test Mode:	802.11a 20	Channel:	5500 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7627.000	37.87	6.76	44.63	74.00	-29.37	peak
2	9288.000	35.70	10.52	46.22	74.00	-27.78	peak
3	11004.000	33.77	14.74	48.51	74.00	-25.49	peak
4	11675.000	32.63	17.10	49.73	74.00	-24.27	peak
5	13545.000	28.99	20.75	49.74	74.00	-24.26	peak
6	17945.000	24.55	25.75	50.30	74.00	-23.70	peak

Test Mode:	802.11a 20	Channel:	5580 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8364.000	43.30	6.76	50.06	74.00	-23.94	peak
2	8969.000	37.03	10.13	47.16	74.00	-26.84	peak
3	11158.000	41.32	15.37	56.69	74.00	-17.31	peak
4	11158.000	27.40	15.37	42.77	54.00	-11.23	AVG
5	11752.000	33.63	17.24	50.87	74.00	-23.13	peak
6	13842.000	28.67	21.49	50.16	74.00	-23.84	peak
7	17923.000	24.38	25.60	49.98	74.00	-24.02	peak

Test Mode:	802.11a 20	Channel:	5580 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.52	10.46	46.98	74.00	-27.02	peak
2	11158.000	40.12	15.37	55.49	74.00	-18.51	peak
3	11158.000	25.93	15.37	41.30	54.00	-12.70	AVG
4	12302.000	32.58	17.78	50.36	74.00	-23.64	peak
5	12698.000	32.54	18.08	50.62	74.00	-23.38	peak
6	13974.000	28.66	21.82	50.48	74.00	-23.52	peak
7	17923.000	25.27	25.60	50.87	74.00	-23.13	peak

Test Mode:	802.11a 20	Channel:	5700 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8551.000	41.27	7.24	48.51	74.00	-25.49	peak
2	11059.000	36.51	14.96	51.47	74.00	-22.53	peak
3	11389.000	46.55	16.31	62.86	74.00	-11.14	peak
4	11389.000	32.38	16.31	48.69	54.00	-5.31	AVG
5	12742.000	31.85	18.13	49.98	74.00	-24.02	peak
6	13930.000	29.09	21.71	50.80	74.00	-23.20	peak
7	17923.000	24.71	25.60	50.31	74.00	-23.69	peak

Test Mode:	802.11a 20	Channel:	5700 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.65	10.38	47.03	74.00	-26.97	peak
2	11015.000	35.09	14.79	49.88	74.00	-24.12	peak
3	11400.000	44.00	16.36	60.36	74.00	-13.64	peak
4	11400.000	29.45	16.36	45.81	54.00	-8.19	AVG
5	11873.000	31.97	17.46	49.43	74.00	-24.57	peak
6	13963.000	27.64	21.78	49.42	74.00	-24.58	peak
7	17967.000	24.00	25.89	49.89	74.00	-24.11	peak

Test Mode:	802.11a 20	Channel:	5720 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8573.000	43.07	7.40	50.47	74.00	-23.53	peak
2	10212.000	34.48	12.21	46.69	74.00	-27.31	peak
3	11444.000	41.94	16.53	58.47	74.00	-15.53	peak
4	11444.000	26.97	16.53	43.50	54.00	-10.50	AVG
5	11818.000	32.81	17.36	50.17	74.00	-23.83	peak
6	12687.000	32.12	18.05	50.17	74.00	-23.83	peak
7	17934.000	24.94	25.67	50.61	74.00	-23.39	peak

Test Mode:	802.11a 20	Channel:	5720 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.62	10.51	47.13	74.00	-26.87	peak
2	10190.000	35.03	12.18	47.21	74.00	-26.79	peak
3	11433.000	42.02	16.50	58.52	74.00	-15.48	peak
4	11433.000	26.43	16.50	42.93	54.00	-11.07	AVG
5	12148.000	32.45	17.74	50.19	74.00	-23.81	peak
6	13919.000	29.28	21.68	50.96	74.00	-23.04	peak
7	18000.000	24.09	26.12	50.21	74.00	-23.79	peak

Test Mode:	802.11a 20	Channel:	5745 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8617.000	41.46	7.70	49.16	74.00	-24.84	peak
2	10168.000	35.55	12.13	47.68	74.00	-26.32	peak
3	11488.000	49.11	16.72	65.83	74.00	-8.17	peak
4	11488.000	34.34	16.72	51.06	54.00	-2.94	AVG
5	12225.000	33.24	17.75	50.99	74.00	-23.01	peak
6	12665.000	32.90	18.04	50.94	74.00	-23.06	peak
7	17945.000	24.66	25.75	50.41	74.00	-23.59	peak

Test Mode:	802.11a 20	Channel:	5745 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.00	10.05	47.05	74.00	-26.95	peak
2	10212.000	35.29	12.21	47.50	74.00	-26.50	peak
3	11488.000	48.71	16.72	65.43	74.00	-8.57	peak
4	11488.000	34.09	16.72	50.81	54.00	-3.19	AVG
5	12049.000	32.49	17.72	50.21	74.00	-23.79	peak
6	13589.000	29.94	20.86	50.80	74.00	-23.20	peak
7	17813.000	25.14	24.84	49.98	74.00	-24.02	peak

Test Mode:	802.11a 20	Channel:	5785 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8672.000	41.01	8.08	49.09	74.00	-24.91	peak
2	11059.000	35.10	14.96	50.06	74.00	-23.94	peak
3	11565.000	52.71	16.89	69.60	74.00	-4.40	peak
4	11565.000	34.94	16.89	51.83	54.00	-2.17	AVG
5	13028.000	31.88	18.57	50.45	74.00	-23.55	peak
6	13886.000	29.06	21.60	50.66	74.00	-23.34	peak
7	18000.000	24.60	26.12	50.72	74.00	-23.28	peak

Test Mode:	802.11a 20	Channel:	5785 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	36.52	10.53	47.05	74.00	-26.95	peak
2	11048.000	35.37	14.91	50.28	74.00	-23.72	peak
3	11565.000	52.26	16.89	69.15	74.00	-4.85	peak
4	11565.000	35.47	16.89	52.36	54.00	-1.64	AVG
5	12291.000	33.13	17.78	50.91	74.00	-23.09	peak
6	13886.000	28.99	21.60	50.59	74.00	-23.41	peak
7	18000.000	24.66	26.12	50.78	74.00	-23.22	peak

Test Mode:	802.11a 20	Channel:	5825 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8738.000	42.27	8.53	50.80	74.00	-23.20	peak
2	10223.000	34.68	12.24	46.92	74.00	-27.08	peak
3	11642.000	53.13	17.03	70.16	74.00	-3.84	peak
4	11642.000	34.36	17.03	51.39	54.00	-2.61	AVG
5	12236.000	32.66	17.76	50.42	74.00	-23.58	peak
6	13380.000	30.08	20.12	50.20	74.00	-23.80	peak
7	17923.000	24.12	25.60	49.72	74.00	-24.28	peak

Test Mode:	802.11a 20	Channel:	5825 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.55	10.39	46.94	74.00	-27.06	peak
2	11004.000	35.56	14.74	50.30	74.00	-23.70	peak
3	11642.000	51.53	17.03	68.56	74.00	-5.44	peak
4	11642.000	35.27	17.03	52.30	54.00	-1.70	AVG
5	13842.000	29.41	21.49	50.90	74.00	-23.10	peak
6	17329.000	28.82	21.99	50.81	74.00	-23.19	peak
7	17813.000	25.88	24.84	50.72	74.00	-23.28	peak

Test Mode:	802.11n HT20	Channel:	5180 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7770.000	42.87	6.63	49.50	74.00	-24.50	peak
2	10212.000	35.81	12.21	48.02	74.00	-25.98	peak
3	10883.000	34.54	14.27	48.81	74.00	-25.19	peak
4	11697.000	33.09	17.13	50.22	74.00	-23.78	peak
5	13919.000	27.92	21.68	49.60	74.00	-24.40	peak
6	17549.000	26.33	23.04	49.37	74.00	-24.63	peak

Test Mode:	802.11n HT20	Channel:	5180 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	37.90	6.53	44.43	74.00	-29.57	peak
2	9354.000	36.59	10.56	47.15	74.00	-26.85	peak
3	10278.000	35.34	12.35	47.69	74.00	-26.31	peak
4	11818.000	32.92	17.36	50.28	74.00	-23.72	peak
5	13985.000	27.47	21.85	49.32	74.00	-24.68	peak
6	18000.000	24.32	26.12	50.44	74.00	-23.56	peak

Test Mode:	802.11n HT20	Channel:	5200 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	37.11	9.66	46.77	74.00	-27.23	peak
2	11048.000	33.86	14.91	48.77	74.00	-25.23	peak
3	11884.000	31.85	17.48	49.33	74.00	-24.67	peak
4	12654.000	30.94	18.01	48.95	74.00	-25.05	peak
5	13908.000	27.51	21.66	49.17	74.00	-24.83	peak
6	17703.000	25.61	24.09	49.70	74.00	-24.30	peak

Test Mode:	802.11n HT20	Channel:	5200 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	36.43	10.13	46.56	74.00	-27.44	peak
2	10168.000	35.44	12.13	47.57	74.00	-26.43	peak
3	11697.000	33.07	17.13	50.20	74.00	-23.80	peak
4	13556.000	29.99	20.78	50.77	74.00	-23.23	peak
5	13941.000	28.15	21.73	49.88	74.00	-24.12	peak
6	17879.000	24.52	25.29	49.81	74.00	-24.19	peak

Test Mode:	802.11n HT20	Channel:	5240 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	36.05	10.53	46.58	74.00	-27.42	peak
2	10157.000	35.48	12.10	47.58	74.00	-26.42	peak
3	11147.000	34.39	15.32	49.71	74.00	-24.29	peak
4	11719.000	32.42	17.18	49.60	74.00	-24.40	peak
5	14007.000	27.66	21.85	49.51	74.00	-24.49	peak
6	18000.000	23.88	26.12	50.00	74.00	-24.00	peak

Test Mode:	802.11n HT20	Channel:	5240 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.12	9.90	47.02	74.00	-26.98	peak
2	11048.000	34.43	14.91	49.34	74.00	-24.66	peak
3	11708.000	32.83	17.16	49.99	74.00	-24.01	peak
4	12621.000	31.66	17.98	49.64	74.00	-24.36	peak
5	13600.000	28.84	20.89	49.73	74.00	-24.27	peak
6	18000.000	23.72	26.12	49.84	74.00	-24.16	peak

Test Mode:	802.11n HT20	Channel:	5260 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	45.08	6.54	51.62	74.00	-22.38	peak
2	7880.000	30.85	6.54	37.39	54.00	-16.61	AVG
3	10520.000	43.65	12.90	56.55	74.00	-17.45	peak
4	10520.000	28.74	12.90	41.64	54.00	-12.36	AVG
5	11906.000	32.37	17.52	49.89	74.00	-24.11	peak
6	12280.000	32.34	17.77	50.11	74.00	-23.89	peak
7	13930.000	27.82	21.71	49.53	74.00	-24.47	peak
8	18000.000	23.88	26.12	50.00	74.00	-24.00	peak

Test Mode:	802.11n HT20	Channel:	5260 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7803.000	37.65	6.60	44.25	74.00	-29.75	peak
2	9057.000	36.23	10.38	46.61	74.00	-27.39	peak
3	10520.000	42.57	12.90	55.47	74.00	-18.53	peak
4	10520.000	29.40	12.90	42.30	54.00	-11.70	AVG
5	11796.000	33.33	17.32	50.65	74.00	-23.35	peak
6	13435.000	30.27	20.35	50.62	74.00	-23.38	peak
7	18000.000	24.06	26.12	50.18	74.00	-23.82	peak

Test Mode:	802.11n HT20	Channel:	5280 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7913.000	39.74	6.51	46.25	74.00	-27.75	peak
2	9178.000	36.09	10.45	46.54	74.00	-27.46	peak
3	10564.000	41.45	13.06	54.51	74.00	-19.49	peak
4	10564.000	26.75	13.06	39.81	54.00	-14.19	AVG
5	11532.000	32.72	16.83	49.55	74.00	-24.45	peak
6	13545.000	29.16	20.75	49.91	74.00	-24.09	peak
7	13919.000	28.27	21.68	49.95	74.00	-24.05	peak

Test Mode:	802.11n HT20	Channel:	5280 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.81	10.46	47.27	74.00	-26.73	peak
2	10564.000	43.40	13.06	56.46	74.00	-17.54	peak
3	10564.000	29.07	13.06	42.13	54.00	-11.87	AVG
4	11675.000	33.23	17.10	50.33	74.00	-23.67	peak
5	12698.000	32.26	18.08	50.34	74.00	-23.66	peak
6	13611.000	29.06	20.92	49.98	74.00	-24.02	peak
7	17978.000	24.89	25.97	50.86	74.00	-23.14	peak

Test Mode:	802.11n HT20	Channel:	5320 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7979.000	42.49	6.45	48.94	74.00	-25.06	peak
2	8958.000	36.69	10.05	46.74	74.00	-27.26	peak
3	10652.000	43.44	13.40	56.84	74.00	-17.16	peak
4	10652.000	28.70	13.40	42.10	54.00	-11.90	AVG
5	11719.000	32.49	17.18	49.67	74.00	-24.33	peak
6	13600.000	29.25	20.89	50.14	74.00	-23.86	peak
7	18000.000	24.22	26.12	50.34	74.00	-23.66	peak

Test Mode:	802.11n HT20	Channel:	5320 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.25	10.47	46.72	74.00	-27.28	peak
2	10641.000	41.22	13.36	54.58	74.00	-19.42	peak
3	10641.000	26.46	13.36	39.82	54.00	-14.18	AVG
4	11719.000	32.83	17.18	50.01	74.00	-23.99	peak
5	12643.000	31.77	18.01	49.78	74.00	-24.22	peak
6	13380.000	29.07	20.12	49.19	74.00	-24.81	peak
7	17945.000	24.17	25.75	49.92	74.00	-24.08	peak

Test Mode:	802.11n HT20	Channel:	5500 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	41.97	6.65	48.62	74.00	-25.38	peak
2	9255.000	36.06	10.51	46.57	74.00	-27.43	peak
3	11004.000	36.86	14.74	51.60	74.00	-22.40	peak
4	11004.000	22.92	14.74	37.66	54.00	-16.34	AVG
5	11796.000	32.93	17.32	50.25	74.00	-23.75	peak
6	13996.000	27.86	21.87	49.73	74.00	-24.27	peak
7	17901.000	24.47	25.45	49.92	74.00	-24.08	peak

Test Mode:	802.11n HT20	Channel:	5500 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.28	10.46	46.74	74.00	-27.26	peak
2	10993.000	34.96	14.70	49.66	74.00	-24.34	peak
3	11884.000	32.95	17.48	50.43	74.00	-23.57	peak
4	12720.000	32.25	18.09	50.34	74.00	-23.66	peak
5	13578.000	28.80	20.83	49.63	74.00	-24.37	peak
6	18000.000	23.94	26.12	50.06	74.00	-23.94	peak

Test Mode:	802.11n HT20	Channel:	5580 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8364.000	42.54	6.76	49.30	74.00	-24.70	peak
2	11169.000	40.13	15.42	55.55	74.00	-18.45	peak
3	11169.000	25.29	15.42	40.71	54.00	-13.29	AVG
4	11785.000	32.25	17.30	49.55	74.00	-24.45	peak
5	12698.000	31.44	18.08	49.52	74.00	-24.48	peak
6	13611.000	28.97	20.92	49.89	74.00	-24.11	peak
7	18000.000	24.02	26.12	50.14	74.00	-23.86	peak

Test Mode:	802.11n HT20	Channel:	5580 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	36.81	10.13	46.94	74.00	-27.06	peak
2	11169.000	39.17	15.42	54.59	74.00	-19.41	peak
3	11169.000	24.21	15.42	39.63	54.00	-14.37	AVG
4	11312.000	34.54	16.00	50.54	74.00	-23.46	peak
5	11884.000	32.33	17.48	49.81	74.00	-24.19	peak
6	13171.000	29.42	19.20	48.62	74.00	-25.38	peak
7	17956.000	23.13	25.82	48.95	74.00	-25.05	peak

Test Mode:	802.11n HT20	Channel:	5700 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.58	10.43	47.01	74.00	-26.99	peak
2	11400.000	42.70	16.36	59.06	74.00	-14.94	peak
3	11400.000	28.39	16.36	44.75	54.00	-9.25	AVG
4	11664.000	33.63	17.08	50.71	74.00	-23.29	peak
5	12390.000	32.75	17.80	50.55	74.00	-23.45	peak
6	13666.000	28.38	21.05	49.43	74.00	-24.57	peak
7	17956.000	23.80	25.82	49.62	74.00	-24.38	peak

Test Mode:	802.11n HT20	Channel:	5700 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	36.70	9.98	46.68	74.00	-27.32	peak
2	11400.000	44.97	16.36	61.33	74.00	-12.67	peak
3	11400.000	31.02	16.36	47.38	54.00	-6.62	AVG
4	11741.000	32.79	17.22	50.01	74.00	-23.99	peak
5	12687.000	32.07	18.05	50.12	74.00	-23.88	peak
6	13512.000	29.04	20.68	49.72	74.00	-24.28	peak
7	17989.000	23.62	26.04	49.66	74.00	-24.34	peak

Test Mode:	802.11n HT20	Channel:	5720 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8573.000	43.32	7.40	50.72	74.00	-23.28	peak
2	9145.000	37.42	10.43	47.85	74.00	-26.15	peak
3	11433.000	39.16	16.50	55.66	74.00	-18.34	peak
4	11433.000	24.36	16.50	40.86	54.00	-13.14	AVG
5	12731.000	31.71	18.12	49.83	74.00	-24.17	peak
6	13864.000	29.20	21.53	50.73	74.00	-23.27	peak
7	17923.000	23.97	25.60	49.57	74.00	-24.43	peak

Test Mode:	802.11n HT20	Channel:	5720 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9552.000	36.51	10.76	47.27	74.00	-26.73	peak
2	11026.000	35.25	14.82	50.07	74.00	-23.93	peak
3	11433.000	40.96	16.50	57.46	74.00	-16.54	peak
4	11433.000	26.03	16.50	42.53	54.00	-11.47	AVG
5	12654.000	32.78	18.01	50.79	74.00	-23.21	peak
6	13798.000	28.24	21.38	49.62	74.00	-24.38	peak
7	18000.000	24.33	26.12	50.45	74.00	-23.55	peak

Test Mode:	802.11n HT20	Channel:	5745 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8617.000	41.25	7.70	48.95	74.00	-25.05	peak
2	11477.000	46.24	16.67	62.91	74.00	-11.09	peak
3	11477.000	32.59	16.67	49.26	54.00	-4.74	AVG
4	11741.000	33.08	17.22	50.30	74.00	-23.70	peak
5	12588.000	32.02	17.94	49.96	74.00	-24.04	peak
6	13468.000	28.76	20.50	49.26	74.00	-24.74	peak
7	17989.000	24.08	26.04	50.12	74.00	-23.88	peak

Test Mode:	802.11n HT20	Channel:	5745 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	36.25	10.45	46.70	74.00	-27.30	peak
2	11488.000	45.28	16.72	62.00	74.00	-12.00	peak
3	11488.000	31.40	16.72	48.12	54.00	-5.88	AVG
4	11851.000	33.31	17.43	50.74	74.00	-23.26	peak
5	12632.000	32.29	17.99	50.28	74.00	-23.72	peak
6	13534.000	28.71	20.73	49.44	74.00	-24.56	peak
7	17945.000	24.53	25.75	50.28	74.00	-23.72	peak

Test Mode:	802.11n HT20	Channel:	5785 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8672.000	40.75	8.08	48.83	74.00	-25.17	peak
2	11059.000	35.47	14.96	50.43	74.00	-23.57	peak
3	11565.000	50.06	16.89	66.95	74.00	-7.05	peak
4	11565.000	34.70	16.89	51.59	54.00	-2.41	AVG
5	12236.000	32.96	17.76	50.72	74.00	-23.28	peak
6	13919.000	28.95	21.68	50.63	74.00	-23.37	peak
7	17967.000	24.68	25.89	50.57	74.00	-23.43	peak

Test Mode:	802.11n HT20	Channel:	5785 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.71	10.05	46.76	74.00	-27.24	peak
2	11334.000	34.68	16.09	50.77	74.00	-23.23	peak
3	11565.000	51.88	16.89	68.77	74.00	-5.23	peak
4	11565.000	35.26	16.89	52.15	54.00	-1.85	AVG
5	12236.000	33.03	17.76	50.79	74.00	-23.21	peak
6	14227.000	29.29	20.93	50.22	74.00	-23.78	peak
7	17978.000	24.45	25.97	50.42	74.00	-23.58	peak

Test Mode:	802.11n HT20	Channel:	5825 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8738.000	42.33	8.53	50.86	74.00	-23.14	peak
2	11048.000	34.80	14.91	49.71	74.00	-24.29	peak
3	11653.000	48.77	17.05	65.82	74.00	-8.18	peak
4	11653.000	33.69	17.05	50.74	54.00	-3.26	AVG
5	12632.000	32.96	17.99	50.95	74.00	-23.05	peak
6	14007.000	28.23	21.85	50.08	74.00	-23.92	peak
7	17989.000	24.43	26.04	50.47	74.00	-23.53	peak

Test Mode:	802.11n HT20	Channel:	5825 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9750.000	35.87	11.21	47.08	74.00	-26.92	peak
2	11026.000	35.24	14.82	50.06	74.00	-23.94	peak
3	11642.000	49.53	17.03	66.56	74.00	-7.44	peak
4	11642.000	35.07	17.03	52.10	54.00	-1.90	AVG
5	12577.000	32.63	17.93	50.56	74.00	-23.44	peak
6	13864.000	28.38	21.53	49.91	74.00	-24.09	peak
7	17956.000	23.89	25.82	49.71	74.00	-24.29	peak

Test Mode:	802.11n HT40	Channel:	5190 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7781.000	41.52	6.62	48.14	74.00	-25.86	peak
2	9178.000	36.81	10.45	47.26	74.00	-26.74	peak
3	11818.000	32.71	17.36	50.07	74.00	-23.93	peak
4	12621.000	31.64	17.98	49.62	74.00	-24.38	peak
5	13952.000	28.93	21.76	50.69	74.00	-23.31	peak
6	17923.000	24.63	25.60	50.23	74.00	-23.77	peak

Test Mode:	802.11n HT40	Channel:	5190 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.24	10.53	46.77	74.00	-27.23	peak
2	10212.000	34.98	12.21	47.19	74.00	-26.81	peak
3	11653.000	32.72	17.05	49.77	74.00	-24.23	peak
4	13974.000	28.15	21.82	49.97	74.00	-24.03	peak
5	14425.000	28.32	20.09	48.41	74.00	-25.59	peak
6	18000.000	24.62	26.12	50.74	74.00	-23.26	peak

Test Mode:	802.11n HT40	Channel:	5230 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7836.000	43.84	6.58	50.42	74.00	-23.58	peak
2	10465.000	35.56	12.75	48.31	74.00	-25.69	peak
3	11653.000	33.05	17.05	50.10	74.00	-23.90	peak
4	12698.000	31.55	18.08	49.63	74.00	-24.37	peak
5	13864.000	28.06	21.53	49.59	74.00	-24.41	peak
6	17956.000	23.24	25.82	49.06	74.00	-24.94	peak

Test Mode:	802.11n HT40	Channel:	5230 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	37.76	6.57	44.33	74.00	-29.67	peak
2	9310.000	36.35	10.54	46.89	74.00	-27.11	peak
3	10454.000	36.62	12.73	49.35	74.00	-24.65	peak
4	11906.000	32.64	17.52	50.16	74.00	-23.84	peak
5	13864.000	28.91	21.53	50.44	74.00	-23.56	peak
6	17989.000	24.76	26.04	50.80	74.00	-23.20	peak

Test Mode:	802.11n HT40	Channel:	5270 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7902.000	44.04	6.52	50.56	74.00	-23.44	peak
2	10542.000	45.97	12.98	58.95	74.00	-15.05	peak
3	10542.000	29.61	12.98	42.59	54.00	-11.41	AVG
4	11554.000	33.64	16.87	50.51	74.00	-23.49	peak
5	12621.000	32.38	17.98	50.36	74.00	-23.64	peak
6	17725.000	25.15	24.24	49.39	74.00	-24.61	peak
7	17956.000	24.91	25.82	50.73	74.00	-23.27	peak

Test Mode:	802.11n HT40	Channel:	5270 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	36.32	10.45	46.77	74.00	-27.23	peak
2	10542.000	44.03	12.98	57.01	74.00	-16.99	peak
3	10542.000	28.78	12.98	41.76	54.00	-12.24	AVG
4	11829.000	33.20	17.38	50.58	74.00	-23.42	peak
5	12698.000	32.21	18.08	50.29	74.00	-23.71	peak
6	13952.000	29.01	21.76	50.77	74.00	-23.23	peak
7	17780.000	26.13	24.61	50.74	74.00	-23.26	peak

Test Mode:	802.11n HT40	Channel:	5310 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7957.000	43.79	6.46	50.25	74.00	-23.75	peak
2	9057.000	36.50	10.38	46.88	74.00	-27.12	peak
3	10619.000	46.99	13.28	60.27	74.00	-13.73	peak
4	10619.000	32.30	13.28	45.58	54.00	-8.42	AVG
5	11708.000	33.11	17.16	50.27	74.00	-23.73	peak
6	13545.000	29.84	20.74	50.58	74.00	-23.42	peak
7	18000.000	23.90	26.12	50.02	74.00	-23.98	peak

Test Mode:	802.11n HT40	Channel:	5310 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.51	10.51	47.02	74.00	-26.98	peak
2	10619.000	43.94	13.28	57.22	74.00	-16.78	peak
3	10619.000	28.46	13.28	41.74	54.00	-12.26	AVG
4	11873.000	32.80	17.46	50.26	74.00	-23.74	peak
5	12555.000	31.65	17.90	49.55	74.00	-24.45	peak
6	13655.000	29.48	21.03	50.51	74.00	-23.49	peak
7	17956.000	24.69	25.82	50.51	74.00	-23.49	peak

Test Mode:	802.11n HT40	Channel:	5510 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8265.000	43.25	6.67	49.92	74.00	-24.08	peak
2	9299.000	36.66	10.53	47.19	74.00	-26.81	peak
3	11015.000	40.38	14.79	55.17	74.00	-18.83	peak
4	11015.000	26.90	14.79	41.69	54.00	-12.31	AVG
5	11686.000	33.13	17.12	50.25	74.00	-23.75	peak
6	12698.000	32.23	18.08	50.31	74.00	-23.69	peak
7	18000.000	23.51	26.12	49.63	74.00	-24.37	peak

Test Mode:	802.11n HT40	Channel:	5510 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.18	10.05	47.23	74.00	-26.77	peak
2	10223.000	35.36	12.24	47.60	74.00	-26.40	peak
3	11015.000	39.08	14.79	53.87	74.00	-20.13	peak
4	11015.000	24.42	14.79	39.21	54.00	-14.79	AVG
5	12643.000	31.39	18.01	49.40	74.00	-24.60	peak
6	13985.000	27.67	21.85	49.52	74.00	-24.48	peak
7	17945.000	23.83	25.75	49.58	74.00	-24.42	peak

Test Mode:	802.11n HT40	Channel:	5550 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8320.000	40.66	6.72	47.38	74.00	-26.62	peak
2	9145.000	36.65	10.43	47.08	74.00	-26.92	peak
3	11103.000	45.39	15.15	60.54	74.00	-13.46	peak
4	11103.000	31.70	15.15	46.85	54.00	-7.15	AVG
5	12698.000	30.44	18.08	48.52	74.00	-25.48	peak
6	13897.000	28.35	21.62	49.97	74.00	-24.03	peak
7	17703.000	26.15	24.09	50.24	74.00	-23.76	peak

Test Mode:	802.11n HT40	Channel:	5550 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	37.28	9.75	47.03	74.00	-26.97	peak
2	11103.000	47.14	15.15	62.29	74.00	-11.71	peak
3	11103.000	32.38	15.15	47.53	54.00	-6.47	AVG
4	11862.000	32.68	17.45	50.13	74.00	-23.87	peak
5	12742.000	31.91	18.13	50.04	74.00	-23.96	peak
6	13919.000	28.79	21.68	50.47	74.00	-23.53	peak
7	17934.000	25.02	25.67	50.69	74.00	-23.31	peak

Test Mode:	802.11n HT40	Channel:	5670 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8496.000	43.06	6.89	49.95	74.00	-24.05	peak
2	9222.000	36.52	10.48	47.00	74.00	-27.00	peak
3	11334.000	51.27	16.09	67.36	74.00	-6.64	peak
4	11334.000	32.61	16.09	48.70	54.00	-5.30	AVG
5	12203.000	32.57	17.76	50.33	74.00	-23.67	peak
6	12654.000	32.63	18.01	50.64	74.00	-23.36	peak
7	17967.000	24.91	25.89	50.80	74.00	-23.20	peak

Test Mode:	802.11n HT40	Channel:	5670 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.61	10.51	47.12	74.00	-26.88	peak
2	10234.000	35.28	12.26	47.54	74.00	-26.46	peak
3	11334.000	46.11	16.09	62.20	74.00	-11.80	peak
4	11334.000	28.80	16.09	44.89	54.00	-9.11	AVG
5	12555.000	32.93	17.90	50.83	74.00	-23.17	peak
6	13622.000	29.41	20.95	50.36	74.00	-23.64	peak
7	17956.000	24.72	25.82	50.54	74.00	-23.46	peak

Test Mode:	802.11n HT40	Channel:	5710 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8562.000	42.76	7.32	50.08	74.00	-23.92	peak
2	10168.000	35.26	12.13	47.39	74.00	-26.61	peak
3	11411.000	46.52	16.41	62.93	74.00	-11.07	peak
4	11411.000	29.90	16.41	46.31	54.00	-7.69	AVG
5	12621.000	32.53	17.98	50.51	74.00	-23.49	peak
6	13545.000	30.17	20.74	50.91	74.00	-23.09	peak
7	17989.000	23.88	26.04	49.92	74.00	-24.08	peak

Test Mode:	802.11n HT40	Channel:	5710 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.25	10.53	46.78	74.00	-27.22	peak
2	10234.000	35.07	12.26	47.33	74.00	-26.67	peak
3	11411.000	46.86	16.41	63.27	74.00	-10.73	peak
4	11411.000	30.96	16.41	47.37	54.00	-6.63	AVG
5	11796.000	33.23	17.32	50.55	74.00	-23.45	peak
6	12654.000	32.30	18.01	50.31	74.00	-23.69	peak
7	17989.000	24.40	26.04	50.44	74.00	-23.56	peak

Test Mode:	802.11n HT40	Channel:	5755 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8628.000	40.88	7.77	48.65	74.00	-25.35	peak
2	11521.000	49.16	16.82	65.98	74.00	-8.02	peak
3	11521.000	34.03	16.82	50.85	54.00	-3.15	AVG
4	12588.000	32.66	17.94	50.60	74.00	-23.40	peak
5	13105.000	31.61	18.91	50.52	74.00	-23.48	peak
6	14084.000	27.72	21.52	49.24	74.00	-24.76	peak
7	17923.000	23.62	25.60	49.22	74.00	-24.78	peak

Test Mode:	802.11n HT40	Channel:	5755 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.27	10.21	47.48	74.00	-26.52	peak
2	11499.000	48.18	16.77	64.95	74.00	-9.05	peak
3	11499.000	33.00	16.77	49.77	54.00	-4.23	AVG
4	11884.000	33.40	17.48	50.88	74.00	-23.12	peak
5	12599.000	32.25	17.95	50.20	74.00	-23.80	peak
6	13919.000	28.30	21.68	49.98	74.00	-24.02	peak
7	17989.000	24.75	26.04	50.79	74.00	-23.21	peak

Test Mode:	802.11n HT40	Channel:	5795 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8694.000	41.60	8.22	49.82	74.00	-24.18	peak
2	11048.000	34.61	14.91	49.52	74.00	-24.48	peak
3	11587.000	51.63	16.93	68.56	74.00	-5.44	peak
4	11587.000	32.83	16.93	49.76	54.00	-4.24	AVG
5	12236.000	33.03	17.76	50.79	74.00	-23.21	peak
6	14238.000	30.08	20.88	50.96	74.00	-23.04	peak
7	17945.000	25.10	25.75	50.85	74.00	-23.15	peak

Test Mode:	802.11n HT40	Channel:	5795 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.07	10.51	46.58	74.00	-27.42	peak
2	11048.000	35.11	14.91	50.02	74.00	-23.98	peak
3	11587.000	51.69	16.93	68.62	74.00	-5.38	peak
4	11587.000	35.36	16.93	52.29	54.00	-1.71	AVG
5	13050.000	32.00	18.66	50.66	74.00	-23.34	peak
6	13897.000	28.16	21.62	49.78	74.00	-24.22	peak
7	17901.000	24.54	25.45	49.99	74.00	-24.01	peak

Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	44.06	6.60	50.66	74.00	-23.34	peak
2	10432.000	38.77	12.67	51.44	74.00	-22.56	peak
3	10432.000	24.00	12.67	36.67	54.00	-17.33	AVG
4	11851.000	32.66	17.43	50.09	74.00	-23.91	peak
5	12599.000	32.61	17.95	50.56	74.00	-23.44	peak
6	13952.000	28.47	21.76	50.23	74.00	-23.77	peak
7	18000.000	23.61	26.12	49.73	74.00	-24.27	peak

Test Mode:	802.11ac VHT80	Channel:	5210 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.40	10.53	46.93	74.00	-27.07	peak
2	10443.000	36.50	12.70	49.20	74.00	-24.80	peak
3	11587.000	33.34	16.93	50.27	74.00	-23.73	peak
4	12643.000	32.20	18.01	50.21	74.00	-23.79	peak
5	13930.000	28.65	21.71	50.36	74.00	-23.64	peak
6	17967.000	24.39	25.89	50.28	74.00	-23.72	peak

Test Mode:	802.11ac VHT80	Channel:	5290 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	44.14	6.49	50.63	74.00	-23.37	peak
2	8991.000	37.29	10.28	47.57	74.00	-26.43	peak
3	10608.000	45.21	13.23	58.44	74.00	-15.56	peak
4	10608.000	31.23	13.23	44.46	54.00	-9.54	AVG
5	12060.000	32.29	17.71	50.00	74.00	-24.00	peak
6	13578.000	29.32	20.83	50.15	74.00	-23.85	peak
7	17956.000	24.78	25.82	50.60	74.00	-23.40	peak

Test Mode:	802.11ac VHT80	Channel:	5290 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	35.93	10.49	46.42	74.00	-27.58	peak
2	10608.000	42.22	13.23	55.45	74.00	-18.55	peak
3	10608.000	26.38	13.23	39.61	54.00	-14.39	AVG
4	11763.000	33.26	17.26	50.52	74.00	-23.48	peak
5	12720.000	31.86	18.09	49.95	74.00	-24.05	peak
6	13633.000	29.43	20.97	50.40	74.00	-23.60	peak
7	17945.000	24.65	25.75	50.40	74.00	-23.60	peak

Test Mode:	802.11ac VHT80	Channel:	5530 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	41.07	6.70	47.77	74.00	-26.23	peak
2	9057.000	36.16	10.38	46.54	74.00	-27.46	peak
3	11026.000	33.83	14.82	48.65	74.00	-25.35	peak
4	11444.000	33.03	16.53	49.56	74.00	-24.44	peak
5	13611.000	29.45	20.92	50.37	74.00	-23.63	peak
6	17956.000	23.96	25.82	49.78	74.00	-24.22	peak

Test Mode:	802.11ac VHT80	Channel:	5530 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8056.000	37.51	6.48	43.99	74.00	-30.01	peak
2	9189.000	36.23	10.46	46.69	74.00	-27.31	peak
3	11081.000	34.63	15.05	49.68	74.00	-24.32	peak
4	11818.000	32.44	17.36	49.80	74.00	-24.20	peak
5	13622.000	28.37	20.95	49.32	74.00	-24.68	peak
6	17989.000	24.11	26.04	50.15	74.00	-23.85	peak

Test Mode:	802.11ac VHT80	Channel:	5610 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8408.000	41.89	6.81	48.70	74.00	-25.30	peak
2	10212.000	35.40	12.21	47.61	74.00	-26.39	peak
3	11235.000	44.09	15.68	59.77	74.00	-14.23	peak
4	11235.000	29.81	15.68	45.49	54.00	-8.51	AVG
5	11400.000	34.12	16.36	50.48	74.00	-23.52	peak
6	13534.000	29.57	20.73	50.30	74.00	-23.70	peak
7	17945.000	24.15	25.75	49.90	74.00	-24.10	peak

Test Mode:	802.11ac VHT80	Channel:	5610 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	36.15	10.52	46.67	74.00	-27.33	peak
2	10278.000	35.11	12.35	47.46	74.00	-26.54	peak
3	11246.000	43.11	15.73	58.84	74.00	-15.16	peak
4	11246.000	27.44	15.73	43.17	54.00	-10.83	AVG
5	12258.000	32.66	17.77	50.43	74.00	-23.57	peak
6	13919.000	29.08	21.68	50.76	74.00	-23.24	peak
7	17945.000	24.64	25.75	50.39	74.00	-23.61	peak

Test Mode:	802.11ac VHT80	Channel:	5690 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8529.000	43.22	7.08	50.30	74.00	-23.70	peak
2	9354.000	36.93	10.56	47.49	74.00	-26.51	peak
3	11400.000	47.88	16.36	64.24	74.00	-9.76	peak
4	11400.000	34.33	16.36	50.69	54.00	-3.31	AVG
5	12302.000	32.28	17.78	50.06	74.00	-23.94	peak
6	13479.000	29.78	20.55	50.33	74.00	-23.67	peak
7	17956.000	24.71	25.82	50.53	74.00	-23.47	peak

Test Mode:	802.11ac VHT80	Channel:	5690 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.42	10.39	47.81	74.00	-26.19	peak
2	9761.000	36.79	11.23	48.02	74.00	-25.98	peak
3	11389.000	47.81	16.31	64.12	74.00	-9.88	peak
4	11389.000	33.52	16.31	49.83	54.00	-4.17	AVG
5	12610.000	32.39	17.97	50.36	74.00	-23.64	peak
6	13534.000	29.85	20.73	50.58	74.00	-23.42	peak
7	17978.000	23.34	25.97	49.31	74.00	-24.69	peak

Test Mode:	802.11ac VHT80	Channel:	5775 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8661.000	41.81	8.00	49.81	74.00	-24.19	peak
2	11048.000	34.77	14.91	49.68	74.00	-24.32	peak
3	11565.000	47.93	16.89	64.82	74.00	-9.18	peak
4	11565.000	34.62	16.89	51.51	54.00	-2.49	AVG
5	12610.000	32.85	17.97	50.82	74.00	-23.18	peak
6	13534.000	29.88	20.73	50.61	74.00	-23.39	peak
7	18000.000	24.25	26.12	50.37	74.00	-23.63	peak

Test Mode:	802.11ac VHT80	Channel:	5775 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.59	10.21	46.80	74.00	-27.20	peak
2	11048.000	35.02	14.91	49.93	74.00	-24.07	peak
3	11565.000	50.04	16.89	66.93	74.00	-7.07	peak
4	11565.000	35.28	16.89	52.17	54.00	-1.83	AVG
5	12291.000	32.72	17.78	50.50	74.00	-23.50	peak
6	13919.000	28.47	21.68	50.15	74.00	-23.85	peak
7	17978.000	24.01	25.97	49.98	74.00	-24.02	peak

Test Mode:	802.11ac VHT160	Channel:	5250 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7869.000	43.58	6.54	50.12	74.00	-23.88	peak
2	9057.000	36.36	10.38	46.74	74.00	-27.26	peak
3	10520.000	36.19	12.90	49.09	74.00	-24.91	peak
4	11455.000	32.71	16.58	49.29	74.00	-24.71	peak
5	13919.000	28.71	21.68	50.39	74.00	-23.61	peak
6	17879.000	25.28	25.29	50.57	74.00	-23.43	peak

Test Mode:	802.11ac VHT160	Channel:	5250 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.03	10.54	46.57	74.00	-27.43	peak
2	11499.000	33.25	16.77	50.02	74.00	-23.98	peak
3	11840.000	32.52	17.40	49.92	74.00	-24.08	peak
4	12621.000	31.98	17.98	49.96	74.00	-24.04	peak
5	13886.000	27.93	21.60	49.53	74.00	-24.47	peak
6	18000.000	24.39	26.12	50.51	74.00	-23.49	peak

Test Mode:	802.11ac VHT160	Channel:	5570 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8353.000	42.77	6.76	49.53	74.00	-24.47	peak
2	9068.000	36.28	10.39	46.67	74.00	-27.33	peak
3	11158.000	33.77	15.37	49.14	74.00	-24.86	peak
4	12247.000	32.11	17.77	49.88	74.00	-24.12	peak
5	13875.000	27.96	21.57	49.53	74.00	-24.47	peak
6	17934.000	24.58	25.67	50.25	74.00	-23.75	peak

Test Mode:	802.11ac VHT160	Channel:	5570 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.43	10.49	46.92	74.00	-27.08	peak
2	10091.000	36.30	11.97	48.27	74.00	-25.73	peak
3	11158.000	34.76	15.37	50.13	74.00	-23.87	peak
4	12698.000	32.45	18.08	50.53	74.00	-23.47	peak
5	13633.000	29.94	20.97	50.91	74.00	-23.09	peak
6	17956.000	24.85	25.82	50.67	74.00	-23.33	peak

Test Mode:	802.11ax HE20	Channel:	5180 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7770.000	43.33	6.63	49.96	74.00	-24.04	peak
2	8936.000	37.15	9.90	47.05	74.00	-26.95	peak
3	10366.000	36.08	12.54	48.62	74.00	-25.38	peak
4	11719.000	33.03	17.18	50.21	74.00	-23.79	peak
5	13534.000	29.54	20.73	50.27	74.00	-23.73	peak
6	17967.000	23.31	25.89	49.20	74.00	-24.80	peak

Test Mode:	802.11ax HE20	Channel:	5180 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8045.000	37.87	6.47	44.34	74.00	-29.66	peak
2	9299.000	36.91	10.53	47.44	74.00	-26.56	peak
3	11378.000	32.86	16.26	49.12	74.00	-24.88	peak
4	13523.000	28.17	20.70	48.87	74.00	-25.13	peak
5	13930.000	28.32	21.71	50.03	74.00	-23.97	peak
6	17956.000	23.71	25.82	49.53	74.00	-24.47	peak

Test Mode:	802.11ax HE20	Channel:	5200 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7792.000	42.52	6.62	49.14	74.00	-24.86	peak
2	9376.000	36.62	10.58	47.20	74.00	-26.80	peak
3	11785.000	32.89	17.30	50.19	74.00	-23.81	peak
4	13523.000	29.71	20.70	50.41	74.00	-23.59	peak
5	13985.000	28.28	21.85	50.13	74.00	-23.87	peak
6	17967.000	24.06	25.89	49.95	74.00	-24.05	peak

Test Mode:	802.11ax HE20	Channel:	5200 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	35.76	10.51	46.27	74.00	-27.73	peak
2	10806.000	34.54	13.98	48.52	74.00	-25.48	peak
3	11708.000	32.86	17.16	50.02	74.00	-23.98	peak
4	13380.000	30.38	20.12	50.50	74.00	-23.50	peak
5	14007.000	27.36	21.85	49.21	74.00	-24.79	peak
6	18000.000	24.25	26.12	50.37	74.00	-23.63	peak

Test Mode:	802.11ax HE20	Channel:	5240 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7858.000	42.79	6.55	49.34	74.00	-24.66	peak
2	9145.000	35.64	10.43	46.07	74.00	-27.93	peak
3	10476.000	36.46	12.77	49.23	74.00	-24.77	peak
4	11763.000	32.74	17.26	50.00	74.00	-24.00	peak
5	13919.000	27.99	21.68	49.67	74.00	-24.33	peak
6	18000.000	24.49	26.12	50.61	74.00	-23.39	peak

Test Mode:	802.11ax HE20	Channel:	5240 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.45	10.41	46.86	74.00	-27.14	peak
2	10938.000	34.59	14.48	49.07	74.00	-24.93	peak
3	11796.000	32.81	17.32	50.13	74.00	-23.87	peak
4	12236.000	31.84	17.76	49.60	74.00	-24.40	peak
5	13567.000	29.76	20.80	50.56	74.00	-23.44	peak
6	17978.000	24.46	25.97	50.43	74.00	-23.57	peak

Test Mode:	802.11ax HE20	Channel:	5260 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	41.78	6.52	48.30	74.00	-25.70	peak
2	10520.000	47.70	12.90	60.60	74.00	-13.40	peak
3	10520.000	32.38	12.90	45.28	54.00	-8.72	AVG
4	11818.000	32.90	17.36	50.26	74.00	-23.74	peak
5	12731.000	31.37	18.12	49.49	74.00	-24.51	peak
6	13985.000	27.53	21.85	49.38	74.00	-24.62	peak
7	17912.000	24.86	25.52	50.38	74.00	-23.62	peak

Test Mode:	802.11ax HE20	Channel:	5260 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.08	10.39	46.47	74.00	-27.53	peak
2	10509.000	44.75	12.85	57.60	74.00	-16.40	peak
3	10509.000	29.66	12.85	42.51	54.00	-11.49	AVG
4	11411.000	33.77	16.41	50.18	74.00	-23.82	peak
5	12698.000	32.05	18.08	50.13	74.00	-23.87	peak
6	13589.000	28.82	20.86	49.68	74.00	-24.32	peak
7	17956.000	24.18	25.82	50.00	74.00	-24.00	peak

Test Mode:	802.11ax HE20	Channel:	5280 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7913.000	41.96	6.51	48.47	74.00	-25.53	peak
2	10553.000	48.53	13.02	61.55	74.00	-12.45	peak
3	10553.000	34.37	13.02	47.39	54.00	-6.61	AVG
4	11763.000	32.72	17.26	49.98	74.00	-24.02	peak
5	12236.000	31.79	17.76	49.55	74.00	-24.45	peak
6	14018.000	28.04	21.80	49.84	74.00	-24.16	peak
7	17989.000	24.35	26.04	50.39	74.00	-23.61	peak

Test Mode:	802.11ax HE20	Channel:	5280 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	36.48	10.58	47.06	74.00	-26.94	peak
2	10553.000	46.61	13.02	59.63	74.00	-14.37	peak
3	10553.000	31.62	13.02	44.64	54.00	-9.36	AVG
4	11752.000	33.05	17.24	50.29	74.00	-23.71	peak
5	12621.000	31.95	17.98	49.93	74.00	-24.07	peak
6	13919.000	27.97	21.68	49.65	74.00	-24.35	peak
7	18000.000	23.92	26.12	50.04	74.00	-23.96	peak

Test Mode:	802.11ax HE20	Channel:	5320 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7979.000	42.57	6.45	49.02	74.00	-24.98	peak
2	9068.000	37.29	10.39	47.68	74.00	-26.32	peak
3	10641.000	47.35	13.36	60.71	74.00	-13.29	peak
4	10641.000	32.74	13.36	46.10	54.00	-7.90	AVG
5	11818.000	32.94	17.36	50.30	74.00	-23.70	peak
6	13512.000	29.85	20.68	50.53	74.00	-23.47	peak
7	17989.000	24.40	26.04	50.44	74.00	-23.56	peak

Test Mode:	802.11ax HE20	Channel:	5320 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.38	10.48	46.86	74.00	-27.14	peak
2	10652.000	43.52	13.40	56.92	74.00	-17.08	peak
3	10652.000	28.95	13.40	42.35	54.00	-11.65	AVG
4	11411.000	33.68	16.41	50.09	74.00	-23.91	peak
5	11895.000	32.28	17.51	49.79	74.00	-24.21	peak
6	13919.000	28.30	21.68	49.98	74.00	-24.02	peak
7	17934.000	24.17	25.67	49.84	74.00	-24.16	peak

Test Mode:	802.11ax HE20	Channel:	5500 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	40.12	6.65	46.77	74.00	-27.23	peak
2	11004.000	39.71	14.74	54.45	74.00	-19.55	peak
3	11004.000	26.95	14.74	41.69	54.00	-12.31	AVG
4	11653.000	33.83	17.05	50.88	74.00	-23.12	peak
5	12709.000	31.85	18.09	49.94	74.00	-24.06	peak
6	13402.000	29.77	20.20	49.97	74.00	-24.03	peak
7	17989.000	24.43	26.04	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE20	Channel:	5500 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.56	10.46	47.02	74.00	-26.98	peak
2	11004.000	41.42	14.74	56.16	74.00	-17.84	peak
3	11004.000	27.07	14.74	41.81	54.00	-12.19	AVG
4	11851.000	32.91	17.43	50.34	74.00	-23.66	peak
5	12588.000	32.24	17.94	50.18	74.00	-23.82	peak
6	13545.000	30.36	20.75	51.11	74.00	-22.89	peak
7	18000.000	24.85	26.12	50.97	74.00	-23.03	peak

Test Mode:	802.11ax HE20	Channel:	5580 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8364.000	39.37	6.76	46.13	74.00	-27.87	peak
2	9420.000	36.87	10.60	47.47	74.00	-26.53	peak
3	11158.000	49.33	15.37	64.70	74.00	-9.30	peak
4	11158.000	34.86	15.37	50.23	54.00	-3.77	AVG
5	11653.000	33.94	17.05	50.99	74.00	-23.01	peak
6	13809.000	29.04	21.41	50.45	74.00	-23.55	peak
7	18000.000	24.23	26.12	50.35	74.00	-23.65	peak

Test Mode:	802.11ax HE20	Channel:	5580 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.57	10.41	46.98	74.00	-27.02	peak
2	11169.000	43.03	15.42	58.45	74.00	-15.55	peak
3	11169.000	27.94	15.42	43.36	54.00	-10.64	AVG
4	11884.000	33.01	17.48	50.49	74.00	-23.51	peak
5	13424.000	29.60	20.30	49.90	74.00	-24.10	peak
6	13963.000	28.68	21.78	50.46	74.00	-23.54	peak
7	17967.000	24.61	25.89	50.50	74.00	-23.50	peak

Test Mode:	802.11ax HE20	Channel:	5700 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	36.27	10.78	47.05	74.00	-26.95	peak
2	10861.000	35.12	14.20	49.32	74.00	-24.68	peak
3	11400.000	47.10	16.36	63.46	74.00	-10.54	peak
4	11400.000	32.90	16.36	49.26	54.00	-4.74	AVG
5	12709.000	32.54	18.09	50.63	74.00	-23.37	peak
6	13556.000	29.88	20.78	50.66	74.00	-23.34	peak
7	17989.000	24.36	26.04	50.40	74.00	-23.60	peak

Test Mode:	802.11ax HE20	Channel:	5700 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	36.49	10.51	47.00	74.00	-27.00	peak
2	10234.000	34.97	12.26	47.23	74.00	-26.77	peak
3	11400.000	45.32	16.36	61.68	74.00	-12.32	peak
4	11400.000	32.11	16.36	48.47	54.00	-5.53	AVG
5	12676.000	32.12	18.05	50.17	74.00	-23.83	peak
6	14062.000	29.18	21.62	50.80	74.00	-23.20	peak
7	18000.000	24.75	26.12	50.87	74.00	-23.13	peak

Test Mode:	802.11ax HE20	Channel:	5720 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8573.000	42.98	7.40	50.38	74.00	-23.62	peak
2	10883.000	33.59	14.27	47.86	74.00	-26.14	peak
3	11433.000	39.83	16.50	56.33	74.00	-17.67	peak
4	11433.000	25.24	16.50	41.74	54.00	-12.26	AVG
5	12720.000	31.64	18.09	49.73	74.00	-24.27	peak
6	14469.000	30.10	19.91	50.01	74.00	-23.99	peak
7	17989.000	24.20	26.04	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE20	Channel:	5720 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7253.000	37.74	6.95	44.69	74.00	-29.31	peak
2	9255.000	37.04	10.51	47.55	74.00	-26.45	peak
3	11433.000	39.33	16.50	55.83	74.00	-18.17	peak
4	11433.000	24.39	16.50	40.89	54.00	-13.11	AVG
5	12258.000	32.59	17.77	50.36	74.00	-23.64	peak
6	13512.000	29.76	20.68	50.44	74.00	-23.56	peak
7	17967.000	24.98	25.89	50.87	74.00	-23.13	peak

Test Mode:	802.11ax HE20	Channel:	5745 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8617.000	41.87	7.70	49.57	74.00	-24.43	peak
2	9189.000	36.22	10.46	46.68	74.00	-27.32	peak
3	11488.000	44.95	16.72	61.67	74.00	-12.33	peak
4	11488.000	33.67	16.72	50.39	54.00	-3.61	AVG
5	12698.000	32.46	18.08	50.54	74.00	-23.46	peak
6	13919.000	29.09	21.68	50.77	74.00	-23.23	peak
7	17923.000	24.99	25.60	50.59	74.00	-23.41	peak

Test Mode:	802.11ax HE20	Channel:	5745 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.23	10.21	46.44	74.00	-27.56	peak
2	10872.000	34.85	14.23	49.08	74.00	-24.92	peak
3	11488.000	43.19	16.72	59.91	74.00	-14.09	peak
4	11488.000	34.73	16.72	51.45	54.00	-2.55	AVG
5	12148.000	33.00	17.74	50.74	74.00	-23.26	peak
6	13413.000	30.58	20.26	50.84	74.00	-23.16	peak
7	18000.000	24.10	26.12	50.22	74.00	-23.78	peak

Test Mode:	802.11ax HE20	Channel:	5785 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8672.000	41.13	8.08	49.21	74.00	-24.79	peak
2	9167.000	36.79	10.45	47.24	74.00	-26.76	peak
3	11565.000	44.79	16.89	61.68	74.00	-12.32	peak
4	11565.000	34.68	16.89	51.57	54.00	-2.43	AVG
5	12291.000	33.15	17.78	50.93	74.00	-23.07	peak
6	13435.000	30.00	20.35	50.35	74.00	-23.65	peak
7	17978.000	24.33	25.97	50.30	74.00	-23.70	peak

Test Mode:	802.11ax HE20	Channel:	5785 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.81	10.39	47.20	74.00	-26.80	peak
2	11026.000	34.83	14.82	49.65	74.00	-24.35	peak
3	11576.000	45.47	16.91	62.38	74.00	-11.62	peak
4	11576.000	35.24	16.91	52.15	54.00	-1.85	AVG
5	13116.000	31.85	18.96	50.81	74.00	-23.19	peak
6	13996.000	28.75	21.87	50.62	74.00	-23.38	peak
7	17703.000	26.20	24.09	50.29	74.00	-23.71	peak

Test Mode:	802.11ax HE20	Channel:	5825 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8738.000	42.49	8.53	51.02	74.00	-22.98	peak
2	11070.000	34.45	15.01	49.46	74.00	-24.54	peak
3	11642.000	43.69	17.03	60.72	74.00	-13.28	peak
4	11642.000	32.26	17.03	49.29	54.00	-4.71	AVG
5	13017.000	32.20	18.53	50.73	74.00	-23.27	peak
6	13666.000	29.31	21.05	50.36	74.00	-23.64	peak
7	17989.000	24.86	26.04	50.90	74.00	-23.10	peak

Test Mode:	802.11ax HE20	Channel:	5825 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.19	10.41	46.60	74.00	-27.40	peak
2	10971.000	35.51	14.61	50.12	74.00	-23.88	peak
3	11642.000	45.30	17.03	62.33	74.00	-11.67	peak
4	11642.000	35.22	17.03	52.25	54.00	-1.75	AVG
5	13457.000	29.21	20.46	49.67	74.00	-24.33	peak
6	17989.000	24.13	26.04	50.17	74.00	-23.83	peak

Test Mode:	802.11ax HE40	Channel:	5190 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7781.000	42.24	6.62	48.86	74.00	-25.14	peak
2	9310.000	36.76	10.54	47.30	74.00	-26.70	peak
3	11004.000	34.32	14.74	49.06	74.00	-24.94	peak
4	13424.000	30.21	20.30	50.51	74.00	-23.49	peak
5	13919.000	28.04	21.68	49.72	74.00	-24.28	peak
6	17934.000	24.20	25.67	49.87	74.00	-24.13	peak

Test Mode:	802.11ax HE40	Channel:	5190 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7605.000	37.34	6.78	44.12	74.00	-29.88	peak
2	9068.000	36.15	10.39	46.54	74.00	-27.46	peak
3	10333.000	34.87	12.47	47.34	74.00	-26.66	peak
4	11345.000	33.35	16.14	49.49	74.00	-24.51	peak
5	13919.000	28.30	21.68	49.98	74.00	-24.02	peak
6	17978.000	24.48	25.97	50.45	74.00	-23.55	peak

Test Mode:	802.11ax HE40	Channel:	5230 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7836.000	43.37	6.58	49.95	74.00	-24.05	peak
2	9310.000	36.18	10.54	46.72	74.00	-27.28	peak
3	10454.000	36.31	12.73	49.04	74.00	-24.96	peak
4	11400.000	32.67	16.36	49.03	74.00	-24.97	peak
5	13919.000	27.79	21.68	49.47	74.00	-24.53	peak
6	17714.000	24.58	24.16	48.74	74.00	-25.26	peak

Test Mode:	802.11ax HE40	Channel:	5230 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.55	10.39	46.94	74.00	-27.06	peak
2	10234.000	35.50	12.26	47.76	74.00	-26.24	peak
3	11048.000	34.33	14.91	49.24	74.00	-24.76	peak
4	11796.000	32.69	17.32	50.01	74.00	-23.99	peak
5	13666.000	29.04	21.05	50.09	74.00	-23.91	peak
6	17945.000	24.23	25.75	49.98	74.00	-24.02	peak

Test Mode:	802.11ax HE40	Channel:	5270 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7902.000	43.10	6.52	49.62	74.00	-24.38	peak
2	9079.000	36.83	10.39	47.22	74.00	-26.78	peak
3	10542.000	46.15	12.98	59.13	74.00	-14.87	peak
4	10542.000	32.71	12.98	45.69	54.00	-8.31	AVG
5	12258.000	32.29	17.77	50.06	74.00	-23.94	peak
6	13864.000	27.80	21.53	49.33	74.00	-24.67	peak
7	17978.000	24.91	25.97	50.88	74.00	-23.12	peak

Test Mode:	802.11ax HE40	Channel:	5270 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7902.000	38.45	6.52	44.97	74.00	-29.03	peak
2	8936.000	37.21	9.90	47.11	74.00	-26.89	peak
3	10531.000	46.80	12.94	59.74	74.00	-14.26	peak
4	10531.000	32.94	12.94	45.88	54.00	-8.12	AVG
5	11675.000	33.20	17.10	50.30	74.00	-23.70	peak
6	13600.000	29.87	20.89	50.76	74.00	-23.24	peak
7	17989.000	24.89	26.04	50.93	74.00	-23.07	peak

Test Mode:	802.11ax HE40	Channel:	5310 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7957.000	43.65	6.46	50.11	74.00	-23.89	peak
2	9145.000	36.32	10.43	46.75	74.00	-27.25	peak
3	10619.000	46.34	13.28	59.62	74.00	-14.38	peak
4	10619.000	32.00	13.28	45.28	54.00	-8.72	AVG
5	11851.000	31.76	17.43	49.19	74.00	-24.81	peak
6	13919.000	27.70	21.68	49.38	74.00	-24.62	peak
7	18000.000	23.69	26.12	49.81	74.00	-24.19	peak

Test Mode:	802.11ax HE40	Channel:	5310 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.30	6.68	43.98	74.00	-30.02	peak
2	9068.000	37.03	10.39	47.42	74.00	-26.58	peak
3	10619.000	47.55	13.28	60.83	74.00	-13.17	peak
4	10619.000	33.64	13.28	46.92	54.00	-7.08	AVG
5	11851.000	32.91	17.43	50.34	74.00	-23.66	peak
6	13633.000	29.55	20.97	50.52	74.00	-23.48	peak
7	17813.000	24.92	24.84	49.76	74.00	-24.24	peak

Test Mode:	802.11ax HE40	Channel:	5510 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8265.000	40.22	6.67	46.89	74.00	-27.11	peak
2	9563.000	36.22	10.78	47.00	74.00	-27.00	peak
3	11015.000	40.22	14.79	55.01	74.00	-18.99	peak
4	11015.000	25.94	14.79	40.73	54.00	-13.27	AVG
5	12511.000	32.85	17.84	50.69	74.00	-23.31	peak
6	13853.000	28.89	21.52	50.41	74.00	-23.59	peak
7	17989.000	23.59	26.04	49.63	74.00	-24.37	peak

Test Mode:	802.11ax HE40	Channel:	5510 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.78	10.46	47.24	74.00	-26.76	peak
2	10234.000	36.15	12.26	48.41	74.00	-25.59	peak
3	11015.000	40.23	14.79	55.02	74.00	-18.98	peak
4	11015.000	26.54	14.79	41.33	54.00	-12.67	AVG
5	11741.000	32.42	17.22	49.64	74.00	-24.36	peak
6	13930.000	28.47	21.71	50.18	74.00	-23.82	peak
7	17945.000	24.34	25.75	50.09	74.00	-23.91	peak

Test Mode:	802.11ax HE40	Channel:	5550 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.46	10.48	46.94	74.00	-27.06	peak
2	11092.000	46.71	15.10	61.81	74.00	-12.19	peak
3	11092.000	30.55	15.10	45.65	54.00	-8.35	AVG
4	11664.000	33.41	17.08	50.49	74.00	-23.51	peak
5	12709.000	32.64	18.09	50.73	74.00	-23.27	peak
6	13589.000	28.85	20.86	49.71	74.00	-24.29	peak
7	17989.000	24.30	26.04	50.34	74.00	-23.66	peak

Test Mode:	802.11ax HE40	Channel:	5550 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	36.44	10.52	46.96	74.00	-27.04	peak
2	10201.000	35.49	12.19	47.68	74.00	-26.32	peak
3	11125.000	46.41	15.22	61.63	74.00	-12.37	peak
4	11125.000	31.61	15.22	46.83	54.00	-7.17	AVG
5	11686.000	33.56	17.12	50.68	74.00	-23.32	peak
6	13864.000	28.54	21.53	50.07	74.00	-23.93	peak
7	18000.000	24.94	26.12	51.06	74.00	-22.94	peak

Test Mode:	802.11ax HE40	Channel:	5670 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.47	10.46	46.93	74.00	-27.07	peak
2	10179.000	35.03	12.14	47.17	74.00	-26.83	peak
3	11334.000	50.78	16.09	66.87	74.00	-7.13	peak
4	11334.000	35.19	16.09	51.28	54.00	-2.72	AVG
5	12665.000	32.50	18.04	50.54	74.00	-23.46	peak
6	13864.000	28.94	21.53	50.47	74.00	-23.53	peak
7	17967.000	24.82	25.89	50.71	74.00	-23.29	peak

Test Mode:	802.11ax HE40	Channel:	5670 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	37.52	6.52	44.04	74.00	-29.96	peak
2	9255.000	36.37	10.51	46.88	74.00	-27.12	peak
3	11345.000	46.45	16.14	62.59	74.00	-11.41	peak
4	11345.000	31.67	16.14	47.81	54.00	-6.19	AVG
5	12687.000	31.29	18.05	49.34	74.00	-24.66	peak
6	13655.000	27.99	21.03	49.02	74.00	-24.98	peak
7	17945.000	23.41	25.75	49.16	74.00	-24.84	peak

Test Mode:	802.11ax HE40	Channel:	5710 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8562.000	39.59	7.32	46.91	74.00	-27.09	peak
2	9134.000	36.77	10.41	47.18	74.00	-26.82	peak
3	11411.000	47.60	16.41	64.01	74.00	-9.99	peak
4	11411.000	32.94	16.41	49.35	54.00	-4.65	AVG
5	12236.000	32.54	17.76	50.30	74.00	-23.70	peak
6	13919.000	28.81	21.68	50.49	74.00	-23.51	peak
7	17989.000	23.79	26.04	49.83	74.00	-24.17	peak

Test Mode:	802.11ax HE40	Channel:	5710 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.61	10.38	46.99	74.00	-27.01	peak
2	11411.000	44.09	16.41	60.50	74.00	-13.50	peak
3	11411.000	30.28	16.41	46.69	54.00	-7.31	AVG
4	11763.000	33.03	17.26	50.29	74.00	-23.71	peak
5	12709.000	31.88	18.09	49.97	74.00	-24.03	peak
6	13963.000	27.80	21.78	49.58	74.00	-24.42	peak
7	17989.000	24.32	26.04	50.36	74.00	-23.64	peak

Test Mode:	802.11ax HE40	Channel:	5755 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.42	10.45	46.87	74.00	-27.13	peak
2	10212.000	35.67	12.21	47.88	74.00	-26.12	peak
3	11510.000	45.99	16.79	62.78	74.00	-11.22	peak
4	11510.000	30.79	16.79	47.58	54.00	-6.42	AVG
5	13369.000	30.10	20.06	50.16	74.00	-23.84	peak
6	13919.000	29.10	21.68	50.78	74.00	-23.22	peak
7	17989.000	24.31	26.04	50.35	74.00	-23.65	peak

Test Mode:	802.11ax HE40	Channel:	5755 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.37	10.48	46.85	74.00	-27.15	peak
2	10663.000	34.08	13.44	47.52	74.00	-26.48	peak
3	11510.000	45.50	16.79	62.29	74.00	-11.71	peak
4	11510.000	31.45	16.79	48.24	54.00	-5.76	AVG
5	12698.000	31.98	18.08	50.06	74.00	-23.94	peak
6	13600.000	28.79	20.89	49.68	74.00	-24.32	peak
7	17989.000	24.06	26.04	50.10	74.00	-23.90	peak

Test Mode:	802.11ax HE40	Channel:	5795 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8694.000	41.93	8.22	50.15	74.00	-23.85	peak
2	10168.000	35.83	12.13	47.96	74.00	-26.04	peak
3	11587.000	41.55	16.93	58.48	74.00	-15.52	peak
4	11587.000	31.97	16.93	48.90	54.00	-5.10	AVG
5	12709.000	32.59	18.09	50.68	74.00	-23.32	peak
6	14227.000	29.28	20.93	50.21	74.00	-23.79	peak
7	17967.000	24.60	25.89	50.49	74.00	-23.51	peak

Test Mode:	802.11ax HE40	Channel:	5795 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.31	10.46	46.77	74.00	-27.23	peak
2	11048.000	34.76	14.91	49.67	74.00	-24.33	peak
3	11587.000	44.58	16.93	61.51	74.00	-12.49	peak
4	11587.000	34.42	16.93	51.35	54.00	-2.65	AVG
5	12291.000	33.16	17.78	50.94	74.00	-23.06	peak
6	13523.000	29.89	20.70	50.59	74.00	-23.41	peak
7	17912.000	24.65	25.52	50.17	74.00	-23.83	peak

Test Mode:	802.11ax HE80	Channel:	5210 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	42.69	6.60	49.29	74.00	-24.71	peak
2	9189.000	36.03	10.46	46.49	74.00	-27.51	peak
3	11279.000	34.63	15.86	50.49	74.00	-23.51	peak
4	11598.000	33.60	16.96	50.56	74.00	-23.44	peak
5	13952.000	28.00	21.76	49.76	74.00	-24.24	peak
6	17978.000	24.31	25.97	50.28	74.00	-23.72	peak

Test Mode:	802.11ax HE80	Channel:	5210 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.98	10.51	47.49	74.00	-26.51	peak
2	11048.000	34.64	14.91	49.55	74.00	-24.45	peak
3	11763.000	33.17	17.26	50.43	74.00	-23.57	peak
4	12676.000	32.67	18.05	50.72	74.00	-23.28	peak
5	13435.000	30.39	20.35	50.74	74.00	-23.26	peak
6	17956.000	24.40	25.82	50.22	74.00	-23.78	peak

Test Mode:	802.11ax HE80	Channel:	5290 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	44.04	6.49	50.53	74.00	-23.47	peak
2	10586.000	44.99	13.15	58.14	74.00	-15.86	peak
3	10586.000	35.20	13.15	48.35	54.00	-5.65	AVG
4	11664.000	33.25	17.08	50.33	74.00	-23.67	peak
5	13523.000	29.39	20.70	50.09	74.00	-23.91	peak
6	14425.000	29.75	20.09	49.84	74.00	-24.16	peak
7	17923.000	24.80	25.60	50.40	74.00	-23.60	peak

Test Mode:	802.11ax HE80	Channel:	5290 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.27	6.74	45.01	74.00	-28.99	peak
2	9079.000	36.50	10.39	46.89	74.00	-27.11	peak
3	10597.000	44.48	13.19	57.67	74.00	-16.33	peak
4	10597.000	33.04	13.19	46.23	54.00	-7.77	AVG
5	11444.000	33.85	16.53	50.38	74.00	-23.62	peak
6	12632.000	31.80	17.99	49.79	74.00	-24.21	peak
7	17879.000	23.77	25.29	49.06	74.00	-24.94	peak

Test Mode:	802.11ax HE80	Channel:	5530 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	40.20	6.70	46.90	74.00	-27.10	peak
2	8969.000	37.18	10.13	47.31	74.00	-26.69	peak
3	11081.000	38.35	15.05	53.40	74.00	-20.60	peak
4	11081.000	28.54	15.05	43.59	54.00	-10.41	AVG
5	12698.000	31.96	18.08	50.04	74.00	-23.96	peak
6	13545.000	28.75	20.75	49.50	74.00	-24.50	peak
7	18000.000	24.78	26.12	50.90	74.00	-23.10	peak

Test Mode:	802.11ax HE80	Channel:	5530 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.24	10.53	46.77	74.00	-27.23	peak
2	11048.000	35.04	14.91	49.95	74.00	-24.05	peak
3	11631.000	33.23	17.01	50.24	74.00	-23.76	peak
4	12599.000	31.59	17.95	49.54	74.00	-24.46	peak
5	13644.000	28.06	20.99	49.05	74.00	-24.95	peak
6	17978.000	24.18	25.97	50.15	74.00	-23.85	peak

Test Mode:	802.11ax HE80	Channel:	5610 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7253.000	37.48	6.95	44.43	74.00	-29.57	peak
2	8980.000	36.91	10.21	47.12	74.00	-26.88	peak
3	11235.000	49.43	15.68	65.11	74.00	-8.89	peak
4	11235.000	32.20	15.68	47.88	54.00	-6.12	AVG
5	11653.000	33.53	17.05	50.58	74.00	-23.42	peak
6	13787.000	28.67	21.35	50.02	74.00	-23.98	peak
7	17978.000	24.73	25.97	50.70	74.00	-23.30	peak

Test Mode:	802.11ax HE80	Channel:	5610 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	37.52	6.87	44.39	74.00	-29.61	peak
2	9134.000	36.09	10.41	46.50	74.00	-27.50	peak
3	11235.000	47.95	15.68	63.63	74.00	-10.37	peak
4	11235.000	28.45	15.68	44.13	54.00	-9.87	AVG
5	12610.000	32.06	17.97	50.03	74.00	-23.97	peak
6	13930.000	28.02	21.71	49.73	74.00	-24.27	peak
7	17923.000	24.64	25.60	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE80	Channel:	5690 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8529.000	39.58	7.08	46.66	74.00	-27.34	peak
2	10201.000	35.86	12.19	48.05	74.00	-25.95	peak
3	11389.000	50.57	16.31	66.88	74.00	-7.12	peak
4	11389.000	34.32	16.31	50.63	54.00	-3.37	AVG
5	12698.000	31.91	18.08	49.99	74.00	-24.01	peak
6	14018.000	29.01	21.80	50.81	74.00	-23.19	peak
7	17923.000	25.37	25.60	50.97	74.00	-23.03	peak

Test Mode:	802.11ax HE80	Channel:	5690 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.74	10.05	46.79	74.00	-27.21	peak
2	11389.000	46.65	16.31	62.96	74.00	-11.04	peak
3	11389.000	32.95	16.31	49.26	54.00	-4.74	AVG
4	11807.000	33.14	17.34	50.48	74.00	-23.52	peak
5	12698.000	31.96	18.08	50.04	74.00	-23.96	peak
6	13600.000	28.75	20.89	49.64	74.00	-24.36	peak
7	17956.000	24.69	25.82	50.51	74.00	-23.49	peak

Test Mode:	802.11ax HE80	Channel:	5775 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8661.000	39.36	8.00	47.36	74.00	-26.64	peak
2	10234.000	35.14	12.26	47.40	74.00	-26.60	peak
3	11565.000	49.85	16.89	66.74	74.00	-7.26	peak
4	11565.000	35.46	16.89	52.35	54.00	-1.65	AVG
5	12258.000	32.56	17.77	50.33	74.00	-23.67	peak
6	13622.000	28.99	20.95	49.94	74.00	-24.06	peak
7	18000.000	24.68	26.12	50.80	74.00	-23.20	peak

Test Mode:	802.11ax HE80	Channel:	5775 MHz
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.64	10.41	47.05	74.00	-26.95	peak
2	10212.000	37.09	12.21	49.30	74.00	-24.70	peak
3	11565.000	42.38	16.89	59.27	74.00	-14.73	peak
4	11565.000	30.33	16.89	47.22	54.00	-6.78	AVG
5	12291.000	33.16	17.78	50.94	74.00	-23.06	peak
6	13468.000	30.27	20.50	50.77	74.00	-23.23	peak
7	17989.000	24.77	26.04	50.81	74.00	-23.19	peak

Test Mode:	802.11ax HE160	Channel:	5250 MHz
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7869.000	42.95	6.54	49.49	74.00	-24.51	peak
2	9299.000	36.48	10.53	47.01	74.00	-26.99	peak
3	10509.000	37.75	12.85	50.60	74.00	-23.40	peak
4	11851.000	32.91	17.43	50.34	74.00	-23.66	peak
5	13919.000	28.02	21.68	49.70	74.00	-24.30	peak
6	17989.000	23.99	26.04	50.03	74.00	-23.97	peak