


EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax20_Ch36
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5135.205556	56.33	---	74.00	17.67	100.0	H	359.0	12.4
5136.516667	---	44.97	54.00	9.03	100.0	H	0.0	12.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch36
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5149.95556	66.11	---	74.00	7.89	100.0	V	24.0	12.4

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5147.861111	49.87	54.00	4.13	105.0	V	89.0	12.4

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch38
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5126.683333	---	44.99	54.00	9.01	100.0	H	163.0	12.3
5147.333333	56.63	---	74.00	17.37	100.0	H	171.0	12.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch38
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5149.955556	68.99	---	74.00	5.01	100.0	V	201.0	12.4

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5148.225000	50.83	54.00	3.17	100.0	V	318.0	12.4

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax80_Ch42
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5127.994445	---	45.74	54.00	8.26	100.0	H	220.0	12.3
5141.105556	56.40	---	74.00	17.60	100.0	H	34.0	12.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax80_Ch42
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5149.955556	68.41	---	74.00	5.59	100.0	V	209.0	12.4

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5149.847222	51.76	54.00	2.24	105.0	V	321.0	12.4

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax160_Ch50
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5127.338889	---	45.47	54.00	8.53	100.0	H	249.0	12.3
5142.744445	57.22	---	74.00	16.79	100.0	H	249.0	12.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax160_Ch50
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5142.744445	68.54	---	74.00	5.46	100.0	V	168.0	12.4


Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5148.502778	51.84	54.00	2.16	105.0	V	56.0	12.4

U-NII-2A Band

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch52
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2489.200000	50.82	---	74.00	23.18	100.0	H	277.0	7.4
2500.250000	---	40.42	54.00	13.58	100.0	H	59.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch52
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2507.050000	49.35	---	74.00	24.65	100.0	V	174.0	7.4
2508.920000	---	41.13	54.00	12.87	100.0	V	15.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11a_Ch52
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10537.975000	---	36.49	54.00	17.51	100.0	H	125.0	12.0
10549.775000	45.51	---	74.00	28.49	100.0	H	139.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch52
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10542.891667	---	37.51	54.00	16.49	100.0	V	59.0	12.0
10562.066667	46.42	---	74.00	27.58	100.0	V	136.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax20_Ch56
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2492.770000	52.98	---	74.00	21.02	100.0	H	231.0	7.4
2492.770000	---	43.43	54.00	10.57	100.0	H	231.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch56
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2639.310000	50.12	---	74.00	23.88	100.0	V	309.0	7.6
2645.600000	---	41.82	54.00	12.18	100.0	V	197.0	7.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax20_Ch56
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10574.358333	45.67	---	74.00	28.33	100.0	H	152.0	12.0
10599.433333	---	37.75	54.00	16.25	100.0	H	88.0	12.1

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch56
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10559.116667	47.06	---	74.00	26.94	100.0	V	317.0	12.0
10562.558333	---	38.04	54.00	15.96	100.0	V	128.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch54
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2589.330000	49.88	---	74.00	24.12	100.0	H	106.0	7.4
2630.640000	---	40.60	54.00	13.40	100.0	H	172.0	7.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax40_Ch54
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2662.770000	51.45	---	74.00	22.55	100.0	V	186.0	7.6
2663.110000	---	42.33	54.00	11.67	100.0	V	186.0	7.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax40_Ch54
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10538.958333	45.46	---	74.00	28.54	100.0	H	68.0	12.0
10564.033333	---	36.70	54.00	17.30	100.0	H	8.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch54
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10540.433333	---	37.58	54.00	16.42	100.0	V	322.0	12.0
10571.408333	46.52	---	74.00	27.48	100.0	V	143.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch58
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2481.380000	50.56	---	74.00	23.44	100.0	H	245.0	7.4
2492.090000	---	43.42	54.00	10.58	100.0	H	338.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch58
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2679.940000	50.83	---	74.00	23.17	100.0	V	270.0	7.5
2679.940000	---	41.84	54.00	12.16	100.0	V	270.0	7.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch58
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8030.966667	---	37.37	54.00	16.63	100.0	H	155.0	8.9
8037.850000	44.35	---	74.00	29.65	100.0	H	84.0	8.9
10563.050000	---	37.17	54.00	16.83	100.0	H	130.0	12.0
10576.816667	46.40	---	74.00	27.60	100.0	H	155.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax80_Ch58
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10561.083333	---	37.21	54.00	16.79	100.0	V	327.0	12.0
10588.616667	46.52	---	74.00	27.48	100.0	V	201.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11a_Ch64
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.900000	---	40.58	54.00	13.42	100.0	H	240.0	13.3
5377.966667	52.05	---	74.00	21.95	100.0	H	355.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11a_Ch64
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.111111	---	48.01	54.00	5.99	100.0	V	136.0	13.3
5353.177778	60.29	---	74.00	13.71	100.0	V	38.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch64
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5378.094445	52.70	---	74.00	21.30	100.0	H	145.0	13.4
5381.544445	---	40.50	54.00	13.50	100.0	H	107.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch64
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.133333	59.78	---	74.00	14.22	100.0	V	56.0	13.3
5351.261111	---	47.24	54.00	6.76	100.0	V	56.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch62
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.350000	---	46.57	54.00	7.43	100.0	H	170.0	13.3
5351.938889	57.78	---	74.00	16.22	100.0	H	105.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch62
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.350000	66.86	---	74.00	7.14	100.0	V	13.0	13.3

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5352.175000	51.98	54.00	2.02	105.0	V	259.0	13.3

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch58
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5360.477778	---	46.43	54.00	7.57	100.0	H	275.0	13.3
5378.144445	57.96	---	74.00	16.04	100.0	H	113.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax80_Ch58
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5356.355556	66.46	---	74.00	7.54	100.0	V	143.0	13.3

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5354.244444	50.29	54.00	3.71	105.0	V	138.0	13.3

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax160_Ch50
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.055556	---	47.53	54.00	6.47	100.0	H	34.0	13.3
5363.716667	58.44	---	74.00	15.56	100.0	H	270.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax160_Ch50
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5362.538889	70.25	---	74.00	3.75	100.0	V	195.0	13.3


Final Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5359.388889	51.98	54.00	2.02	105.0	V	46.0	13.3

U-NII-2C Band

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch144
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2490.050000	55.05	---	74.00	18.95	100.0	H	72.0	7.4
2490.050000	---	43.61	54.00	10.39	100.0	H	72.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11a_Ch144
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1121.890000	43.77	---	74.00	30.23	100.0	V	280.0	0.2
1121.890000	---	35.84	54.00	18.16	100.0	V	280.0	0.2
2505.350000	---	40.70	54.00	13.30	100.0	V	350.0	7.4
2540.200000	50.32	---	74.00	23.68	100.0	V	85.0	7.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch144
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11406.750000	---	37.86	54.00	16.14	100.0	H	207.0	12.9
11438.216667	46.86	---	74.00	27.14	100.0	H	117.0	13.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11a_Ch144
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11416.091667	47.20	---	74.00	26.80	100.0	V	188.0	13.0
11449.525000	---	38.23	54.00	15.77	100.0	V	40.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax20_Ch144
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2528.130000	51.59	---	74.00	22.41	100.0	H	257.0	7.5
2528.130000	---	43.93	54.00	10.07	100.0	H	257.0	7.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch144
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2652.400000	---	41.98	54.00	12.02	100.0	V	255.0	7.6
2661.750000	50.98	---	74.00	23.02	100.0	V	32.0	7.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch144
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11413.141667	47.40	---	74.00	26.60	100.0	H	142.0	12.9
11457.883333	---	38.38	54.00	15.62	100.0	H	252.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch144
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11406.750000	47.53	---	74.00	26.47	100.0	V	327.0	12.9
11443.133333	---	39.91	54.00	14.09	100.0	V	279.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch142
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2508.070000	---	41.10	54.00	12.90	100.0	H	254.0	7.4
2520.990000	50.47	---	74.00	23.53	100.0	H	220.0	7.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch142
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1331.330000	45.15	---	74.00	28.85	100.0	V	262.0	2.1
1332.860000	---	36.57	54.00	17.43	100.0	V	262.0	2.1
2550.230000	50.39	---	74.00	23.61	100.0	V	272.0	7.6
2554.650000	---	41.32	54.00	12.68	100.0	V	339.0	7.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch142
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7437.525000	---	41.53	54.00	12.47	100.0	H	153.0	8.4
7473.908333	49.80	---	74.00	24.20	100.0	H	153.0	8.6
11400.358333	46.47	---	74.00	27.53	100.0	H	257.0	12.8
11440.183333	---	37.70	54.00	16.30	100.0	H	127.0	13.2

Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax40_Ch142
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11434.775000	---	37.58	54.00	16.42	100.0	V	58.0	13.2
11441.166667	46.24	---	74.00	27.76	100.0	V	144.0	13.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax80_Ch138
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2518.270000	---	40.51	54.00	13.49	100.0	H	7.0	7.5
2571.140000	51.16	---	74.00	22.84	100.0	H	0.0	7.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax80_Ch138
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2495.490000	51.86	---	74.00	22.14	100.0	V	116.0	7.4
2495.660000	---	42.01	54.00	11.99	100.0	V	116.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch138
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11380.200000	---	37.40	54.00	16.60	100.0	H	60.0	12.6
11401.341667	47.01	---	74.00	26.99	100.0	H	167.0	12.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax80_Ch138
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11386.591667	---	37.90	54.00	16.10	100.0	V	177.0	12.6
11395.933333	47.07	---	74.00	26.93	100.0	V	250.0	12.7

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax160_Ch114
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2499.400000	---	48.71	54.00	5.29	100.0	H	197.0	7.4
2499.570000	60.20	---	74.00	13.80	100.0	H	197.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax160_Ch114
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2660.560000	53.92	---	74.00	20.08	100.0	V	0.0	7.6
2660.560000	---	42.08	54.00	11.92	100.0	V	0.0	7.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---