






Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2175.61	-50.07	-59.50	-13.00	46.50	-9.43	Vertical
2	3072.70	-48.55	-55.44	-13.00	42.44	-6.89	Vertical
3	5550.95	-50.34	-48.32	-13.00	35.32	2.02	Vertical
4	7233.72	-51.58	-43.48	-13.00	30.48	8.10	Vertical
5	11311.7	-53.21	-38.89	-13.00	25.89	14.32	Vertical
6	14648.0	-56.39	-34.96	-13.00	21.96	21.43	Vertical

2A-12A Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	87.2873	-50.39	-62.86	-13.00	49.86	-12.47	Vertical
2	104.764	-52.36	-58.94	-13.00	45.94	-6.58	Vertical
3	133.893	-52.68	-59.87	-13.00	46.87	-7.19	Vertical
4	255.265	-54.41	-63.13	-13.00	50.13	-8.72	Vertical
5	360.130	-48.85	-54.05	-13.00	41.05	-5.20	Vertical
6	760.170	-65.72	-61.46	-13.00	48.46	4.26	Vertical

2A-12A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	3064.20	-48.13	-55.00	-13.00	42.00	-6.87	Horizontal
2	3799.78	-48.59	-53.06	-13.00	40.06	-4.47	Horizontal
3	5232.42	-48.79	-49.49	-13.00	36.49	-0.70	Horizontal
4	8571.85	-52.75	-42.55	-13.00	29.55	10.20	Horizontal
5	11322.5	-52.61	-38.15	-13.00	25.15	14.46	Horizontal
6	14616.8	-55.88	-35.95	-13.00	22.95	19.93	Horizontal

2A-13A Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	84.3744	-47.83	-65.83	-13.00	52.83	-18.00	Horizontal
2	104.764	-46.37	-63.82	-13.00	50.82	-17.45	Horizontal
3	131.952	-50.77	-66.92	-13.00	53.92	-16.15	Horizontal
4	219.339	-56.69	-61.72	-13.00	48.72	-5.03	Horizontal
5	360.130	-50.37	-56.17	-13.00	43.17	-5.80	Horizontal
6	760.170	-62.48	-57.93	-13.00	44.93	4.55	Horizontal

2A-13A Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	3147.71	-47.70	-54.17	-13.00	41.17	-6.47	Vertical
2	3953.79	-49.03	-52.93	-13.00	39.93	-3.90	Vertical
3	5858.48	-50.81	-48.25	-13.00	35.25	2.56	Vertical
4	7638.16	-51.51	-42.99	-13.00	29.99	8.52	Vertical
5	10644.4	-53.91	-38.66	-13.00	25.66	15.25	Vertical
6	14637.2	-55.90	-34.74	-13.00	21.74	21.16	Vertical

2A-13A Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	90.2002	-46.05	-57.16	-13.00	44.16	-11.11	Vertical
2	104.764	-48.21	-54.79	-13.00	41.79	-6.58	Vertical
3	132.922	-47.25	-54.90	-13.00	41.90	-7.65	Vertical
4	244.584	-51.51	-60.19	-13.00	47.19	-8.68	Vertical
5	360.130	-49.92	-55.12	-13.00	42.12	-5.20	Vertical
6	464.995	-56.17	-57.26	-13.00	44.26	-1.09	Vertical

2A-13A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1566.51	-47.85	-62.39	-40.00	22.39	-14.54	Horizontal
2	1574.06	-47.18	-61.66	-40.00	21.66	-14.48	Horizontal
3	1583.01	-47.57	-61.98	-40.00	21.98	-14.41	Horizontal
4	1587.80	-47.95	-62.33	-40.00	22.33	-14.38	Horizontal
5	1594.13	-47.74	-62.07	-40.00	22.07	-14.33	Horizontal
6	1601.02	-47.15	-61.42	-40.00	21.42	-14.27	Horizontal

2A-13A 1559-1610MHz -40 H




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1563.52	-78.62	-93.18	-50.00	43.18	-14.56	Horizontal
2	1569.57	-79.74	-94.26	-50.00	44.26	-14.52	Horizontal
3	1575.08	-79.47	-93.94	-50.00	43.94	-14.47	Horizontal
4	1583.42	-79.00	-93.41	-50.00	43.41	-14.41	Horizontal
5	1589.77	-78.95	-93.31	-50.00	43.31	-14.36	Horizontal
6	1601.38	-78.42	-92.68	-50.00	42.68	-14.26	Horizontal

2A-13A 1559-1610MHz -50 H




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1565.95	-47.13	-61.40	-40.00	21.40	-14.27	Vertical
2	1570.95	-47.61	-61.90	-40.00	21.90	-14.29	Vertical
3	1579.45	-47.86	-62.18	-40.00	22.18	-14.32	Vertical
4	1588.04	-47.82	-62.17	-40.00	22.17	-14.35	Vertical
5	1597.05	-47.34	-61.72	-40.00	21.72	-14.38	Vertical
6	1607.33	-47.45	-61.76	-40.00	21.76	-14.31	Vertical

2A-13A 1559-1610MHz -40 V




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1567.54	-79.03	-93.31	-50.00	43.31	-14.28	Vertical
2	1572.91	-79.25	-93.55	-50.00	43.55	-14.30	Vertical
3	1580.63	-80.27	-94.59	-50.00	44.59	-14.32	Vertical
4	1589.39	-78.93	-93.28	-50.00	43.28	-14.35	Vertical
5	1598.89	-77.56	-91.95	-50.00	41.95	-14.39	Vertical
6	1605.13	-79.38	-93.71	-50.00	43.71	-14.33	Vertical

2A-13A 1559-1610MHz -50 V




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	3101.71	-48.39	-55.39	-13.00	42.39	-7.00	Horizontal
2	3812.28	-48.55	-53.11	-13.00	40.11	-4.56	Horizontal
3	5556.45	-50.35	-49.58	-13.00	36.58	0.77	Horizontal
4	8021.00	-51.95	-43.81	-13.00	30.81	8.14	Horizontal
5	10648.0	-54.21	-38.89	-13.00	25.89	15.32	Horizontal
6	14622.8	-55.66	-35.58	-13.00	22.58	20.08	Horizontal

2A-66A Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	34.8549	-50.85	-67.05	-13.00	54.05	-16.20	Horizontal
2	90.2002	-47.37	-65.27	-13.00	52.27	-17.90	Horizontal
3	104.764	-46.31	-63.76	-13.00	50.76	-17.45	Horizontal
4	217.397	-54.47	-59.94	-13.00	46.94	-5.47	Horizontal
5	360.130	-50.86	-56.66	-13.00	43.66	-5.80	Horizontal
6	760.170	-62.32	-57.77	-13.00	44.77	4.55	Horizontal

2A-66A Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2221.12	-50.20	-59.33	-13.00	46.33	-9.13	Vertical
2	3062.70	-48.41	-55.10	-13.00	42.10	-6.69	Vertical
3	4768.87	-50.02	-50.47	-13.00	37.47	-0.45	Vertical
4	7251.72	-51.92	-43.49	-13.00	30.49	8.43	Vertical
5	10628.8	-53.50	-38.79	-13.00	25.79	14.71	Vertical
6	14657.6	-55.89	-34.68	-13.00	21.68	21.21	Vertical

2A-66A Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	90.2002	-46.37	-57.48	-13.00	44.48	-11.11	Vertical
2	103.793	-46.11	-52.47	-13.00	39.47	-6.36	Vertical
3	130.010	-44.94	-54.55	-13.00	41.55	-9.61	Vertical
4	190.210	-49.36	-59.53	-13.00	46.53	-10.17	Vertical
5	246.526	-53.24	-62.03	-13.00	49.03	-8.79	Vertical
6	360.130	-49.52	-54.72	-13.00	41.72	-5.20	Vertical
7	589.279	-57.55	-58.10	-13.00	45.10	-0.55	Vertical

2A-66A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	3031.20	-49.12	-56.35	-13.00	43.35	-7.23	Horizontal
2	4775.37	-50.75	-51.58	-13.00	38.58	-0.83	Horizontal
3	6398.43	-51.30	-48.00	-13.00	35.00	3.30	Horizontal
4	8790.27	-53.88	-42.46	-13.00	29.46	11.42	Horizontal
5	11350.1	-53.80	-38.62	-13.00	25.62	15.18	Horizontal
6	14609.6	-55.45	-35.70	-13.00	22.70	19.75	Horizontal

4A-5A Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.9129	-39.48	-54.51	-13.00	41.51	-15.03	Horizontal
2	90.2002	-47.94	-65.84	-13.00	52.84	-17.90	Horizontal
3	104.764	-46.76	-64.21	-13.00	51.21	-17.45	Horizontal
4	158.168	-53.49	-67.65	-13.00	54.65	-14.16	Horizontal
5	229.049	-58.50	-61.85	-13.00	48.85	-3.35	Horizontal
6	360.130	-55.02	-60.82	-13.00	47.82	-5.80	Horizontal

4A-5A Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2365.63	-47.93	-57.73	-13.00	44.73	-9.80	Vertical
2	3150.71	-48.11	-54.53	-13.00	41.53	-6.42	Vertical
3	4763.87	-49.21	-49.62	-13.00	36.62	-0.41	Vertical
4	7170.11	-51.12	-43.33	-13.00	30.33	7.79	Vertical
5	10628.8	-53.02	-38.31	-13.00	25.31	14.71	Vertical
6	14640.8	-56.47	-35.22	-13.00	22.22	21.25	Vertical

4A-5A Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	90.2002	-53.35	-64.46	-13.00	51.46	-11.11	Vertical
2	104.764	-52.62	-59.20	-13.00	46.20	-6.58	Vertical
3	132.922	-55.45	-63.10	-13.00	50.10	-7.65	Vertical
4	153.313	-51.88	-62.37	-13.00	49.37	-10.49	Vertical
5	247.497	-52.82	-61.70	-13.00	48.70	-8.88	Vertical
6	360.130	-48.15	-53.35	-13.00	40.35	-5.20	Vertical

4A-5A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2228.12	-48.26	-57.48	-13.00	44.48	-9.22	Horizontal
2	3034.20	-48.65	-55.81	-13.00	42.81	-7.16	Horizontal
3	4786.87	-50.30	-51.22	-13.00	38.22	-0.92	Horizontal
4	6813.68	-50.43	-46.05	-13.00	33.05	4.38	Horizontal
5	10548.4	-54.52	-39.58	-13.00	26.58	14.94	Horizontal
6	14632.4	-56.18	-35.87	-13.00	22.87	20.31	Horizontal

4A-12A Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	33.8839	-36.96	-53.91	-13.00	40.91	-16.95	Horizontal
2	90.2002	-48.28	-66.18	-13.00	53.18	-17.90	Horizontal
3	104.764	-47.19	-64.64	-13.00	51.64	-17.45	Horizontal
4	218.368	-57.38	-62.63	-13.00	49.63	-5.25	Horizontal
5	252.352	-60.95	-66.80	-13.00	53.80	-5.85	Horizontal
6	360.130	-55.55	-61.35	-13.00	48.35	-5.80	Horizontal

4A-12A Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2187.11	-48.63	-57.85	-13.00	44.85	-9.22	Vertical
2	3155.21	-47.59	-54.02	-13.00	41.02	-6.43	Vertical
3	4839.38	-50.00	-50.62	-13.00	37.62	-0.62	Vertical
4	7239.72	-52.11	-43.88	-13.00	30.88	8.23	Vertical
5	10652.8	-54.65	-39.27	-13.00	26.27	15.38	Vertical
6	14648.0	-56.28	-34.85	-13.00	21.85	21.43	Vertical

4A-12A Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	90.2002	-52.89	-64.00	-13.00	51.00	-11.11	Vertical
2	104.764	-52.50	-59.08	-13.00	46.08	-6.58	Vertical
3	132.922	-57.28	-64.93	-13.00	51.93	-7.65	Vertical
4	169.819	-52.90	-63.69	-13.00	50.69	-10.79	Vertical
5	260.120	-53.12	-61.17	-13.00	48.17	-8.05	Vertical
6	360.130	-48.33	-53.53	-13.00	40.53	-5.20	Vertical

4A-12A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1568.42	-47.63	-62.16	-40.00	22.16	-14.53	Horizontal
2	1574.28	-47.92	-62.40	-40.00	22.40	-14.48	Horizontal
3	1580.25	-47.61	-62.04	-40.00	22.04	-14.43	Horizontal
4	1585.95	-47.77	-62.16	-40.00	22.16	-14.39	Horizontal
5	1592.22	-47.65	-61.99	-40.00	21.99	-14.34	Horizontal
6	1602.04	-47.95	-62.20	-40.00	22.20	-14.25	Horizontal

4A-13A 1559-1610MHz -40 H




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1565.78	-77.23	-91.78	-50.00	41.78	-14.55	Horizontal
2	1569.21	-80.19	-94.71	-50.00	44.71	-14.52	Horizontal
3	1574.71	-78.67	-93.15	-50.00	43.15	-14.48	Horizontal
4	1585.51	-79.22	-93.61	-50.00	43.61	-14.39	Horizontal
5	1595.59	-79.39	-93.70	-50.00	43.70	-14.31	Horizontal
6	1603.69	-79.39	-93.62	-50.00	43.62	-14.23	Horizontal

4A-13A 1559-1610MHz -50 H




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1566.38	-47.75	-62.03	-40.00	22.03	-14.28	Vertical
2	1574.61	-47.44	-61.74	-40.00	21.74	-14.30	Vertical
3	1578.43	-48.06	-62.38	-40.00	22.38	-14.32	Vertical
4	1585.08	-47.54	-61.88	-40.00	21.88	-14.34	Vertical
5	1594.95	-47.95	-62.32	-40.00	22.32	-14.37	Vertical
6	1600.05	-47.56	-61.95	-40.00	21.95	-14.39	Vertical

4A-13A 1559-1610MHz -40 V




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1566.00	-79.50	-93.77	-50.00	43.77	-14.27	Vertical
2	1571.16	-78.81	-93.10	-50.00	43.10	-14.29	Vertical
3	1577.78	-79.72	-94.03	-50.00	44.03	-14.31	Vertical
4	1585.04	-77.12	-91.46	-50.00	41.46	-14.34	Vertical
5	1595.05	-78.97	-93.34	-50.00	43.34	-14.37	Vertical
6	1602.49	-78.52	-92.88	-50.00	42.88	-14.36	Vertical

4A-13A 1559-1610MHz -50 V




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2154.61	-48.25	-57.78	-13.00	44.78	-9.53	Horizontal
2	3071.20	-48.84	-55.74	-13.00	42.74	-6.90	Horizontal
3	5083.40	-50.36	-50.76	-13.00	37.76	-0.40	Horizontal
4	7520.55	-50.66	-44.46	-13.00	31.46	6.20	Horizontal
5	9702.37	-54.41	-40.14	-13.00	27.14	14.27	Horizontal
6	14662.4	-56.67	-36.38	-13.00	23.38	20.29	Horizontal

4A-13A Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	33.8839	-37.49	-54.44	-13.00	41.44	-16.95	Horizontal
2	90.2002	-46.61	-64.51	-13.00	51.51	-17.90	Horizontal
3	104.764	-47.10	-64.55	-13.00	51.55	-17.45	Horizontal
4	143.603	-55.24	-71.75	-13.00	58.75	-16.51	Horizontal
5	239.729	-61.87	-65.08	-13.00	52.08	-3.21	Horizontal
6	360.130	-54.37	-60.17	-13.00	47.17	-5.80	Horizontal

4A-13A Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2205.62	-49.01	-58.03	-13.00	45.03	-9.02	Vertical
2	3175.21	-48.69	-55.15	-13.00	42.15	-6.46	Vertical
3	5066.90	-50.09	-50.57	-13.00	37.57	-0.48	Vertical
4	7648.96	-53.11	-44.31	-13.00	31.31	8.80	Vertical
5	10643.2	-53.95	-38.74	-13.00	25.74	15.21	Vertical
6	14608.4	-55.40	-34.96	-13.00	21.96	20.44	Vertical

4A-13A Mid V 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	90.2002	-53.31	-64.42	-13.00	51.42	-11.11	Vertical
2	104.764	-51.94	-58.52	-13.00	45.52	-6.58	Vertical
3	132.922	-54.55	-62.20	-13.00	49.20	-7.65	Vertical
4	215.455	-52.75	-61.70	-13.00	48.70	-8.95	Vertical
5	267.887	-57.76	-65.80	-13.00	52.80	-8.04	Vertical
6	360.130	-48.31	-53.51	-13.00	40.51	-5.20	Vertical

4A-13A Mid V 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2183.11	-48.99	-58.15	-13.00	45.15	-9.16	Horizontal
2	3149.21	-48.32	-55.46	-13.00	42.46	-7.14	Horizontal
3	4778.87	-50.74	-51.60	-13.00	38.60	-0.86	Horizontal
4	7261.32	-52.49	-45.45	-13.00	32.45	7.04	Horizontal
5	10549.6	-54.32	-39.33	-13.00	26.33	14.99	Horizontal
6	14633.6	-56.81	-36.47	-13.00	23.47	20.34	Horizontal

5A-66A Mid H 1G-18G