


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
Setting 21
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.631G	56.66	74.00	-17.34	42.32	3	Vertical	302	1.79	-	39.30	8.19	33.15
AV	10.64432G	44.81	54.00	-9.19	30.48	3	Vertical	302	1.79	-	39.30	8.19	33.16
PK	15.94938G	57.81	74.00	-16.19	42.98	3	Vertical	195	2.04	-	38.55	10.28	34.00
AV	15.95244G	46.32	54.00	-7.68	31.49	3	Vertical	195	2.04	-	38.55	10.28	34.00

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
Setting 21
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64228G	56.24	74.00	-17.76	41.91	3	Horizontal	232	2.51	-	39.30	8.19	33.16
AV	10.65488G	44.82	54.00	-9.18	30.49	3	Horizontal	232	2.51	-	39.30	8.20	33.17
PK	15.97248G	58.17	74.00	-15.83	43.36	3	Horizontal	137	1.88	-	38.53	10.29	34.01
AV	15.96642G	46.26	54.00	-7.74	31.45	3	Horizontal	137	1.88	-	38.53	10.29	34.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
Setting 23.5
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.05	74.00	-11.95	55.17	3	Vertical	261	1.84	-	33.72	5.60	32.44
AV	5.46G	50.86	54.00	-3.14	43.98	3	Vertical	261	1.84	-	33.72	5.60	32.44
PK	5.4688G	67.33	68.20	-0.87	60.43	3	Vertical	261	1.84	-	33.74	5.60	32.44
PK	5.499G	122.18	Inf	-Inf	115.21	3	Vertical	261	1.84	-	33.80	5.60	32.43
AV	5.499G	113.69	Inf	-Inf	106.72	3	Vertical	261	1.84	-	33.80	5.60	32.43

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
Setting 23.5
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	60.56	74.00	-13.44	53.69	3	Horizontal	283	1.24	-	33.71	5.60	32.44
AV	5.4588G	48.84	54.00	-5.16	41.96	3	Horizontal	283	1.24	-	33.72	5.60	32.44
PK	5.4678G	63.98	68.20	-4.22	57.08	3	Horizontal	283	1.24	-	33.74	5.60	32.44
PK	5.4982G	113.31	Inf	-Inf	106.34	3	Horizontal	283	1.24	-	33.80	5.60	32.43
AV	5.499G	104.29	Inf	-Inf	97.32	3	Horizontal	283	1.24	-	33.80	5.60	32.43

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUTY_2TX
Setting 23.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98998G	56.51	74.00	-17.49	42.26	3	Vertical	331	1.19	-	39.40	8.30	33.45
AV	11.00696G	44.89	54.00	-9.11	30.67	3	Vertical	331	1.19	-	39.39	8.30	33.47
PK	16.4862G	60.96	68.20	-7.24	44.46	3	Vertical	25	1.80	-	39.53	10.62	33.65

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
Setting 23.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00636G	57.02	74.00	-16.98	42.80	3	Horizontal	161	1.51	-	39.39	8.30	33.47
AV	11.01038G	44.66	54.00	-9.34	30.45	3	Horizontal	161	1.51	-	39.38	8.30	33.47
PK	16.4877G	60.30	68.20	-7.90	43.79	3	Horizontal	125	1.21	-	39.54	10.62	33.65

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4336G	61.28	74.00	-12.72	54.53	3	Vertical	262	1.65	-	33.60	5.60	32.45
AV	5.392G	50.22	54.00	-3.78	43.71	3	Vertical	262	1.65	-	33.37	5.60	32.46
PK	5.4624G	60.60	68.20	-7.60	53.72	3	Vertical	262	1.65	-	33.72	5.60	32.44
PK	5.584G	126.63	Inf	-Inf	119.45	3	Vertical	262	1.65	-	34.04	5.60	32.46
AV	5.5792G	117.49	Inf	-Inf	110.32	3	Vertical	262	1.65	-	34.02	5.60	32.45
PK	5.7648G	62.64	68.20	-5.56	55.17	3	Vertical	262	1.65	-	34.30	5.68	32.51

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	59.78	74.00	-14.22	52.91	3	Horizontal	33	2.74	-	33.71	5.60	32.44
AV	5.4592G	48.84	54.00	-5.16	41.96	3	Horizontal	33	2.74	-	33.72	5.60	32.44
PK	5.468G	60.23	68.20	-7.97	53.33	3	Horizontal	33	2.74	-	33.74	5.60	32.44
PK	5.5872G	116.59	Inf	-Inf	109.40	3	Horizontal	33	2.74	-	34.05	5.60	32.46
AV	5.5824G	107.17	Inf	-Inf	99.99	3	Horizontal	33	2.74	-	34.03	5.60	32.45
PK	5.7504G	61.48	68.20	-6.72	54.01	3	Horizontal	33	2.74	-	34.30	5.68	32.51

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUTY_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16522G	56.68	74.00	-17.32	42.80	3	Vertical	289	1.34	-	39.20	8.35	33.67
AV	11.1513G	45.04	54.00	-8.96	31.14	3	Vertical	289	1.34	-	39.20	8.35	33.65
PK	16.73694G	67.30	68.20	-0.90	50.21	3	Vertical	24	1.74	-	39.91	10.78	33.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14674G	56.72	74.00	-17.28	42.82	3	Horizontal	90	2.80	-	39.20	8.34	33.64
AV	11.14998G	45.04	54.00	-8.96	31.15	3	Horizontal	90	2.80	-	39.20	8.34	33.65
PK	16.74414G	66.99	68.20	-1.21	49.88	3	Horizontal	316	1.91	-	39.93	10.78	33.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
Setting 21
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6966G	121.34	Inf	-Inf	113.99	3	Vertical	262	1.60	-	34.19	5.65	32.49
AV	5.6966G	112.14	Inf	-Inf	104.79	3	Vertical	262	1.60	-	34.19	5.65	32.49
PK	5.7252G	65.88	68.20	-2.32	58.47	3	Vertical	262	1.60	-	34.25	5.66	32.50

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUTY_2TX
Setting 21
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6962G	110.15	Inf	-Inf	102.80	3	Horizontal	39	2.74	-	34.19	5.65	32.49
AV	5.7008G	100.93	Inf	-Inf	93.57	3	Horizontal	39	2.74	-	34.20	5.65	32.49
PK	5.7336G	62.47	68.20	-5.73	55.03	3	Horizontal	39	2.74	-	34.27	5.67	32.50

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
Setting 21
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40118G	56.27	74.00	-17.73	42.62	3	Vertical	234	1.35	-	39.20	8.42	33.97
AV	11.40336G	44.11	54.00	-9.89	30.46	3	Vertical	234	1.35	-	39.20	8.42	33.97
PK	17.1054G	61.92	68.20	-6.28	43.55	3	Vertical	289	2.02	-	40.92	11.02	33.57

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
Setting 21
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40978G	55.70	74.00	-18.30	42.06	3	Horizontal	315	1.00	-	39.20	8.42	33.98
AV	11.40426G	43.96	54.00	-10.04	30.31	3	Horizontal	315	1.00	-	39.20	8.42	33.97
PK	17.0979G	62.15	68.20	-6.05	43.82	3	Horizontal	118	2.18	-	40.89	11.01	33.57

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3756G	60.79	74.00	-13.21	54.36	3	Vertical	265	1.67	-	33.30	5.59	32.46
PK	5.468G	59.77	68.20	-8.43	52.87	3	Vertical	265	1.67	-	33.74	5.60	32.44
AV	5.4498G	49.20	54.00	-4.80	42.34	3	Vertical	265	1.67	-	33.70	5.60	32.44
PK	5.7144G	125.90	Inf	-Inf	118.50	3	Vertical	265	1.67	-	34.23	5.66	32.49
AV	5.7186G	117.46	Inf	-Inf	110.06	3	Vertical	265	1.67	-	34.24	5.66	32.50
PK	5.8936G	65.67	68.20	-2.53	57.63	3	Vertical	265	1.67	-	34.84	5.75	32.55

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4246G	59.80	74.00	-14.20	53.10	3	Horizontal	33	1.68	-	33.55	5.60	32.45
PK	5.4652G	58.67	68.20	-9.53	51.78	3	Horizontal	33	1.68	-	33.73	5.60	32.44
AV	5.4484G	48.58	54.00	-5.42	41.73	3	Horizontal	33	1.68	-	33.69	5.60	32.44
PK	5.7228G	115.53	Inf	-Inf	108.12	3	Horizontal	33	1.68	-	34.25	5.66	32.50
AV	5.7228G	106.48	Inf	-Inf	99.07	3	Horizontal	33	1.68	-	34.25	5.66	32.50
PK	5.9034G	63.94	68.20	-4.26	55.82	3	Horizontal	33	1.68	-	34.92	5.75	32.55

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43058G	55.31	74.00	-18.69	41.68	3	Vertical	138	1.03	-	39.20	8.43	34.00
AV	11.43106G	43.71	54.00	-10.29	30.08	3	Vertical	138	1.03	-	39.20	8.43	34.00
PK	17.16018G	64.71	68.20	-3.49	46.16	3	Vertical	8	2.96	-	41.08	11.05	33.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4304G	55.46	74.00	-18.54	41.83	3	Horizontal	208	1.69	-	39.20	8.43	34.00
AV	11.4265G	43.76	54.00	-10.24	30.13	3	Horizontal	208	1.69	-	39.20	8.43	34.00
PK	17.16336G	64.37	68.20	-3.83	45.80	3	Horizontal	40	2.75	-	41.09	11.06	33.58

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.554G	68.08	68.20	-0.12	61.01	3	Vertical	260	1.55	-	33.92	5.60	32.45
PK	5.749G	126.18	Inf	-Inf	118.71	3	Vertical	260	1.55	-	34.30	5.67	32.50
AV	5.744G	117.38	Inf	-Inf	109.92	3	Vertical	260	1.55	-	34.29	5.67	32.50
PK	5.946G	67.27	68.20	-0.93	58.88	3	Vertical	260	1.55	-	35.18	5.77	32.56

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.548G	62.46	68.20	-5.74	55.40	3	Horizontal	68	1.67	-	33.90	5.60	32.44
PK	5.746G	115.02	Inf	-Inf	107.56	3	Horizontal	68	1.67	-	34.29	5.67	32.50
AV	5.746G	106.26	Inf	-Inf	98.80	3	Horizontal	68	1.67	-	34.29	5.67	32.50
PK	5.94G	63.19	68.20	-5.01	54.84	3	Horizontal	68	1.67	-	35.14	5.77	32.56

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5017G	55.35	74.00	-18.65	41.79	3	Vertical	340	1.17	-	39.20	8.45	34.09
AV	11.49834G	43.51	54.00	-10.49	29.95	3	Vertical	340	1.17	-	39.20	8.45	34.09
PK	17.22996G	63.96	68.20	-4.24	45.13	3	Vertical	346	2.93	-	41.32	11.10	33.59

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49264G	55.43	74.00	-18.57	41.86	3	Horizontal	104	1.52	-	39.20	8.45	34.08
AV	11.50464G	43.89	54.00	-10.11	30.33	3	Horizontal	104	1.52	-	39.20	8.45	34.09
PK	17.23188G	67.83	68.20	-0.37	48.99	3	Horizontal	315	1.93	-	41.33	11.10	33.59

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUTY_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	66.92	68.20	-1.28	59.72	3	Vertical	262	1.72	-	34.06	5.60	32.46
PK	5.782G	125.74	Inf	-Inf	118.26	3	Vertical	262	1.72	-	34.30	5.69	32.51
AV	5.782G	116.87	Inf	-Inf	109.39	3	Vertical	262	1.72	-	34.30	5.69	32.51
PK	5.973G	65.62	68.20	-2.58	57.15	3	Vertical	262	1.72	-	35.25	5.79	32.57

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	61.45	68.20	-6.75	54.24	3	Horizontal	30	1.78	-	34.07	5.60	32.46
PK	5.78G	115.48	Inf	-Inf	108.00	3	Horizontal	30	1.78	-	34.30	5.69	32.51
AV	5.78G	106.31	Inf	-Inf	98.83	3	Horizontal	30	1.78	-	34.30	5.69	32.51
PK	5.974G	64.05	68.20	-4.15	55.58	3	Horizontal	30	1.78	-	35.25	5.79	32.57

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56928G	56.47	74.00	-17.53	42.93	3	Vertical	226	1.93	-	39.20	8.47	34.13
AV	11.56268G	44.22	54.00	-9.78	30.68	3	Vertical	226	1.93	-	39.20	8.47	34.13
PK	17.36118G	64.82	68.20	-3.38	45.53	3	Vertical	346	1.80	-	41.72	11.18	33.61

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56412G	56.08	74.00	-17.92	42.54	3	Horizontal	56	1.65	-	39.20	8.47	34.13
AV	11.56034G	44.27	54.00	-9.73	30.72	3	Horizontal	56	1.65	-	39.20	8.47	34.12
PK	17.3592G	68.12	68.20	-0.08	48.83	3	Horizontal	317	2.04	-	41.72	11.18	33.61

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	64.65	68.20	-3.55	57.40	3	Vertical	261	1.71	-	34.10	5.62	32.47
PK	5.823G	125.60	Inf	-Inf	118.07	3	Vertical	261	1.71	-	34.35	5.71	32.53
AV	5.824G	116.60	Inf	-Inf	109.07	3	Vertical	261	1.71	-	34.35	5.71	32.53
PK	5.925G	66.12	68.20	-2.08	57.87	3	Vertical	261	1.71	-	35.05	5.76	32.56

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	61.17	68.20	-7.03	53.92	3	Horizontal	72	1.65	-	34.10	5.62	32.47
PK	5.822G	115.41	Inf	-Inf	107.89	3	Horizontal	72	1.65	-	34.34	5.71	32.53
AV	5.821G	106.26	Inf	-Inf	98.74	3	Horizontal	72	1.65	-	34.34	5.71	32.53
PK	6.033G	63.29	68.20	-4.91	54.68	3	Horizontal	72	1.65	-	35.37	5.83	32.59

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64052G	56.42	74.00	-17.58	42.94	3	Vertical	291	2.13	-	39.16	8.49	34.17
AV	11.64724G	44.21	54.00	-9.79	30.75	3	Vertical	291	2.13	-	39.15	8.49	34.18
PK	17.47818G	64.33	68.20	-3.87	44.82	3	Vertical	-0	2.54	-	41.88	11.26	33.63

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66146G	56.01	74.00	-17.99	42.55	3	Horizontal	194	1.13	-	39.14	8.50	34.18
AV	11.65G	44.30	54.00	-9.70	30.83	3	Horizontal	194	1.13	-	39.15	8.50	34.18
PK	17.4666G	67.88	68.20	-0.32	48.39	3	Horizontal	316	2.15	-	41.87	11.25	33.63

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 21.5
04-K-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	66.93	74.00	-7.07	61.10	3	Vertical	340	1.80	-	32.90	5.45	32.52
AV	5.1478G	52.92	54.00	-1.08	47.09	3	Vertical	340	1.80	-	32.90	5.45	32.52
PK	5.1772G	122.29	Inf	-Inf	116.42	3	Vertical	340	1.80	-	32.90	5.48	32.51
AV	5.1772G	109.87	Inf	-Inf	104.00	3	Vertical	340	1.80	-	32.90	5.48	32.51

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 21.5
04-K-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1426G	59.95	74.00	-14.05	54.12	3	Horizontal	70	1.80	-	32.91	5.44	32.52
AV	5.1448G	48.15	54.00	-5.85	42.32	3	Horizontal	70	1.80	-	32.91	5.44	32.52
PK	5.1834G	115.60	Inf	-Inf	109.73	3	Horizontal	70	1.80	-	32.90	5.48	32.51
AV	5.1838G	103.65	Inf	-Inf	97.78	3	Horizontal	70	1.80	-	32.90	5.48	32.51

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
Setting 21.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35584G	56.68	68.20	-11.52	42.69	3	Vertical	310	2.40	-	38.86	8.11	32.98
PK	15.54262G	59.00	74.00	-15.00	43.91	3	Vertical	277	1.75	-	38.69	10.14	33.74
AV	15.53576G	46.21	54.00	-7.79	31.08	3	Vertical	277	1.75	-	38.72	10.14	33.73

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
Setting 21.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35968G	56.94	68.20	-11.26	42.95	3	Horizontal	160	2.71	-	38.86	8.11	32.98
PK	15.53958G	59.02	74.00	-14.98	43.92	3	Horizontal	185	1.99	-	38.70	10.14	33.74
AV	15.53532G	46.22	54.00	-7.78	31.09	3	Horizontal	185	1.99	-	38.72	10.14	33.73

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUTY_2TX
Setting 25
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.63	74.00	-9.37	58.80	3	Vertical	96	1.77	-	32.90	5.45	32.52
AV	5.15G	52.62	54.00	-1.38	46.79	3	Vertical	96	1.77	-	32.90	5.45	32.52
PK	5.206G	124.72	Inf	-Inf	118.82	3	Vertical	96	1.77	-	32.91	5.50	32.51
AV	5.2056G	112.90	Inf	-Inf	107.00	3	Vertical	96	1.77	-	32.91	5.50	32.51

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 25
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	60.08	74.00	-13.92	54.25	3	Horizontal	65	1.98	-	32.90	5.45	32.52
AV	5.148G	48.78	54.00	-5.22	42.95	3	Horizontal	65	1.98	-	32.90	5.45	32.52
PK	5.1988G	118.40	Inf	-Inf	112.51	3	Horizontal	65	1.98	-	32.90	5.50	32.51
AV	5.1988G	106.23	Inf	-Inf	100.34	3	Horizontal	65	1.98	-	32.90	5.50	32.51

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
Setting 25
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40426G	55.46	68.20	-12.74	41.43	3	Vertical	155	1.81	-	38.91	8.12	33.00
PK	15.5886G	58.31	74.00	-15.69	43.46	3	Vertical	237	1.48	-	38.46	10.16	33.77
AV	15.58506G	45.45	54.00	-8.55	30.59	3	Vertical	237	1.48	-	38.47	10.15	33.76

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
Setting 25
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48414G	56.42	68.20	-11.78	42.23	3	Horizontal	324	1.35	-	39.07	8.15	33.03
PK	15.5955G	57.75	74.00	-16.25	42.94	3	Horizontal	346	2.92	-	38.42	10.16	33.77
AV	15.58542G	45.53	54.00	-8.47	30.67	3	Horizontal	346	2.92	-	38.47	10.15	33.76

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	62.69	74.00	-11.31	56.85	3	Vertical	300	1.61	-	32.91	5.45	32.52
AV	5.1482G	50.98	54.00	-3.02	45.15	3	Vertical	300	1.61	-	32.90	5.45	32.52
PK	5.2376G	125.99	Inf	-Inf	119.99	3	Vertical	300	1.61	-	32.98	5.52	32.50
AV	5.237G	115.63	Inf	-Inf	109.64	3	Vertical	300	1.61	-	32.97	5.52	32.50
PK	5.3558G	60.66	74.00	-13.34	54.33	3	Vertical	300	1.61	-	33.22	5.58	32.47
AV	5.3558G	49.23	54.00	-4.77	42.90	3	Vertical	300	1.61	-	33.22	5.58	32.47

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.38	74.00	-13.62	54.55	3	Horizontal	62	2.03	-	32.90	5.45	32.52
AV	5.1482G	48.97	54.00	-5.03	43.14	3	Horizontal	62	2.03	-	32.90	5.45	32.52
PK	5.2376G	118.98	Inf	-Inf	112.98	3	Horizontal	62	2.03	-	32.98	5.52	32.50
AV	5.2382G	108.81	Inf	-Inf	102.81	3	Horizontal	62	2.03	-	32.98	5.52	32.50
PK	5.3864G	59.70	74.00	-14.30	53.22	3	Horizontal	62	2.03	-	33.35	5.59	32.46
AV	5.3768G	48.01	54.00	-5.99	41.57	3	Horizontal	62	2.03	-	33.31	5.59	32.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49482G	56.77	68.20	-11.43	42.57	3	Vertical	343	2.16	-	39.09	8.15	33.04
PK	15.72252G	65.96	74.00	-8.04	51.34	3	Vertical	360	2.97	-	38.27	10.20	33.85
AV	15.7221G	53.26	54.00	-0.74	38.64	3	Vertical	360	2.97	-	38.27	10.20	33.85

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4779G	55.73	68.20	-12.47	41.56	3	Horizontal	98	2.52	-	39.06	8.14	33.03
PK	15.7194G	63.93	74.00	-10.07	49.32	3	Horizontal	293	2.40	-	38.26	10.20	33.85
AV	15.71916G	50.83	54.00	-3.17	36.22	3	Horizontal	293	2.40	-	38.26	10.20	33.85

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	61.53	74.00	-12.47	55.70	3	Vertical	18.5	1.61	-	32.90	5.45	32.52
AV	5.1466G	48.59	54.00	-5.41	42.75	3	Vertical	18.5	1.61	-	32.91	5.45	32.52
PK	5.2582G	125.34	Inf	-Inf	119.27	3	Vertical	18.5	1.61	-	33.03	5.53	32.49
AV	5.2654G	112.74	Inf	-Inf	106.64	3	Vertical	18.5	1.61	-	33.06	5.53	32.49
PK	5.35G	63.09	74.00	-10.91	56.78	3	Vertical	18.5	1.61	-	33.20	5.58	32.47
AV	5.3554G	49.59	54.00	-4.41	43.26	3	Vertical	18.5	1.61	-	33.22	5.58	32.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1394G	60.31	74.00	-13.69	54.47	3	Horizontal	68	1.87	-	32.92	5.44	32.52
AV	5.1484G	48.38	54.00	-5.62	42.55	3	Horizontal	68	1.87	-	32.90	5.45	32.52
PK	5.2588G	119.40	Inf	-Inf	113.32	3	Horizontal	68	1.87	-	33.04	5.53	32.49
AV	5.2582G	108.85	Inf	-Inf	102.78	3	Horizontal	68	1.87	-	33.03	5.53	32.49
PK	5.3518G	60.07	74.00	-13.93	53.75	3	Horizontal	68	1.87	-	33.21	5.58	32.47
AV	5.35G	48.41	54.00	-5.59	42.10	3	Horizontal	68	1.87	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.523G	57.41	68.20	-10.79	43.16	3	Vertical	269	1.06	-	39.15	8.16	33.06
PK	15.77226G	66.88	74.00	-7.12	52.12	3	Vertical	0	3.00	-	38.42	10.22	33.88
AV	15.78192G	53.98	54.00	-0.02	39.20	3	Vertical	0	3.00	-	38.45	10.22	33.89

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52162G	56.54	68.20	-11.66	42.30	3	Horizontal	350	1.35	-	39.14	8.16	33.06
PK	15.77916G	64.86	74.00	-9.14	50.09	3	Horizontal	293	2.42	-	38.44	10.22	33.89
AV	15.77886G	52.05	54.00	-1.95	37.28	3	Horizontal	293	2.42	-	38.44	10.22	33.89

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 24
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	124.72	Inf	-Inf	118.45	3	Vertical	97	1.64	-	33.20	5.55	32.48
AV	5.296G	113.06	Inf	-Inf	106.81	3	Vertical	97	1.64	-	33.18	5.55	32.48
PK	5.3528G	66.63	74.00	-7.37	60.31	3	Vertical	97	1.64	-	33.21	5.58	32.47
AV	5.35G	52.89	54.00	-1.11	46.58	3	Vertical	97	1.64	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUTY_2TX
Setting 24
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	117.73	Inf	-Inf	111.47	3	Horizontal	67	1.86	-	33.19	5.55	32.48
AV	5.2984G	105.40	Inf	-Inf	99.14	3	Horizontal	67	1.86	-	33.19	5.55	32.48
PK	5.35G	62.35	74.00	-11.65	56.04	3	Horizontal	67	1.86	-	33.20	5.58	32.47
AV	5.35G	49.55	54.00	-4.45	43.24	3	Horizontal	67	1.86	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
Setting 24
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58818G	56.79	68.20	-11.41	42.44	3	Vertical	119	1.12	-	39.28	8.18	33.11
PK	15.90768G	64.49	74.00	-9.51	49.60	3	Vertical	13	3.00	-	38.59	10.27	33.97
AV	15.89832G	49.69	54.00	-4.31	34.79	3	Vertical	13	3.00	-	38.60	10.26	33.96

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
Setting 24
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58872G	55.69	68.20	-12.51	41.34	3	Horizontal	167	1.09	-	39.28	8.18	33.11
PK	15.90732G	58.42	74.00	-15.58	43.53	3	Horizontal	317	1.54	-	38.59	10.27	33.97
AV	15.90174G	46.61	54.00	-7.39	31.71	3	Horizontal	317	1.54	-	38.60	10.27	33.97

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 22
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3256G	123.56	Inf	-Inf	117.28	3	Vertical	96	1.82	-	33.20	5.56	32.48
AV	5.3258G	110.92	Inf	-Inf	104.64	3	Vertical	96	1.82	-	33.20	5.56	32.48
PK	5.352G	65.44	74.00	-8.56	59.12	3	Vertical	96	1.82	-	33.21	5.58	32.47
AV	5.3554G	52.81	54.00	-1.19	46.48	3	Vertical	96	1.82	-	33.22	5.58	32.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUTY_2TX
Setting 22
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3178G	114.60	Inf	-Inf	108.32	3	Horizontal	65	1.90	-	33.20	5.56	32.48
AV	5.3188G	103.06	Inf	-Inf	96.78	3	Horizontal	65	1.90	-	33.20	5.56	32.48
PK	5.35G	62.43	74.00	-11.57	56.12	3	Horizontal	65	1.90	-	33.20	5.58	32.47
AV	5.35G	49.89	54.00	-4.11	43.58	3	Horizontal	65	1.90	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 22
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6478G	56.81	74.00	-17.19	42.48	3	Vertical	347	2.21	-	39.30	8.19	33.16
AV	10.6406G	44.54	54.00	-9.46	30.21	3	Vertical	347	2.21	-	39.30	8.19	33.16
PK	15.9591G	58.98	74.00	-15.02	44.15	3	Vertical	103	2.27	-	38.54	10.29	34.00
AV	15.95376G	45.99	54.00	-8.01	31.16	3	Vertical	103	2.27	-	38.55	10.28	34.00

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 22
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6274G	55.80	74.00	-18.20	41.46	3	Horizontal	173	2.44	-	39.30	8.19	33.15
AV	10.62632G	43.92	54.00	-10.08	29.58	3	Horizontal	173	2.44	-	39.30	8.19	33.15
PK	15.96666G	57.90	74.00	-16.10	43.09	3	Horizontal	266	1.76	-	38.53	10.29	34.01
AV	15.95382G	45.99	54.00	-8.01	31.16	3	Horizontal	266	1.76	-	38.55	10.28	34.00

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 23
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4526G	62.02	74.00	-11.98	55.15	3	Vertical	264	1.86	-	33.71	5.60	32.44
AV	5.4582G	50.69	54.00	-3.31	43.81	3	Vertical	264	1.86	-	33.72	5.60	32.44
PK	5.469G	64.89	68.20	-3.31	57.99	3	Vertical	264	1.86	-	33.74	5.60	32.44
PK	5.499G	124.32	Inf	-Inf	117.35	3	Vertical	264	1.86	-	33.80	5.60	32.43
AV	5.4986G	112.22	Inf	-Inf	105.25	3	Vertical	264	1.86	-	33.80	5.60	32.43

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 23
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	60.17	74.00	-13.83	53.30	3	Horizontal	36	1.58	-	33.71	5.60	32.44
PK	5.4614G	60.64	68.20	-7.56	53.76	3	Horizontal	36	1.58	-	33.72	5.60	32.44
AV	5.4576G	48.41	54.00	-5.59	41.53	3	Horizontal	36	1.58	-	33.72	5.60	32.44
PK	5.495G	113.33	Inf	-Inf	106.37	3	Horizontal	36	1.58	-	33.79	5.60	32.43
AV	5.4956G	101.81	Inf	-Inf	94.85	3	Horizontal	36	1.58	-	33.79	5.60	32.43

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9955G	56.50	74.00	-17.50	42.26	3	Vertical	158	2.98	-	39.40	8.30	33.46
AV	10.99316G	44.37	54.00	-9.63	30.12	3	Vertical	158	2.98	-	39.40	8.30	33.45
PK	16.51368G	61.62	68.20	-6.58	45.03	3	Vertical	350	2.64	-	39.60	10.63	33.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99418G	56.70	74.00	-17.30	42.46	3	Horizontal	266	2.67	-	39.40	8.30	33.46
AV	10.99298G	44.37	54.00	-9.63	30.12	3	Horizontal	266	2.67	-	39.40	8.30	33.45
PK	16.51224G	60.81	68.20	-7.39	44.22	3	Horizontal	333	1.21	-	39.60	10.63	33.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3808G	60.97	74.00	-13.03	54.52	3	Vertical	264	1.63	-	33.32	5.59	32.46
AV	5.392G	49.88	54.00	-4.12	43.37	3	Vertical	264	1.63	-	33.37	5.60	32.46
PK	5.464G	61.14	68.20	-7.06	54.25	3	Vertical	264	1.63	-	33.73	5.60	32.44
PK	5.5824G	127.86	Inf	-Inf	120.68	3	Vertical	264	1.63	-	34.03	5.60	32.45
AV	5.5832G	117.30	Inf	-Inf	110.12	3	Vertical	264	1.63	-	34.03	5.60	32.45
PK	5.7632G	62.14	68.20	-6.06	54.67	3	Vertical	264	1.63	-	34.30	5.68	32.51

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.432G	60.14	74.00	-13.86	53.40	3	Horizontal	360	1.80	-	33.59	5.60	32.45
PK	5.4632G	58.98	68.20	-9.22	52.09	3	Horizontal	360	1.80	-	33.73	5.60	32.44
AV	5.4544G	48.39	54.00	-5.61	41.52	3	Horizontal	360	1.80	-	33.71	5.60	32.44
PK	5.5776G	110.78	Inf	-Inf	103.62	3	Horizontal	360	1.80	-	34.01	5.60	32.45
AV	5.5792G	100.13	Inf	-Inf	92.96	3	Horizontal	360	1.80	-	34.02	5.60	32.45
PK	5.7568G	61.44	68.20	-6.76	53.97	3	Horizontal	360	1.80	-	34.30	5.68	32.51

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14776G	57.23	74.00	-16.77	43.34	3	Vertical	176	2.00	-	39.20	8.34	33.65
AV	11.16984G	44.69	54.00	-9.31	30.81	3	Vertical	176	2.00	-	39.20	8.35	33.67
PK	16.72818G	67.38	68.20	-0.82	50.33	3	Vertical	25	1.77	-	39.88	10.77	33.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15814G	56.66	74.00	-17.34	42.77	3	Horizontal	251	2.91	-	39.20	8.35	33.66
AV	11.16696G	44.65	54.00	-9.35	30.77	3	Horizontal	251	2.91	-	39.20	8.35	33.67
PK	16.7382G	65.74	68.20	-2.46	48.65	3	Horizontal	315	1.91	-	39.91	10.78	33.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
Setting 21
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6976G	123.28	Inf	-Inf	115.92	3	Vertical	265	1.77	-	34.20	5.65	32.49
AV	5.6976G	111.05	Inf	-Inf	103.69	3	Vertical	265	1.77	-	34.20	5.65	32.49
PK	5.7276G	65.81	68.20	-2.39	58.39	3	Vertical	265	1.77	-	34.26	5.66	32.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 21
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	112.90	Inf	-Inf	105.55	3	Horizontal	41	2.73	-	34.19	5.65	32.49
AV	5.6968G	99.95	Inf	-Inf	92.60	3	Horizontal	41	2.73	-	34.19	5.65	32.49
PK	5.7446G	62.04	68.20	-6.16	54.58	3	Horizontal	41	2.73	-	34.29	5.67	32.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
Setting 21
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40488G	56.55	74.00	-17.45	42.90	3	Vertical	205	2.94	-	39.20	8.42	33.97
AV	11.40152G	44.59	54.00	-9.41	30.94	3	Vertical	205	2.94	-	39.20	8.42	33.97
PK	17.09184G	62.02	68.20	-6.18	43.71	3	Vertical	14	2.78	-	40.87	11.01	33.57

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
Setting 21
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.388G	56.47	74.00	-17.53	42.79	3	Horizontal	299	2.76	-	39.21	8.42	33.95
AV	11.37864G	43.80	54.00	-10.20	30.11	3	Horizontal	299	2.76	-	39.22	8.41	33.94
PK	17.1036G	61.69	68.20	-6.51	43.33	3	Horizontal	108	2.23	-	40.91	11.02	33.57

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.405G	61.11	74.00	-12.89	54.53	3	Vertical	261	1.60	-	33.43	5.60	32.45
PK	5.461G	60.10	68.20	-8.10	53.22	3	Vertical	261	1.60	-	33.72	5.60	32.44
AV	5.4596G	49.05	54.00	-4.95	42.17	3	Vertical	261	1.60	-	33.72	5.60	32.44
PK	5.7144G	128.43	Inf	-Inf	121.03	3	Vertical	261	1.60	-	34.23	5.66	32.49
AV	5.7228G	117.18	Inf	-Inf	109.77	3	Vertical	261	1.60	-	34.25	5.66	32.50
PK	5.881G	64.78	68.20	-3.42	56.87	3	Vertical	261	1.60	-	34.71	5.74	32.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3868G	60.20	74.00	-13.80	53.72	3	Horizontal	65	1.67	-	33.35	5.59	32.46
PK	5.4666G	59.01	68.20	-9.19	52.12	3	Horizontal	65	1.67	-	33.73	5.60	32.44
AV	5.433G	48.25	54.00	-5.75	41.50	3	Horizontal	65	1.67	-	33.60	5.60	32.45
PK	5.713G	115.72	Inf	-Inf	108.32	3	Horizontal	65	1.67	-	34.23	5.66	32.49
AV	5.7158G	105.94	Inf	-Inf	98.54	3	Horizontal	65	1.67	-	34.23	5.66	32.49
PK	5.9664G	63.17	68.20	-5.03	54.73	3	Horizontal	65	1.67	-	35.23	5.78	32.57

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42614G	56.11	74.00	-17.89	42.48	3	Vertical	266	2.42	-	39.20	8.43	34.00
AV	11.42512G	43.32	54.00	-10.68	29.69	3	Vertical	266	2.42	-	39.20	8.43	34.00
PK	17.16756G	65.19	68.20	-3.01	46.61	3	Vertical	333	2.75	-	41.10	11.06	33.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43484G	55.76	74.00	-18.24	42.14	3	Horizontal	79	2.85	-	39.20	8.43	34.01
AV	11.43076G	43.32	54.00	-10.68	29.69	3	Horizontal	79	2.85	-	39.20	8.43	34.00
PK	17.15058G	68.05	68.20	-0.15	49.53	3	Horizontal	313	1.96	-	41.05	11.05	33.58

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55G	66.90	68.20	-1.30	59.85	3	Vertical	262	1.57	-	33.90	5.60	32.45
PK	5.743G	127.83	Inf	-Inf	120.37	3	Vertical	262	1.57	-	34.29	5.67	32.50
AV	5.743G	117.25	Inf	-Inf	109.79	3	Vertical	262	1.57	-	34.29	5.67	32.50
PK	5.931G	66.36	68.20	-1.84	58.06	3	Vertical	262	1.57	-	35.09	5.77	32.56

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	62.59	68.20	-5.61	55.35	3	Horizontal	68	1.80	-	34.10	5.60	32.46
PK	5.747G	116.52	Inf	-Inf	109.06	3	Horizontal	68	1.80	-	34.29	5.67	32.50
AV	5.747G	105.90	Inf	-Inf	98.44	3	Horizontal	68	1.80	-	34.29	5.67	32.50
PK	5.979G	63.42	68.20	-4.78	54.94	3	Horizontal	68	1.80	-	35.26	5.79	32.57

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48784G	55.43	74.00	-18.57	41.85	3	Vertical	322	2.89	-	39.20	8.45	34.07
AV	11.49204G	43.17	54.00	-10.83	29.60	3	Vertical	322	2.89	-	39.20	8.45	34.08
PK	17.23614G	63.39	68.20	-4.81	44.54	3	Vertical	166	2.31	-	41.34	11.10	33.59

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50086G	55.69	74.00	-18.31	42.13	3	Horizontal	209	1.43	-	39.20	8.45	34.09
AV	11.48004G	43.25	54.00	-10.75	29.67	3	Horizontal	209	1.43	-	39.20	8.44	34.06
PK	17.22792G	67.98	68.20	-0.22	49.16	3	Horizontal	313	2.17	-	41.31	11.10	33.59

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	65.99	68.20	-2.21	58.76	3	Vertical	262	1.70	-	34.09	5.60	32.46
PK	5.787G	127.47	Inf	-Inf	120.00	3	Vertical	262	1.70	-	34.30	5.69	32.52
AV	5.788G	116.32	Inf	-Inf	108.85	3	Vertical	262	1.70	-	34.30	5.69	32.52
PK	5.985G	66.15	68.20	-2.05	57.67	3	Vertical	262	1.70	-	35.27	5.79	32.58

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.567G	61.23	68.20	-6.97	54.11	3	Horizontal	69	1.79	-	33.97	5.60	32.45
PK	5.781G	117.26	Inf	-Inf	109.78	3	Horizontal	69	1.79	-	34.30	5.69	32.51
AV	5.782G	105.84	Inf	-Inf	98.36	3	Horizontal	69	1.79	-	34.30	5.69	32.51
PK	6.035G	62.99	68.20	-5.21	54.38	3	Horizontal	69	1.79	-	35.37	5.83	32.59

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55596G	56.17	74.00	-17.83	42.62	3	Vertical	185	2.13	-	39.20	8.47	34.12
AV	11.56694G	43.89	54.00	-10.11	30.35	3	Vertical	185	2.13	-	39.20	8.47	34.13
PK	17.35746G	64.90	68.20	-3.30	45.62	3	Vertical	344	1.98	-	41.71	11.18	33.61

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5664G	56.02	74.00	-17.98	42.48	3	Horizontal	345	1.54	-	39.20	8.47	34.13
AV	11.5568G	43.87	54.00	-10.13	30.32	3	Horizontal	345	1.54	-	39.20	8.47	34.12
PK	17.34474G	67.38	68.20	-0.82	48.13	3	Horizontal	317	2.07	-	41.69	11.17	33.61

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	64.44	68.20	-3.76	57.19	3	Vertical	260	1.63	-	34.10	5.62	32.47
PK	5.819G	127.10	Inf	-Inf	119.58	3	Vertical	260	1.63	-	34.34	5.71	32.53
AV	5.818G	116.41	Inf	-Inf	108.89	3	Vertical	260	1.63	-	34.34	5.71	32.53
PK	5.937G	66.07	68.20	-2.13	57.74	3	Vertical	260	1.63	-	35.12	5.77	32.56

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUTY_2TX
Setting 28
04-I-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.575G	60.91	68.20	-7.29	53.76	3	Horizontal	66	1.66	-	34.00	5.60	32.45
PK	5.822G	117.23	Inf	-Inf	109.71	3	Horizontal	66	1.66	-	34.34	5.71	32.53
AV	5.822G	106.08	Inf	-Inf	98.56	3	Horizontal	66	1.66	-	34.34	5.71	32.53
PK	5.982G	63.54	68.20	-4.66	55.06	3	Horizontal	66	1.66	-	35.26	5.79	32.57

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65192G	55.66	74.00	-18.34	42.19	3	Vertical	360	2.91	-	39.15	8.50	34.18
AV	11.6509G	43.69	54.00	-10.31	30.22	3	Vertical	360	2.91	-	39.15	8.50	34.18
PK	17.481G	63.48	68.20	-4.72	43.97	3	Vertical	266	1.92	-	41.88	11.26	33.63

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 28
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63818G	56.42	74.00	-17.58	42.94	3	Horizontal	202	2.64	-	39.16	8.49	34.17
AV	11.64532G	43.85	54.00	-10.15	30.38	3	Horizontal	202	2.64	-	39.15	8.49	34.17
PK	17.46768G	66.94	68.20	-1.26	47.45	3	Horizontal	316	2.17	-	41.87	11.25	33.63

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 20.5
04-K-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	63.20	74.00	-10.80	57.37	3	Vertical	305	1.62	-	32.90	5.45	32.52
AV	5.15G	53.14	54.00	-0.86	47.31	3	Vertical	305	1.62	-	32.90	5.45	32.52
PK	5.1924G	117.84	Inf	-Inf	111.96	3	Vertical	305	1.62	-	32.90	5.49	32.51
AV	5.1924G	106.66	Inf	-Inf	100.78	3	Vertical	305	1.62	-	32.90	5.49	32.51

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 20.5
04-K-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.67	74.00	-14.33	53.84	3	Horizontal	72	1.65	-	32.90	5.45	32.52
AV	5.15G	48.53	54.00	-5.47	42.70	3	Horizontal	72	1.65	-	32.90	5.45	32.52
PK	5.1952G	112.27	Inf	-Inf	106.38	3	Horizontal	72	1.65	-	32.90	5.50	32.51
AV	5.194G	100.24	Inf	-Inf	94.36	3	Horizontal	72	1.65	-	32.90	5.49	32.51

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 20.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37574G	55.75	68.20	-12.45	41.75	3	Vertical	262	1.43	-	38.88	8.11	32.99
PK	15.5637G	58.47	74.00	-15.53	43.49	3	Vertical	209	1.03	-	38.58	10.15	33.75
AV	15.56634G	46.01	54.00	-7.99	31.04	3	Vertical	209	1.03	-	38.57	10.15	33.75

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 20.5
04-K-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.377G	56.77	68.20	-11.43	42.77	3	Horizontal	205	1.11	-	38.88	8.11	32.99
PK	15.56016G	58.97	74.00	-15.03	43.97	3	Horizontal	147	2.11	-	38.60	10.15	33.75
AV	15.56514G	46.02	54.00	-7.98	31.05	3	Horizontal	147	2.11	-	38.57	10.15	33.75

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.49	74.00	-7.51	60.66	3	Vertical	97	1.98	-	32.90	5.45	32.52
AV	5.1496G	51.71	54.00	-2.29	45.88	3	Vertical	97	1.98	-	32.90	5.45	32.52
PK	5.2204G	120.55	Inf	-Inf	114.60	3	Vertical	97	1.98	-	32.94	5.51	32.50
AV	5.2402G	108.92	Inf	-Inf	102.92	3	Vertical	97	1.98	-	32.98	5.52	32.50
PK	5.3524G	60.93	74.00	-13.07	54.61	3	Vertical	97	1.98	-	33.21	5.58	32.47
AV	5.377G	49.04	54.00	-4.96	42.60	3	Vertical	97	1.98	-	33.31	5.59	32.46

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1334G	61.04	74.00	-12.96	55.21	3	Horizontal	66	2.04	-	32.93	5.43	32.53
AV	5.1496G	48.39	54.00	-5.61	42.56	3	Horizontal	66	2.04	-	32.90	5.45	32.52
PK	5.2336G	113.78	Inf	-Inf	107.79	3	Horizontal	66	2.04	-	32.97	5.52	32.50
AV	5.2336G	102.73	Inf	-Inf	96.74	3	Horizontal	66	2.04	-	32.97	5.52	32.50
PK	5.3752G	59.50	74.00	-14.50	53.07	3	Horizontal	66	2.04	-	33.30	5.59	32.46
AV	5.3662G	48.13	54.00	-5.87	41.75	3	Horizontal	66	2.04	-	33.26	5.58	32.46

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46036G	56.04	68.20	-12.16	41.90	3	Vertical	30	2.46	-	39.02	8.14	33.02
PK	15.687G	57.29	74.00	-16.71	42.70	3	Vertical	205	1.10	-	38.23	10.19	33.83
AV	15.68388G	45.93	54.00	-8.07	31.34	3	Vertical	205	1.10	-	38.23	10.19	33.83

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47308G	56.45	68.20	-11.75	42.29	3	Horizontal	107	2.60	-	39.05	8.14	33.03
PK	15.57096G	58.56	74.00	-15.44	43.62	3	Horizontal	237	2.34	-	38.55	10.15	33.76
AV	15.56568G	45.94	54.00	-8.06	30.97	3	Horizontal	237	2.34	-	38.57	10.15	33.75

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	66.10	74.00	-7.90	60.26	3	Vertical	96	1.73	-	32.91	5.45	32.52
AV	5.15G	49.87	54.00	-4.13	44.04	3	Vertical	96	1.73	-	32.90	5.45	32.52
PK	5.2652G	120.63	Inf	-Inf	114.53	3	Vertical	96	1.73	-	33.06	5.53	32.49
AV	5.2658G	109.98	Inf	-Inf	103.88	3	Vertical	96	1.73	-	33.06	5.53	32.49
PK	5.3582G	69.76	74.00	-4.24	63.42	3	Vertical	96	1.73	-	33.23	5.58	32.47
AV	5.35G	53.80	54.00	-0.20	47.49	3	Vertical	96	1.73	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	61.79	74.00	-12.21	55.95	3	Horizontal	62	2.08	-	32.91	5.45	32.52
AV	5.1458G	48.18	54.00	-5.82	42.34	3	Horizontal	62	2.08	-	32.91	5.45	32.52
PK	5.2682G	113.86	Inf	-Inf	107.75	3	Horizontal	62	2.08	-	33.07	5.53	32.49
AV	5.2688G	102.85	Inf	-Inf	96.73	3	Horizontal	62	2.08	-	33.08	5.53	32.49
PK	5.3606G	61.17	74.00	-12.83	54.82	3	Horizontal	62	2.08	-	33.24	5.58	32.47
AV	5.35G	49.72	54.00	-4.28	43.41	3	Horizontal	62	2.08	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5364G	56.01	68.20	-12.19	41.75	3	Vertical	178	2.89	-	39.17	8.16	33.07
PK	15.8103G	58.08	74.00	-15.92	43.25	3	Vertical	276	1.42	-	38.51	10.23	33.91
AV	15.82416G	47.36	54.00	-6.64	32.52	3	Vertical	276	1.42	-	38.52	10.24	33.92

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52644G	56.35	68.20	-11.85	42.10	3	Horizontal	204	2.96	-	39.15	8.16	33.06
PK	15.68184G	58.28	74.00	-15.72	43.68	3	Horizontal	2	2.43	-	38.24	10.19	33.83
AV	15.6768G	45.71	54.00	-8.29	31.09	3	Horizontal	2	2.43	-	38.25	10.19	33.82

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 20.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	118.96	Inf	-Inf	112.68	3	Vertical	300	1.56	-	33.20	5.56	32.48
AV	5.312G	107.40	Inf	-Inf	101.12	3	Vertical	300	1.56	-	33.20	5.56	32.48
PK	5.352G	66.43	74.00	-7.57	60.11	3	Vertical	300	1.56	-	33.21	5.58	32.47
AV	5.352G	53.26	54.00	-0.74	46.94	3	Vertical	300	1.56	-	33.21	5.58	32.47

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 20.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	110.72	Inf	-Inf	104.45	3	Horizontal	69	1.93	-	33.20	5.55	32.48
AV	5.304G	99.52	Inf	-Inf	93.25	3	Horizontal	69	1.93	-	33.20	5.55	32.48
PK	5.4044G	60.77	74.00	-13.23	54.19	3	Horizontal	69	1.93	-	33.43	5.60	32.45
AV	5.354G	48.65	54.00	-5.35	42.32	3	Horizontal	69	1.93	-	33.22	5.58	32.47

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 20.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62324G	56.64	74.00	-17.36	42.29	3	Vertical	22	2.23	-	39.30	8.19	33.14
AV	10.6254G	44.34	54.00	-9.66	30.00	3	Vertical	22	2.23	-	39.30	8.19	33.15
PK	15.93228G	58.43	74.00	-15.57	43.57	3	Vertical	104	1.09	-	38.57	10.28	33.99
AV	15.924G	46.19	54.00	-7.81	31.32	3	Vertical	104	1.09	-	38.58	10.27	33.98

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




14/01/2023

EUT Y_2TX
Setting 20.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61118G	56.22	74.00	-17.78	41.87	3	Horizontal	316	2.54	-	39.30	8.18	33.13
AV	10.63254G	44.41	54.00	-9.59	30.07	3	Horizontal	316	2.54	-	39.30	8.19	33.15
PK	15.92328G	58.85	74.00	-15.15	43.98	3	Horizontal	90	1.36	-	38.58	10.27	33.98
AV	15.91968G	46.23	54.00	-7.77	31.36	3	Horizontal	90	1.36	-	38.58	10.27	33.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 21.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.34	74.00	-10.66	56.46	3	Vertical	264	1.50	-	33.72	5.60	32.44
AV	5.4592G	51.93	54.00	-2.07	45.05	3	Vertical	264	1.50	-	33.72	5.60	32.44
PK	5.4672G	67.46	68.20	-0.74	60.57	3	Vertical	264	1.50	-	33.73	5.60	32.44
PK	5.518G	120.52	Inf	-Inf	113.52	3	Vertical	264	1.50	-	33.84	5.60	32.44
AV	5.5184G	108.03	Inf	-Inf	101.03	3	Vertical	264	1.50	-	33.84	5.60	32.44

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 21.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	60.49	74.00	-13.51	53.63	3	Horizontal	34	1.71	-	33.70	5.60	32.44
AV	5.4584G	48.63	54.00	-5.37	41.75	3	Horizontal	34	1.71	-	33.72	5.60	32.44
PK	5.466G	60.74	68.20	-7.46	53.85	3	Horizontal	34	1.71	-	33.73	5.60	32.44
PK	5.5056G	109.06	Inf	-Inf	102.08	3	Horizontal	34	1.71	-	33.81	5.60	32.43
AV	5.5052G	97.40	Inf	-Inf	90.42	3	Horizontal	34	1.71	-	33.81	5.60	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 21.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0167G	56.50	74.00	-17.50	42.30	3	Vertical	61	1.48	-	39.37	8.31	33.48
AV	11.02378G	44.34	54.00	-9.66	30.17	3	Vertical	61	1.48	-	39.35	8.31	33.49
PK	16.53294G	60.27	68.20	-7.93	43.65	3	Vertical	321	1.06	-	39.60	10.65	33.63

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 21.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02984G	56.74	74.00	-17.26	42.59	3	Horizontal	120	2.44	-	39.34	8.31	33.50
AV	11.0227G	44.33	54.00	-9.67	30.16	3	Horizontal	120	2.44	-	39.35	8.31	33.49
PK	16.53752G	58.11	68.20	-10.09	41.49	3	Horizontal	165	2.21	-	39.60	10.65	33.63

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 23.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.30	74.00	-9.70	57.42	3	Vertical	262	1.74	-	33.72	5.60	32.44
AV	5.4588G	50.35	54.00	-3.65	43.47	3	Vertical	262	1.74	-	33.72	5.60	32.44
PK	5.47G	67.12	68.20	-1.08	60.22	3	Vertical	262	1.74	-	33.74	5.60	32.44
PK	5.5572G	121.06	Inf	-Inf	113.98	3	Vertical	262	1.74	-	33.93	5.60	32.45
AV	5.5482G	110.48	Inf	-Inf	103.42	3	Vertical	262	1.74	-	33.90	5.60	32.44

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 23.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4276G	60.52	74.00	-13.48	53.80	3	Horizontal	34	1.58	-	33.57	5.60	32.45
PK	5.4678G	60.50	68.20	-7.70	53.60	3	Horizontal	34	1.58	-	33.74	5.60	32.44
AV	5.4576G	48.41	54.00	-5.59	41.53	3	Horizontal	34	1.58	-	33.72	5.60	32.44
PK	5.5446G	110.81	Inf	-Inf	103.76	3	Horizontal	34	1.58	-	33.89	5.60	32.44
AV	5.5452G	99.45	Inf	-Inf	92.40	3	Horizontal	34	1.58	-	33.89	5.60	32.44

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 23.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1072G	56.98	74.00	-17.02	43.05	3	Vertical	186	2.61	-	39.20	8.33	33.60
AV	11.09334G	44.02	54.00	-9.98	30.06	3	Vertical	186	2.61	-	39.21	8.33	33.58
PK	16.51728G	62.41	68.20	-5.79	45.81	3	Vertical	316	2.17	-	39.60	10.64	33.64

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 23.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0982G	56.47	74.00	-17.53	42.52	3	Horizontal	241	2.54	-	39.20	8.33	33.58
AV	11.11314G	44.16	54.00	-9.84	30.23	3	Horizontal	241	2.54	-	39.20	8.33	33.60
PK	16.65684G	60.12	68.20	-8.08	43.29	3	Horizontal	126	1.31	-	39.71	10.73	33.61

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 22
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6628G	121.44	Inf	-Inf	114.16	3	Vertical	263	1.62	-	34.13	5.63	32.48
AV	5.6628G	109.69	Inf	-Inf	102.41	3	Vertical	263	1.62	-	34.13	5.63	32.48
PK	5.7252G	67.70	68.20	-0.50	60.29	3	Vertical	263	1.62	-	34.25	5.66	32.50

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 22
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	109.05	Inf	-Inf	101.76	3	Horizontal	68	1.80	-	34.14	5.63	32.48
AV	5.6676G	97.63	Inf	-Inf	90.34	3	Horizontal	68	1.80	-	34.14	5.63	32.48
PK	5.7544G	61.94	68.20	-6.26	54.47	3	Horizontal	68	1.80	-	34.30	5.68	32.51

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 22
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34738G	56.29	74.00	-17.71	42.54	3	Vertical	96	2.99	-	39.25	8.40	33.90
AV	11.34918G	43.81	54.00	-10.19	30.06	3	Vertical	96	2.99	-	39.25	8.40	33.90
PK	17.0111G	60.78	68.20	-7.42	42.84	3	Vertical	230	1.11	-	40.54	10.96	33.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 22
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34456G	56.27	74.00	-17.73	42.50	3	Horizontal	107	2.57	-	39.26	8.40	33.89
AV	11.33922G	43.90	54.00	-10.10	30.13	3	Horizontal	107	2.57	-	39.26	8.40	33.89
PK	17.00802G	61.65	68.20	-6.55	43.72	3	Horizontal	75	2.91	-	40.53	10.96	33.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 22
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7124G	124.81	Inf	-Inf	117.42	3	Vertical	260	1.84	-	34.22	5.66	32.49
AV	5.7132G	113.91	Inf	-Inf	106.51	3	Vertical	260	1.84	-	34.23	5.66	32.49
PK	5.8524G	65.63	68.20	-2.57	58.02	3	Vertical	260	1.84	-	34.42	5.73	32.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 22
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7164G	115.10	Inf	-Inf	107.70	3	Horizontal	67	1.80	-	34.23	5.66	32.49
AV	5.7164G	102.41	Inf	-Inf	95.01	3	Horizontal	67	1.80	-	34.23	5.66	32.49
PK	5.8772G	63.07	68.20	-5.13	55.20	3	Horizontal	67	1.80	-	34.67	5.74	32.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 22
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40866G	55.60	74.00	-18.40	41.95	3	Vertical	118	1.55	-	39.20	8.42	33.97
AV	11.405G	43.62	54.00	-10.38	29.97	3	Vertical	118	1.55	-	39.20	8.42	33.97
PK	17.01198G	61.85	68.20	-6.35	43.90	3	Vertical	89	1.66	-	40.55	10.96	33.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 22
04-I-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40992G	55.58	74.00	-18.42	41.94	3	Horizontal	198	1.80	-	39.20	8.42	33.98
AV	11.4059G	43.74	54.00	-10.26	30.09	3	Horizontal	198	1.80	-	39.20	8.42	33.97
PK	17.14428G	60.23	68.20	-7.97	41.74	3	Horizontal	265	1.30	-	41.03	11.04	33.58

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	66.20	68.20	-2.00	59.01	3	Vertical	261	1.64	-	34.05	5.60	32.46
PK	5.748G	122.01	Inf	-Inf	114.54	3	Vertical	261	1.64	-	34.30	5.67	32.50
AV	5.758G	110.25	Inf	-Inf	102.78	3	Vertical	261	1.64	-	34.30	5.68	32.51
PK	5.931G	66.61	68.20	-1.59	58.31	3	Vertical	261	1.64	-	35.09	5.77	32.56

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	61.64	68.20	-6.56	54.47	3	Horizontal	68	1.59	-	34.02	5.60	32.45
PK	5.753G	109.92	Inf	-Inf	102.45	3	Horizontal	68	1.59	-	34.30	5.68	32.51
AV	5.752G	99.49	Inf	-Inf	92.02	3	Horizontal	68	1.59	-	34.30	5.68	32.51
PK	5.968G	62.99	68.20	-5.21	54.54	3	Horizontal	68	1.59	-	35.24	5.78	32.57

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52212G	55.50	74.00	-18.50	41.94	3	Vertical	246	1.63	-	39.20	8.46	34.10
AV	11.52122G	43.53	54.00	-10.47	29.97	3	Vertical	246	1.63	-	39.20	8.46	34.10
PK	17.2719G	62.00	68.20	-6.20	42.98	3	Vertical	238	1.78	-	41.49	11.13	33.60

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50178G	56.56	74.00	-17.44	43.00	3	Horizontal	38	1.74	-	39.20	8.45	34.09
AV	11.52302G	43.55	54.00	-10.45	29.99	3	Horizontal	38	1.74	-	39.20	8.46	34.10
PK	17.12232G	61.95	68.20	-6.25	43.53	3	Horizontal	91	2.75	-	40.97	11.03	33.58

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	66.73	68.20	-1.47	59.49	3	Vertical	260	1.55	-	34.10	5.61	32.47
PK	5.794G	121.73	Inf	-Inf	114.25	3	Vertical	260	1.55	-	34.30	5.70	32.52
AV	5.803G	109.91	Inf	-Inf	102.42	3	Vertical	260	1.55	-	34.31	5.70	32.52
PK	5.94G	66.59	68.20	-1.61	58.24	3	Vertical	260	1.55	-	35.14	5.77	32.56

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	61.72	68.20	-6.48	54.51	3	Horizontal	67	1.87	-	34.07	5.60	32.46
PK	5.786G	110.37	Inf	-Inf	102.90	3	Horizontal	67	1.87	-	34.30	5.69	32.52
AV	5.797G	99.38	Inf	-Inf	91.90	3	Horizontal	67	1.87	-	34.30	5.70	32.52
PK	5.988G	64.12	68.20	-4.08	55.63	3	Horizontal	67	1.87	-	35.28	5.79	32.58

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22388G	56.32	74.00	-17.68	42.47	3	Vertical	173	2.09	-	39.22	8.37	33.74
AV	11.21864G	44.17	54.00	-9.83	30.32	3	Vertical	173	2.09	-	39.22	8.37	33.74
PK	17.37354G	62.90	68.20	-5.30	43.57	3	Vertical	95	2.42	-	41.75	11.19	33.61

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 23
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58094G	55.82	74.00	-18.18	42.29	3	Horizontal	294	1.58	-	39.20	8.47	34.14
AV	11.57776G	43.79	54.00	-10.21	30.26	3	Horizontal	294	1.58	-	39.20	8.47	34.14
PK	17.38728G	63.03	68.20	-5.17	43.67	3	Horizontal	217	2.66	-	41.77	11.20	33.61

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 20
04-K-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	64.78	74.00	-9.22	58.94	3	Vertical	301	1.76	-	32.91	5.45	32.52
AV	5.147G	53.92	54.00	-0.08	48.08	3	Vertical	301	1.76	-	32.91	5.45	32.52
PK	5.217G	114.32	Inf	-Inf	108.38	3	Vertical	301	1.76	-	32.93	5.51	32.50
AV	5.227G	102.44	Inf	-Inf	96.48	3	Vertical	301	1.76	-	32.95	5.51	32.50
PK	5.358G	60.93	74.00	-13.07	54.59	3	Vertical	301	1.76	-	33.23	5.58	32.47
AV	5.376G	48.83	54.00	-5.17	42.40	3	Vertical	301	1.76	-	33.30	5.59	32.46

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 20
04-K-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	61.07	74.00	-12.93	55.24	3	Horizontal	70	1.77	-	32.90	5.45	32.52
AV	5.148G	49.19	54.00	-4.81	43.36	3	Horizontal	70	1.77	-	32.90	5.45	32.52
PK	5.209G	108.45	Inf	-Inf	102.54	3	Horizontal	70	1.77	-	32.92	5.50	32.51
AV	5.209G	96.50	Inf	-Inf	90.59	3	Horizontal	70	1.77	-	32.92	5.50	32.51
PK	5.35G	59.27	74.00	-14.73	52.96	3	Horizontal	70	1.77	-	33.20	5.58	32.47
AV	5.46G	47.95	54.00	-6.05	41.07	3	Horizontal	70	1.77	-	33.72	5.60	32.44

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 20
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41094G	55.96	68.20	-12.24	41.92	3	Vertical	189	1.67	-	38.92	8.12	33.00
PK	15.62244G	57.41	74.00	-16.59	42.67	3	Vertical	259	1.28	-	38.36	10.17	33.79
AV	15.64086G	45.49	54.00	-8.51	30.80	3	Vertical	259	1.28	-	38.32	10.17	33.80

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 20
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43236G	56.06	68.20	-12.14	41.98	3	Horizontal	273	2.65	-	38.96	8.13	33.01
PK	15.61668G	57.71	74.00	-16.29	42.95	3	Horizontal	137	1.37	-	38.37	10.17	33.78
AV	15.63732G	45.44	54.00	-8.56	30.74	3	Horizontal	137	1.37	-	38.33	10.17	33.80

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 19.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.115G	60.21	74.00	-13.79	54.35	3	Vertical	95	1.28	-	32.97	5.42	32.53
AV	5.146G	48.97	54.00	-5.03	43.13	3	Vertical	95	1.28	-	32.91	5.45	32.52
PK	5.316G	115.04	Inf	-Inf	108.76	3	Vertical	95	1.28	-	33.20	5.56	32.48
AV	5.286G	103.61	Inf	-Inf	97.42	3	Vertical	95	1.28	-	33.14	5.54	32.49
PK	5.359G	65.94	74.00	-8.06	59.59	3	Vertical	95	1.28	-	33.24	5.58	32.47
AV	5.35G	53.36	54.00	-0.64	47.05	3	Vertical	95	1.28	-	33.20	5.58	32.47
PK	5.51G	60.94	68.20	-7.26	53.95	3	Vertical	95	1.28	-	33.82	5.60	32.43

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 19.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.045G	59.58	74.00	-14.42	53.79	3	Horizontal	64	2.03	-	33.00	5.34	32.55
AV	5.146G	47.76	54.00	-6.24	41.92	3	Horizontal	64	2.03	-	32.91	5.45	32.52
PK	5.27G	106.39	Inf	-Inf	100.26	3	Horizontal	64	2.03	-	33.08	5.54	32.49
AV	5.279G	96.27	Inf	-Inf	90.10	3	Horizontal	64	2.03	-	33.12	5.54	32.49
PK	5.353G	60.54	74.00	-13.46	54.22	3	Horizontal	64	2.03	-	33.21	5.58	32.47
AV	5.35G	49.55	54.00	-4.45	43.24	3	Horizontal	64	2.03	-	33.20	5.58	32.47
PK	5.52G	60.70	68.20	-7.50	53.70	3	Horizontal	64	2.03	-	33.84	5.60	32.44

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 19.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58846G	56.87	68.20	-11.33	42.52	3	Vertical	139	1.30	-	39.28	8.18	33.11
PK	15.8789G	57.50	74.00	-16.50	42.61	3	Vertical	14	1.22	-	38.58	10.26	33.95
AV	15.87676G	45.52	54.00	-8.48	30.63	3	Vertical	14	1.22	-	38.58	10.26	33.95

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 19.5
04-I-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5812G	56.25	68.20	-11.95	41.93	3	Horizontal	159	2.94	-	39.26	8.17	33.11
PK	15.86994G	58.10	74.00	-15.90	43.23	3	Horizontal	310	2.96	-	38.57	10.25	33.95
AV	15.88488G	46.33	54.00	-7.67	31.45	3	Horizontal	310	2.96	-	38.58	10.26	33.96

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 19.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.332G	59.55	68.20	-8.65	53.25	3	Vertical	265	1.60	-	33.20	5.57	32.47
PK	5.454G	64.27	74.00	-9.73	57.40	3	Vertical	265	1.60	-	33.71	5.60	32.44
AV	5.454G	53.85	54.00	-0.15	46.98	3	Vertical	265	1.60	-	33.71	5.60	32.44
PK	5.463G	66.12	68.20	-2.08	59.23	3	Vertical	265	1.60	-	33.73	5.60	32.44
PK	5.533G	114.48	Inf	-Inf	107.45	3	Vertical	265	1.60	-	33.87	5.60	32.44
AV	5.523G	103.07	Inf	-Inf	96.06	3	Vertical	265	1.60	-	33.85	5.60	32.44
PK	5.761G	61.84	68.20	-6.36	54.37	3	Vertical	265	1.60	-	34.30	5.68	32.51

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 19.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	59.62	68.20	-8.58	53.35	3	Horizontal	280	1.26	-	33.20	5.55	32.48
PK	5.447G	61.43	74.00	-12.57	54.59	3	Horizontal	280	1.26	-	33.68	5.60	32.44
PK	5.468G	62.04	68.20	-6.16	55.14	3	Horizontal	280	1.26	-	33.74	5.60	32.44
AV	5.46G	50.00	54.00	-4.00	43.12	3	Horizontal	280	1.26	-	33.72	5.60	32.44
PK	5.543G	104.49	Inf	-Inf	97.44	3	Horizontal	280	1.26	-	33.89	5.60	32.44
AV	5.542G	93.42	Inf	-Inf	86.38	3	Horizontal	280	1.26	-	33.88	5.60	32.44
PK	5.777G	62.03	68.20	-6.17	54.55	3	Horizontal	280	1.26	-	34.30	5.69	32.51

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 19.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05436G	55.82	74.00	-18.18	41.74	3	Vertical	299	1.14	-	39.29	8.32	33.53
AV	11.04536G	44.21	54.00	-9.79	30.11	3	Vertical	299	1.14	-	39.31	8.31	33.52
PK	16.583G	54.47	68.20	-13.73	37.82	3	Vertical	72	2.52	-	39.60	10.68	33.63

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 19.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06726G	56.84	74.00	-17.16	42.79	3	Horizontal	71	1.66	-	39.27	8.32	33.54
AV	11.04536G	44.21	54.00	-9.79	30.11	3	Horizontal	71	1.66	-	39.31	8.31	33.52
PK	16.58616G	56.05	68.20	-12.15	39.40	3	Horizontal	278	2.93	-	39.60	10.68	33.63

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 21.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	61.39	74.00	-12.61	54.51	3	Vertical	263	1.59	-	33.72	5.60	32.44
AV	5.459G	50.00	54.00	-4.00	43.12	3	Vertical	263	1.59	-	33.72	5.60	32.44
PK	5.468G	62.57	68.20	-5.63	55.67	3	Vertical	263	1.59	-	33.74	5.60	32.44
PK	5.588G	116.27	Inf	-Inf	109.08	3	Vertical	263	1.59	-	34.05	5.60	32.46
AV	5.628G	105.84	Inf	-Inf	98.60	3	Vertical	263	1.59	-	34.10	5.61	32.47
PK	5.727G	65.90	68.20	-2.30	58.49	3	Vertical	263	1.59	-	34.25	5.66	32.50

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 21.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	60.52	74.00	-13.48	53.68	3	Horizontal	40	2.80	-	33.68	5.60	32.44
AV	5.457G	48.61	54.00	-5.39	41.74	3	Horizontal	40	2.80	-	33.71	5.60	32.44
PK	5.468G	59.41	68.20	-8.79	52.51	3	Horizontal	40	2.80	-	33.74	5.60	32.44
PK	5.627G	106.89	Inf	-Inf	99.65	3	Horizontal	40	2.80	-	34.10	5.61	32.47
AV	5.617G	95.82	Inf	-Inf	88.58	3	Horizontal	40	2.80	-	34.10	5.61	32.47
PK	5.822G	62.79	68.20	-5.41	55.27	3	Horizontal	40	2.80	-	34.34	5.71	32.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 21.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22304G	56.61	74.00	-17.39	42.76	3	Vertical	262	2.26	-	39.22	8.37	33.74
AV	11.21816G	44.25	54.00	-9.75	30.39	3	Vertical	262	2.26	-	39.22	8.37	33.73
PK	16.58064G	60.54	68.20	-7.66	43.89	3	Vertical	15	1.61	-	39.60	10.68	33.63

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 21.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21944G	56.62	74.00	-17.38	42.77	3	Horizontal	26	1.19	-	39.22	8.37	33.74
AV	11.21764G	44.32	54.00	-9.68	30.46	3	Horizontal	26	1.19	-	39.22	8.37	33.73
PK	16.60188G	60.75	68.20	-7.45	44.08	3	Horizontal	193	2.78	-	39.60	10.69	33.62

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 22.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.87	74.00	-10.13	56.99	3	Vertical	263	1.68	-	33.72	5.60	32.44
AV	5.46G	49.82	54.00	-4.18	42.94	3	Vertical	263	1.68	-	33.72	5.60	32.44
PK	5.47G	63.75	68.20	-4.45	56.85	3	Vertical	263	1.68	-	33.74	5.60	32.44
PK	5.665G	117.66	Inf	-Inf	110.38	3	Vertical	263	1.68	-	34.13	5.63	32.48
AV	5.692G	107.20	Inf	-Inf	99.86	3	Vertical	263	1.68	-	34.18	5.65	32.49
PK	5.851G	67.32	68.20	-0.88	59.72	3	Vertical	263	1.68	-	34.41	5.73	32.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 22.5
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	59.85	74.00	-14.15	53.01	3	Horizontal	66	1.71	-	33.68	5.60	32.44
PK	5.469G	59.95	68.20	-8.25	53.05	3	Horizontal	66	1.71	-	33.74	5.60	32.44
AV	5.46G	48.42	54.00	-5.58	41.54	3	Horizontal	66	1.71	-	33.72	5.60	32.44
PK	5.668G	105.81	Inf	-Inf	98.52	3	Horizontal	66	1.71	-	34.14	5.63	32.48
AV	5.697G	95.34	Inf	-Inf	87.99	3	Horizontal	66	1.71	-	34.19	5.65	32.49
PK	5.867G	63.29	68.20	-4.91	55.53	3	Horizontal	66	1.71	-	34.57	5.73	32.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 22.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3884G	56.17	74.00	-17.83	42.49	3	Vertical	195	1.30	-	39.21	8.42	33.95
AV	11.38048G	43.73	54.00	-10.27	30.04	3	Vertical	195	1.30	-	39.22	8.41	33.94
PK	17.05764G	62.15	68.20	-6.05	44.00	3	Vertical	78	1.80	-	40.73	10.99	33.57

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 22.5
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39248G	56.06	74.00	-17.94	42.38	3	Horizontal	95	1.72	-	39.21	8.42	33.95
AV	11.3653G	43.77	54.00	-10.23	30.05	3	Horizontal	95	1.72	-	39.23	8.41	33.92
PK	17.0694G	64.35	68.20	-3.85	46.14	3	Horizontal	318	1.80	-	40.78	11.00	33.57

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 21
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	67.33	68.20	-0.87	60.09	3	Vertical	263	1.80	-	34.10	5.61	32.47
PK	5.781G	116.91	Inf	-Inf	109.43	3	Vertical	263	1.80	-	34.30	5.69	32.51
AV	5.782G	105.06	Inf	-Inf	97.58	3	Vertical	263	1.80	-	34.30	5.69	32.51
PK	5.933G	67.06	68.20	-1.14	58.75	3	Vertical	263	1.80	-	35.10	5.77	32.56

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 21
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	62.93	68.20	-5.27	55.68	3	Horizontal	30	1.77	-	34.10	5.62	32.47
PK	5.779G	105.23	Inf	-Inf	97.75	3	Horizontal	30	1.77	-	34.30	5.69	32.51
AV	5.779G	95.03	Inf	-Inf	87.55	3	Horizontal	30	1.77	-	34.30	5.69	32.51
PK	5.945G	63.98	68.20	-4.22	55.60	3	Horizontal	30	1.77	-	35.17	5.77	32.56

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 21
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54592G	56.54	74.00	-17.46	43.00	3	Vertical	147	2.09	-	39.20	8.46	34.12
AV	11.53674G	43.90	54.00	-10.10	30.35	3	Vertical	147	2.09	-	39.20	8.46	34.11
PK	17.33832G	62.72	68.20	-5.48	43.48	3	Vertical	339	1.90	-	41.68	11.17	33.61

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



EUT Y_2TX
Setting 21
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36926G	56.07	74.00	-17.93	42.36	3	Horizontal	150	2.29	-	39.23	8.41	33.93
AV	11.38414G	43.80	54.00	-10.20	30.10	3	Horizontal	150	2.29	-	39.22	8.42	33.94
PK	17.31618G	62.57	68.20	-5.63	43.38	3	Horizontal	111	2.03	-	41.63	11.16	33.60




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	Pass	PK	5.15G	73.95	74.00	-0.05	3	Vertical	77	1.71	-

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5180MHz_TX




EUT Y_2TX
Setting 23
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	68.35	74.00	-5.65	62.39	3	Vertical	81	1.39	-	34.09	6.75	34.88
AV	5.15G	51.05	54.00	-2.95	45.08	3	Vertical	81	1.39	-	34.10	6.75	34.88
PK	5.1818G	118.79	Inf	-Inf	112.85	3	Vertical	81	1.39	-	34.04	6.78	34.88
AV	5.1832G	106.78	Inf	-Inf	100.85	3	Vertical	81	1.39	-	34.03	6.78	34.88

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5180MHz_TX




EUT Y_2TX
Setting 23
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	68.29	74.00	-5.71	62.33	3	Horizontal	81	1.39	-	34.09	6.75	34.88
AV	5.1496G	51.18	54.00	-2.82	45.21	3	Horizontal	81	1.39	-	34.10	6.75	34.88
PK	5.1834G	119.19	Inf	-Inf	113.26	3	Horizontal	81	1.39	-	34.03	6.78	34.88
AV	5.185G	106.54	Inf	-Inf	100.60	3	Horizontal	81	1.39	-	34.03	6.79	34.88

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5180MHz_TX




EUT Y_2TX
Setting 23
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36358G	56.19	68.20	-12.01	42.20	3	Vertical	147	1.57	-	38.86	8.11	32.98
PK	15.53838G	59.28	74.00	-14.72	44.16	3	Vertical	157	1.29	-	38.71	10.14	33.73
AV	15.54484G	47.30	54.00	-6.70	32.22	3	Vertical	157	1.29	-	38.68	10.14	33.74

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5180MHz_TX




EUT Y_2TX
Setting 23
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.361G	56.86	68.20	-11.34	42.87	3	Horizontal	300	2.70	-	38.86	8.11	32.98
PK	15.54186G	58.56	74.00	-15.44	43.47	3	Horizontal	45	2.45	-	38.69	10.14	33.74
AV	15.54496G	47.30	54.00	-6.70	32.22	3	Horizontal	45	2.45	-	38.68	10.14	33.74

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5200MHz_TX




EUT Y_2TX
Setting 27
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	62.44	74.00	-11.56	56.48	3	Vertical	330.4	1.22	-	34.09	6.75	34.88
AV	5.1496G	49.99	54.00	-4.01	44.02	3	Vertical	330.4	1.22	-	34.10	6.75	34.88
PK	5.2068G	123.31	Inf	-Inf	117.39	3	Vertical	330.4	1.22	-	34.00	6.80	34.88
AV	5.2052G	111.64	Inf	-Inf	105.72	3	Vertical	330.4	1.22	-	34.00	6.80	34.88

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5200MHz_TX




EUT Y_2TX
Setting 27
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1256G	60.51	74.00	-13.49	54.61	3	Horizontal	68	1.80	-	34.05	6.73	34.88
AV	5.15G	48.04	54.00	-5.96	42.07	3	Horizontal	68	1.80	-	34.10	6.75	34.88
PK	5.2016G	115.74	Inf	-Inf	109.82	3	Horizontal	68	1.80	-	34.00	6.80	34.88
AV	5.2008G	103.15	Inf	-Inf	97.23	3	Horizontal	68	1.80	-	34.00	6.80	34.88

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5200MHz_TX




EUT Y_2TX
Setting 27
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40282G	56.74	68.20	-11.46	42.71	3	Vertical	286	1.85	-	38.91	8.12	33.00
PK	15.60032G	58.03	74.00	-15.97	43.24	3	Vertical	26	1.32	-	38.40	10.16	33.77
AV	15.59732G	46.37	54.00	-7.63	31.57	3	Vertical	26	1.32	-	38.41	10.16	33.77

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5200MHz_TX




EUT Y_2TX
Setting 27
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40438G	57.20	68.20	-11.00	43.17	3	Horizontal	260	2.17	-	38.91	8.12	33.00
PK	15.59938G	58.36	74.00	-15.64	43.57	3	Horizontal	286	1.58	-	38.40	10.16	33.77
AV	15.6006G	46.46	54.00	-7.54	31.67	3	Horizontal	286	1.58	-	38.40	10.16	33.77

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5240MHz_TX




EUT Y_2TX
Setting 27
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	60.41	74.00	-13.59	54.48	3	Vertical	304	1.77	-	34.07	6.74	34.88
AV	5.1404G	48.03	54.00	-5.97	42.09	3	Vertical	304	1.77	-	34.08	6.74	34.88
PK	5.2436G	122.60	Inf	-Inf	116.66	3	Vertical	304	1.77	-	34.00	6.82	34.88
AV	5.237G	111.08	Inf	-Inf	105.14	3	Vertical	304	1.77	-	34.00	6.82	34.88
PK	5.3822G	61.58	74.00	-12.42	55.12	3	Vertical	304	1.77	-	34.44	6.89	34.87
AV	5.3762G	49.21	54.00	-4.79	42.74	3	Vertical	304	1.77	-	34.45	6.89	34.87

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5240MHz_TX




EUT Y_2TX
Setting 27
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1182G	59.88	74.00	-14.12	54.00	3	Horizontal	68	1.78	-	34.04	6.72	34.88
AV	5.1392G	47.05	54.00	-6.95	41.11	3	Horizontal	68	1.78	-	34.08	6.74	34.88
PK	5.2466G	115.38	Inf	-Inf	109.44	3	Horizontal	68	1.78	-	34.00	6.82	34.88
AV	5.24G	100.94	Inf	-Inf	95.00	3	Horizontal	68	1.78	-	34.00	6.82	34.88
PK	5.3804G	59.89	74.00	-14.11	53.43	3	Horizontal	68	1.78	-	34.44	6.89	34.87
AV	5.3756G	47.74	54.00	-6.26	41.27	3	Horizontal	68	1.78	-	34.45	6.89	34.87

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5240MHz_TX




EUT Y_2TX
Setting 27
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47634G	56.78	68.20	-11.42	42.62	3	Vertical	154	1.27	-	39.05	8.14	33.03
PK	15.72016G	58.19	74.00	-15.81	43.58	3	Vertical	300	2.60	-	38.26	10.20	33.85
AV	15.7215G	46.38	54.00	-7.62	31.77	3	Vertical	300	2.60	-	38.26	10.20	33.85

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5240MHz_TX




EUT Y_2TX
Setting 27
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47786G	57.01	68.20	-11.19	42.84	3	Horizontal	201	2.74	-	39.06	8.14	33.03
PK	15.71754G	58.41	74.00	-15.59	43.81	3	Horizontal	218	1.82	-	38.25	10.20	33.85
AV	15.72378G	46.54	54.00	-7.46	31.92	3	Horizontal	218	1.82	-	38.27	10.20	33.85

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5260MHz_TX




EUT Y_2TX
Setting 27
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	59.01	74.00	-14.99	53.07	3	Vertical	97	1.28	-	34.08	6.74	34.88
AV	5.14G	47.32	54.00	-6.68	41.38	3	Vertical	97	1.28	-	34.08	6.74	34.88
PK	5.2642G	121.31	Inf	-Inf	115.26	3	Vertical	97	1.28	-	34.09	6.83	34.87
AV	5.263G	110.36	Inf	-Inf	104.32	3	Vertical	97	1.28	-	34.08	6.83	34.87
PK	5.3956G	60.36	74.00	-13.64	53.92	3	Vertical	97	1.28	-	34.41	6.90	34.87
AV	5.3518G	48.50	54.00	-5.50	41.99	3	Vertical	97	1.28	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5260MHz_TX




EUT Y_2TX
Setting 27
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	59.47	74.00	-14.53	53.50	3	Horizontal	64	1.70	-	34.10	6.75	34.88
AV	5.1472G	46.66	54.00	-7.34	40.70	3	Horizontal	64	1.70	-	34.09	6.75	34.88
PK	5.2588G	113.33	Inf	-Inf	107.32	3	Horizontal	64	1.70	-	34.05	6.83	34.87
AV	5.2564G	101.15	Inf	-Inf	95.15	3	Horizontal	64	1.70	-	34.04	6.83	34.87
PK	5.3584G	59.80	74.00	-14.20	53.31	3	Horizontal	64	1.70	-	34.48	6.88	34.87
AV	5.4094G	47.39	54.00	-6.61	40.91	3	Horizontal	64	1.70	-	34.44	6.91	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5260MHz_TX




EUT Y_2TX
Setting 27
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51268G	56.22	68.20	-11.98	41.99	3	Vertical	326	1.80	-	39.13	8.15	33.05
PK	15.79008G	59.50	74.00	-14.50	44.70	3	Vertical	34	1.80	-	38.47	10.23	33.90
AV	15.7875G	46.70	54.00	-7.30	31.90	3	Vertical	34	1.80	-	38.46	10.23	33.89

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5260MHz_TX




EUT Y_2TX
Setting 27
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5197G	55.83	68.20	-12.37	41.59	3	Horizontal	188	2.17	-	39.14	8.16	33.06
PK	15.78714G	59.05	74.00	-14.95	44.25	3	Horizontal	179	1.73	-	38.46	10.23	33.89
AV	15.78264G	46.62	54.00	-7.38	31.84	3	Horizontal	179	1.73	-	38.45	10.22	33.89

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5300MHz_TX




EUT Y_2TX
Setting 24
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	122.47	Inf	-Inf	116.20	3	Vertical	302	1.42	-	34.29	6.85	34.87
AV	5.298G	110.79	Inf	-Inf	104.52	3	Vertical	302	1.42	-	34.29	6.85	34.87
PK	5.3512G	61.05	74.00	-12.95	54.54	3	Vertical	302	1.42	-	34.50	6.88	34.87
AV	5.376G	48.81	54.00	-5.19	42.34	3	Vertical	302	1.42	-	34.45	6.89	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5300MHz_TX




EUT Y_2TX
Setting 24
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	112.52	Inf	-Inf	106.26	3	Horizontal	61	1.58	-	34.28	6.85	34.87
AV	5.302G	101.10	Inf	-Inf	94.81	3	Horizontal	61	1.58	-	34.31	6.85	34.87
PK	5.3812G	59.95	74.00	-14.05	53.49	3	Horizontal	61	1.58	-	34.44	6.89	34.87
AV	5.3516G	47.77	54.00	-6.23	41.26	3	Horizontal	61	1.58	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5300MHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59512G	56.86	68.20	-11.34	42.51	3	Vertical	52	1.50	-	39.29	8.18	33.12
PK	15.90114G	58.38	74.00	-15.62	43.48	3	Vertical	169	2.17	-	38.60	10.27	33.97
AV	15.8968G	46.73	54.00	-7.27	31.83	3	Vertical	169	2.17	-	38.60	10.26	33.96

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5300MHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59786G	57.19	68.20	-11.01	42.83	3	Horizontal	11	1.05	-	39.30	8.18	33.12
PK	15.89822G	58.35	74.00	-15.65	43.45	3	Horizontal	161	1.88	-	38.60	10.26	33.96
AV	15.89746G	46.72	54.00	-7.28	31.82	3	Horizontal	161	1.88	-	38.60	10.26	33.96

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5320MHz_TX




EUT Y_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	120.79	Inf	-Inf	114.41	3	Vertical	125.6	1.80	-	34.39	6.86	34.87
AV	5.3218G	107.95	Inf	-Inf	101.57	3	Vertical	125.6	1.80	-	34.39	6.86	34.87
PK	5.3526G	68.68	74.00	-5.32	62.18	3	Vertical	125.6	1.80	-	34.49	6.88	34.87
AV	5.3502G	53.16	54.00	-0.84	46.65	3	Vertical	125.6	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5320MHz_TX




EUT Y_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	110.16	Inf	-Inf	103.80	3	Horizontal	93	2.04	-	34.37	6.86	34.87
AV	5.3136G	99.24	Inf	-Inf	92.90	3	Horizontal	93	2.04	-	34.35	6.86	34.87
PK	5.3518G	61.76	74.00	-12.24	55.25	3	Horizontal	93	2.04	-	34.50	6.88	34.87
AV	5.3516G	48.85	54.00	-5.15	42.34	3	Horizontal	93	2.04	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5320MHz_TX




EUT Y_2TX
Setting 25
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64284G	55.59	74.00	-18.41	41.26	3	Vertical	194	1.10	-	39.30	8.19	33.16
AV	10.63682G	44.00	54.00	-10.00	29.66	3	Vertical	194	1.10	-	39.30	8.19	33.15
PK	15.95606G	57.66	74.00	-16.34	42.84	3	Vertical	27	2.64	-	38.54	10.28	34.00
AV	15.95724G	46.23	54.00	-7.77	31.40	3	Vertical	27	2.64	-	38.54	10.29	34.00

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5320MHz_TX




EUT Y_2TX
Setting 25
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64098G	55.91	74.00	-18.09	41.58	3	Horizontal	141	1.68	-	39.30	8.19	33.16
AV	10.64108G	43.78	54.00	-10.22	29.45	3	Horizontal	141	1.68	-	39.30	8.19	33.16
PK	15.95644G	58.06	74.00	-15.94	43.24	3	Horizontal	82	1.54	-	38.54	10.28	34.00
AV	15.95656G	46.46	54.00	-7.54	31.64	3	Horizontal	82	1.54	-	38.54	10.28	34.00

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5500MHz_TX




EUT Y_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	60.96	74.00	-13.04	54.26	3	Vertical	130	1.89	-	34.60	6.96	34.86
AV	5.4564G	48.00	54.00	-6.00	41.30	3	Vertical	130	1.89	-	34.60	6.96	34.86
PK	5.4658G	63.16	68.20	-5.04	56.45	3	Vertical	130	1.89	-	34.60	6.97	34.86
PK	5.5032G	120.99	Inf	-Inf	114.25	3	Vertical	130	1.89	-	34.60	7.00	34.86
AV	5.5056G	108.59	Inf	-Inf	101.84	3	Vertical	130	1.89	-	34.60	7.01	34.86

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5500MHz_TX




EUT Y_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.24	74.00	-13.76	53.55	3	Horizontal	321	1.53	-	34.60	6.95	34.86
AV	5.4506G	46.88	54.00	-7.12	40.19	3	Horizontal	321	1.53	-	34.60	6.95	34.86
PK	5.461G	59.46	68.20	-8.74	52.76	3	Horizontal	321	1.53	-	34.60	6.96	34.86
PK	5.5064G	112.19	Inf	-Inf	105.44	3	Horizontal	321	1.53	-	34.60	7.01	34.86
AV	5.5068G	100.42	Inf	-Inf	93.67	3	Horizontal	321	1.53	-	34.60	7.01	34.86

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5500MHz_TX




EUT Y_2TX
Setting 25
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00026G	57.34	74.00	-16.66	43.10	3	Vertical	345	1.71	-	39.40	8.30	33.46
AV	10.99844G	44.56	54.00	-9.44	30.32	3	Vertical	345	1.71	-	39.40	8.30	33.46
PK	16.49548G	59.99	68.20	-8.21	43.43	3	Vertical	94	1.30	-	39.58	10.62	33.64

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5500MHz_TX




EUT Y_2TX
Setting 25
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00438G	56.20	74.00	-17.80	41.98	3	Horizontal	308	2.06	-	39.39	8.30	33.47
AV	10.99526G	44.47	54.00	-9.53	30.23	3	Horizontal	308	2.06	-	39.40	8.30	33.46
PK	16.4967G	60.22	68.20	-7.98	43.66	3	Horizontal	222	1.92	-	39.58	10.62	33.64

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5580MHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15662G	55.74	74.00	-18.26	41.85	3	Vertical	140	2.52	-	39.20	8.35	33.66
AV	11.16068G	44.48	54.00	-9.52	30.59	3	Vertical	140	2.52	-	39.20	8.35	33.66
PK	16.74202G	60.61	68.20	-7.59	43.50	3	Vertical	263	2.38	-	39.93	10.78	33.60

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5580MHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1599G	55.86	74.00	-18.14	41.97	3	Horizontal	109	2.12	-	39.20	8.35	33.66
AV	11.16384G	44.39	54.00	-9.61	30.51	3	Horizontal	109	2.12	-	39.20	8.35	33.67
PK	16.73928G	60.32	68.20	-7.88	43.22	3	Horizontal	73	2.81	-	39.92	10.78	33.60

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5700MHz_TX




EUT Y_2TX
Setting 22
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6962G	121.18	Inf	-Inf	114.71	3	Vertical	293	1.74	-	34.22	7.15	34.90
AV	5.6948G	108.13	Inf	-Inf	101.66	3	Vertical	293	1.74	-	34.22	7.15	34.90
PK	5.7264G	66.35	68.20	-1.85	59.90	3	Vertical	293	1.74	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5700MHz_TX




EUT Y_2TX
Setting 22
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	110.27	Inf	-Inf	103.80	3	Horizontal	95	2.20	-	34.22	7.15	34.90
AV	5.6956G	98.23	Inf	-Inf	91.76	3	Horizontal	95	2.20	-	34.22	7.15	34.90
PK	5.7256G	60.60	68.20	-7.60	54.15	3	Horizontal	95	2.20	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5700MHz_TX




EUT Y_2TX
Setting 22
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3871G	56.32	74.00	-17.68	42.64	3	Vertical	194	1.01	-	39.21	8.42	33.95
AV	11.3928G	43.98	54.00	-10.02	30.30	3	Vertical	194	1.01	-	39.21	8.42	33.95
PK	17.09718G	62.19	68.20	-6.01	43.86	3	Vertical	48	2.29	-	40.89	11.01	33.57

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5700MHz_TX




EUT Y_2TX
Setting 22
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39076G	55.58	74.00	-18.42	41.90	3	Horizontal	49	2.46	-	39.21	8.42	33.95
AV	11.40756G	44.30	54.00	-9.70	30.65	3	Horizontal	49	2.46	-	39.20	8.42	33.97
PK	17.10072G	62.17	68.20	-6.03	43.82	3	Horizontal	-0	1.15	-	40.90	11.02	33.57

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5720MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	121.64	Inf	-Inf	115.19	3	Vertical	267	1.80	-	34.20	7.16	34.91
AV	5.7248G	110.97	Inf	-Inf	104.52	3	Vertical	267	1.80	-	34.20	7.16	34.91
PK	5.8592G	60.03	68.20	-8.17	53.40	3	Vertical	267	1.80	-	34.34	7.23	34.94

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5720MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	112.40	Inf	-Inf	105.95	3	Horizontal	72	1.44	-	34.20	7.16	34.91
AV	5.7264G	101.06	Inf	-Inf	94.61	3	Horizontal	72	1.44	-	34.20	7.16	34.91
PK	5.9184G	60.03	68.20	-8.17	53.18	3	Horizontal	72	1.44	-	34.54	7.26	34.95

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5720MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44288G	55.50	74.00	-18.50	41.89	3	Vertical	238	1.55	-	39.20	8.43	34.02
AV	11.4441G	43.54	54.00	-10.46	29.93	3	Vertical	238	1.55	-	39.20	8.43	34.02
PK	17.15764G	63.29	68.20	-4.91	44.75	3	Vertical	331	1.01	-	41.07	11.05	33.58

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5720MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43704G	55.94	74.00	-18.06	42.32	3	Horizontal	4	2.35	-	39.20	8.43	34.01
AV	11.44078G	43.74	54.00	-10.26	30.13	3	Horizontal	4	2.35	-	39.20	8.43	34.02
PK	17.16032G	63.46	68.20	-4.74	44.91	3	Horizontal	320	2.05	-	41.08	11.05	33.58

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5745MHz_TX




EUT Y_2TX
Setting 27
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.23	68.20	-4.97	56.60	3	Vertical	266	1.80	-	34.40	7.12	34.89
PK	5.742G	123.33	Inf	-Inf	116.87	3	Vertical	266	1.80	-	34.20	7.17	34.91
AV	5.746G	112.22	Inf	-Inf	105.76	3	Vertical	266	1.80	-	34.20	7.17	34.91
PK	5.964G	61.64	68.20	-6.56	54.69	3	Vertical	266	1.80	-	34.63	7.28	34.96

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5745MHz_TX




EUT Y_2TX
Setting 27
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	59.96	68.20	-8.24	53.34	3	Horizontal	78.6	1.39	-	34.40	7.11	34.89
PK	5.74G	112.09	Inf	-Inf	105.63	3	Horizontal	78.6	1.39	-	34.20	7.17	34.91
AV	5.739G	101.79	Inf	-Inf	95.33	3	Horizontal	78.6	1.39	-	34.20	7.17	34.91
PK	5.953G	59.80	68.20	-8.40	52.87	3	Horizontal	78.6	1.39	-	34.61	7.28	34.96

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5745MHz_TX




EUT Y_2TX
Setting 27
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49522G	56.21	74.00	-17.79	42.64	3	Vertical	258	1.80	-	39.20	8.45	34.08
AV	11.49528G	43.83	54.00	-10.17	30.26	3	Vertical	258	1.80	-	39.20	8.45	34.08
PK	17.23386G	62.42	68.20	-5.78	43.57	3	Vertical	306	1.80	-	41.34	11.10	33.59

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5745MHz_TX




EUT Y_2TX
Setting 27
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48856G	56.04	74.00	-17.96	42.47	3	Horizontal	288	2.50	-	39.20	8.45	34.08
AV	11.5011G	43.44	54.00	-10.56	29.88	3	Horizontal	288	2.50	-	39.20	8.45	34.09
PK	17.2275G	61.93	68.20	-6.27	43.11	3	Horizontal	210	1.33	-	41.31	11.10	33.59

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5785MHz_TX




EUT Y_2TX
Setting 27
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	62.58	68.20	-5.62	55.92	3	Vertical	265	1.80	-	34.46	7.08	34.88
PK	5.789G	123.23	Inf	-Inf	116.68	3	Vertical	265	1.80	-	34.28	7.19	34.92
AV	5.788G	112.18	Inf	-Inf	105.63	3	Vertical	265	1.80	-	34.28	7.19	34.92
PK	5.989G	61.39	68.20	-6.81	54.39	3	Vertical	265	1.80	-	34.68	7.29	34.97

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5785MHz_TX




EUT Y_2TX
Setting 27
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	59.95	68.20	-8.25	53.33	3	Horizontal	71	1.62	-	34.40	7.10	34.88
PK	5.788G	113.26	Inf	-Inf	106.71	3	Horizontal	71	1.62	-	34.28	7.19	34.92
AV	5.778G	102.41	Inf	-Inf	95.88	3	Horizontal	71	1.62	-	34.26	7.19	34.92
PK	5.965G	59.97	68.20	-8.23	53.02	3	Horizontal	71	1.62	-	34.63	7.28	34.96

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5785MHz_TX




EUT Y_2TX
Setting 27
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5652G	55.74	74.00	-18.26	42.20	3	Vertical	119	2.47	-	39.20	8.47	34.13
AV	11.56794G	43.32	54.00	-10.68	29.78	3	Vertical	119	2.47	-	39.20	8.47	34.13
PK	17.35418G	62.93	68.20	-5.27	43.65	3	Vertical	40	1.92	-	41.71	11.18	33.61

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5785MHz_TX




EUT Y_2TX
Setting 27
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5701G	55.34	74.00	-18.66	41.80	3	Horizontal	293	1.75	-	39.20	8.47	34.13
AV	11.57196G	43.27	54.00	-10.73	29.73	3	Horizontal	293	1.75	-	39.20	8.47	34.13
PK	17.35428G	63.16	68.20	-5.04	43.88	3	Horizontal	220	2.77	-	41.71	11.18	33.61

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5825MHz_TX




EUT Y_2TX
Setting 28
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	61.25	68.20	-6.95	54.62	3	Vertical	76	1.80	-	34.40	7.12	34.89
PK	5.832G	122.93	Inf	-Inf	116.34	3	Vertical	76	1.80	-	34.30	7.22	34.93
AV	5.831G	111.01	Inf	-Inf	104.42	3	Vertical	76	1.80	-	34.30	7.22	34.93
PK	5.928G	60.73	68.20	-7.47	53.86	3	Vertical	76	1.80	-	34.56	7.26	34.95

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5825MHz_TX



EUT Y_2TX
Setting 28
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	58.45	68.20	-9.75	51.79	3	Horizontal	242	1.48	-	34.45	7.09	34.88
PK	5.818G	111.38	Inf	-Inf	104.80	3	Horizontal	242	1.48	-	34.30	7.21	34.93
AV	5.823G	102.10	Inf	-Inf	95.52	3	Horizontal	242	1.48	-	34.30	7.21	34.93
PK	6.042G	59.93	68.20	-8.27	52.77	3	Horizontal	242	1.48	-	34.78	7.36	34.98

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5825MHz_TX




EUT Y_2TX
Setting 28
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65458G	54.62	74.00	-19.38	41.15	3	Vertical	310	2.73	-	39.15	8.50	34.18
AV	11.64684G	43.00	54.00	-11.00	29.54	3	Vertical	310	2.73	-	39.15	8.49	34.18
PK	17.4701G	62.86	68.20	-5.34	43.36	3	Vertical	271	1.91	-	41.87	11.26	33.63

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS3)_2TX

5825MHz_TX




EUT Y_2TX
Setting 28
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65176G	55.11	74.00	-18.89	41.64	3	Horizontal	205	2.74	-	39.15	8.50	34.18
AV	11.65228G	43.15	54.00	-10.85	29.68	3	Horizontal	205	2.74	-	39.15	8.50	34.18
PK	17.47152G	63.33	68.20	-4.87	43.83	3	Horizontal	94	2.37	-	41.87	11.26	33.63

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5190MHz_TX




EUT Y_2TX
Setting 21
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.95	74.00	-0.05	67.98	3	Vertical	77	1.71	-	34.10	6.75	34.88
AV	5.15G	48.81	54.00	-5.19	42.84	3	Vertical	77	1.71	-	34.10	6.75	34.88
PK	5.182G	114.51	Inf	-Inf	108.57	3	Vertical	77	1.71	-	34.04	6.78	34.88
AV	5.204G	103.73	Inf	-Inf	97.81	3	Vertical	77	1.71	-	34.00	6.80	34.88
PK	5.43G	59.38	74.00	-14.62	52.79	3	Vertical	77	1.71	-	34.52	6.93	34.86
AV	5.376G	46.76	54.00	-7.24	40.29	3	Vertical	77	1.71	-	34.45	6.89	34.87

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5190MHz_TX




EUT Y_2TX
Setting 21
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	65.76	74.00	-8.24	59.79	3	Horizontal	242	1.80	-	34.10	6.75	34.88
AV	5.15G	46.55	54.00	-7.45	40.58	3	Horizontal	242	1.80	-	34.10	6.75	34.88
PK	5.192G	107.16	Inf	-Inf	101.23	3	Horizontal	242	1.80	-	34.02	6.79	34.88
AV	5.197G	99.38	Inf	-Inf	93.45	3	Horizontal	242	1.80	-	34.01	6.80	34.88
PK	5.405G	59.05	74.00	-14.95	52.59	3	Horizontal	242	1.80	-	34.42	6.91	34.87
AV	5.378G	46.15	54.00	-7.85	39.69	3	Horizontal	242	1.80	-	34.44	6.89	34.87

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5190MHz_TX




EUT Y_2TX
Setting 21
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37652G	55.91	68.20	-12.29	41.91	3	Vertical	51	1.87	-	38.88	8.11	32.99
PK	15.56268G	58.34	74.00	-15.66	43.35	3	Vertical	297	2.11	-	38.59	10.15	33.75
AV	15.55812G	46.30	54.00	-7.70	31.29	3	Vertical	297	2.11	-	38.61	10.15	33.75

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5190MHz_TX




EUT Y_2TX
Setting 21
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37208G	55.56	68.20	-12.64	41.57	3	Horizontal	235	2.43	-	38.87	8.11	32.99
PK	15.567G	58.32	74.00	-15.68	43.35	3	Horizontal	193	1.41	-	38.57	10.15	33.75
AV	15.56772G	46.35	54.00	-7.65	31.39	3	Horizontal	193	1.41	-	38.56	10.15	33.75

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5230MHz_TX




EUT Y_2TX
Setting 26
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.31	74.00	-5.69	62.34	3	Vertical	300	1.68	-	34.10	6.75	34.88
AV	5.15G	52.29	54.00	-1.71	46.32	3	Vertical	300	1.68	-	34.10	6.75	34.88
PK	5.228G	120.40	Inf	-Inf	114.47	3	Vertical	300	1.68	-	34.00	6.81	34.88
AV	5.218G	109.73	Inf	-Inf	103.80	3	Vertical	300	1.68	-	34.00	6.81	34.88
PK	5.352G	63.43	74.00	-10.57	56.92	3	Vertical	300	1.68	-	34.50	6.88	34.87
AV	5.376G	50.53	54.00	-3.47	44.06	3	Vertical	300	1.68	-	34.45	6.89	34.87

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5230MHz_TX




EUT Y_2TX
Setting 26
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	66.34	74.00	-7.66	60.37	3	Horizontal	68	1.47	-	34.10	6.75	34.88
AV	5.15G	49.94	54.00	-4.06	43.97	3	Horizontal	68	1.47	-	34.10	6.75	34.88
PK	5.2198G	115.18	Inf	-Inf	109.25	3	Horizontal	68	1.47	-	34.00	6.81	34.88
AV	5.2186G	102.93	Inf	-Inf	97.00	3	Horizontal	68	1.47	-	34.00	6.81	34.88
PK	5.3776G	60.94	74.00	-13.06	54.48	3	Horizontal	68	1.47	-	34.44	6.89	34.87
AV	5.3578G	48.06	54.00	-5.94	41.57	3	Horizontal	68	1.47	-	34.48	6.88	34.87

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5230MHz_TX




EUT Y_2TX
Setting 26
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45668G	56.58	68.20	-11.62	42.45	3	Vertical	300	1.03	-	39.01	8.14	33.02
PK	15.68972G	57.28	74.00	-16.72	42.70	3	Vertical	87	2.90	-	38.22	10.19	33.83
AV	15.6866G	45.50	54.00	-8.50	30.91	3	Vertical	87	2.90	-	38.23	10.19	33.83

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5230MHz_TX




EUT Y_2TX
Setting 26
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45954G	56.24	68.20	-11.96	42.10	3	Horizontal	187	1.06	-	39.02	8.14	33.02
PK	15.69268G	57.45	74.00	-16.55	42.88	3	Horizontal	113	2.65	-	38.21	10.19	33.83
AV	15.686G	45.49	54.00	-8.51	30.90	3	Horizontal	113	2.65	-	38.23	10.19	33.83

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5270MHz_TX




EUT Y_2TX
Setting 24
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1308G	60.00	74.00	-14.00	54.09	3	Vertical	300	1.80	-	34.06	6.73	34.88
AV	5.1482G	47.32	54.00	-6.68	41.35	3	Vertical	300	1.80	-	34.10	6.75	34.88
PK	5.2658G	118.66	Inf	-Inf	112.61	3	Vertical	300	1.80	-	34.09	6.83	34.87
AV	5.2556G	109.14	Inf	-Inf	103.15	3	Vertical	300	1.80	-	34.03	6.83	34.87
PK	5.351G	64.89	74.00	-9.11	58.38	3	Vertical	300	1.80	-	34.50	6.88	34.87
AV	5.351G	50.41	54.00	-3.59	43.90	3	Vertical	300	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5270MHz_TX




EUT Y_2TX
Setting 24
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	60.05	74.00	-13.95	54.08	3	Horizontal	72	1.80	-	34.10	6.75	34.88
AV	5.1272G	46.73	54.00	-7.27	40.83	3	Horizontal	72	1.80	-	34.05	6.73	34.88
PK	5.2562G	113.64	Inf	-Inf	107.64	3	Horizontal	72	1.80	-	34.04	6.83	34.87
AV	5.2562G	102.39	Inf	-Inf	96.39	3	Horizontal	72	1.80	-	34.04	6.83	34.87
PK	5.3516G	61.21	74.00	-12.79	54.70	3	Horizontal	72	1.80	-	34.50	6.88	34.87
AV	5.3528G	47.76	54.00	-6.24	41.26	3	Horizontal	72	1.80	-	34.49	6.88	34.87

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5270MHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5402G	56.60	68.20	-11.60	42.33	3	Vertical	311	1.77	-	39.18	8.16	33.07
PK	15.81188G	58.08	74.00	-15.92	43.25	3	Vertical	188	2.52	-	38.51	10.23	33.91
AV	15.80976G	46.58	54.00	-7.42	31.75	3	Vertical	188	2.52	-	38.51	10.23	33.91

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5270MHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54178G	55.99	68.20	-12.21	41.73	3	Horizontal	3	1.03	-	39.18	8.16	33.08
PK	15.80592G	57.96	74.00	-16.04	43.13	3	Horizontal	26	1.21	-	38.51	10.23	33.91
AV	15.8091G	46.77	54.00	-7.23	31.94	3	Horizontal	26	1.21	-	38.51	10.23	33.91

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5310MHz_TX




EUT Y_2TX
Setting 22
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	116.45	Inf	-Inf	110.10	3	Vertical	301	1.80	-	34.36	6.86	34.87
AV	5.3156G	105.87	Inf	-Inf	99.52	3	Vertical	301	1.80	-	34.36	6.86	34.87
PK	5.3552G	72.26	74.00	-1.74	65.76	3	Vertical	301	1.80	-	34.49	6.88	34.87
AV	5.3512G	53.83	54.00	-0.17	47.32	3	Vertical	301	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5310MHz_TX




EUT Y_2TX
Setting 22
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	106.79	Inf	-Inf	100.43	3	Horizontal	68	1.80	-	34.37	6.86	34.87
AV	5.3268G	96.95	Inf	-Inf	90.55	3	Horizontal	68	1.80	-	34.41	6.86	34.87
PK	5.354G	62.24	74.00	-11.76	55.74	3	Horizontal	68	1.80	-	34.49	6.88	34.87
AV	5.3604G	47.85	54.00	-6.15	41.36	3	Horizontal	68	1.80	-	34.48	6.88	34.87

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5310MHz_TX




EUT Y_2TX
Setting 22
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62168G	55.78	74.00	-18.22	41.43	3	Vertical	175	2.95	-	39.30	8.19	33.14
AV	10.6246G	43.71	54.00	-10.29	29.36	3	Vertical	175	2.95	-	39.30	8.19	33.14
PK	15.92692G	58.19	74.00	-15.81	43.33	3	Vertical	183	2.96	-	38.57	10.27	33.98
AV	15.92506G	46.58	54.00	-7.42	31.72	3	Vertical	183	2.96	-	38.57	10.27	33.98

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5310MHz_TX




EUT Y_2TX
Setting 22
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.622G	55.57	74.00	-18.43	41.22	3	Horizontal	274	1.49	-	39.30	8.19	33.14
AV	10.62252G	43.73	54.00	-10.27	29.38	3	Horizontal	274	1.49	-	39.30	8.19	33.14
PK	15.92918G	58.72	74.00	-15.28	43.85	3	Horizontal	88	1.60	-	38.57	10.28	33.98
AV	15.92928G	46.42	54.00	-7.58	31.55	3	Horizontal	88	1.60	-	38.57	10.28	33.98

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5510MHz_TX




EUT Y_2TX
Setting 20
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	64.15	74.00	-9.85	57.45	3	Vertical	262	1.72	-	34.60	6.96	34.86
AV	5.4568G	47.83	54.00	-6.17	41.13	3	Vertical	262	1.72	-	34.60	6.96	34.86
PK	5.4624G	62.07	68.20	-6.13	55.37	3	Vertical	262	1.72	-	34.60	6.96	34.86
PK	5.5112G	114.02	Inf	-Inf	107.27	3	Vertical	262	1.72	-	34.60	7.01	34.86
AV	5.5156G	101.91	Inf	-Inf	95.15	3	Vertical	262	1.72	-	34.60	7.02	34.86

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5510MHz_TX




EUT Y_2TX
Setting 20
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4156G	60.76	74.00	-13.24	54.25	3	Horizontal	288	1.19	-	34.46	6.92	34.87
AV	5.4292G	47.01	54.00	-6.99	40.42	3	Horizontal	288	1.19	-	34.52	6.93	34.86
PK	5.47G	63.62	68.20	-4.58	56.91	3	Horizontal	288	1.19	-	34.60	6.97	34.86
PK	5.496G	105.33	Inf	-Inf	98.59	3	Horizontal	288	1.19	-	34.60	7.00	34.86
AV	5.5008G	94.88	Inf	-Inf	88.14	3	Horizontal	288	1.19	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5510MHz_TX




EUT Y_2TX
Setting 20
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01556G	56.39	74.00	-17.61	42.20	3	Vertical	339	2.63	-	39.37	8.30	33.48
AV	11.02076G	44.04	54.00	-9.96	29.86	3	Vertical	339	2.63	-	39.36	8.31	33.49
PK	16.53042G	60.20	68.20	-8.00	43.60	3	Vertical	191	1.73	-	39.60	10.64	33.64

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5510MHz_TX




EUT Y_2TX
Setting 20
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02298G	56.31	74.00	-17.69	42.14	3	Horizontal	303	1.03	-	39.35	8.31	33.49
AV	11.02396G	44.05	54.00	-9.95	29.88	3	Horizontal	303	1.03	-	39.35	8.31	33.49
PK	16.52594G	59.74	68.20	-8.46	43.14	3	Horizontal	338	2.77	-	39.60	10.64	33.64

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5550MHz_TX




EUT Y_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	62.66	74.00	-11.34	55.96	3	Vertical	265	1.80	-	34.60	6.96	34.86
AV	5.4552G	49.05	54.00	-4.95	42.35	3	Vertical	265	1.80	-	34.60	6.96	34.86
PK	5.466G	63.90	68.20	-4.30	57.19	3	Vertical	265	1.80	-	34.60	6.97	34.86
PK	5.5566G	120.05	Inf	-Inf	113.29	3	Vertical	265	1.80	-	34.57	7.06	34.87
AV	5.5482G	107.43	Inf	-Inf	100.65	3	Vertical	265	1.80	-	34.60	7.05	34.87

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5550MHz_TX




EUT Y_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4438G	60.78	74.00	-13.22	54.12	3	Horizontal	142	1.80	-	34.58	6.94	34.86
AV	5.4126G	47.61	54.00	-6.39	41.12	3	Horizontal	142	1.80	-	34.45	6.91	34.87
PK	5.4654G	59.40	68.20	-8.80	52.69	3	Horizontal	142	1.80	-	34.60	6.97	34.86
PK	5.541G	106.95	Inf	-Inf	100.18	3	Horizontal	142	1.80	-	34.60	7.04	34.87
AV	5.5362G	96.66	Inf	-Inf	89.89	3	Horizontal	142	1.80	-	34.60	7.04	34.87

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5550MHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0997G	56.62	74.00	-17.38	42.68	3	Vertical	320	1.24	-	39.20	8.33	33.59
AV	11.09642G	43.89	54.00	-10.11	29.93	3	Vertical	320	1.24	-	39.21	8.33	33.58
PK	16.65292G	59.58	68.20	-8.62	42.77	3	Vertical	40	1.01	-	39.71	10.72	33.62

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5550MHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10038G	56.04	74.00	-17.96	42.10	3	Horizontal	152	2.60	-	39.20	8.33	33.59
AV	11.09596G	44.03	54.00	-9.97	30.07	3	Horizontal	152	2.60	-	39.21	8.33	33.58
PK	16.65262G	60.71	68.20	-7.49	43.90	3	Horizontal	305	2.52	-	39.71	10.72	33.62

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5670MHz_TX




EUT Y_2TX
Setting 21
03-C-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.6824G	115.97	Inf	-Inf	109.46	3	Vertical	266.9	1.73	-	34.27	7.14	34.90
AV	5.662G	105.41	Inf	-Inf	98.83	3	Vertical	266.9	1.73	-	34.35	7.13	34.90
PK	5.736G	64.82	68.20	-3.38	58.36	3	Vertical	266.9	1.73	-	34.20	7.17	34.91

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5670MHz_TX




EUT Y_2TX
Setting 21
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	105.74	Inf	-Inf	99.16	3	Horizontal	284.7	1.37	-	34.35	7.13	34.90
AV	5.6628G	96.18	Inf	-Inf	89.60	3	Horizontal	284.7	1.37	-	34.35	7.13	34.90
PK	5.7356G	59.83	68.20	-8.37	53.37	3	Horizontal	284.7	1.37	-	34.20	7.17	34.91

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5670MHz_TX




EUT Y_2TX
Setting 21
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34124G	55.70	74.00	-18.30	41.93	3	Vertical	202	1.12	-	39.26	8.40	33.89
AV	11.33532G	43.81	54.00	-10.19	30.03	3	Vertical	202	1.12	-	39.26	8.40	33.88
PK	17.00636G	62.30	68.20	-5.90	44.38	3	Vertical	222	2.20	-	40.53	10.95	33.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5670MHz_TX




EUT Y_2TX
Setting 21
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33522G	55.98	74.00	-18.02	42.20	3	Horizontal	184	1.98	-	39.26	8.40	33.88
AV	11.33644G	43.82	54.00	-10.18	30.04	3	Horizontal	184	1.98	-	39.26	8.40	33.88
PK	17.00784G	62.10	68.20	-6.10	44.17	3	Horizontal	190	1.93	-	40.53	10.96	33.56

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5710MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	119.44	Inf	-Inf	112.99	3	Vertical	269	1.91	-	34.20	7.15	34.90
AV	5.6948G	107.87	Inf	-Inf	101.40	3	Vertical	269	1.91	-	34.22	7.15	34.90
PK	5.8564G	60.93	68.20	-7.27	54.31	3	Vertical	269	1.91	-	34.33	7.23	34.94

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5710MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	109.47	Inf	-Inf	103.01	3	Horizontal	62	1.59	-	34.21	7.15	34.90
AV	5.6964G	99.23	Inf	-Inf	92.77	3	Horizontal	62	1.59	-	34.21	7.15	34.90
PK	5.8612G	60.11	68.20	-8.09	53.48	3	Horizontal	62	1.59	-	34.34	7.23	34.94

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5710MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42332G	55.77	74.00	-18.23	42.13	3	Vertical	86	2.27	-	39.20	8.43	33.99
AV	11.41792G	43.70	54.00	-10.30	30.06	3	Vertical	86	2.27	-	39.20	8.43	33.99
PK	17.12776G	62.53	68.20	-5.67	44.10	3	Vertical	285	2.41	-	40.98	11.03	33.58

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5710MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41554G	55.39	74.00	-18.61	41.75	3	Horizontal	133	1.97	-	39.20	8.42	33.98
AV	11.42272G	43.63	54.00	-10.37	29.99	3	Horizontal	133	1.97	-	39.20	8.43	33.99
PK	17.13126G	62.62	68.20	-5.58	44.17	3	Horizontal	45	1.35	-	40.99	11.04	33.58

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5755MHz_TX




EUT Y_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	66.08	68.20	-2.12	59.45	3	Vertical	265	1.78	-	34.40	7.12	34.89
PK	5.748G	120.28	Inf	-Inf	113.82	3	Vertical	265	1.78	-	34.20	7.17	34.91
AV	5.749G	109.58	Inf	-Inf	103.12	3	Vertical	265	1.78	-	34.20	7.17	34.91
PK	5.929G	63.27	68.20	-4.93	56.40	3	Vertical	265	1.78	-	34.56	7.26	34.95

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5755MHz_TX




EUT Y_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.518G	61.32	68.20	-6.88	54.56	3	Horizontal	72	1.43	-	34.60	7.02	34.86
PK	5.74G	109.85	Inf	-Inf	103.39	3	Horizontal	72	1.43	-	34.20	7.17	34.91
AV	5.75G	99.20	Inf	-Inf	92.74	3	Horizontal	72	1.43	-	34.20	7.17	34.91
PK	5.949G	61.20	68.20	-7.00	54.29	3	Horizontal	72	1.43	-	34.60	7.27	34.96

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5755MHz_TX




EUT Y_2TX
Setting 25
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50762G	55.12	74.00	-18.88	41.56	3	Vertical	101	2.81	-	39.20	8.45	34.09
AV	11.5081G	43.25	54.00	-10.75	29.69	3	Vertical	101	2.81	-	39.20	8.45	34.09
PK	17.26294G	62.74	68.20	-5.46	43.77	3	Vertical	246	1.47	-	41.45	11.12	33.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5755MHz_TX




EUT Y_2TX
Setting 25
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51032G	54.89	74.00	-19.11	41.34	3	Horizontal	231	1.97	-	39.20	8.45	34.10
AV	11.507G	43.26	54.00	-10.74	29.70	3	Horizontal	231	1.97	-	39.20	8.45	34.09
PK	17.26826G	62.90	68.20	-5.30	43.91	3	Horizontal	360	1.86	-	41.47	11.12	33.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5795MHz_TX




EUT Y_2TX
Setting 26
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	64.89	68.20	-3.31	58.26	3	Vertical	72	1.77	-	34.40	7.12	34.89
PK	5.798G	120.72	Inf	-Inf	114.15	3	Vertical	72	1.77	-	34.30	7.20	34.93
AV	5.797G	108.47	Inf	-Inf	101.91	3	Vertical	72	1.77	-	34.29	7.20	34.93
PK	5.95G	64.15	68.20	-4.05	57.23	3	Vertical	72	1.77	-	34.60	7.28	34.96

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5795MHz_TX




EUT Y_2TX
Setting 26
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	66.22	68.20	-1.98	59.60	3	Horizontal	249	1.58	-	34.40	7.11	34.89
PK	5.781G	112.37	Inf	-Inf	105.84	3	Horizontal	249	1.58	-	34.26	7.19	34.92
AV	5.791G	101.58	Inf	-Inf	95.02	3	Horizontal	249	1.58	-	34.28	7.20	34.92
PK	5.935G	67.22	68.20	-0.98	60.34	3	Horizontal	249	1.58	-	34.57	7.27	34.96

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5795MHz_TX




EUT Y_2TX
Setting 26
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58802G	55.21	74.00	-18.79	41.67	3	Vertical	138	2.39	-	39.20	8.48	34.14
AV	11.59336G	42.97	54.00	-11.03	29.43	3	Vertical	138	2.39	-	39.20	8.48	34.14
PK	17.38204G	63.79	68.20	-4.41	44.44	3	Vertical	312	1.36	-	41.76	11.20	33.61

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS3)_2TX

5795MHz_TX




EUT Y_2TX
Setting 26
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5942G	55.21	74.00	-18.79	41.67	3	Horizontal	184	1.75	-	39.20	8.48	34.14
AV	11.59216G	42.91	54.00	-11.09	29.37	3	Horizontal	184	1.75	-	39.20	8.48	34.14
PK	17.38494G	62.64	68.20	-5.56	43.28	3	Horizontal	158	1.23	-	41.77	11.20	33.61

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5210MHz_TX




EUT Y_2TX
Setting 21
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	67.84	74.00	-6.16	61.96	3	Vertical	87	1.80	-	34.04	6.72	34.88
AV	5.15G	52.48	54.00	-1.52	46.51	3	Vertical	87	1.80	-	34.10	6.75	34.88
PK	5.205G	113.61	Inf	-Inf	107.69	3	Vertical	87	1.80	-	34.00	6.80	34.88
AV	5.196G	102.38	Inf	-Inf	96.45	3	Vertical	87	1.80	-	34.01	6.80	34.88
PK	5.423G	60.24	74.00	-13.76	53.69	3	Vertical	87	1.80	-	34.49	6.92	34.86
AV	5.376G	47.56	54.00	-6.44	41.09	3	Vertical	87	1.80	-	34.45	6.89	34.87

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5210MHz_TX




EUT Y_2TX
Setting 21
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	64.34	74.00	-9.66	58.41	3	Horizontal	242	1.71	-	34.07	6.74	34.88
AV	5.15G	47.43	54.00	-6.57	41.46	3	Horizontal	242	1.71	-	34.10	6.75	34.88
PK	5.201G	109.40	Inf	-Inf	103.48	3	Horizontal	242	1.71	-	34.00	6.80	34.88
AV	5.196G	98.11	Inf	-Inf	92.18	3	Horizontal	242	1.71	-	34.01	6.80	34.88
PK	5.409G	59.35	74.00	-14.65	52.87	3	Horizontal	242	1.71	-	34.44	6.91	34.87
AV	5.35G	46.47	54.00	-7.53	39.96	3	Horizontal	242	1.71	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5290MHz_TX




EUT Y_2TX
Setting 21
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	60.16	74.00	-13.84	54.21	3	Vertical	97	1.80	-	34.09	6.74	34.88
AV	5.1468G	47.05	54.00	-6.95	41.09	3	Vertical	97	1.80	-	34.09	6.75	34.88
PK	5.2652G	115.72	Inf	-Inf	109.67	3	Vertical	97	1.80	-	34.09	6.83	34.87
AV	5.2652G	105.81	Inf	-Inf	99.76	3	Vertical	97	1.80	-	34.09	6.83	34.87
PK	5.3764G	73.64	74.00	-0.36	67.17	3	Vertical	97	1.80	-	34.45	6.89	34.87
AV	5.35G	52.59	54.00	-1.41	46.08	3	Vertical	97	1.80	-	34.50	6.88	34.87
PK	5.4828G	60.46	68.20	-7.74	53.74	3	Vertical	97	1.80	-	34.60	6.98	34.86

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5290MHz_TX




EUT Y_2TX
Setting 21
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1164G	59.07	74.00	-14.93	53.20	3	Horizontal	64	1.80	-	34.03	6.72	34.88
AV	5.0996G	46.28	54.00	-7.72	40.46	3	Horizontal	64	1.80	-	34.00	6.70	34.88
PK	5.2572G	110.25	Inf	-Inf	104.25	3	Horizontal	64	1.80	-	34.04	6.83	34.87
AV	5.258G	99.08	Inf	-Inf	93.07	3	Horizontal	64	1.80	-	34.05	6.83	34.87
PK	5.3612G	65.03	74.00	-8.97	58.54	3	Horizontal	64	1.80	-	34.48	6.88	34.87
AV	5.3508G	48.44	54.00	-5.56	41.93	3	Horizontal	64	1.80	-	34.50	6.88	34.87
PK	5.4636G	59.26	68.20	-8.94	52.56	3	Horizontal	64	1.80	-	34.60	6.96	34.86

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5290MHz_TX




EUT Y_2TX
Setting 21
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58422G	56.43	68.20	-11.77	42.09	3	Vertical	200	2.63	-	39.27	8.18	33.11
PK	15.8731G	59.07	74.00	-14.93	44.19	3	Vertical	292	1.66	-	38.57	10.26	33.95
AV	15.86652G	46.77	54.00	-7.23	31.89	3	Vertical	292	1.66	-	38.57	10.25	33.94

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5290MHz_TX




EUT Y_2TX
Setting 21
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58226G	55.94	68.20	-12.26	41.62	3	Horizontal	225	2.58	-	39.26	8.17	33.11
PK	15.87162G	58.28	74.00	-15.72	43.40	3	Horizontal	323	1.93	-	38.57	10.26	33.95
AV	15.87116G	46.72	54.00	-7.28	31.85	3	Horizontal	323	1.93	-	38.57	10.25	33.95

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 20
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.344G	60.05	68.20	-8.15	53.57	3	Vertical	264.7	1.79	-	34.48	6.87	34.87
PK	5.443G	66.46	74.00	-7.54	59.81	3	Vertical	264.7	1.79	-	34.57	6.94	34.86
AV	5.436G	49.67	54.00	-4.33	43.05	3	Vertical	264.7	1.79	-	34.54	6.94	34.86
PK	5.467G	67.44	68.20	-0.76	60.73	3	Vertical	264.7	1.79	-	34.60	6.97	34.86
PK	5.492G	112.06	Inf	-Inf	105.33	3	Vertical	264.7	1.79	-	34.60	6.99	34.86
AV	5.502G	103.84	Inf	-Inf	97.10	3	Vertical	264.7	1.79	-	34.60	7.00	34.86
PK	5.76G	60.72	68.20	-7.48	54.24	3	Vertical	264.7	1.79	-	34.22	7.18	34.92

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5530MHz_TX




EUT Y_2TX
Setting 20
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	60.15	68.20	-8.05	53.69	3	Horizontal	64	1.65	-	34.46	6.87	34.87
PK	5.433G	59.85	74.00	-14.15	53.25	3	Horizontal	64	1.65	-	34.53	6.93	34.86
AV	5.414G	47.04	54.00	-6.96	40.54	3	Horizontal	64	1.65	-	34.46	6.91	34.87
PK	5.469G	60.44	68.20	-7.76	53.73	3	Horizontal	64	1.65	-	34.60	6.97	34.86
PK	5.514G	99.70	Inf	-Inf	92.95	3	Horizontal	64	1.65	-	34.60	7.01	34.86
AV	5.495G	91.44	Inf	-Inf	84.70	3	Horizontal	64	1.65	-	34.60	7.00	34.86
PK	5.737G	59.45	68.20	-8.75	52.99	3	Horizontal	64	1.65	-	34.20	7.17	34.91

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5530MHz_TX




EUT Y_2TX
Setting 20
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06442G	55.48	74.00	-18.52	41.43	3	Vertical	123	1.05	-	39.27	8.32	33.54
AV	11.06432G	43.76	54.00	-10.24	29.71	3	Vertical	123	1.05	-	39.27	8.32	33.54
PK	16.58764G	59.91	68.20	-8.29	43.26	3	Vertical	43	1.97	-	39.60	10.68	33.63

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5530MHz_TX




EUT Y_2TX
Setting 20
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05552G	55.72	74.00	-18.28	41.64	3	Horizontal	291	2.04	-	39.29	8.32	33.53
AV	11.06384G	43.75	54.00	-10.25	29.70	3	Horizontal	291	2.04	-	39.27	8.32	33.54
PK	16.59294G	60.09	68.20	-8.11	43.43	3	Horizontal	49	1.97	-	39.60	10.69	33.63

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5610MHz_TX




EUT Y_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	61.05	74.00	-12.95	54.36	3	Vertical	99	2.28	-	34.60	6.95	34.86
AV	5.45G	47.60	54.00	-6.40	40.91	3	Vertical	99	2.28	-	34.60	6.95	34.86
PK	5.468G	61.32	68.20	-6.88	54.61	3	Vertical	99	2.28	-	34.60	6.97	34.86
PK	5.583G	116.79	Inf	-Inf	110.12	3	Vertical	99	2.28	-	34.47	7.08	34.88
AV	5.584G	105.90	Inf	-Inf	99.24	3	Vertical	99	2.28	-	34.46	7.08	34.88
PK	5.73G	66.85	68.20	-1.35	60.39	3	Vertical	99	2.28	-	34.20	7.17	34.91

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.389G	60.31	74.00	-13.69	53.87	3	Horizontal	282.6	1.48	-	34.42	6.89	34.87
PK	5.47G	60.54	68.20	-7.66	53.83	3	Horizontal	282.6	1.48	-	34.60	6.97	34.86
AV	5.432G	46.90	54.00	-7.10	40.30	3	Horizontal	282.6	1.48	-	34.53	6.93	34.86
PK	5.578G	109.18	Inf	-Inf	102.49	3	Horizontal	282.6	1.48	-	34.49	7.08	34.88
AV	5.583G	99.16	Inf	-Inf	92.49	3	Horizontal	282.6	1.48	-	34.47	7.08	34.88
PK	5.725G	61.49	68.20	-6.71	55.04	3	Horizontal	282.6	1.48	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5610MHz_TX




EUT Y_2TX
Setting 25
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2176G	56.08	74.00	-17.92	42.22	3	Vertical	282	1.14	-	39.22	8.37	33.73
AV	11.22242G	43.91	54.00	-10.09	30.06	3	Vertical	282	1.14	-	39.22	8.37	33.74
PK	16.83334G	61.13	68.20	-7.07	43.71	3	Vertical	67	1.52	-	40.17	10.84	33.59

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5610MHz_TX




EUT Y_2TX
Setting 25
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22414G	56.87	74.00	-17.13	43.02	3	Horizontal	132	2.14	-	39.22	8.37	33.74
AV	11.21622G	44.06	54.00	-9.94	30.21	3	Horizontal	132	2.14	-	39.22	8.36	33.73
PK	16.8314G	60.66	68.20	-7.54	43.25	3	Horizontal	266	2.45	-	40.16	10.84	33.59

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5690MHz Straddle 5.725-5.85GHz_TX




EUT_Y_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.90	74.00	-12.10	55.20	3	Vertical	268.3	1.80	-	34.60	6.96	34.86
AV	5.459G	49.15	54.00	-4.85	42.45	3	Vertical	268.3	1.80	-	34.60	6.96	34.86
PK	5.467G	61.48	68.20	-6.72	54.77	3	Vertical	268.3	1.80	-	34.60	6.97	34.86
PK	5.661G	119.48	Inf	-Inf	112.89	3	Vertical	268.3	1.80	-	34.36	7.13	34.90
AV	5.661G	108.98	Inf	-Inf	102.39	3	Vertical	268.3	1.80	-	34.36	7.13	34.90
PK	5.85G	63.53	68.20	-4.67	56.94	3	Vertical	268.3	1.80	-	34.30	7.23	34.94

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5690MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	59.87	74.00	-14.13	53.22	3	Horizontal	70	1.46	-	34.57	6.94	34.86
AV	5.447G	47.50	54.00	-6.50	40.82	3	Horizontal	70	1.46	-	34.59	6.95	34.86
PK	5.466G	59.56	68.20	-8.64	52.85	3	Horizontal	70	1.46	-	34.60	6.97	34.86
PK	5.663G	107.35	Inf	-Inf	100.77	3	Horizontal	70	1.46	-	34.35	7.13	34.90
AV	5.664G	99.35	Inf	-Inf	92.78	3	Horizontal	70	1.46	-	34.34	7.13	34.90
PK	5.932G	60.51	68.20	-7.69	53.64	3	Horizontal	70	1.46	-	34.56	7.27	34.96

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5690MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.646G	58.84	74.00	-15.16	41.51	3	Vertical	320	1.80	-	39.35	12.91	34.93
AV	11.606G	45.87	54.00	-8.13	28.59	3	Vertical	320	1.80	-	39.31	12.88	34.91

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5690MHz Straddle 5.725-5.85GHz_TX




EUT Y_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3852G	58.90	74.00	-15.10	42.31	3	Horizontal	347	1.49	-	38.67	12.76	34.84
AV	11.38328G	45.58	54.00	-8.42	28.99	3	Horizontal	347	1.49	-	38.67	12.76	34.84

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5775MHz_TX




EUT Y_2TX
Setting 23
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	66.49	68.20	-1.71	59.86	3	Vertical	82	1.37	-	34.40	7.12	34.89
PK	5.743G	117.86	Inf	-Inf	111.40	3	Vertical	82	1.37	-	34.20	7.17	34.91
AV	5.744G	107.53	Inf	-Inf	101.07	3	Vertical	82	1.37	-	34.20	7.17	34.91
PK	5.928G	60.97	68.20	-7.23	54.10	3	Vertical	82	1.37	-	34.56	7.26	34.95

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5775MHz_TX




EUT Y_2TX
Setting 23
03-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.555G	59.39	68.20	-8.81	52.63	3	Horizontal	246	1.62	-	34.58	7.05	34.87
PK	5.768G	105.48	Inf	-Inf	98.98	3	Horizontal	246	1.62	-	34.24	7.18	34.92
AV	5.746G	98.74	Inf	-Inf	92.28	3	Horizontal	246	1.62	-	34.20	7.17	34.91
PK	6.008G	59.66	68.20	-8.54	52.60	3	Horizontal	246	1.62	-	34.72	7.31	34.97

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5775MHz_TX




EUT Y_2TX
Setting 23
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54898G	55.42	74.00	-18.58	41.88	3	Vertical	337	1.08	-	39.20	8.46	34.12
AV	11.54542G	43.22	54.00	-10.78	29.68	3	Vertical	337	1.08	-	39.20	8.46	34.12
PK	17.32904G	62.74	68.20	-5.46	43.53	3	Vertical	167	2.07	-	41.66	11.16	33.61

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS3)_2TX

5775MHz_TX



EUT Y_2TX
Setting 23
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55142G	54.93	74.00	-19.07	41.38	3	Horizontal	341	1.00	-	39.20	8.47	34.12
AV	11.55282G	43.19	54.00	-10.81	29.64	3	Horizontal	341	1.00	-	39.20	8.47	34.12
PK	17.32034G	62.31	68.20	-5.89	43.11	3	Horizontal	259	2.84	-	41.64	11.16	33.60