

XMit 2019.09.05

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

#### **TEST EQUIPMENT**

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Generator - Signal	Keysight	N5171B-506	TEW	2-May-18	2-May-21
Analyzer - Spectrum Analyzer	Keysight	N9010A	AFM	19-Mar-19	19-Mar-20

#### **TEST DESCRIPTION**

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The spurious RF conducted emissions at the edges of the authorized bands were measured with the EUT set to low and high transmit frequencies in the available band. The channels closest to the band edges were selected. The EUT was transmitting at the data rate(s) listed in the datasheet.

The spectrum was scanned below the lower band edge and above the higher band edge.

All limits were adjusted by a factor of [-10\*log(4)] dB to account for the device operation as a 4 port MIMO transmitter, as per FCC KDB 622911.

Per FCC section 27.53(g), the power of any emission outside of the authorized operating frequency range cannot exceed -13 dBm. The limit is adjusted to -19 dBm [-13 dBm -10 log (4)] per FCC KDB 662911D01 v02r01 because the BTS may operate as a 4 port MIMO transmitter.

FCC 27.53(g) requires a >100 kHz measurement bandwidth for emissions 100 kHz outside of the RRH operating frequency range. FCC 27.53(g) requires a >30 kHz measurement bandwidth for emissions between 100 kHz outside of the RRH operating frequency range and band edge of the operating frequency range.



EUT: AHBOA Remote Radio Head (RRH)
Serial Number: BL1934X1001
Customer: Nokia Solutions and Networks Work Order: NOKI0003 Date: 28-Oct-19 Temperature: 22.1 °C Humidity: 49.2% RH Barometric Pres.: 1019 mbar Attendees: John Rattanavong, Mitchell Hill Project: None
Tested by: Jonathan Kiefer
TEST SPECIFICATIONS Power: 48VDC Test Method Job Site: TX03 FCC 27:2019 ANSI C63.26:2015 COMMENTS Tested on highest power antenna port (Port 1). EUT is operated at 100% duty cycle. DEVIATIONS FROM TEST STANDARD Jonathan Kiefer Configuration # Signature Limit (dBm) (dBm) Result **QPSK Modulation** LTE5 Bandwidth -23.064 Measurement 1 Pass -19 Measurement 2 -26.217 Pass Upper Band Edge -26.294 -22.712 Pass Pass Measurement 1 Measurement 2 LTE10 Bandwidth -24.714 -28.6 Measurement 1 -19 Pass Measurement 2 -19 Pass Upper Band Edge Measurement 1 -28.472 -19 Pass Measurement 2 -25.084 -19 Pass LTE15 Bandwidth Lower Band Edge Measurement 1 -24.221 Pass Measurement 2 -28.073 -19 Pass Upper Band Edge Measurement 1 -27.345 -19 Pass Measurement 2 -23.882 -19 Pass LTE20 Bandwidth Lower Band Edge Measurement 1 -25.205 -19 Pass Measurement 2 -29.917 -19 Pass Upper Band Edge Measurement 1 -29.014 Pass Measurement 2 -23 842 -19 Pass 16QAM Modulation LTE5 Bandwidth Lower Band Edge -19 -19 Measurement 1 -22 986 Pass Measurement 2 -26.011 Pass Upper Band Edge Measurement 1 -27.01 -19 Pass Measurement 2 -23.078 -19 Pass LTE10 Bandwidth Lower Band Edge Pass Measurement 1 -24.577 Measurement 2 -29.036 -19 Pass Upper Band Edge Measurement 1 -29.38 -19 Pass -19 Measurement 2 -25.472 Pass LTE15 Bandwidth Lower Band Edge Measurement 1 Measurement 2 -24.168 -28.507 Pass Pass Upper Band Edge Measurement 1 -27.329 -19 Pass Measurement 2 -25.069 -19 Pass LTE20 Bandwidth Lower Band Edge -25.349 Measurement 1 -19 Pass Measurement 2 -30.247 -19 Pass Upper Band Edge -19 -19 Pass Pass Measurement 1 -28.978 Measurement 2 64QAM Modulation LTE5 Bandwidth Lower Band Edge -23.079 Pass Measurement 1 -19 -19 Measurement 2 -25 852 Pass Upper Band Edge -19 -19 Measurement 1 -26.077 Pass -22.902 Pass Measurement 2 LTE10 Bandwidth Lower Band Edge Measurement 1 -24 498 -19 Pass -19 Measurement 2 -28.744 Pass Upper Band Edge Measurement 1 -28.178 -19 -19 Pass Measurement 2 Pass LTE15 Bandwidth

Lower Band Edge


Measurement 1	-24.102	-19	Pass
Measurement 2	-28.234	-19	Pass
Upper Band Edge			
Measurement 1	-27.241	-19	Pass
Measurement 2	-24.049	-19	Pass
LTE20 Bandwidth			
Lower Band Edge			
Measurement 1	-25.084	-19	Pass
Measurement 2	-29.875	-19	Pass
Upper Band Edge			
Measurement 1	-29.271	-19	Pass
Measurement 2	-24.326	-19	Pass
256QAM Modulation			
LTE5 Bandwidth			
Lower Band Edge			
Measurement 1	-23.058	-19	Pass
Measurement 2	-26.294	-19	Pass
Upper Band Edge			
Measurement 1	-26.196	-19	Pass
Measurement 2	-22.737	-19	Pass
LTE10 Bandwidth			
Lower Band Edge			
Measurement 1	-24.736	-19	Pass
Measurement 2	-28.53	-19	Pass
Upper Band Edge			
Measurement 1	-28.243	-19	Pass
Measurement 2	-24.942	-19	Pass
LTE15 Bandwidth			
Lower Band Edge			
Measurement 1	-24.119	-19	Pass
Measurement 2	-28.017	-19	Pass
Upper Band Edge			
Measurement 1	-27.703	-19	Pass
Measurement 2	-24.003	-19	Pass
LTE20 Bandwidth			
Lower Band Edge			
Measurement 1	-25.214	-19	Pass
Measurement 2	-29.988	-19	Pass
Upper Band Edge			
Measurement 1	-29.113	-19	Pass
Measurement 2	-24.372	-19	Pass




Band 71, QPSK Modulation, LTE5 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-23.064 -19 Pass









Band 71, QPSK Modulation, LTE5 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result


-26.294 -19 Pass



Band 71, QPSK Modulation, LTE5 Bandwidth, Upper Band Edge, Measurement 2

Value Limit
(dBm) (dBm) Result

-22.712 -19 Pass







Band 71, QPSK Modulation, LTE10 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-24.714 -19 Pass









Band 71, QPSK Modulation, LTE10 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-28.472 -19 Pass



	Band 71, QPSk	Modulation, LTE	10 Bandwidth, U	pper Band Edge,	Measurement 2	
				Value	Limit	
_				(dBm)	(dBm)	Result
ı				-25.084	-19	Pass






Band 71, QPSK Modulation, LTE15 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-24.221 -19 Pass



	Band 71, QPSK	Modulation, LTE	15 Bandwidth, Lo	ower Band Edge,	Measurement 2	
				Value	Limit	
				(dBm)	(dBm)	Result
				-28 073	-19	Pass





Band 71, QPSK Modulation, LTE15 Bandwidth, Upper Band Edge, Measurement 1

Value
Limit
(dBm) (dBm) Result

-27.345 -19 Pass



	Band 71, QPSK	Modulation, LTE	15 Bandwidth, U	pper Band Edge,	Measurement 2		
				Value	Limit		
				(dBm)	(dBm)	Result	
				-23.882	-19	Pass	





Band 71, QPSK Modulation, LTE20 Bandwidth, Lower Band Edge, Measurement 1

Value
Limit
(dBm) (dBm) Result

-25.205 -19 Pass



	Band 71, QPSK	Modulation, LTE	20 Bandwidth, Lo	wer Band Edge,	Measurement 2	
				Value	Limit	
				(dBm)	(dBm)	Result
				-29 917	-19	Pass





Band 71, QPSK Modulation, LTE20 Bandwidth, Upper Band Edge, Measurement 1

Value
Limit
(dBm) (dBm) Result

-29.014 -19 Pass



	Band 71, QPSk	Modulation, LTE	20 Bandwidth, Up	per Band Edge,	Measurement 2	
				Value	Limit	
				(dBm)	(dBm)	Result
				-23.842	-19	Pass





Band 71, 16QAM Modulation, LTE5 Bandwidth, Lower Band Edge, Measurement 1

Value
Limit
(dBm) (dBm) Result

-22.986 -19 Pass



	Band 71, 16QA	M Modulation, LT	E5 Bandwidth, Lo	ower Band Edge,	Measurement 2	
				Value	Limit	
_				(dBm)	(dBm)	Result
I				-26.011	-19	Pass





Band 71, 16QAM Modulation, LTE5 Bandwidth, Upper Band Edge, Measurement 1

Value
Limit
(dBm) (dBm) Result

-27.01 -19 Pass



Band 71, 16QAM Modulation, LTE5 Bandwidth, Upper Band Edge, Measurement 2

Value Limit
(dBm) (dBm) Result

-23.078 -19 Pass






Band 71, 16QAM Modulation, LTE10 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-24.577 -19 Pass



	Band 71, 16QAM	Modulation, LTI	E10 Bandwidth, L	ower Band Edge	, Measurement 2	
				Value	Limit	
				(dBm)	(dBm)	Result
				-29.036	-19	Pass





Band 71, 16QAM Modulation, LTE10 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-29.38 -19 Pass



	Band 71, 16QAI	M Modulation, LTI	E10 Bandwidth, L	Ipper Band Edge	Measurement 2	
				Value	Limit	
				(dBm)	(dBm)	Result
				-25.472	-19	Pass








Band 71, 16QAM Modulation, LTE15 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-24.168 -19 Pass









Band 71, 16QAM Modulation, LTE15 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-27.329 -19 Pass



	Band 71, 16QAM	Modulation, LTI	E15 Bandwidth, L	Ipper Band Edge	, Measurement 2		
				Value	Limit		
				(dBm)	(dBm)	Result	
				-25.069	-19	Pass	






Band 71, 16QAM Modulation, LTE20 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-25.349 -19 Pass



	Band 71, 16QAM	M Modulation, LTI	E20 Bandwidth, L	ower Band Edge	, Measurement 2	
				Value	Limit	
_				(dBm)	(dBm)	Result
				-30.247	-19	Pass






Band 71, 16QAM Modulation, LTE20 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-28.978 -19 Pass









Band 71, 64QAM Modulation, LTE5 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-23.079 -19 Pass



	Band 71, 64QAM Modulation, LTE5 Bandwidth, Lower Band Edge, Measurement 2											
					Value	Limit						
_					(dBm)	(dBm)	Result					
ı					-25.852	-19	Pass					





Band 71, 64QAM Modulation, LTE5 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-26.077 -19 Pass



Band 71, 64QAM Modulation, LTE5 Bandwidth, Upper Band Edge, Measurement 2										
				Value	Limit					
				(dBm)	(dBm)	Result				
				-22.902	-19	Pass				







Band 71, 64QAM Modulation, LTE10 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-24.498 -19 Pass









Band 71, 64QAM Modulation, LTE10 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-28.178 -19 Pass



	Band 71, 64QAM	Modulation, LTI	E10 Bandwidth, U	pper Band Edge	, Measurement 2	
				Value	Limit	
				(dBm)	(dBm)	Result
				-25 366	-19	Pass






Band 71, 64QAM Modulation, LTE15 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-24.102 -19 Pass



Band 71, 64QAM Modulation, LTE15 Bandwidth, Lower Band Edge, Measurement 2										
				Value	Limit					
				(dBm)	(dBm)	Result				
				-28.234	-19	Pass				






Band 71, 64QAM Modulation, LTE15 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-27.241 -19 Pass









Band 71, 64QAM Modulation, LTE20 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-25.084 -19 Pass



Band 71, 64QAM Modulation, LTE20 Bandwidth, Lower Band Edge, Measurement 2										
				Value	Limit					
				(dBm)	(dBm)	Result				
				-29.875	-19	Pass				





Band 71, 64QAM Modulation, LTE20 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-29.271 -19 Pass



Band 71, 64QAM Modulation, LTE20 Bandwidth, Upper Band Edge, Measurement 2										
				Value	Limit					
				(dBm)	(dBm)	Result				
				-24.326	-19	Pass				







Band 71, 256QAM Modulation, LTE5 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-23.058 -19 Pass









Band 71, 256QAM Modulation, LTE5 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-26.196 -19 Pass



Band 71, 256QAM Modulation, LTE5 Bandwidth, Upper Band Edge, Measurement 2										
				Value	Limit					
				(dBm)	(dBm)	Result				
				-22.737	-19	Pass				





Band 71, 256QAM Modulation, LTE10 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-24.736 -19 Pass



Band 71, 256QAM Modulation, LTE10 Bandwidth, Lower Band Edge, Measurement 2									
				Value	Limit				
				(dBm)	(dBm)	Result			
				-28.53	-19	Pass			





Band 71, 256QAM Modulation, LTE10 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-28.243 -19 Pass



	Band 71, 256QAM Modulation, LTE10 Bandwidth, Upper Band Edge, Measurement 2										
					Value	Limit					
					(dBm)	(dBm)	Result				
ı					-24.942	-19	Pass				







Band 71, 256QAM Modulation, LTE15 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-24.119 -19 Pass










Band 71, 256QAM Modulation, LTE15 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-27.703 -19 Pass









Band 71, 256QAM Modulation, LTE20 Bandwidth, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-25.214 -19 Pass



Band 71, 256QAM Modulation, LTE20 Bandwidth, Lower Band Edge, Measurement 2										
				Value	Limit					
				(dBm)	(dBm)	Result				
				-29.988	-19	Pass				






Band 71, 256QAM Modulation, LTE20 Bandwidth, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-29.113 -19 Pass



Band 71, 256QAM Modulation, LTE20 Bandwidth, Upper Band Edge, Measurement 2										
				Value	Limit					
				(dBm)	(dBm)	Result				
				-24.372	-19	Pass				





XMit 2019.09.05

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

#### **TEST EQUIPMENT**

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Generator - Signal	Keysight	N5171B-506	TEW	2-May-18	2-May-21
Analyzer - Spectrum Analyzer	Keysight	N9010A	AFM	19-Mar-19	19-Mar-20

#### **TEST DESCRIPTION**

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The spurious RF conducted emissions at the edges of the authorized bands were measured with the EUT set to low and high transmit frequencies in the available band. The channels closest to the band edges were selected. The EUT was transmitting at the data rate(s) listed in the datasheet.

The spectrum was scanned below the lower band edge and above the higher band edge.

All limits were adjusted by a factor of [-10\*log(4)] dB to account for the device operation as a 4 port MIMO transmitter, as per FCC KDB 622911.

Measurement 1



Pass

-19

-26.843


EUT: AHBOA Remote Radio Head (RRH)
Serial Number: BL1934X1001
Customer: Nokia Solutions and Networks
Attendees: John Rattanavong, Mitchell Hill Work Order: NOKI0003
Date: 28-Oct-19
Temperature: 22.8 °C Humidity: 49.8% RH Barometric Pres.: 1019 mbar Project: None
Tested by: Jonathan Kiefer
TEST SPECIFICATIONS Power: 48VDC Test Method Job Site: TX03 FCC 27:2019 COMMENTS Tested on highest power antenna port (Port 1). EUT is operated at 100% duty cycle. Band Edge measurements were made for a Band 71 multicarrier test case on four modulation types (QPSK, 16QAM, 64QAM, 256QAM). Three Band 71 LTE5 carriers (based upon KDB 971168 D03v01) were enabled using two carriers (with minimum spacing between carrier frequencies) at the Band 71 lower band edge [619.5MHz and 624.5MHz] and a third carrier with maximum spacing between the other two carrier frequencies [649.5MHz] at the Band 71 upper band edge. DEVIATIONS FROM TEST STANDARD None Jonathan Kiefer Configuration # Signature Value Limit (dBm) (dBm) Result Band 71 QPSK Modulation Band 71 Multicarrier Lower Band Edge -23.316 -26.487 -19 -19 Pass Pass Measurement 1 Measurement 2 Upper Band Edge Measurement 1 -26.769 -19 -19 Pass Measurement 2 16QAM Modulation Lower Band Edge Measurement 1 Measurement 2 -23.474 -26.647 Pass Pass -19 -19 Upper Band Edge -26.753 -19 -19 Measurement 1 Pass 64QAM Modulation Band 71 Multicarrier Lower Band Edge Measurement 1 -19 -19 Measurement 2 -26.674 Pass Upper Band Edge Measurement 1 -26.818 -19 Pass Measurement 2 -23.92 -19 Pass 256QAM Modulation Band 71 Multicarrier Lower Band Edge
Measurement 1 -19 -19 Measurement 2 -26.82 Pass Upper Band Edge




Band 71, QPSK Modulation, Band 71 Multicarrier, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-23.316 -19 Pass









Band 71, QPSK Modulation, Band 71 Multicarrier, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-26.769 -19 Pass



	Band 71, QPSK	Modulation, Band	d 71 Multicarrier, U	Jpper Band Edge	, Measurement 2	
				Value	Limit	
_				(dBm)	(dBm)	Result
I				-23.895	-19	Pass







Band 71, 16QAM Modulation, Band 71 Multicarrier, Lower Band Edge, Measurement 1

Value Limit

(dBm) (dBm) Result

-23.474 -19 Pass










Band 71, 16QAM Modulation, Band 71 Multicarrier, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-26.753 -19 Pass



	Band 71, 16QAM	Modulation, Band	d 71 Multicarrier,	Upper Band Edg	e, Measurement 2	2
				Value	Limit	
				(dBm)	(dBm)	Result
				-23.934	-19	Pass





Band 71, 64QAM Modulation, Band 71 Multicarrier, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-23.296 -19 Pass



Band 71, 64QAM Modulation, Band 71 Multicarrier, Lower Band Edge, Measurement 2

Value Limit
(dBm) (dBm) Result

-26.674 -19 Pass






Band 71, 64QAM Modulation, Band 71 Multicarrier, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-26.818 -19 Pass



	I	Band 71, 64QAM	Modulation, Band	d 71 Multicarrier,	Upper Band Edge	e, Measurement 2	2
					Value	Limit	
_					(dBm)	(dBm)	Result
[					-23 92	-19	Pass





Band 71, 256QAM Modulation, Band 71 Multicarrier, Lower Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-23.673 -19 Pass









Band 71, 256QAM Modulation, Band 71 Multicarrier, Upper Band Edge, Measurement 1

Value Limit
(dBm) (dBm) Result

-26.843 -19 Pass



para distribution in the last of the last					Constitution of the Consti		
	E	Band 71, 256QAM	l Modulation, Ban	nd 71 Multicarrier,	Upper Band Edg	e, Measurement	2
					Value	Limit	
					(dBm)	(dBm)	Result
					04.000	40	D

