



HERMON LABORATORIES


Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance			Verdict: PASS
Date(s): 29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.34 Spurious emission measurements in 30 - 1000 MHz range at low carrier frequency

MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




256QAM
20 MHz
ANTENNA CHAIN: #2



Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance			Verdict: PASS
Date(s): 29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.35 Spurious emission measurements in 30 - 1000 MHz range at low carrier frequency (continuation)





Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.36 Spurious emission measurements in 30 - 1000 MHz range at mid carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

256QAM
20 MHz
ANTENNA CHAIN: #2



ANTENNA CHAIN: #3

ANTENNA CHAIN: #4





Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.37 Spurious emission measurements in 30 - 1000 MHz range at high carrier frequency





MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

256QAM
20 MHz
ANTENNA CHAIN: #2



ANTENNA CHAIN: #3


ANTENNA CHAIN: #4




Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.38 Spurious emission measurements in 1000 - 3000 MHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




256QAM
20 MHz
ANTENNA CHAIN: #2



ANTENNA CHAIN: #3



ANTENNA CHAIN: #4





Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.39 Spurious emission measurements in 1000 - 3000 MHz range at mid carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

256QAM
20 MHz
ANTENNA CHAIN: #2



ANTENNA CHAIN: #3

ANTENNA CHAIN: #4






HERMON LABORATORIES


Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode:	Compliance	Verdict: PASS	
Date(s):	29-Oct-18 - 31-Oct-18		
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.40 Spurious emission measurements in 1000 - 3000 MHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




256QAM
20 MHz
ANTENNA CHAIN: #2



ANTENNA CHAIN: #3




ANTENNA CHAIN: #4




Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.41 Spurious emission measurements in 3000 - 3530 MHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




256QAM
20 MHz
ANTENNA CHAIN: #2



ANTENNA CHAIN: #3




ANTENNA CHAIN: #4




Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.42 Spurious emission measurements in 3000 - 3530 MHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




256QAM
20 MHz
ANTENNA CHAIN: #2



ANTENNA CHAIN: #3




ANTENNA CHAIN: #4




Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.43 Spurious emission measurements in 3000 - 3530 MHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




256QAM
20 MHz
ANTENNA CHAIN: #2



ANTENNA CHAIN: #3



ANTENNA CHAIN: #4






HERMON LABORATORIES


Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.44 Spurious emission measurements in 3720 - 4400 MHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




256QAM
20 MHz
ANTENNA CHAIN: #2



ANTENNA CHAIN: #3




ANTENNA CHAIN: #4




Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 29-Oct-18 - 31-Oct-18			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.6.45 Spurious emission measurements in 3720 - 4400 MHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1



256QAM
20 MHz
ANTENNA CHAIN: #2



ANTENNA CHAIN: #3



ANTENNA CHAIN: #4

