

1

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR230500103302 Page: 1 of 10

Cover Page **RF Exposure Evaluation Report**

nshan District, Shanghai, China NR™ 2 body Exposure Guidance v01 nary 2, 2021)
R™ 2 body Exposure Guidance v01
R™ 2 body Exposure Guidance v01
R™ 2 body Exposure Guidance v01
ishan District, Shanghai, China
ishan District, Shanghai, China
ahan District Changhai China
LM, SWEDEN
nshan District, Shanghai, China
•

* In the configuration tested, the EUT complied with the standards specified above.

parlan share

Parlam Zhan Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excenerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	t (86-21) 61915666	f (86-21) 61915678	www.sgsgroup.com.cn
中国・上海・松江区金都西路588号 邮编:	201612	t (86-21) 61915666	f (86–21) 61915678	sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Report No.: SHCR230500103302

Page: 2 of 10

Revision Record						
Version Description Date Remark						
00	Original	2023-06-14	/			

Authorized for issue by:		
	Bril Wu	
	Bill Wu/Project Engineer	
	Darlam Zhan	
	Parlam Zhan / Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ess.com

	or email: CN.Doccheck@sgs.com				
1.	NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	t (86-21) 61915666	f (86-21) 61915678	www.sgsgroup.com.cn
	中国・上海・松江区金都西路588号 邮编:	201612	t (86-21) 61915666	f (86-21) 61915678	sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SHCR230500103302 Page: 3 of 10

2 Contents

		Page
1	С	OVER PAGE1
2	С	ONTENTS
3	G	ENERAL INFORMATION4
	3.1	GENERAL DESCRIPTION OF E.U.T4
	3.2	DETAILS OF E.U.T4
	3.3	SEPARATION DISTANCE
	3.4	TEST LOCATION
	3.5	TEST FACILITY
4	т	EST STANDARDS AND LIMITS
5	F	CC RADIOFREQUENCY RADIATION EXPOSURE LIMITS
	5.1	BLANKET 1 MW BLANKET EXEMPTION
	5.2	MPE-BASED EXEMPTION
	5.3	SAR-BASED EXEMPTION
6	IC	RADIOFREQUENCY RADIATION EXPOSURE LIMITS
7	N	EASUREMENT AND CALCULATION
	7.1	MAXIMUM TRANSMIT POWER
	7.2	RF Exposure Calculation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indennification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gss.com

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gsg.com NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 f (86-21) 61915678 www.sgsgroup.com.cn 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666 f (86-21) 61915678 sgs.china@sgs.com



Report No.: SHCR230500103302 Page: 4 of 10

3 General Information

3.1 General Description of E.U.T.

	-
Power supply:	DC 3.7V Rechargeable battery
	BEAR™ 2: BEAR2 F.REV.A
S/N:	BEAR™ 2 eyes & lips: BEAR2eyes F.REV.A
	BEAR™ 2 body: BEAR2body F.REV.A
	BEAR™ 2: F45KQT52gJDq23
Firmware Version:	BEAR™ 2 eyes & lips: 3t7nDCA6pJDgJ1
	BEAR™ 2 body: E38Bkd67cD4aPz
Product Type:	Portable device
	Mobile device
	Fixed device

3.2 Details of E.U.T.

Operation Frequency:	2402MHz to 2480MHz
Bluetooth Version:	V5.0 LE
Data rate:	1Mbps,2Mbps
Modulation Type:	GFSK
Number of Channels:	40
Channel Spacing:	2MHz
Antenna Type:	Ceramic Antenna
Antenna Gain:	0.44dBi (Provided by manufacturer)

3.3 Separation Distance

Separation distance between the antenna to person (R): <

Remark: This minimum test separation distance is determined by the smallest distance from the antenna and radiating structures or outer surface of the device, according to the host form factor, exposure conditions and platform requirements, to any part of the body or extremity of a user or bystander.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Artention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75)6307 1443, or email: Ch.Doccheck@sgs.com NO.588 West Jindu Road,Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 f (86-21) 61915678 www.sgsgroup.com.cn 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666 f (86-21) 61915678 sgs.china@sgs.com



Report No.: SHCR230500103302 Page: 5 of 10

3.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

588 West Jindu Road, Xinqiao, Songjiang, 201612 Shanghai, China.

Tel: +86 21 6191 5666

Fax: +86 21 6191 5678

No tests were sub-contracted.

Note:

1. SGS is not responsible for wrong test results due to incorrect information (e.g. max. clock

frequency, highest internal frequency, antenna gain, cable loss, etc.) is provided by the applicant. (if applicable).

2. SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (if applicable).

3.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6332.01)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA).

• FCC (Designation Number: CN1301)

中国・上海・松江区金都西路588号

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been recognized as an accredited testing laboratory.

• ISED (CAB Identifier: CN0020)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. EMC Laboratory has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory Company Number: 8617A

• VCCI (Member No.: 3061)

The 3m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-13868, C-14336, T-12221, G-10830 respectively.



	Unless otherwise agreed in writing, this document is issued by the available on request or accessible at <u>https://www.sgs.com/en/</u> indemnification and jurisdiction issues defined therein. Any holde the Company's findings at the time of its intervention only and responsibility is to its Client and this document does not exonerat under the transaction documents. This document cannot be repro unauthorized alteration, forgery or falsification of the content or ap to the fullest extent of the law. Unless otherwise stated the result sample(s) are retained for 30 days only.	Terms-and-Conditions. A r of this document is adv within the limits of Clie e parties to a transaction duced except in full, with opearance of this docume ts shown in this test repo	Attention is drawn to the ised that information co- nnt's instructions, if any from exercising all the nout prior written approv- nnt is unlawful and offend ort refer only to the sam	e limitation of liability, ntained hereon reflects /, The Company's sole ir rights and obligations ral of the Company. Any ders may be prosecuted apple(s) tested and such
	Attention: To check the authenticity of testing /inspection rep or email: CN.Doccheck@sgs.com	the second second second	Sector and the sector and the	
L(0.	NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612	t (86-21) 61915666	f (86-21) 61915678	www.sasaroup.com.cn

邮编: 201612

t (86-21) 61915666

sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230500103302 Page: 6 of 10

4 Test Standards and Limits

5 FCC Radiofrequency radiation exposure limits

Test exemptions apply for devices used in general population/uncontrolled exposure environments, according to the SAR-based, or MPE-based exemption thresholds.

5.1 Blanket 1 mW Blanket Exemption

The 1 mW Blanket Exemption of §1.1307(b)(3)(i)(A) applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power of no more than 1 mW, regardless of separation distance.

The 1-mW blanket exemption applies at separation distances less than 0.5 cm, including where there is no separation. This exemption shall not be used in conjunction with other exemption criteria other than those for multiple RF sources in paragraph §1.1307(b)(3)(ii)(A).

The 1-mW exemption is independent of service type and covers the full range of 100 kHz to 100 GHz, but it shall not be used in conjunction with other exemption criteria or in devices with higher-power transmitters operating in the same time-averaging period. Exposure from such higher-power transmitters would invalidate the underlying assumption that exposure from the lower-power transmitter is the only contributor to SAR in the relevant volume of tissue.

5.2 MPE-based Exemption

General frequency and separation-distance dependent MPE-based effective radiated power (ERP) thresholds are in Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] to support an exemption from further evaluation from 300 kHz through 100 GHz.

RF Source Frequency			Minimum Distance			Threshold ERP	
<i>f</i> ∟ MHz		<i>f</i> ⊢ MHz	λ _∟ / 2π		λ _Η / 2π	W	
0.3	_	1.34	159 m	_	35.6 m	1,920 R ²	
1.34	_	30	35.6 m	_	1.6 m	3,450 R²/f ²	
30	_	300	1.6 m	—	159 mm	3.83 R ²	
300	_	1,500	159 mm	—	31.8 mm	0.0128 R ² f	
1,500	1,500 – 100,000 31.8 mm			_	0.5 mm	19.2R ²	
Subscripts L and H are low and high; λ is wavelength.							
From §1.1307(From §1.1307(b)(3)(i)(C), modified by adding Minimum Distance columns.						

The table applies to any RF source (i.e. single fixed, mobile, and portable transmitters) and specifies power and distance criteria for each of the five frequency ranges used for the MPE limits. These criteria



Unless otherwise agreed in writing, this docur available on request or accessible at <u>https</u> ; indemnification and jurisdiction issues define the Company's findings at the time of its in responsibility is to its Client and this documer under the transaction documents. This docum unauthorized alteration, forger or falsification to the fullest extent of the law. Unless otherw sample(s) are retained for 30 days only. Attention: To check the authenticity of tes or email: CN.Doccheck@sgs.com NO.588 West Jindu Road, Songjiang District, Shangh	//www.sgs.com/en/ d therein. Any holde tervention only and to does not exonera eent cannot be repro- nof the content or ap rise stated the resu ting /inspection re	Terms-and-Conditions. A pr of this document is advi- d within the limits of Clie te parties to a transaction oduced except in full, with opearance of this docume lts shown in this test repo	ttention is drawn to the ised that information co- nt's instructions, if any from exercising all thei out prior written approv- nt is unlawful and offence out refer only to the sam	e limitation of liability, ntained hereon reflects /, The Company's sole ir rights and obligations al of the Company. Any ders may be prosecuted uple(s) tested and such
中国・上海・松江区金都西路588号	邮编: 201612	t (86-21) 61915666	f (86-21) 61915678	sqs.china@sqs.com
 中国、工商、松江区重即四路2005	□P1有 20101Z	1 (00-21) 01310000	1 (00-21) 01010010	595.01110(£595.0011

Report No.: SHCR230500103302 Page: 7 of 10

apply at separation distances from any part of the radiating structure of at least $\lambda/2\pi$. The thresholds are based on the general population MPE limits with a single perfect reflection, outside of the reactive near-field, and in the main beam of the radiator.

For mobile devices that are not exempt per Table B.1 [Table 1 of \$1.1307(b)(1)(i)(C)] at distances from 20 cm to 40 cm and in 0.3 GHz to 6 GHz, evaluation of compliance with the exposure limits in \$1.1310 is necessary if the ERP of the device is greater than *ERP*_{20cm} in Formula (B.1) [repeated from \$2.1091(c)(1); also in \$1.1307(b)(1)(i)(B)].

 $P_{\rm th} (\rm mW) = ERP_{20 \,\rm cm} (\rm mW) = \begin{cases} 2040f & 0.3 \,\rm GHz \le f < 1.5 \,\rm GHz \\ \\ 3060 & 1.5 \,\rm GHz \le f \le 6 \,\rm GHz \end{cases}$ (B.1)

If the ERP is not easily obtained, then the available maximum time-averaged power may be used (i.e., without consideration of ERP only if the physical dimensions of the radiating structure(s) do not exceed the electrical length of $\lambda/4$ or if the antenna gain is less than that of a half-wave dipole.

SAR-based exemptions are constant at separation distances between 20 cm and 40 cm to avoid discontinuities in the threshold when transitioning between SAR-based and MPE-based exemption criteria at 40 cm, considering the importance of reflections.

Limit calculation						
Frequency range Frequency (MHz) $R(\lambda 2\pi)(m)$ Threshold ERP(W)						
300~1500MHz	915	0.0522	0.032			
1500~100000MHz	2480	0.0193	0.007			

5.3 SAR-based Exemption

SAR-based thresholds are derived based on frequency, power, and separation distance of the RF source. The formula defines the thresholds in general for either available maximum time-averaged power or maximum time-averaged ERP, whichever is greater.

If the ERP of a device is not easily determined, such as for a portable device with a small form factor, the applicant may use the available maximum time-averaged power exclusively if the device antenna or radiating structure does not exceed an electrical length of $\lambda/4$.

As for devices with antennas of length greater than $\lambda/4$ where the gain is not well defined, but always less than that of a half-wave dipole (length $\lambda/2$), the available maximum time-averaged power generated by the device may be used in place of the maximum time-averaged ERP, where that value is not known.

The separation distance is the smallest distance from any part of the antenna or radiating structure for all persons, during operation at the applicable ERP. In the case of mobile or portable devices, the separation distance is from the outer housing of the device where it is closest to the antenna.



	Unless otherwise agreed in writing, this document is available on request or accessible at https://www.indemnification and jurisdiction issues defined there the Company's findings at the time of its interven responsibility is to its Client and this document does under the transaction documents. This document can be added to the second sec	.sgs.com/en/ ein. Any holde tion only and a not exonera	Terms-and-Conditions. A er of this document is adv d within the limits of Clie te parties to a transaction	Attention is drawn to the ised that information co ont's instructions, if any in from exercising all the	ne limitation of liability, Intained hereon reflects y. The Company's sole ir rights and obligations
	unauthorized alteration, forgery or falsification of the to the fullest extent of the law. Unless otherwise str sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /ir or email: CN_Doccheck@sgs.com	e content or a ated the resu	ppearance of this docume its shown in this test repo	ent is unlawful and offend ort refer only to the san	ders may be prosecuted nple(s) tested and such
td.	unauthorized alteration, forgery or falsification of the to the fullest extent of the law. Unless otherwise sta sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /in	e content or an ated the resu nspection re	ppearance of this docume its shown in this test repo	ent is unlawful and offend ort refer only to the san	ders may be prosecuted nple(s) tested and such

Report No.: SHCR230500103302 Page: 8 of 10

The SAR-based exemption formula of \$1.1307(b)(3)(i)(B), repeated here as Formula (B.2), applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power or effective radiated power (ERP), whichever is greater, of less than or equal to the threshold P_{th} (mW).

This method shall only be used at separation distances from 0.5 cm to 40 cm and at frequencies from 0.3 GHz to 6 GHz (inclusive). $P_{\rm th}$ is given by Formula (B.2).

$$P_{\rm th} (\rm mW) = \begin{cases} ERP_{20 \,\rm cm} (d/20 \,\rm cm)^x & d \le 20 \,\rm cm \\ \\ ERP_{20 \,\rm cm} & 20 \,\rm cm < d \le 40 \,\rm cm \end{cases}$$
(B.2)

where

$$x = -\log_{10}\left(\frac{60}{ERP_{20}\operatorname{cm}\sqrt{f}}\right)$$

and f is in GHz, d is the separation distance (cm), and ERP_{20cm} is per Formula (B.1).

Example values shown in Table B.2 are for illustration only.

Table B.2—Example Power Thresholds (mW)

Frequency	Distance(mm)									
(MHz)	5	10	15	20	25	30	35	40	45	50
300	39	65	88	110	129	148	166	184	201	217
450	22	44	67	89	112	135	158	180	203	226
835	9	25	44	66	90	116	145	175	207	240
1900	3	12	26	44	66	92	122	157	195	236
2450	3	10	22	38	59	83	111	143	179	219
3600	2	8	18	32	49	71	96	125	158	195
5800	1	6	14	25	40	58	80	106	136	169

Limit calculation							
Frequency range(GHz)	Frequency range(GHz) Frequency(GHz) X Distance(cm) Pth (mW)						
0.3~1.5	0.915	1.474	0.5	8.133			
1.5~6	2.48	1.905	0.5	2.717			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force, were sing all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: CN_Doccheck@gss.com

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 f (86-21) 61915678 www.sgsgroup.com.cn 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666 f (86-21) 61915678 sgs.china@sgs.com

SGS

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR230500103302 Page: 9 of 10

6 IC Radiofrequency radiation exposure limits

According to RSS-102 section 2.5.1, SAR evaluation is required if the separation distance between the user and/or bystander and the antenna and/or radiating element of the device is less than or equal to 20 cm, except when the device operates at or below the applicable output power level (adjusted for tune-up tolerance) for the specified separation distance

MHz	5	10	15	20	25	30	35	40	45	50	mm
≤300	71	101	132	162	193	223	254	284	315	345	
450	52	70	88	106	123	141	159	177	195	213	
835	17	30	42	55	67	80	92	105	117	130	
1900	7	10	18	34	60	99	153	225	316	431	mW
2450	4	7	15	30	52	83	123	173	235	309	
3500	2	6	16	32	55	86	124	170	225	290	
5800	1	6	15	27	41	56	71	85	97	106	

Output power level shall be the higher of the maximum conducted or equivalent isotropically radiated power (e.i.r.p.) source-based, time-averaged output power. For controlled use devices where the 8 W/kg for 1 gram of tissue applies, the exemption limits for routine evaluation are multiplied by a factor of 5. For limb-worn devices where the 10 gram value applies, the exemption limits for routine evaluation in Table 1 are multiplied by a factor of 2.5. If the operating frequency of the device is between two frequencies located in Table 1, linear interpolation shall be applied for the applicable separation distance. For test separation distance less than 5 mm, the exemption limits for a separation distance of 5 mm can be applied to determine if a routine evaluation is required.

The practical use condition for this device is as a head accessories. So the applicable limit is 1-g extremity SAR

For 2.4G band device, the limit is Pmax≤4mW



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention:** To check the authenticity of festing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: CN_Doccheck@sgs.com

or amail: <u>CN.Doccheck@sgs.com</u> NO.588 West Jindu Road,Songjiang District, ShanghaiChina 201612 t (86–21) 61915666 f (86–21) 61915678 www.sgsgroup.com.cn 中国・上海・松江区金都西路588号 邮编: 201612 t (86–21) 61915666 f (86–21) 61915678 sgs.china@sgs.com



Report No.: SHCR230500103302 Page: 10 of 10

7 Measurement and Calculation

7.1 Maximum transmit power

The Power Data is based on the RF Test Report SHCR230500103301.

Test Mode	Antenna	Channel	Result[dBm]	Result[mW]
		2402	-2.46	0.568
BLE_1M	Ant1	2440	-2.42	0.573
		2480	-2.77	0.528
		2402	-2.49	0.564
BLE_2M	Ant1	2440	-2.47	0.566
		2480	-2.76	0.530

7.2 **RF Exposure Calculation**

The Max Conducted Peak Output Power is 0.573 mW. The best case gain of the antenna is 0.44dBi.

0.44dBi logarithmic terms convert to numeric result is nearly 1.11.

For FCC:

According to the formula. calculate the EIRP test result:

EIRP= P x G = 0.573 mW x 1.11 = 0.64mW <1mW

Remark: we used the maximum power between the conducted power and ERP/EIRP to perform RF exposure exemption evaluation.

Evaluation method	Separation distance between the antenna to person (R)	Exempt Limit(mW)	Verdict
Blanket 1 mW Blanket Exemption	No distance requirement	1mW	Yes
MPE-based Exemption(ERP)	(λ /2 π) <r< td=""><td>7mW(ERP)</td><td>N/A</td></r<>	7mW(ERP)	N/A
SAR-based Exemption(Pth)	0.5cm <r<40cm< td=""><td>2.7mW</td><td>N/A</td></r<40cm<>	2.7mW	N/A

For IC:

EIRP= P x G = 0.573 mW x 1.11 = 0.64mW <4mW

So, the device is to qualify for FCC & IC SAR test exemption, the exemption report is in lieu of the SAR report.

-End of the Report-



A LA DI	Unless otherwise agreed in writing, this document is available on request or accessible at <u>https://www.</u> indemnification and jurisdiction issues defined there the Company's findings at the time of its intervent responsibility is to its Client and this document does under the transaction documents. This document can unauthorized alteration, forgery or falsification of the to the fullest extent of the law. Unless otherwise sta sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /in or email: CN.Doccheck@sgs.com	sgs.com/en/Term in. Any holder of ion only and with not exonerate p not be reproduc content or appea ted the results s	ns-and-Conditions. Att this document is advis thin the limits of Clieni arties to a transaction f sed except in full, witho arance of this document shown in this test repor t & certificate, please	tention is drawn to the ed that information cont it's instructions, if any. rom exercising all their ut prior written approval t is unlawful and offende t refer only to the samp	limitation of liability, alned hereon reflects The Company's sole rights and obligations of the Company. Any rs may be prosecuted le(s) tested and such
Co. Ltd.	NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	t (86-21) 61915666	f (86-21) 61915678	www.sgsgroup.com.cn
	中国・上海・松江区金都西路588号 邮编:	201612	t (86-21) 61915666	f (86-21) 61915678	sgs.china@sgs.com