


3DH5_Ant1_Low_Hop_2402



3DH5_Ant1_High_Hop_2480




Appendix H: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	1.85	1.85	---	PASS
			30~1000	1.85	-49.87	≤-18.15	PASS
			1000~26500	1.85	-52.7	≤-18.15	PASS
		2441	Reference	1.63	1.63	---	PASS
			30~1000	1.63	-49.41	≤-18.37	PASS
			1000~26500	1.63	-52.69	≤-18.37	PASS
		2480	Reference	0.78	0.78	---	PASS
			30~1000	0.78	-31.42	≤-19.22	PASS
			1000~26500	0.78	-52.33	≤-19.22	PASS
2DH5	Ant1	2402	Reference	1.51	1.51	---	PASS
			30~1000	1.51	-51.41	≤-18.49	PASS
			1000~26500	1.51	-52.46	≤-18.49	PASS
		2441	Reference	1.35	1.35	---	PASS
			30~1000	1.35	-49.01	≤-18.65	PASS
			1000~26500	1.35	-52.97	≤-18.65	PASS
		2480	Reference	0.74	0.74	---	PASS
			30~1000	0.74	-50.55	≤-19.26	PASS
			1000~26500	0.74	-52.69	≤-19.26	PASS
3DH5	Ant1	2402	Reference	1.42	1.42	---	PASS
			30~1000	1.42	-49.93	≤-18.58	PASS
			1000~26500	1.42	-51.14	≤-18.58	PASS
		2441	Reference	1.41	1.41	---	PASS
			30~1000	1.41	-49.45	≤-18.59	PASS
			1000~26500	1.41	-52.84	≤-18.59	PASS
		2480	Reference	0.67	0.67	---	PASS
			30~1000	0.67	-50.16	≤-19.33	PASS
			1000~26500	0.67	-52.05	≤-19.33	PASS

Test Graphs






DH5_Ant1_2441_0~Reference



DH5_Ant1_2441_30~1000




DH5_Ant1_2441_1000~26500



DH5_Ant1_2480_0~Reference



DH5_Ant1_2480_30~1000



DH5_Ant1_2480_1000~26500



2DH5_Ant1_2402_0~Reference



2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500



2DH5_Ant1_2441_0~Reference



2DH5_Ant1_2441_30~1000



2DH5_Ant1_2441_1000~26500



2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500



3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500



3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000



3DH5_Ant1_2441_1000~26500



3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500




Appendix I: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time[ms]	Period[ms]	Duty Cycle[%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.88	3.75	76.80	1.15
		2441	2.88	3.75	76.80	1.15
		2480	2.88	3.75	76.80	1.15
2DH5	Ant1	2402	2.89	3.75	77.07	1.13
		2441	2.89	3.75	77.07	1.13
		2480	2.89	3.75	77.07	1.13
3DH5	Ant1	2402	2.89	3.75	77.07	1.13
		2441	2.89	3.75	77.07	1.13
		2480	2.90	3.75	77.33	1.12

Test Graphs






2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands

Mode:	1M 2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.74	43.95	-19.79	74.00	30.05	Horizontal	PASS
2	2324.73	64.42	44.65	-19.77	74.00	29.35	Horizontal	PASS
3	2333.38	64.83	45.08	-19.75	74.00	28.92	Horizontal	PASS
4	2349.71	64.74	45.02	-19.72	74.00	28.98	Horizontal	PASS
5	2378.70	65.27	47.09	-18.18	74.00	26.91	Horizontal	PASS
6	2390.00	63.60	46.03	-17.57	74.00	27.97	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.00	64.21	44.42	-19.79	74.00	29.58	Vertical	PASS
2	2327.93	66.22	46.46	-19.76	74.00	27.54	Vertical	PASS
3	2344.59	64.38	44.65	-19.73	74.00	29.35	Vertical	PASS
4	2362.21	64.75	45.69	-19.06	74.00	28.31	Vertical	PASS
5	2374.06	64.85	46.42	-18.43	74.00	27.58	Vertical	PASS
6	2390.00	62.98	45.41	-17.57	74.00	28.59	Vertical	PASS

Mode:	1M 2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.68	45.66	-18.02	74.00	28.34	Horizontal	PASS
2	2486.60	65.08	46.49	-18.59	74.00	27.51	Horizontal	PASS
3	2490.06	65.13	46.16	-18.97	74.00	27.84	Horizontal	PASS
4	2494.52	66.17	47.24	-18.93	74.00	26.76	Horizontal	PASS
5	2495.36	65.09	46.17	-18.92	74.00	27.83	Horizontal	PASS
6	2500.00	62.99	44.14	-18.85	74.00	29.86	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.72	45.70	-18.02	74.00	28.30	Vertical	PASS
2	2486.22	65.51	46.97	-18.54	74.00	27.03	Vertical	PASS
3	2490.06	65.60	46.63	-18.97	74.00	27.37	Vertical	PASS
4	2493.99	65.04	46.11	-18.93	74.00	27.89	Vertical	PASS
5	2496.78	64.99	46.09	-18.90	74.00	27.91	Vertical	PASS
6	2500.00	62.70	43.85	-18.85	74.00	30.15	Vertical	PASS

Mode:	2M 2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.33	43.54	-19.79	74.00	30.46	Horizontal	PASS
2	2326.73	64.75	44.99	-19.76	74.00	29.01	Horizontal	PASS
3	2342.43	65.66	45.93	-19.73	74.00	28.07	Horizontal	PASS
4	2354.52	64.78	45.30	-19.48	74.00	28.70	Horizontal	PASS
5	2374.62	65.00	46.60	-18.40	74.00	27.40	Horizontal	PASS
6	2390.00	63.76	46.19	-17.57	74.00	27.81	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.45	43.66	-19.79	74.00	30.34	Vertical	PASS
2	2328.41	65.15	45.39	-19.76	74.00	28.61	Vertical	PASS
3	2340.75	67.23	47.49	-19.74	74.00	26.51	Vertical	PASS
4	2362.45	66.03	46.98	-19.05	74.00	27.02	Vertical	PASS
5	2375.42	65.92	47.56	-18.36	74.00	26.44	Vertical	PASS
6	2390.00	63.86	46.29	-17.57	74.00	27.71	Vertical	PASS

Mode:	2M 2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	62.84	44.82	-18.02	74.00	29.18	Horizontal	PASS
2	2487.85	65.23	46.50	-18.73	74.00	27.50	Horizontal	PASS
3	2491.51	64.84	45.88	-18.96	74.00	28.12	Horizontal	PASS
4	2495.38	64.64	45.72	-18.92	74.00	28.28	Horizontal	PASS
5	2497.11	64.82	45.93	-18.89	74.00	28.07	Horizontal	PASS
6	2500.00	62.61	43.76	-18.85	74.00	30.24	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.24	45.22	-18.02	74.00	28.78	Vertical	PASS
2	2486.50	65.06	46.48	-18.58	74.00	27.52	Vertical	PASS
3	2489.39	64.83	45.93	-18.90	74.00	28.07	Vertical	PASS
4	2492.24	65.07	46.12	-18.95	74.00	27.88	Vertical	PASS
5	2496.05	65.05	46.14	-18.91	74.00	27.86	Vertical	PASS
6	2500.00	63.27	44.42	-18.85	74.00	29.58	Vertical	PASS

Mode:	3M 2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.36	43.57	-19.79	74.00	30.43	Horizontal	PASS
2	2329.93	64.80	45.04	-19.76	74.00	28.96	Horizontal	PASS
3	2351.48	64.38	44.74	-19.64	74.00	29.26	Horizontal	PASS
4	2363.25	64.73	45.72	-19.01	74.00	28.28	Horizontal	PASS
5	2378.86	64.61	46.44	-18.17	74.00	27.56	Horizontal	PASS
6	2390.00	63.41	45.84	-17.57	74.00	28.16	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.28	43.49	-19.79	74.00	30.51	Vertical	PASS
2	2325.53	64.58	44.82	-19.76	74.00	29.18	Vertical	PASS
3	2337.62	65.05	45.31	-19.74	74.00	28.69	Vertical	PASS
4	2353.48	64.59	45.06	-19.53	74.00	28.94	Vertical	PASS
5	2368.61	65.92	47.20	-18.72	74.00	26.80	Vertical	PASS
6	2390.00	64.82	47.25	-17.57	74.00	26.75	Vertical	PASS

Mode:	3M 2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.47	45.45	-18.02	74.00	28.55	Horizontal	PASS
2	2485.13	65.38	46.96	-18.42	74.00	27.04	Horizontal	PASS
3	2486.99	65.07	46.44	-18.63	74.00	27.56	Horizontal	PASS
4	2493.43	65.70	46.76	-18.94	74.00	27.24	Horizontal	PASS
5	2495.13	64.79	45.87	-18.92	74.00	28.13	Horizontal	PASS
6	2500.00	63.73	44.88	-18.85	74.00	29.12	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.77	45.75	-18.02	74.00	28.25	Vertical	PASS
2	2486.10	65.22	46.69	-18.53	74.00	27.31	Vertical	PASS
3	2489.27	65.28	46.39	-18.89	74.00	27.61	Vertical	PASS
4	2495.61	64.95	46.04	-18.91	74.00	27.96	Vertical	PASS
5	2498.00	65.55	46.67	-18.88	74.00	27.33	Vertical	PASS
6	2500.00	62.98	44.13	-18.85	74.00	29.87	Vertical	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Appendix K: Radiated emissions for transmitters

Note:


The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

Above 1GHz, The emission level with margin less than 20db is recorded.


The worst case data were recorded.

Below 1GHz



NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	32.9129	52.68	35.62	-17.06	40.00	4.38	Vertical	PASS
2	38.7387	49.50	33.08	-16.42	40.00	6.92	Vertical	PASS
3	59.1291	49.22	33.10	-16.12	40.00	6.90	Vertical	PASS
4	100.880	49.08	28.98	-20.10	43.50	14.52	Vertical	PASS
5	146.516	48.53	32.61	-15.92	43.50	10.89	Vertical	PASS
6	192.152	52.87	34.55	-18.32	43.50	8.95	Vertical	PASS

Mode:	2402
-------	------



NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	48.4484	49.03	33.24	-15.79	40.00	6.76	Horizontal	PASS
2	92.1421	54.77	33.45	-21.32	43.50	10.05	Horizontal	PASS
3	107.677	53.73	34.31	-19.42	43.50	9.19	Horizontal	PASS
4	167.877	54.50	38.26	-16.24	43.50	5.24	Horizontal	PASS
5	192.152	56.32	38.00	-18.32	43.50	5.50	Horizontal	PASS
6	319.349	52.29	37.15	-15.14	46.00	8.85	Horizontal	PASS

Mode:	1M 2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1980.00	66.14	45.47	-20.67	74.00	28.53	Horizontal	PASS
2	3904.39	64.60	46.68	-17.92	74.00	27.32	Horizontal	PASS
3	4913.72	66.10	49.75	-16.35	74.00	24.25	Horizontal	PASS
4	6797.46	64.17	51.67	-12.50	74.00	22.33	Horizontal	PASS
5	7771.81	64.12	52.07	-12.05	74.00	21.93	Horizontal	PASS
6	9065.95	63.41	52.73	-10.68	74.00	21.27	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2054.00	65.73	45.39	-20.34	74.00	28.61	Vertical	PASS
2	3324.78	64.83	45.71	-19.12	74.00	28.29	Vertical	PASS
3	3794.47	65.45	47.26	-18.19	74.00	26.74	Vertical	PASS
4	4928.71	65.44	49.04	-16.40	74.00	24.96	Vertical	PASS
5	6427.71	64.28	51.01	-13.27	74.00	22.99	Vertical	PASS
6	8021.65	64.73	52.72	-12.01	74.00	21.28	Vertical	PASS

Mode:	1M 2441
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1946.00	66.56	45.59	-20.97	74.00	28.41	Horizontal	PASS
2	4129.24	64.43	47.26	-17.17	74.00	26.74	Horizontal	PASS
3	4988.67	64.50	48.51	-15.99	74.00	25.49	Horizontal	PASS
4	6302.79	63.77	50.44	-13.33	74.00	23.56	Horizontal	PASS
5	7172.21	64.06	51.29	-12.77	74.00	22.71	Horizontal	PASS
6	8091.60	64.91	53.49	-11.42	74.00	20.51	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2074.00	65.78	45.45	-20.33	74.00	28.55	Vertical	PASS
2	3884.41	65.37	47.34	-18.03	74.00	26.66	Vertical	PASS
3	5073.61	65.09	49.22	-15.87	74.00	24.78	Vertical	PASS
4	5948.03	64.29	49.65	-14.64	74.00	24.35	Vertical	PASS
5	7022.31	63.56	51.06	-12.50	74.00	22.94	Vertical	PASS
6	8166.55	64.26	52.28	-11.98	74.00	21.72	Vertical	PASS

Mode:	1M 2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2172.00	66.95	46.88	-20.07	74.00	27.12	Horizontal	PASS
2	3254.83	66.06	46.50	-19.56	74.00	27.50	Horizontal	PASS
3	5018.65	65.55	49.73	-15.82	74.00	24.27	Horizontal	PASS
4	5653.23	63.58	48.40	-15.18	74.00	25.60	Horizontal	PASS
5	7172.21	64.56	51.79	-12.77	74.00	22.21	Horizontal	PASS
6	8981.01	64.10	53.05	-11.05	74.00	20.95	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2160.00	66.77	46.69	-20.08	74.00	27.31	Vertical	PASS
2	3799.46	65.97	47.83	-18.14	74.00	26.17	Vertical	PASS
3	5013.65	65.34	49.51	-15.83	74.00	24.49	Vertical	PASS
4	5838.10	63.91	49.12	-14.79	74.00	24.88	Vertical	PASS
5	6852.43	63.52	51.07	-12.45	74.00	22.93	Vertical	PASS
6	8471.35	64.45	52.46	-11.99	74.00	21.54	Vertical	PASS

Mode:	2M 2402
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2090.00	66.78	46.46	-20.32	74.00	27.54	Horizontal	PASS
2	3834.44	65.31	47.09	-18.22	74.00	26.91	Horizontal	PASS
3	5083.61	65.00	49.09	-15.91	74.00	24.91	Horizontal	PASS
4	6257.82	63.75	49.93	-13.82	74.00	24.07	Horizontal	PASS
5	7861.75	63.63	51.68	-11.95	74.00	22.32	Horizontal	PASS
6	8951.03	63.45	52.39	-11.06	74.00	21.61	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1964.00	66.39	45.58	-20.81	74.00	28.42	Vertical	PASS
2	3599.60	64.29	45.53	-18.76	74.00	28.47	Vertical	PASS
3	3909.39	65.04	47.13	-17.91	74.00	26.87	Vertical	PASS
4	5018.65	65.08	49.26	-15.82	74.00	24.74	Vertical	PASS
5	6117.92	64.06	50.34	-13.72	74.00	23.66	Vertical	PASS
6	7102.26	64.77	51.98	-12.79	74.00	22.02	Vertical	PASS

Mode:	2M 2441
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2136.00	65.99	45.84	-20.15	74.00	28.16	Horizontal	PASS
2	4154.23	64.08	47.09	-16.99	74.00	26.91	Horizontal	PASS
3	4993.67	65.79	49.86	-15.93	74.00	24.14	Horizontal	PASS
4	6437.70	64.27	51.14	-13.13	74.00	22.86	Horizontal	PASS
5	7766.82	63.99	51.99	-12.00	74.00	22.01	Horizontal	PASS
6	9140.90	63.61	52.81	-10.80	74.00	21.19	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2030.00	66.25	45.85	-20.40	74.00	28.15	Vertical	PASS
2	3259.82	66.85	47.34	-19.51	74.00	26.66	Vertical	PASS
3	3814.45	65.49	47.32	-18.17	74.00	26.68	Vertical	PASS
4	5053.63	64.98	49.19	-15.79	74.00	24.81	Vertical	PASS
5	6777.48	63.86	51.10	-12.76	74.00	22.90	Vertical	PASS
6	8401.39	64.32	52.28	-12.04	74.00	21.72	Vertical	PASS

Mode:	2M 2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1996.00	68.69	48.16	-20.53	74.00	25.84	Horizontal	PASS
2	4039.30	65.03	47.33	-17.70	74.00	26.67	Horizontal	PASS
3	4958.69	67.86	51.50	-16.36	74.00	22.50	Horizontal	PASS
4	5903.06	64.85	50.32	-14.53	74.00	23.68	Horizontal	PASS
5	7202.19	63.88	51.12	-12.76	74.00	22.88	Horizontal	PASS
6	8076.61	64.99	53.33	-11.66	74.00	20.67	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1998.00	67.61	47.10	-20.51	74.00	26.90	Vertical	PASS
2	3304.79	68.18	49.03	-19.15	74.00	24.97	Vertical	PASS
3	4958.69	69.41	53.05	-16.36	74.00	20.95	Vertical	PASS
4	5868.08	64.23	49.58	-14.65	74.00	24.42	Vertical	PASS
5	7247.16	64.18	51.48	-12.70	74.00	22.52	Vertical	PASS
6	9075.94	63.40	52.65	-10.75	74.00	21.35	Vertical	PASS

Mode:	3M 2441
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1952.00	65.38	44.46	-20.92	74.00	29.54	Horizontal	PASS
2	3904.39	65.10	47.18	-17.92	74.00	26.82	Horizontal	PASS
3	4878.74	67.62	51.30	-16.32	74.00	22.70	Horizontal	PASS
4	6312.79	63.69	50.23	-13.46	74.00	23.77	Horizontal	PASS
5	8081.61	64.05	52.47	-11.58	74.00	21.53	Horizontal	PASS
6	9035.97	63.47	52.77	-10.70	74.00	21.23	Horizontal	PASS


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1880.00	65.14	43.71	-21.43	74.00	30.29	Vertical	PASS
2	3254.83	67.83	48.27	-19.56	74.00	25.73	Vertical	PASS
3	4878.74	68.96	52.64	-16.32	74.00	21.36	Vertical	PASS
4	5948.03	63.90	49.26	-14.64	74.00	24.74	Vertical	PASS
5	7037.30	64.17	51.66	-12.51	74.00	22.34	Vertical	PASS
6	8086.60	64.32	52.82	-11.50	74.00	21.18	Vertical	PASS

Mode:	3M 2480
-------	---------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1944.00	65.57	44.59	-20.98	74.00	29.41	Horizontal	PASS
2	3924.38	65.93	48.06	-17.87	74.00	25.94	Horizontal	PASS
3	4958.69	68.29	51.93	-16.36	74.00	22.07	Horizontal	PASS
4	6307.79	64.07	50.68	-13.39	74.00	23.32	Horizontal	PASS
5	7741.83	64.33	52.43	-11.90	74.00	21.57	Horizontal	PASS
6	9035.97	63.67	52.97	-10.70	74.00	21.03	Horizontal	PASS


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1914.00	64.95	43.76	-21.19	74.00	30.24	Vertical	PASS
2	3304.79	68.14	48.99	-19.15	74.00	25.01	Vertical	PASS
3	4958.69	68.89	52.53	-16.36	74.00	21.47	Vertical	PASS
4	5823.11	65.27	50.39	-14.88	74.00	23.61	Vertical	PASS
5	7267.15	64.65	51.84	-12.81	74.00	22.16	Vertical	PASS
6	8156.56	63.81	51.91	-11.90	74.00	22.09	Vertical	PASS

Appendix L: Conducted emission AC power port



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1925	10.26	52.09	63.93	11.84	48.44	53.93	5.49	L	PASS
2	0.3506	10.27	34.70	58.95	24.25	28.99	48.95	19.96	L	PASS
3	0.5249	10.28	36.34	56.00	19.66	28.88	46.00	17.12	L	PASS
4	0.9850	10.28	32.12	56.00	23.88	25.58	46.00	20.42	L	PASS
5	1.9879	10.29	23.06	56.00	32.94	17.24	46.00	28.76	L	PASS
6	12.4070	10.49	29.35	60.00	30.65	21.29	50.00	28.71	L	PASS



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1917	10.26	50.21	63.96	13.75	46.31	53.96	7.65	N	PASS
2	0.2730	10.27	37.19	61.03	23.84	30.62	51.03	20.41	N	PASS
3	0.6500	10.27	35.77	56.00	20.23	28.94	46.00	17.06	N	PASS
4	1.0903	10.28	32.08	56.00	23.92	25.44	46.00	20.56	N	PASS
5	1.4899	10.28	28.99	56.00	27.01	23.64	46.00	22.36	N	PASS
6	12.2857	10.49	29.97	60.00	30.03	21.91	50.00	28.09	N	PASS