

TEST REPORT						
FCC ID:	2ALNA-BTS52					
Test Report No::	TCT211217E022					
Date of issue::	Dec. 31, 2021					
Testing laboratory:	SHENZHEN TONGCE TESTING	G LAB				
Testing location/ address:	TCT Testing Industrial Park Fuqi Street, Bao'an District Shenzhen Republic of China					
Applicant's name::	Shenzhen Thousandshores Tech	nnology Co., Ltd.				
Address::	5/F, Chuangxin Building, Seven- Alley, Chuangye 2nd Road, Bao' China					
Manufacturer's name:	Shenzhen Thousandshores Tech	nnology Co., Ltd.				
Address::	5/F, Chuangxin Building, Seven-star Creative Square, No.2North Alley, Chuangye 2nd Road, Bao'an Dis 28th, ShenZhen, 518000 China					
Standard(s):	FCC CFR Title 47 Part 1.1307					
Test item description:	Wireless Party Speaker					
Trade Mark:	Tribit	(6)				
Model/Type reference:	BTS52					
Rating(s)::	Rechargeable Li-ion Battery DC	10.8V				
Date of receipt of test item:	Dec. 17, 2021					
Date (s) of performance of test:	Dec. 17, 2021 - Dec. 31, 2021					
Tested by (+signature):	Aaron MO	DOTON ANONGCE				
Check by (+signature):	Beryl ZHAO	Boyl ME TCT				
Approved by (+signature):	Tomsin					
General disclaimer:						

## General disclaimer:

This report shall not be reproduced except in full, without the written approval of SHENZHEN TONGCE TESTING LAB. This document may be altered or revised by SHENZHEN TONGCE TESTING LAB personnel only, and shall be noted in the revision section of the document. The test results in the report only apply to the tested sample.

Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com





# **Table of Contents**

<ol> <li>2.</li> <li>3.</li> </ol>	1.1. EUT de 1.2. Model( General II 2.1. Test er 2.2. Descri	Product Infescription  (s) list  Information  Invironment a  Intion of Sup  Intion Accre	nand mode.	(9)	(0)	3 4 4
		es on				
4.		ults and Mo				6



Report No.: TCT211217E022

# 1. General Product Information

## 1.1. EUT description

Test item description:	Wireless Party Speaker	(5)		(3)
Model/Type reference:	BTS52			
Sample Number:	TCT211217E008-0101			
Operation Frequency:	2402MHz~2480MHz		(0)	
Modulation Type:	GFSK, π/4-DQPSK, 8DPSK			
Antenna Type:	Internal Antenna	((0))		
Antenna Gain:	3.92dBi			
Rating(s):	Rechargeable Li-ion Battery DC 1	10.8V		

Note: The antenna gain listed in this report is provided by applicant, and the test laboratory is not responsible for this parameter.

1.2. N	lodel(s) I lone.	ist			



Report No.: TCT211217E022

## 2. General Information

## 2.1. Test environment and mode

Item	Normal condition						
Temperature	+25°C						
Voltage	DC 10.8V						
Humidity	56%						
Atmospheric Pressure:	1008 mbar						
Test Mode:							
Engineering mode:	Keep the EUT in continuous transmitting by select channel						

## 2.2. Description of Support Units

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

Equipment	Model No.	Serial No.	FCC ID	Trade Name	
/	/	/	/	/	

#### Note:

- 1. All the equipment/cables were placed in the worst-case configuration to maximize the emission during the test.
- 2. Grounding was established in accordance with the manufacturer's requirements and conditions for the intended use.
- 3. For conducted measurements (Output Power, 20dB Occupied Bandwidth, Carrier Frequencies Separation, Hopping Channel Number, Dwell Time, Spurious Emissions), the antenna of EUT is connected to the test equipment via temporary antenna connector, the antenna connector is soldered on the antenna port of EUT, and the temporary antenna connector is listed in the Test Instruments.



ECHNOLOGY Report No.: TCT211217E022

## 3. Facilities and Accreditations

### 3.1. Facilities

The test facility is recognized, certified, or accredited by the following organizations:

• FCC - Registration No.: 645098

SHENZHEN TONGCE TESTING LAB

**Designation Number: CN1205** 

The testing lab has been registered and fully described in a report with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files.

IC - Registration No.: 10668A-1

SHENZHEN TONGCE TESTING LAB

CAB identifier: CN0031

The testing lab has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing.

## 3.2. Location

SHENZHEN TONGCE TESTING LAB

Address: TCT Testing Industrial Park Fuqiao 5th Industrial Zone, Fuhai Street, Bao'an

District Shenzhen, Guangdong, 518103, People's Republic of China

TEL: +86-755-27673339





Report No.: TCT211217E022

## 4. Test Results and Measurement Data

According to § 15.247(i) and § 1.1307b(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the commission's guidance.

The 1-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW) / (min. test separation distance, mm)]  $\cdot [\sqrt{f(GHz)}] \le 3.0$  for 1-g SAR, where

- f(GHz) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- When the minimum test separation distance is < 5 mm, a distance of 5 mm according is applied to determine SAR test exclusion.
- · The result is rounded to one decimal place for comparison
- BDR+EDR:

Channel	Frequency (GHz)	Max. Power (dBm)	Tune up Power (dBm)	Max. Tune up Power (dBm)	Max. Tune up Power (mW)	Test distance (mm)	Result	exclusion thresholds for 1-g SAR
CH 39	2.441	-4.317	-5±1	-4	0.40	5	0.12	3.0

#### Result:

Base on the calculation value, No SAR measurement is required.

