



Mode:802.11nData Rate:MCS12Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8



Plot 7-576. Radiated Restricted Upper Band Edge Measurement CDD

Mode:802.11nData Rate:MCS15Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8



Plot 7-577. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 252 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 352 of 388




 Mode:
 802.11n

 Data Rate:
 MCS10

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2452MHz

 Channel:
 9



Plot 7-578. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11n

 Data Rate:
 MCS12

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2452MHz

 Channel:
 9




Plot 7-579. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 252 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 353 of 388




Mode:802.11nData Rate:MCS15Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-580. Radiated Restricted Upper Band Edge Measurement CDD

Mode:802.11nData Rate:MCS10Distance of Measurements:3 MetersOperating Frequency:2457MHzChannel:10



Plot 7-581. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element)	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 254 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 354 of 388




 Mode:
 802.11n

 Data Rate:
 MCS12

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-582. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11n

 Data Rate:
 MCS15

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-583. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 255 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 355 of 388




 Mode:
 802.11n

 Data Rate:
 MCS10

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2462MHz

 Channel:
 11



Plot 7-584. Radiated Restricted Upper Band Edge Measurement CDD

Mode:802.11nData Rate:MCS12Distance of Measurements:3 MetersOperating Frequency:2462MHzChannel:11



Plot 7-585. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element)	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 356 of 388
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Fage 356 01 366




 Mode:
 802.11n

 Data Rate:
 MCS15

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2462MHz

 Channel:
 11



Plot 7-586. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11n

 Data Rate:
 MCS10

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2467MHz

 Channel:
 12



Plot 7-587. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 257 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 357 of 388




 Mode:
 802.11n

 Data Rate:
 MCS12

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2467MHz

 Channel:
 12



Plot 7-588. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11n

 Data Rate:
 MCS15

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2467MHz

 Channel:
 12



Plot 7-589. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 250 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 358 of 388




 Mode:
 802.11n

 Data Rate:
 MCS10

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2472MHz

 Channel:
 13



Plot 7-590. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11n

 Data Rate:
 MCS12

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2472MHz

 Channel:
 13



Plot 7-591. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 250 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 359 of 388




 Mode:
 802.11n

 Data Rate:
 MCS15

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2472MHz

 Channel:
 13



Plot 7-592. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11ax - SU

 Data Rate:
 MCS2

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2412MHz

 Channel:
 1




Plot 7-593. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 260 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 360 of 388



Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2412MHzChannel:1



Plot 7-594. Radiated Restricted Lower Band Edge Measurement CDD


 Mode:
 802.11ax - SU

 Data Rate:
 MCS9

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2412MHz

 Channel:
 1



Plot 7-595. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element)	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 361 of 388
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Fage 301 01 300




 Mode:
 802.11ax - SU

 Data Rate:
 MCS2

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2417MHz

 Channel:
 2



Plot 7-596. Radiated Restricted Lower Band Edge Measurement CDD


 Mode:
 802.11ax - SU

 Data Rate:
 MCS4

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2417MHz

 Channel:
 2




Plot 7-597. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element)	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 362 of 388
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Fage 362 01 366




Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2417MHzChannel:2



Plot 7-598. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2422MHzChannel:3



Plot 7-599. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element)	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 363 of 388
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Fage 363 01 366




 Mode:
 802.11ax - SU

 Data Rate:
 MCS4

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2422MHz

 Channel:
 3



Plot 7-600. Radiated Restricted Lower Band Edge Measurement CDD


 Mode:
 802.11ax - SU

 Data Rate:
 MCS9

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2422MHz

 Channel:
 3




Plot 7-601. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 364 of 388
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Fage 364 01 366



Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2427MHzChannel:4



Plot 7-602. Radiated Restricted Lower Band Edge Measurement CDD


 Mode:
 802.11ax - SU

 Data Rate:
 MCS4

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2427MHz

 Channel:
 4



Plot 7-603. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 265 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 365 of 388




 Mode:
 802.11ax - SU

 Data Rate:
 MCS9

 Distance of Measurements:
 3 Meters


 Operating Frequency:
 2427MHz

 Channel:
 4



Plot 7-604. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2432MHzChannel:5




Plot 7-605. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 266 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 366 of 388




Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2432MHzChannel:5



Plot 7-606. Radiated Restricted Lower Band Edge Measurement CDD

Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2437MHzChannel:6




Plot 7-607. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 267 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 367 of 388



Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2442MHzChannel:7



Plot 7-608. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11ax - SU

 Data Rate:
 MCS4

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2442MHz

 Channel:
 7




Plot 7-609. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 269 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 368 of 388



Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2442MHzChannel:7



Plot 7-610. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11ax - SU

 Data Rate:
 MCS2

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2447MHz

 Channel:
 8




Plot 7-611. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 260 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 369 of 388




Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8



Plot 7-612. Radiated Restricted Upper Band Edge Measurement CDD

Mode:802.11ax - SUData Rate:MCS9Distance of Measurements:3 MetersOperating Frequency:2447MHzChannel:8




Plot 7-613. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 370 of 388
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Fage 370 01 366




Mode:802.11ax - SUData Rate:MCS2Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-614. Radiated Restricted Upper Band Edge Measurement CDD

Mode:802.11ax - SUData Rate:MCS4Distance of Measurements:3 MetersOperating Frequency:2452MHzChannel:9



Plot 7-615. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 371 of 388
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Fage 37 1 01 300




 Mode:
 802.11ax - SU

 Data Rate:
 MCS9

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2452MHz

 Channel:
 9



Plot 7-616. Radiated Restricted Upper Band Edge Measurement CDD


 Mode:
 802.11ax - SU

 Data Rate:
 MCS2

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 2457MHz

 Channel:
 10



Plot 7-617. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 272 of 200
1C2302130007-05.BCG	2/10/2023 - 4/25/2023	Head Mounted Device	Page 372 of 388