












WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Partial 52/37 CH01 5955MHz																																																																														
1+2	Vertical	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Powersetting : 032905-KS : WIFI 6E PEAK 3m 3117.00218652 VERTICAL : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto : (F8)192317 : Y : Full-directivity : #17 : 2 : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5900.20</td><td>56.27</td><td>-32.03</td><td>88.30</td><td>41.64</td><td>35.88</td><td>12.29</td><td>33.54</td><td>140</td><td>23 Peak VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Powersetting : 032905-KS : WIFI 6E PEAK 3m 3117.00218652 VERTICAL : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto : (F8)192317 : Y : Full-directivity : #17 : 2 : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5950.00</td><td>95.53</td><td>7.23</td><td>88.30</td><td>80.99</td><td>35.86</td><td>12.34</td><td>33.66</td><td>140</td><td>23 Peak VERTICAL</td></tr><tr><td>2</td><td>5950.00</td><td>87.85</td><td>10.55</td><td>68.30</td><td>73.31</td><td>35.86</td><td>12.34</td><td>33.66</td><td>140</td><td>23 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg			1	5900.20	56.27	-32.03	88.30	41.64	35.88	12.29	33.54	140	23 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg			1	5950.00	95.53	7.23	88.30	80.99	35.86	12.34	33.66	140	23 Peak VERTICAL	2	5950.00	87.85	10.55	68.30	73.31	35.86	12.34	33.66	140	23 Average VERTICAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																																							
1	5900.20	56.27	-32.03	88.30	41.64	35.88	12.29	33.54	140	23 Peak VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																																							
1	5950.00	95.53	7.23	88.30	80.99	35.86	12.34	33.66	140	23 Peak VERTICAL																																																																					
2	5950.00	87.85	10.55	68.30	73.31	35.86	12.34	33.66	140	23 Average VERTICAL																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Powersetting : 032905-KS : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL : RSM-1000.000KHz VBR-0.01000KHz SRT-Auto : (F8)192317 : Y : Full-directivity : #17 : 2 : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5865.16</td><td>45.79</td><td>-22.51</td><td>68.30</td><td>31.06</td><td>35.90</td><td>12.26</td><td>33.43</td><td>140</td><td>23 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg			1	5865.16	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	140	23 Average VERTICAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																																							
1	5865.16	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	140	23 Average VERTICAL																																																																					



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)




WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
1+2	Horizontal	Fundamental
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Date: 1 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 0585 5890 5910 5930 5950 5970 5990 6010 6025 Frequency (MHz) WIFI 6E PEAK -60.0 Site Condition Project Mode Plane IMEI Power setting 032005-KS WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL RRM-1000-0000Hz VHM-2000-0000Hz SRT-Auto 1a Full-directivity #17 S.5 Adapter24dB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dB dBuV/m dB dB cm deg 1 5919.72 57.46 -30.84 88.30 42.81 35.88 12.31 33.54 100 347 Peak HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Date: 3 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) WIFI 6E PEAK -60.0 WIFI 6E (AVG) -60.0 Site Condition Project Mode Plane IMEI Power setting 032005-KS WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL RRM-1000-0000Hz VHM-2000-0000Hz SRT-Auto 1a Full-directivity #17 S.5 Adapter24dB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dB dBuV/m dB dB cm deg 1 5950.00 101.12 12.82 88.30 86.58 35.86 12.34 33.66 100 347 Peak HORIZONTAL 2 5950.00 92.20 23.90 68.30 77.66 35.86 12.34 33.66 100 347 Average HORIZONTAL
	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Date: 2 Level (dBuV/m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 0585 5890 5910 5930 5950 5970 5990 6010 6025 Frequency (MHz) WIFI 6E (AVG) -60.0 Site Condition Project Mode Plane IMEI Power setting 032005-KS WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL RRM-1000-0000Hz VHM-0.0100Hz SRT-Auto 1a Full-directivity #17 S.5 Adapter24dB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas dB dBuV/m dB dB cm deg 1 5865.00 45.76 -22.54 68.30 31.03 35.90 12.26 33.43 100 347 Average HORIZONTAL






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 16 Full-directivity : Y IMEI : Full-directivity Powersetting : S.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5899.72</td><td>56.40</td><td>-31.90</td><td>88.30</td><td>41.77</td><td>35.88</td><td>12.29</td><td>33.54</td><td>166</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 16 Full-directivity : Y IMEI : Full-directivity Powersetting : S.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5950.00</td><td>95.96</td><td>-7.66</td><td>88.30</td><td>81.42</td><td>35.86</td><td>12.34</td><td>33.66</td><td>166</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5950.00</td><td>88.46</td><td>-20.30</td><td>68.30</td><td>14.56</td><td>35.86</td><td>12.34</td><td>33.66</td><td>166</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	5899.72	56.40	-31.90	88.30	41.77	35.88	12.29	33.54	166	23	Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	5950.00	95.96	-7.66	88.30	81.42	35.86	12.34	33.66	166	23	Peak	VERTICAL	2	5950.00	88.46	-20.30	68.30	14.56	35.86	12.34	33.66	166	23	Average	VERTICAL	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																						
1	5899.72	56.40	-31.90	88.30	41.77	35.88	12.29	33.54	166	23	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																						
1	5950.00	95.96	-7.66	88.30	81.42	35.86	12.34	33.66	166	23	Peak	VERTICAL																																																																	
2	5950.00	88.46	-20.30	68.30	14.56	35.86	12.34	33.66	166	23	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 16 Full-directivity : Y IMEI : Full-directivity Powersetting : S.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5885.00</td><td>45.71</td><td>-22.59</td><td>68.30</td><td>30.98</td><td>35.90</td><td>12.26</td><td>33.42</td><td>166</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	5885.00	45.71	-22.59	68.30	30.98	35.90	12.26	33.42	166	23	Average	VERTICAL																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																						
1	5885.00	45.71	-22.59	68.30	30.98	35.90	12.26	33.42	166	23	Average	VERTICAL																																																																	






U-NII 5 - 5925-6425MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Full CH03 5965MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 000KHz VSW 3000 000KHz SWT Auto Model : (FR) 192317 Mode : 19 Plane : Full-directivity IMEI : Full-directivity Power setting : #17 Adapter: 2408B 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5864.62</td><td>57.37</td><td>-30.93</td><td>88.30</td><td>42.64</td><td>35.90</td><td>12.26</td><td>33.43</td><td>128</td><td>10 Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 000KHz VSW 3000 000KHz SWT Auto Model : (FR) 192317 Mode : 19 Plane : Full-directivity IMEI : Full-directivity Power setting : #17 Adapter: 2408B 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5969.00</td><td>101.74</td><td>13.44</td><td>88.30</td><td>87.30</td><td>35.85</td><td>12.35</td><td>33.66</td><td>128</td><td>10 Peak</td></tr><tr><td>2</td><td>5969.00</td><td>92.39</td><td>25.09</td><td>68.30</td><td>78.85</td><td>35.85</td><td>12.35</td><td>33.66</td><td>128</td><td>10 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5864.62	57.37	-30.93	88.30	42.64	35.90	12.26	33.43	128	10 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5969.00	101.74	13.44	88.30	87.30	35.85	12.35	33.66	128	10 Peak	2	5969.00	92.39	25.09	68.30	78.85	35.85	12.35	33.66	128	10 Average	Fundamental
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1	5864.62	57.37	-30.93	88.30	42.64	35.90	12.26	33.43	128	10 Peak																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1	5969.00	101.74	13.44	88.30	87.30	35.85	12.35	33.66	128	10 Peak																																																																					
2	5969.00	92.39	25.09	68.30	78.85	35.85	12.35	33.66	128	10 Average																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030605-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM 1000 000KHz VSW 3000 000KHz SWT Auto Model : (FR) 192317 Mode : 19 Plane : Full-directivity IMEI : Full-directivity Power setting : #17 Adapter: 2408B 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5867.06</td><td>46.13</td><td>-22.17</td><td>68.30</td><td>31.40</td><td>35.90</td><td>12.26</td><td>33.43</td><td>128</td><td>10 Average</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5867.06	46.13	-22.17	68.30	31.40	35.90	12.26	33.43	128	10 Average																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1	5867.06	46.13	-22.17	68.30	31.40	35.90	12.26	33.43	128	10 Average																																																																					






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE40 Full H03 5965MHz																																																																					
1+2	Vertical	Fundamental																																																																				
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 03DH05-KS : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 0000kHz VBR-3000 0000kHz SRT-Auto Mode : (F8)192317 Plane : Y Full-directivity : Y Powersetting : #17 Adaptor2+USB 1 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5852.44</td><td>56.83</td><td>-31.47</td><td>88.30</td><td>42.14</td><td>35.87</td><td>12.25</td><td>33.43</td><td>142</td><td>19 Peak</td><td>VERTICAL</td></tr></table>	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5852.44	56.83	-31.47	88.30	42.14	35.87	12.25	33.43	142	19 Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 03DH05-KS : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 0000kHz VBR-3000 0000kHz SRT-Auto Mode : (F8)192317 Plane : Y Full-directivity : Y Powersetting : #17 Adaptor2+USB 1 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5959.00</td><td>98.92</td><td>10.62</td><td>88.30</td><td>84.38</td><td>35.85</td><td>12.35</td><td>33.66</td><td>142</td><td>19 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5959.00</td><td>90.24</td><td>21.94</td><td>68.30</td><td>75.70</td><td>35.85</td><td>12.35</td><td>33.66</td><td>142</td><td>19 Average</td><td>VERTICAL</td></tr></table>	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5959.00	98.92	10.62	88.30	84.38	35.85	12.35	33.66	142	19 Peak	VERTICAL	2	5959.00	90.24	21.94	68.30	75.70	35.85	12.35	33.66	142	19 Average	VERTICAL
Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																															
1	5852.44	56.83	-31.47	88.30	42.14	35.87	12.25	33.43	142	19 Peak	VERTICAL																																																											
Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																															
1	5959.00	98.92	10.62	88.30	84.38	35.85	12.35	33.66	142	19 Peak	VERTICAL																																																											
2	5959.00	90.24	21.94	68.30	75.70	35.85	12.35	33.66	142	19 Average	VERTICAL																																																											
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 03DH05-KS : WIFI 6E (AVG) 3m 3117 00218652 VERTICAL Project : RSM-1000 0000kHz VBR-0 01000kHz SRT-Auto Mode : (F8)192317 Plane : Y Full-directivity : Y Powersetting : #17 Adaptor2+USB 1 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Presamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5958.46</td><td>46.03</td><td>-22.27</td><td>68.30</td><td>31.30</td><td>35.90</td><td>12.26</td><td>33.43</td><td>142</td><td>19 Average</td><td>VERTICAL</td></tr></table>	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5958.46	46.03	-22.27	68.30	31.30	35.90	12.26	33.43	142	19 Average	VERTICAL	Left blank																																								
Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																															
1	5958.46	46.03	-22.27	68.30	31.30	35.90	12.26	33.43	142	19 Average	VERTICAL																																																											

U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)




WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Partial 242/61 H03 5965MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIF 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SWT-Auto Mode : 20 Plane : Full-directivity IMEI : #17 Power setting : 8.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5881.00</td><td>57.15</td><td>-31.15</td><td>88.30</td><td>42.47</td><td>35.89</td><td>12.28</td><td>33.49</td><td>100</td><td>350 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5881.00	57.15	-31.15	88.30	42.47	35.89	12.28	33.49	100	350 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIF 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SWT-Auto Mode : 20 Plane : Full-directivity IMEI : #17 Power setting : 8.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 5959.00</td><td>99.05</td><td>10.75</td><td>88.30</td><td>84.51</td><td>35.85</td><td>12.35</td><td>33.66</td><td>100</td><td>350 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 5959.00</td><td>91.42</td><td>23.12</td><td>68.30</td><td>76.88</td><td>35.85</td><td>12.35</td><td>33.66</td><td>100</td><td>350 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 5959.00	99.05	10.75	88.30	84.51	35.85	12.35	33.66	100	350 Peak	HORIZONTAL	2 * 5959.00	91.42	23.12	68.30	76.88	35.85	12.35	33.66	100	350 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5881.00	57.15	-31.15	88.30	42.47	35.89	12.28	33.49	100	350 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 5959.00	99.05	10.75	88.30	84.51	35.85	12.35	33.66	100	350 Peak	HORIZONTAL																																																																					
2 * 5959.00	91.42	23.12	68.30	76.88	35.85	12.35	33.66	100	350 Average	HORIZONTAL																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIF 6E (Ave) 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-0.0100Hz SWT-Auto Mode : 20 Plane : Full-directivity IMEI : #17 Power setting : 8.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5865.16</td><td>45.80</td><td>-22.50</td><td>68.30</td><td>31.07</td><td>35.90</td><td>12.26</td><td>33.43</td><td>100</td><td>350 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5865.16	45.80	-22.50	68.30	31.07	35.90	12.26	33.43	100	350 Average	HORIZONTAL	 Left blank																																												
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5865.16	45.80	-22.50	68.30	31.07	35.90	12.26	33.43	100	350 Average	HORIZONTAL																																																																					



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE40 Partial 242/61 H03 5965MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 032905-KS : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM: 1000.000KHz VBW: 3000.000KHz SMT: Auto Mode : FR192317 Plane : 20 Full-directivity : Y IMEI : #17 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5874.76</td><td>57.09</td><td>-31.21</td><td>88.30</td><td>42.41</td><td>35.89</td><td>12.28</td><td>33.49</td><td>203</td><td>24</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 032905-KS : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM: 1000.000KHz VBW: 3000.000KHz SMT: Auto Mode : FR192317 Plane : 20 Full-directivity : Y IMEI : #17 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5959.00</td><td>95.52</td><td>-7.22</td><td>88.30</td><td>80.98</td><td>35.85</td><td>12.35</td><td>33.66</td><td>203</td><td>24</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5959.00</td><td>88.30</td><td>20.00</td><td>68.30</td><td>73.81</td><td>35.85</td><td>12.35</td><td>33.66</td><td>203</td><td>24</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5874.76	57.09	-31.21	88.30	42.41	35.89	12.28	33.49	203	24	Peak	VERTICAL	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5959.00	95.52	-7.22	88.30	80.98	35.85	12.35	33.66	203	24	Peak	VERTICAL	2	5959.00	88.30	20.00	68.30	73.81	35.85	12.35	33.66	203	24	Average	VERTICAL	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																						
1	5874.76	57.09	-31.21	88.30	42.41	35.89	12.28	33.49	203	24	Peak	VERTICAL																																																																	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																						
1	5959.00	95.52	-7.22	88.30	80.98	35.85	12.35	33.66	203	24	Peak	VERTICAL																																																																	
2	5959.00	88.30	20.00	68.30	73.81	35.85	12.35	33.66	203	24	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 032905-KS : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM: 1000.000KHz VBW: 0.0100KHz SMT: Auto Mode : FR192317 Plane : 20 Full-directivity : Y IMEI : #17 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5865.16</td><td>45.78</td><td>-22.52</td><td>68.30</td><td>31.05</td><td>35.90</td><td>12.26</td><td>33.43</td><td>203</td><td>24</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5865.16	45.78	-22.52	68.30	31.05	35.90	12.26	33.43	203	24	Average	VERTICAL																																													
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																						
1	5865.16	45.78	-22.52	68.30	31.05	35.90	12.26	33.43	203	24	Average	VERTICAL																																																																	






U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																									
ANT	802.11ax HE80 Full CH07 5985MHz																																																																									
1+2	Horizontal	Fundamental																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000KHz VSW 3000 0000KHz SWT Auto Mode : 23 Plane : 7 Full-directivity : 1 IMEI : #17 Power setting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5985.00</td><td>57.53</td><td>-30.77</td><td>88.30</td><td>42.90</td><td>35.88</td><td>12.29</td><td>33.54</td><td>133</td><td>9 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000KHz VSW 3000 0000KHz SWT Auto Mode : 23 Plane : 7 Full-directivity : 1 IMEI : #17 Power setting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5986.00</td><td>100.28</td><td>11.99</td><td>88.30</td><td>85.78</td><td>35.84</td><td>12.37</td><td>33.71</td><td>133</td><td>9 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5986.00</td><td>91.68</td><td>23.38</td><td>68.30</td><td>77.18</td><td>35.84</td><td>12.37</td><td>33.71</td><td>133</td><td>9 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5985.00	57.53	-30.77	88.30	42.90	35.88	12.29	33.54	133	9 Peak	HORIZONTAL	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5986.00	100.28	11.99	88.30	85.78	35.84	12.37	33.71	133	9 Peak	HORIZONTAL	2	5986.00	91.68	23.38	68.30	77.18	35.84	12.37	33.71	133	9 Average	HORIZONTAL	
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																				
1	5985.00	57.53	-30.77	88.30	42.90	35.88	12.29	33.54	133	9 Peak	HORIZONTAL																																																															
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																				
1	5986.00	100.28	11.99	88.30	85.78	35.84	12.37	33.71	133	9 Peak	HORIZONTAL																																																															
2	5986.00	91.68	23.38	68.30	77.18	35.84	12.37	33.71	133	9 Average	HORIZONTAL																																																															
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000KHz VSW 0.0100KHz SWT Auto Mode : 23 Plane : 7 Full-directivity : 1 IMEI : #17 Power setting : 14 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5924.96</td><td>47.38</td><td>-20.92</td><td>68.30</td><td>32.79</td><td>35.87</td><td>12.32</td><td>33.60</td><td>133</td><td>9 Average</td><td>HORIZONTAL</td></tr></table> Left blank	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5924.96	47.38	-20.92	68.30	32.79	35.87	12.32	33.60	133	9 Average	HORIZONTAL																																											
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																				
1	5924.96	47.38	-20.92	68.30	32.79	35.87	12.32	33.60	133	9 Average	HORIZONTAL																																																															



U-NII 5 - 5925-6425MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)




WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz																																																																						
1+2	Horizontal	Fundamental																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto Model : 24 Plane : 7 Full-directivity : Full-directivity IMEI : #17 Power setting : 8 Adapter:4USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5985.04</td><td>56.91</td><td>-31.29</td><td>88.30</td><td>42.28</td><td>35.88</td><td>12.29</td><td>33.54</td><td>100</td><td>351 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto Model : 24 Plane : 7 Full-directivity : Full-directivity IMEI : #17 Power setting : 8 Adapter:4USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 * 5985.00</td><td>96.54</td><td>8.24</td><td>88.30</td><td>82.00</td><td>35.85</td><td>12.35</td><td>33.66</td><td>100</td><td>351 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 5985.00</td><td>88.42</td><td>20.12</td><td>68.30</td><td>73.88</td><td>35.85</td><td>12.35</td><td>33.66</td><td>100</td><td>351 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 5985.04	56.91	-31.29	88.30	42.28	35.88	12.29	33.54	100	351 Peak	HORIZONTAL	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 * 5985.00	96.54	8.24	88.30	82.00	35.85	12.35	33.66	100	351 Peak	HORIZONTAL	2 * 5985.00	88.42	20.12	68.30	73.88	35.85	12.35	33.66	100	351 Average	HORIZONTAL	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 5985.04	56.91	-31.29	88.30	42.28	35.88	12.29	33.54	100	351 Peak	HORIZONTAL																																																													
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 * 5985.00	96.54	8.24	88.30	82.00	35.85	12.35	33.66	100	351 Peak	HORIZONTAL																																																													
2 * 5985.00	88.42	20.12	68.30	73.88	35.85	12.35	33.66	100	351 Average	HORIZONTAL																																																													
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto Model : 24 Plane : 7 Full-directivity : Full-directivity IMEI : #17 Power setting : 8 Adapter:4USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5885.80</td><td>45.79</td><td>-22.51</td><td>68.30</td><td>31.06</td><td>35.90</td><td>12.26</td><td>33.43</td><td>100</td><td>351 Average</td><td>HORIZONTAL</td></tr></table> Left blank	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 5885.80	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	100	351 Average	HORIZONTAL																																									
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 5885.80	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	100	351 Average	HORIZONTAL																																																													






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FR)192317 Plane : 24 Polar : Full-directivity Polarization : H PowerSetting : 8 Adaptor:24dB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5883.24</td><td>56.28</td><td>-32.02</td><td>88.30</td><td>41.60</td><td>35.89</td><td>12.28</td><td>33.49</td><td>184</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg		1	5883.24	56.28	-32.02	88.30	41.60	35.89	12.28	33.49	184	23	Peak	VERTICAL	Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FR)192317 Plane : 24 Polar : Full-directivity Polarization : H PowerSetting : 8 Adaptor:24dB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5977.00</td><td>94.21</td><td>5.91</td><td>88.30</td><td>79.71</td><td>35.84</td><td>12.37</td><td>33.71</td><td>184</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5977.00</td><td>95.63</td><td>17.33</td><td>68.30</td><td>71.13</td><td>35.84</td><td>12.37</td><td>33.71</td><td>184</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg		1	5977.00	94.21	5.91	88.30	79.71	35.84	12.37	33.71	184	23	Peak	VERTICAL	2	5977.00	95.63	17.33	68.30	71.13	35.84	12.37	33.71	184	23	Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																						
1	5883.24	56.28	-32.02	88.30	41.60	35.89	12.28	33.49	184	23	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																						
1	5977.00	94.21	5.91	88.30	79.71	35.84	12.37	33.71	184	23	Peak	VERTICAL																																																																	
2	5977.00	95.63	17.33	68.30	71.13	35.84	12.37	33.71	184	23	Average	VERTICAL																																																																	
Avg.	Site : 030805-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FR)192317 Plane : 24 Polar : Full-directivity Polarization : H PowerSetting : 8 Adaptor:24dB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5885.32</td><td>45.76</td><td>-22.54</td><td>68.30</td><td>31.03</td><td>35.90</td><td>12.26</td><td>33.43</td><td>184</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg		1	5885.32	45.76	-22.54	68.30	31.03	35.90	12.26	33.43	184	23	Average	VERTICAL	Left blank																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																						
1	5885.32	45.76	-22.54	68.30	31.03	35.90	12.26	33.43	184	23	Average	VERTICAL																																																																	



U-NII 5 - 5925-6425MHz
WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
1+2	Horizontal	Fundamental
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 7 Level (dBuV/m) 130 117.6 104.8 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5825 5850 5870 5890 5910 5930 5950 5965 Frequency (MHz) Site Condition Project Mode Plane IMEI Power setting 032005-KS WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto 170192317 27 Full-directivity #17 13 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Level Limit Line Level Factor Loss Factor cm deg 1 5874.28 58.54 -29.76 88.30 43.86 35.89 12.28 33.49 107 4 Peak HORIZONTAL	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 9 Level (dBuV/m) 130 117.6 104.8 91.0 78.0 65.0 52.0 39.0 26.0 13.0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) Site Condition Project Mode Plane IMEI Power setting 032005-KS WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto 170192317 27 Full-directivity #17 13 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Level Limit Line Level Factor Loss Factor cm deg 1 6013.00 96.52 8.22 88.30 82.06 35.83 12.40 33.77 107 4 Peak HORIZONTAL 2 6013.00 87.94 19.64 68.30 73.48 35.83 12.40 33.77 107 4 Average HORIZONTAL
	Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 8 Level (dBuV/m) 130 117.6 104.8 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5825 5850 5870 5890 5910 5930 5950 5965 Frequency (MHz) Site Condition Project Mode Plane IMEI Power setting 032005-KS WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL RRM-1000-0000Hz VHM-0.01000Hz SRT-Auto 170192317 27 Full-directivity #17 13 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Level Limit Line Level Factor Loss Factor cm deg 1 5924.82 47.69 -20.61 68.30 33.10 35.87 12.32 33.60 107 4 Average HORIZONTAL






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE160 Full CH15 6025MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 03DH05-KS : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-3000 000KHz SRT-Auto Mode : (F8) 192317 Plane : 27 Polar : Full-directivity Polar : 47 Power : 13 Adaptor:2400B 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5867.42</td><td>56.84</td><td>-31.46</td><td>88.30</td><td>42.11</td><td>35.90</td><td>12.26</td><td>33.43</td><td>131</td><td>13</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	5867.42	56.84	-31.46	88.30	42.11	35.90	12.26	33.43	131	13	Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 03DH05-KS : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-3000 000KHz SRT-Auto Mode : (F8) 192317 Plane : 27 Polar : Full-directivity Polar : 47 Power : 13 Adaptor:2400B 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6022.00</td><td>94.78</td><td>6.48</td><td>88.30</td><td>80.32</td><td>35.83</td><td>12.40</td><td>33.77</td><td>131</td><td>13</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>6022.00</td><td>86.14</td><td>17.84</td><td>68.30</td><td>71.68</td><td>35.83</td><td>12.40</td><td>33.77</td><td>131</td><td>12</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	6022.00	94.78	6.48	88.30	80.32	35.83	12.40	33.77	131	13	Peak	VERTICAL	2	6022.00	86.14	17.84	68.30	71.68	35.83	12.40	33.77	131	12	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																					
1	5867.42	56.84	-31.46	88.30	42.11	35.90	12.26	33.43	131	13	Peak	VERTICAL																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																					
1	6022.00	94.78	6.48	88.30	80.32	35.83	12.40	33.77	131	13	Peak	VERTICAL																																																																	
2	6022.00	86.14	17.84	68.30	71.68	35.83	12.40	33.77	131	12	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 03DH05-KS : WIFI 6E (AVG) 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-0 0100KHz SRT-Auto Mode : (F8) 192317 Plane : 27 Polar : Full-directivity Polar : 47 Power : 13 Adaptor:2400B 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5868.54</td><td>46.50</td><td>-21.80</td><td>68.30</td><td>31.77</td><td>35.90</td><td>12.26</td><td>33.43</td><td>131</td><td>13</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	5868.54	46.50	-21.80	68.30	31.77	35.90	12.26	33.43	131	13	Average	VERTICAL	Left blank																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																					
1	5868.54	46.50	-21.80	68.30	31.77	35.90	12.26	33.43	131	13	Average	VERTICAL																																																																	

U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz																																																																																	
1+2	Horizontal	Fundamental																																																																																
Peak	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.spurton.com.cn Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 000KHz VSW 3000 000KHz SWT Auto Model : 192317 Mode : 20 Plane : 7 Full-directivity IMEI : 817 Power setting : 8.5 Adapter: 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5915.88</td><td>61.74</td><td>-24.56</td><td>88.30</td><td>47.09</td><td>35.88</td><td>12.31</td><td>33.54</td><td>157</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5915.88	61.74	-24.56	88.30	47.09	35.88	12.31	33.54	157	0 Peak	HORIZONTAL	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.spurton.com.cn Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 000KHz VSW 3000 000KHz SWT Auto Model : 192317 Mode : 20 Plane : 7 Full-directivity IMEI : 817 Power setting : 8.5 Adapter: 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>6013.00</td><td>94.49</td><td>6.19</td><td>88.30</td><td>80.03</td><td>35.83</td><td>12.40</td><td>33.77</td><td>157</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>6013.00</td><td>86.24</td><td>17.94</td><td>68.30</td><td>71.78</td><td>35.83</td><td>12.40</td><td>33.77</td><td>157</td><td>0 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	6013.00	94.49	6.19	88.30	80.03	35.83	12.40	33.77	157	0 Peak	HORIZONTAL	2	6013.00	86.24	17.94	68.30	71.78	35.83	12.40	33.77	157	0 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5915.88	61.74	-24.56	88.30	47.09	35.88	12.31	33.54	157	0 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	6013.00	94.49	6.19	88.30	80.03	35.83	12.40	33.77	157	0 Peak	HORIZONTAL																																																																							
2	6013.00	86.24	17.94	68.30	71.78	35.83	12.40	33.77	157	0 Average	HORIZONTAL																																																																							
Avg.	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.spurton.com.cn Site : 030605-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM 1000 000KHz VSW 0.010KHz SWT Auto Model : 192317 Mode : 20 Plane : 7 Full-directivity IMEI : 817 Power setting : 8.5 Adapter: 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.20</td><td>46.48</td><td>-21.82</td><td>68.30</td><td>31.89</td><td>35.87</td><td>12.32</td><td>33.60</td><td>157</td><td>0 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5924.20	46.48	-21.82	68.30	31.89	35.87	12.32	33.60	157	0 Average	HORIZONTAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5924.20	46.48	-21.82	68.30	31.89	35.87	12.32	33.60	157	0 Average	HORIZONTAL																																																																							







WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-3000 000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y IMEI : 812 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5905.64</td><td>59.81</td><td>-28.49</td><td>88.30</td><td>45.16</td><td>35.88</td><td>12.31</td><td>33.54</td><td>171</td><td>19</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5905.64	59.81	-28.49	88.30	45.16	35.88	12.31	33.54	171	19	Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-3000 000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y IMEI : 812 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6022.00</td><td>92.49</td><td>4.19</td><td>88.30</td><td>78.03</td><td>35.83</td><td>12.40</td><td>33.77</td><td>171</td><td>19</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>6022.00</td><td>84.36</td><td>16.00</td><td>68.30</td><td>69.84</td><td>35.83</td><td>12.40</td><td>33.77</td><td>171</td><td>19</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	6022.00	92.49	4.19	88.30	78.03	35.83	12.40	33.77	171	19	Peak	VERTICAL	2	6022.00	84.36	16.00	68.30	69.84	35.83	12.40	33.77	171	19	Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
1	5905.64	59.81	-28.49	88.30	45.16	35.88	12.31	33.54	171	19	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
1	6022.00	92.49	4.19	88.30	78.03	35.83	12.40	33.77	171	19	Peak	VERTICAL																																																																	
2	6022.00	84.36	16.00	68.30	69.84	35.83	12.40	33.77	171	19	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-0.0100KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y IMEI : 812 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5897.64</td><td>45.85</td><td>-22.45</td><td>68.30</td><td>31.22</td><td>35.88</td><td>12.29</td><td>33.54</td><td>171</td><td>19</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5897.64	45.85	-22.45	68.30	31.22	35.88	12.29	33.54	171	19	Average	VERTICAL	Left blank																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
1	5897.64	45.85	-22.45	68.30	31.22	35.88	12.29	33.54	171	19	Average	VERTICAL																																																																	





U-NII 5 - 5925-6425MHzMHz



WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 00218663 HORIZONTAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Mode : 1 Plane : Y Full-directivity : Y Power setting : 0 Adapter2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas 1 11910.38 44.96 -29.04 74.00 48.25 38.95 17.90 60.14 300 0 Peak HORIZONTAL	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 00218663 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Mode : 1 Plane : Y Full-directivity : Y Power setting : 0 Adapter2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas 1 11910.38 45.83 -28.17 74.00 49.12 38.95 17.90 60.14 100 360 Peak VERTICAL
	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 00218663 HORIZONTAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Mode : 1 Plane : Y Full-directivity : Y Power setting : 0 Adapter2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas 1 11910.38 44.96 -29.04 74.00 48.25 38.95 17.90 60.14 300 0 Peak HORIZONTAL	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 00218663 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Mode : 1 Plane : Y Full-directivity : Y Power setting : 0 Adapter2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas 1 11910.38 45.83 -28.17 74.00 49.12 38.95 17.90 60.14 100 360 Peak VERTICAL







WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																	
ANT	802.11a CH45 6175 MHz																																																																	
1+2	Horizontal	Vertical																																																																
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900258 http://www.sporton.com.cn SPORTON LAB. Date: 5 Level (dBuV/m) Frequency (MHz) WIFI 45 PEAK WIFI RECV201 Site : 030905-KS Condition : WIFI 45 PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 2 Polar : Full-directivity Polar : 0 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>12350.94</td><td>44.80</td><td>-29.20</td><td>74.00</td><td>47.55</td><td>39.26</td><td>18.08</td><td>60.09</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	deg		1	12350.94	44.80	-29.20	74.00	47.55	39.26	18.08	60.09	300	0 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900258 http://www.sporton.com.cn SPORTON LAB. Date: 6 Level (dBuV/m) Frequency (MHz) WIFI 45 PEAK WIFI RECV201 Site : 030905-KS Condition : WIFI 45 PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 2 Polar : Full-directivity Polar : 0 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>12350.94</td><td>45.60</td><td>-28.40</td><td>74.00</td><td>48.35</td><td>39.26</td><td>18.08</td><td>60.09</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	deg		1	12350.94	45.60	-28.40	74.00	48.35	39.26	18.08	60.09	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	deg																																																										
1	12350.94	44.80	-29.20	74.00	47.55	39.26	18.08	60.09	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	deg																																																										
1	12350.94	45.60	-28.40	74.00	48.35	39.26	18.08	60.09	100	360 Peak	VERTICAL																																																							





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11a CH93 6415 MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto FREQ 192317 Mode : 3 Plane : Y Full-directivity : Y IME1 : #17 Power setting : 9 Adaptor:2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12831.54</td><td>46.66</td><td>-41.64</td><td>88.30</td><td>48.73</td><td>39.61</td><td>18.42</td><td>60.10</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	12831.54	46.66	-41.64	88.30	48.73	39.61	18.42	60.10	300	0 Peak HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto FREQ 192317 Mode : 3 Plane : Y Full-directivity : Y IME1 : #17 Power setting : 9 Adaptor:2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12831.54</td><td>46.72</td><td>-41.58</td><td>88.30</td><td>48.79</td><td>39.61</td><td>18.42</td><td>60.10</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	12831.54	46.72	-41.58	88.30	48.79	39.61	18.42	60.10	100	360 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12831.54	46.66	-41.64	88.30	48.73	39.61	18.42	60.10	300	0 Peak HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12831.54	46.72	-41.58	88.30	48.79	39.61	18.42	60.10	100	360 Peak VERTICAL																																																										





U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH01 5955MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 13 Plane: 1 Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>deg</th><th></th></tr><tr><td>1 11910.38</td><td>45.79</td><td>-28.21</td><td>74.00</td><td>49.08</td><td>38.95</td><td>17.90</td><td>60.14</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	deg		1 11910.38	45.79	-28.21	74.00	49.08	38.95	17.90	60.14	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 13 Plane: 1 Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>deg</th><th></th></tr><tr><td>1 11910.38</td><td>45.58</td><td>-28.42</td><td>74.00</td><td>48.87</td><td>38.95</td><td>17.90</td><td>60.14</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	deg		1 11910.38	45.58	-28.42	74.00	48.87	38.95	17.90	60.14	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	deg																																																											
1 11910.38	45.79	-28.21	74.00	49.08	38.95	17.90	60.14	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	deg																																																											
1 11910.38	45.58	-28.42	74.00	48.87	38.95	17.90	60.14	100	360 Peak	VERTICAL																																																										
Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 13 Plane: 1 Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>deg</th><th></th></tr><tr><td>1 11910.38</td><td>45.79</td><td>-28.21</td><td>74.00</td><td>49.08</td><td>38.95</td><td>17.90</td><td>60.14</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	deg		1 11910.38	45.79	-28.21	74.00	49.08	38.95	17.90	60.14	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 13 Plane: 1 Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>deg</th><th></th></tr><tr><td>1 11910.38</td><td>45.58</td><td>-28.42</td><td>74.00</td><td>48.87</td><td>38.95</td><td>17.90</td><td>60.14</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	deg		1 11910.38	45.58	-28.42	74.00	48.87	38.95	17.90	60.14	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	deg																																																											
1 11910.38	45.79	-28.21	74.00	49.08	38.95	17.90	60.14	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	deg																																																											
1 11910.38	45.58	-28.42	74.00	48.87	38.95	17.90	60.14	100	360 Peak	VERTICAL																																																										





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH45 6175MHz	
1+2	Horizontal	Vertical
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.co.uk.cn  Sporton Lab Data: 5 Level (dBuV/m) 117 93.6 81.5 79.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 10000 11000 12000 13000 14000 15000 16000 17000 18000 Site Condition : 03PH05-KS RIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 17 Polar : Y IME1 : Full-directivity Power setting : 47 Adaptor2:USB 1 Freq Level Limit Line Level Antenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 12350.94 46.45 -27.55 74.00 49.20 39.26 18.08 60.09 300 0 Peak HORIZONTAL  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.co.uk.cn  Sporton Lab Data: 6 Level (dBuV/m) 117 93.6 81.5 79.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 10000 11000 12000 13000 14000 15000 16000 17000 18000 Site Condition : 03PH05-KS RIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : Y IME1 : Full-directivity Power setting : 47 Adaptor2:USB 1 Freq Level Limit Line Level Antenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 12350.94 45.65 -28.35 74.00 48.40 39.26 18.08 60.09 100 360 Peak VERTICAL	



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH93 6415MHz	
1+2	Horizontal	Vertical
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn  Sporton Lab Data: 5 Level (dBuV/m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 0 10000 11000 12000 13000 14000 15000 16000 17000 18000 WIFI 6E PEAK WIFI 6E (AVG) Site Condition Project Mode Plane IME1 Power setting Adaptor:4000 1 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Poi/Phas Freq Level Limit Line Level Factor dB dB dB dB cm deg 1 12831.54 45.35 -42.95 88.30 47.42 39.61 18.42 60.10 300 0 Peak HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn  Sporton Lab Data: 6 Level (dBuV/m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 0 10000 11000 12000 13000 14000 15000 16000 17000 18000 WIFI 6E PEAK WIFI 6E (AVG) Site Condition Project Mode Plane IME1 Power setting Adaptor:2+USB 1 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Poi/Phas Freq Level Limit Line Level Factor dB dB dB dB cm deg 1 12831.54 46.47 -41.83 88.30 48.54 39.61 18.42 60.10 100 360 Peak VERTICAL

U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : 888-1000-000000 V08-2000-000000 DRT-Auto Model : 73 Plane : Y Full-directivity : Y MEI : 14 Power setting : 14 Adaptor: USB 1 Over Limit : ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor cm deg 1 11970.46 45.33 -28.67 74.00 48.51 38.98 17.94 60.10 300 0 Peak HORIZONTAL	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : 888-1000-000000 V08-2000-000000 DRT-Auto Model : 73 Plane : X Full-directivity : Y MEI : 14 Power setting : 14 Adaptor: USB 1 Over Limit : ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor cm deg 1 11970.46 45.61 -28.39 74.00 48.79 38.98 17.94 60.10 100 360 Peak VERTICAL

WIFI

U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m

ANT

802.11ax HE80 Full CH39 6145MHz

1+2

Horizontal

Vertical

Peak

Avg.




SPORTAN LAB.

No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China
tel: +86-512-57900158
Fax: +86-512-57900058
http://www.sportan.com.cn



SPORTAN LAB.

Data: 5



Level (dBm/Hz)

Frequency (MHz)

WIFI 6E PEAK
WIFI REQUIRED

Site Condition : 032005-KS
Project : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL
Mode : (FR) 192317
Plane : 25
Full-directivity
WFI
Powersetting : 14

Freq	Level	Over Limit	ReadAntenna	Cable Pramp	A/Pos	T/Pos	Remark	Pol/Phas
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	
1 12290.86	46.88	-27.12	74.00	49.70	39.21	18.06	60.09	300 0 Peak HORIZONTAL




SPORTAN LAB.

No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China
tel: +86-512-57900158
Fax: +86-512-57900058
http://www.sportan.com.cn



SPORTAN LAB.

Data: 6



Level (dBm/Hz)




Frequency (MHz)

WIFI 6E PEAK
WIFI REQUIRED

Site Condition : 032005-KS
Project : WIFI 6E PEAK 3m 3117 00218652 VERTICAL
Mode : (FR) 192317
Plane : 25
Full-directivity
WFI
Powersetting : 14



Freq	Level	Over Limit	ReadAntenna	Cable Pramp	A/Pos	T/Pos	Remark	Pol/Phas
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	
1 12290.86	46.04	-27.96	74.00	48.86	39.21	18.06	60.09	100 360 Peak VERTICAL





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH87 6385MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 26 Plane : 7 Full-directivity : 47 Power setting : 18 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>12771.46</td><td>45.72</td><td>-42.58</td><td>88.30</td><td>47.90</td><td>39.56</td><td>18.36</td><td>60.10</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table> <td>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 26 Plane : 7 Full-directivity : 47 Power setting : 18 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>12771.46</td><td>46.77</td><td>-41.53</td><td>88.30</td><td>48.95</td><td>39.56</td><td>18.36</td><td>60.10</td><td>100</td><td>360 Peak VERTICAL</td></tr></table> </td>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	12771.46	45.72	-42.58	88.30	47.90	39.56	18.36	60.10	300	0 Peak HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 26 Plane : 7 Full-directivity : 47 Power setting : 18 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>12771.46</td><td>46.77</td><td>-41.53</td><td>88.30</td><td>48.95</td><td>39.56</td><td>18.36</td><td>60.10</td><td>100</td><td>360 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	12771.46	46.77	-41.53	88.30	48.95	39.56	18.36	60.10	100	360 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1	12771.46	45.72	-42.58	88.30	47.90	39.56	18.36	60.10	300	0 Peak HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1	12771.46	46.77	-41.53	88.30	48.95	39.56	18.36	60.10	100	360 Peak VERTICAL																																																										



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE160 Full CH15 6025MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model : 27 Plane : 1 Full-directivity MEI : 13 Power setting : 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12050.56</td><td>46.28</td><td>-27.72</td><td>74.00</td><td>49.34</td><td>39.04</td><td>17.98</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg			1 12050.56	46.28	-27.72	74.00	49.34	39.04	17.98	60.08	300	0 Peak	HORIZONTAL	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model : 27 Plane : 1 Full-directivity MEI : 13 Power setting : 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12050.56</td><td>45.07</td><td>-28.93</td><td>74.00</td><td>48.13</td><td>39.04</td><td>17.98</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg			1 12050.56	45.07	-28.93	74.00	48.13	39.04	17.98	60.08	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 12050.56	46.28	-27.72	74.00	49.34	39.04	17.98	60.08	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 12050.56	45.07	-28.93	74.00	48.13	39.04	17.98	60.08	100	360 Peak	VERTICAL																																																										





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																												
ANT	802.11ax HE160 Full CH47 6185MHz																																																												
1+2	Horizontal	Vertical																																																											
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data: 5  Site Condition : 03PH05-KS RIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 29 Polar : 7 Full-directivity : 47 Power setting : 13 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.96</td><td>45.14</td><td>-28.86</td><td>74.00</td><td>47.86</td><td>39.28</td><td>18.09</td><td>60.09</td><td>300 0 Peak HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data: 6  Site Condition : 03PH05-KS RIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 29 Polar : 7 Full-directivity : 47 Power setting : 13 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.96</td><td>44.86</td><td>-29.14</td><td>74.00</td><td>47.58</td><td>39.28</td><td>18.09</td><td>60.09</td><td>100 360 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	12370.96	45.14	-28.86	74.00	47.86	39.28	18.09	60.09	300 0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	12370.96	44.86	-29.14	74.00	47.58	39.28	18.09	60.09	100 360 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																				
1	12370.96	45.14	-28.86	74.00	47.86	39.28	18.09	60.09	300 0 Peak HORIZONTAL																																																				
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																				
1	12370.96	44.86	-29.14	74.00	47.58	39.28	18.09	60.09	100 360 Peak VERTICAL																																																				





U-NII 6 - 6425-6525MHzMHz

WIFI 802.11a (Harmonic @ 3m)





WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																							
ANT	802.11a CH97 6435MHz																																																																							
1+2	Horizontal						Vertical																																																																	
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 5 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI 6E PEAK dBm WIFI 6E CH97 dBm Site Condition : 03DH05-KS : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3.000.000KHz SMT Auto FR192317 Mode : 4 Plane : Y Full-directivity Ant : #1 Power setting : 0.5 Adaptor 2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12871.58</td><td>46.19</td><td>-42.11</td><td>88.30</td><td>48.20</td><td>39.64</td><td>18.45</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>						Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	12871.58	46.19	-42.11	88.30	48.20	39.64	18.45	60.10	300	0 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 6 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI 6E PEAK dBm WIFI 6E CH97 dBm Site Condition : 03DH05-KS : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3.000.000KHz SMT Auto FR192317 Mode : 4 Plane : Y Full-directivity Ant : #1 Power setting : 0.5 Adaptor 2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12871.58</td><td>45.92</td><td>-42.38</td><td>88.30</td><td>47.93</td><td>39.64</td><td>18.45</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>						Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	12871.58	45.92	-42.38	88.30	47.93	39.64	18.45	60.10	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1	12871.58	46.19	-42.11	88.30	48.20	39.64	18.45	60.10	300	0 Peak	HORIZONTAL																																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1	12871.58	45.92	-42.38	88.30	47.93	39.64	18.45	60.10	100	360 Peak	VERTICAL																																																													





WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																	
ANT	802.11a CH113 6515MHz																																																																	
1+2	Horizontal	Vertical																																																																
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto PR192317 Bode : 0 Plane : Y Full-directivity : Full-directivity IME1 : 012 Power setting : V 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13031.79</td><td>45.35</td><td>-42.95</td><td>88.30</td><td>47.10</td><td>39.76</td><td>18.59</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	13031.79	45.35	-42.95	88.30	47.10	39.76	18.59	60.10	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto PR192317 Bode : 0 Plane : Y Full-directivity : Full-directivity IME1 : 012 Power setting : V 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13031.79</td><td>45.89</td><td>-42.41</td><td>88.30</td><td>47.64</td><td>39.76</td><td>18.59</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	13031.79	45.89	-42.41	88.30	47.64	39.76	18.59	60.10	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																											
1	13031.79	45.35	-42.95	88.30	47.10	39.76	18.59	60.10	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																										
1	13031.79	45.89	-42.41	88.30	47.64	39.76	18.59	60.10	100	360 Peak	VERTICAL																																																							



U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE20 Full CH97 6435MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model : 31 Plane : 1 Full-directivity MEI : 10 Power setting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12871.58</td><td>45.60</td><td>-42.70</td><td>88.30</td><td>47.61</td><td>39.64</td><td>18.45</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model : 31 Plane : 1 Full-directivity MEI : 10 Power setting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12871.58</td><td>45.60</td><td>-42.70</td><td>88.30</td><td>47.61</td><td>39.64</td><td>18.45</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12871.58	45.60	-42.70	88.30	47.61	39.64	18.45	60.10	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12871.58	45.60	-42.70	88.30	47.61	39.64	18.45	60.10	300	0 Peak	HORIZONTAL	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model : 31 Plane : 1 Full-directivity MEI : 10 Power setting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12871.58</td><td>45.91</td><td>-42.39</td><td>88.30</td><td>47.92</td><td>39.64</td><td>18.45</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model : 31 Plane : 1 Full-directivity MEI : 10 Power setting : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12871.58</td><td>45.91</td><td>-42.39</td><td>88.30</td><td>47.92</td><td>39.64</td><td>18.45</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12871.58	45.91	-42.39	88.30	47.92	39.64	18.45	60.10	100	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12871.58	45.91	-42.39	88.30	47.92	39.64	18.45	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 12871.58	45.60	-42.70	88.30	47.61	39.64	18.45	60.10	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 12871.58	45.60	-42.70	88.30	47.61	39.64	18.45	60.10	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 12871.58	45.91	-42.39	88.30	47.92	39.64	18.45	60.10	100	360 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 12871.58	45.91	-42.39	88.30	47.92	39.64	18.45	60.10	100	360 Peak	VERTICAL																																																																																																																												





WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																		
ANT	802.11ax HE20 Full CH113 6515MHz																																																																		
1+2	Horizontal	Vertical																																																																	
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR192317 Plane : 33 Y : 7 Full-directivity : 47 IME1 : 10 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13031.79</td><td>46.22</td><td>-42.08</td><td>88.30</td><td>47.97</td><td>39.76</td><td>18.59</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	13031.79	46.22	-42.08	88.30	47.97	39.76	18.59	60.10	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR192317 Plane : 33 Y : 7 Full-directivity : 47 IME1 : 10 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13031.79</td><td>46.49</td><td>-41.81</td><td>88.30</td><td>48.24</td><td>39.76</td><td>18.59</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	13031.79	46.49	-41.81	88.30	48.24	39.76	18.59	60.10	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																											
1	13031.79	46.22	-42.08	88.30	47.97	39.76	18.59	60.10	300	0 Peak	HORIZONTAL																																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																										
1	13031.79	46.49	-41.81	88.30	48.24	39.76	18.59	60.10	100	360 Peak	VERTICAL																																																								





U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH99 6445 MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 34 Plane: 7 Full-directivity MEI: 12.5 Power setting: 12.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12891.61</td><td>46.49</td><td>-41.81</td><td>88.30</td><td>48.46</td><td>39.66</td><td>18.47</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	cm	deg			1 12891.61	46.49	-41.81	88.30	48.46	39.66	18.47	60.10	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 34 Plane: 8 Full-directivity MEI: 12.5 Power setting: 12.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12891.61</td><td>46.39</td><td>-41.91</td><td>88.30</td><td>48.36</td><td>39.66</td><td>18.47</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	cm	deg			1 12891.61	46.39	-41.91	88.30	48.36	39.66	18.47	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	cm	deg																																																												
1 12891.61	46.49	-41.81	88.30	48.46	39.66	18.47	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	cm	deg																																																												
1 12891.61	46.39	-41.91	88.30	48.36	39.66	18.47	60.10	100	360 Peak	VERTICAL																																																										



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																	
ANT	802.11ax HE40 Full CH107 6485 MHz																																																																	
1+2	Horizontal	Vertical																																																																
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900098 http://www.sporton.com.cn SPORTON LAB. Data: 5 Level (dBm/100m) Frequency (MHz) WIFI 6E PEAK WIFI 6E AVG Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 35 Y : Full-directivity : IMEI : 87 Power setting : Adaptor2+USB 1 12.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>12971.71</td><td>46.34</td><td>-41.96</td><td>88.30</td><td>48.20</td><td>39.71</td><td>18.53</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	dB	deg		1	12971.71	46.34	-41.96	88.30	48.20	39.71	18.53	60.10	300	0 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900098 http://www.sporton.com.cn SPORTON LAB. Data: 6 Level (dBm/100m) Frequency (MHz) WIFI 6E PEAK WIFI 6E AVG Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 35 Y : Full-directivity : IMEI : 87 Power setting : Adaptor2+USB 1 12.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>12971.71</td><td>45.91</td><td>-42.39</td><td>88.30</td><td>47.77</td><td>39.71</td><td>18.53</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	dB	deg		1	12971.71	45.91	-42.39	88.30	47.77	39.71	18.53	60.10	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																								
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	dB	deg																																																										
1	12971.71	46.34	-41.96	88.30	48.20	39.71	18.53	60.10	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																									
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	dB	deg																																																										
1	12971.71	45.91	-42.39	88.30	47.77	39.71	18.53	60.10	100	360 Peak	VERTICAL																																																							



U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																					
ANT	802.11ax HE80 Full CH103 6465MHz																																																					
1+2	Horizontal	Vertical																																																				
Peak Avg.	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900168 fax: +86-0512-57900168 http://www.sporton.com.cn Data: 5 Level (dBm/Hz)  Frequency (MHz) Site Condition : 030905-KS RFI: 6E PEAK 3m 3117 00218652 HORIZONTAL RBR: 1000.000MHz VBR: 3000.000MHz SRT: Auto Project : (FRI) 192317 Basis : 20 Plane : 5 Full-directivity : 1 IMEI : 417 Power setting : 14 <table> <tr> <th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr> <tr> <td>1</td><td>12931.66</td><td>46.31</td><td>-41.99</td><td>88.30</td><td>48.22</td><td>39.69</td><td>18.50</td><td>60.10</td><td>300</td><td>0</td><td>Peak</td><td>HORIZONTAL</td></tr> </table>	Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	Loss	A/Pos	T/Pos	Remark	Pol/Phas	1	12931.66	46.31	-41.99	88.30	48.22	39.69	18.50	60.10	300	0	Peak	HORIZONTAL	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900168 fax: +86-0512-57900168 http://www.sporton.com.cn Data: 6 Level (dBm/Hz)  Frequency (MHz) Site Condition : 030905-KS RFI: 6E PEAK 3m 3117 00218652 VERTICAL RBR: 1000.000MHz VBR: 3000.000MHz SRT: Auto Project : (FRI) 192317 Basis : 20 Plane : 5 Full-directivity : 1 IMEI : 417 Power setting : 14 <table> <tr> <th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr> <tr> <td>1</td><td>12931.66</td><td>46.23</td><td>-42.07</td><td>88.30</td><td>48.14</td><td>39.69</td><td>18.50</td><td>60.10</td><td>100</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr> </table>	Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	Loss	A/Pos	T/Pos	Remark	Pol/Phas	1	12931.66	46.23	-42.07	88.30	48.14	39.69	18.50	60.10	100	360	Peak	VERTICAL
Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																										
1	12931.66	46.31	-41.99	88.30	48.22	39.69	18.50	60.10	300	0	Peak	HORIZONTAL																																										
Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																										
1	12931.66	46.23	-42.07	88.30	48.14	39.69	18.50	60.10	100	360	Peak	VERTICAL																																										





U-NII 6 - Straddle Channel

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE40 Full CH115 6525MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 030H05-KS Condition : WIFI 802.11ax HE40 Full CH115 6525MHz HORIZONTAL Project : FR192317 Mode : 27 Plane : Y Full-directivity : Y Power setting : 12 Adapter2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas 1 13051.81 46.02 -42.28 88.30 47.74 39.77 18.61 60.10 300 0 Peak HORIZONTAL	 Site : 030H05-KS Condition : WIFI 802.11ax HE40 Full CH115 6525MHz VERTICAL Project : FR192317 Mode : 27 Plane : Y Full-directivity : Y Power setting : 12 Adapter2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas 1 13051.81 45.87 -42.43 88.30 47.59 39.77 18.61 60.10 100 360 Peak VERTICAL





U-NII 6 – Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m																																																																		
ANT	802.11ax HE80 Full CH119 6545MHz																																																																		
1+2	Horizontal	Vertical																																																																	
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 5 Level (dBm/100) Frequency (MHz) WIFI 6E PEAK WIFI REQUIS Site Condition : 032005-KS Project : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Model : RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Plane : (FR)192317 Full-directivity MEI : 38 Power setting : 14 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13091.86</td><td>45.55</td><td>-42.75</td><td>88.30</td><td>47.20</td><td>39.80</td><td>18.65</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 6 Level (dBm/100) Frequency (MHz) WIFI 6E PEAK WIFI REQUIS Site Condition : 032005-KS Project : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Model : RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Plane : (FR)192317 Full-directivity MEI : 38 Power setting : 14 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13091.86</td><td>46.60</td><td>-41.70</td><td>88.30</td><td>48.25</td><td>39.80</td><td>18.65</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	deg		1 13091.86	45.55	-42.75	88.30	47.20	39.80	18.65	60.10	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	deg		1 13091.86	46.60	-41.70	88.30	48.25	39.80	18.65	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	deg																																																										
1 13091.86	45.55	-42.75	88.30	47.20	39.80	18.65	60.10	300	0 Peak	HORIZONTAL																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	deg																																																										
1 13091.86	46.60	-41.70	88.30	48.25	39.80	18.65	60.10	100	360 Peak	VERTICAL																																																									



U-NII 7 - 6525~6875MHz

WIFI 802.11a (Harmonic @ 3m)



WIFI		U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT		802.11a CH117 6535MHz																																																													
1+2		Horizontal	Vertical																																																												
Peak Avg.	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Date : 070192317 Plane : Y Antenna : Full-directivity Antenna : H1 Power setting : 0.5 Adapter: 2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13071.83</td><td>45.84</td><td>-42.46</td><td>88.30</td><td>47.52</td><td>39.79</td><td>18.63</td><td>60.10</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>  Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Date : 070192317 Plane : Y Antenna : Full-directivity Antenna : H1 Power setting : 0.5 Adapter: 2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13071.83</td><td>45.76</td><td>-42.54</td><td>88.30</td><td>47.44</td><td>39.79</td><td>18.63</td><td>60.10</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>		Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13071.83	45.84	-42.46	88.30	47.52	39.79	18.63	60.10	300	0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13071.83	45.76	-42.54	88.30	47.44	39.79	18.63	60.10	100	360 Peak VERTICAL	
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																								
1 13071.83	45.84	-42.46	88.30	47.52	39.79	18.63	60.10	300	0 Peak HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																								
1 13071.83	45.76	-42.54	88.30	47.44	39.79	18.63	60.10	100	360 Peak VERTICAL																																																						



U-NII 7 6525~6875MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH117 6535MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 40 Plane: Y Full-directivity MEI: #17 Power setting: 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBμV/m</th><th>dB</th><th>dBμV/m</th><th>dBμV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13071.83</td><td>46.08</td><td>-42.22</td><td>88.30</td><td>47.76</td><td>39.79</td><td>18.63</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg			1 13071.83	46.08	-42.22	88.30	47.76	39.79	18.63	60.10	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 40 Plane: X Full-directivity MEI: #17 Power setting: 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBμV/m</th><th>dB</th><th>dBμV/m</th><th>dBμV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13071.83</td><td>45.88</td><td>-42.42</td><td>88.30</td><td>47.56</td><td>39.79</td><td>18.63</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg			1 13071.83	45.88	-42.42	88.30	47.56	39.79	18.63	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg																																																												
1 13071.83	46.08	-42.22	88.30	47.76	39.79	18.63	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg																																																												
1 13071.83	45.88	-42.42	88.30	47.56	39.79	18.63	60.10	100	360 Peak	VERTICAL																																																										






WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																	
ANT	802.11ax HE20 Full CH149 6695MHz																																																																	
1+2	Horizontal	Vertical																																																																
Peak Avg.	 No. 1099, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn SPORTON LAB. Logo Data: 5 Level (dBuV/m) 117 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI 6E PEAK WIFI 6E (AUS) Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 41 Polar : 7 Full-directivity : 47 IMEI : 10 Power setting : Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13388.23</td><td>46.76</td><td>-27.24</td><td>74.00</td><td>47.90</td><td>40.02</td><td>18.95</td><td>60.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13388.23	46.76	-27.24	74.00	47.90	40.02	18.95	60.11	300	0 Peak	HORIZONTAL	 No. 1099, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn SPORTON LAB. Logo Data: 6 Level (dBuV/m) 117 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI 6E PEAK WIFI 6E (AUS) Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 41 Polar : 7 Full-directivity : 47 IMEI : 10 Power setting : Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13388.23</td><td>45.76</td><td>-28.24</td><td>74.00</td><td>46.90</td><td>40.02</td><td>18.95</td><td>60.11</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13388.23	45.76	-28.24	74.00	46.90	40.02	18.95	60.11	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																									
1	13388.23	46.76	-27.24	74.00	47.90	40.02	18.95	60.11	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																									
1	13388.23	45.76	-28.24	74.00	46.90	40.02	18.95	60.11	100	360 Peak	VERTICAL																																																							





U-NII 7 6525~6875MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH123 6565MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 42 Plane: 7 Full-directivity MEI: 12 Power setting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13131.91</td><td>47.00</td><td>-41.30</td><td>88.30</td><td>48.56</td><td>39.84</td><td>18.70</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg			1 13131.91	47.00	-41.30	88.30	48.56	39.84	18.70	60.10	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 42 Plane: 8 Full-directivity MEI: 12 Power setting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13131.91</td><td>46.43</td><td>-41.87</td><td>88.30</td><td>47.99</td><td>39.84</td><td>18.70</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg			1 13131.91	46.43	-41.87	88.30	47.99	39.84	18.70	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 13131.91	47.00	-41.30	88.30	48.56	39.84	18.70	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 13131.91	46.43	-41.87	88.30	47.99	39.84	18.70	60.10	100	360 Peak	VERTICAL																																																										





WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																		
ANT	802.11ax HE40 Full CH147 6685MHz																																																																		
1+2	Horizontal	Vertical																																																																	
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 43 Plane : 7 IME1 : Full-directivity PowerSetting : 47 Adaptor2:USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13368.21</td><td>45.46</td><td>-28.54</td><td>74.00</td><td>46.62</td><td>40.01</td><td>18.94</td><td>60.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table> <td>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 43 Plane : 7 IME1 : Full-directivity PowerSetting : 47 Adaptor2:USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13368.21</td><td>45.39</td><td>-28.61</td><td>74.00</td><td>46.55</td><td>40.01</td><td>18.94</td><td>60.11</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table> </td>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	13368.21	45.46	-28.54	74.00	46.62	40.01	18.94	60.11	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 43 Plane : 7 IME1 : Full-directivity PowerSetting : 47 Adaptor2:USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13368.21</td><td>45.39</td><td>-28.61</td><td>74.00</td><td>46.55</td><td>40.01</td><td>18.94</td><td>60.11</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	13368.21	45.39	-28.61	74.00	46.55	40.01	18.94	60.11	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																											
1	13368.21	45.46	-28.54	74.00	46.62	40.01	18.94	60.11	300	0 Peak	HORIZONTAL																																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																										
1	13368.21	45.39	-28.61	74.00	46.55	40.01	18.94	60.11	100	360 Peak	VERTICAL																																																								





WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																															
ANT	802.11ax HE40 Full CH179 6845MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 44 Plane : Y Full-directivity : Y IMEI : 817 Power setting : 11 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13688.61</td><td>46.99</td><td>-41.31</td><td>88.30</td><td>47.89</td><td>39.95</td><td>19.24</td><td>60.09</td><td>300 0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13688.61	46.99	-41.31	88.30	47.89	39.95	19.24	60.09	300 0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 44 Plane : Y Full-directivity : Y IMEI : 817 Power setting : 11 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13688.61</td><td>46.84</td><td>-41.46</td><td>88.30</td><td>47.74</td><td>39.95</td><td>19.24</td><td>60.09</td><td>100 360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13688.61	46.84	-41.46	88.30	47.74	39.95	19.24	60.09	100 360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																							
1	13688.61	46.99	-41.31	88.30	47.89	39.95	19.24	60.09	300 0 Peak	HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																							
1	13688.61	46.84	-41.46	88.30	47.74	39.95	19.24	60.09	100 360 Peak	VERTICAL																																																						



U-NII 7 6525~6875MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)





WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH135 6625MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 5000Hz VSW-3000 5000Hz DRT-Auto Model: 45 Plane: Y Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1 13248.05</td><td>46.04</td><td>-42.26</td><td>88.30</td><td>47.43</td><td>39.91</td><td>18.80</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	deg		1 13248.05	46.04	-42.26	88.30	47.43	39.91	18.80	60.10	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 5000Hz VSW-3000 5000Hz DRT-Auto Model: 45 Plane: X Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1 13248.05</td><td>46.43</td><td>-41.67</td><td>88.30</td><td>48.02</td><td>39.91</td><td>18.80</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	deg		1 13248.05	46.43	-41.67	88.30	48.02	39.91	18.80	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																									
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	deg																																																											
1 13248.05	46.04	-42.26	88.30	47.43	39.91	18.80	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	deg																																																											
1 13248.05	46.43	-41.67	88.30	48.02	39.91	18.80	60.10	100	360 Peak	VERTICAL																																																										







WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																
ANT	802.11ax HE80 Full CH151 6705MHz																																																																
1+2	Horizontal	Vertical																																																															
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 46 Plane : Y IME1 : Full-directivity PowerSetting : 47 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13500.37</td><td>47.21</td><td>-41.09</td><td>88.30</td><td>48.16</td><td>40.10</td><td>19.06</td><td>60.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 46 Plane : Y IME1 : Full-directivity PowerSetting : 47 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13500.37</td><td>47.56</td><td>-40.74</td><td>88.30</td><td>48.51</td><td>40.10</td><td>19.06</td><td>60.11</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13500.37	47.21	-41.09	88.30	48.16	40.10	19.06	60.11	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13500.37	47.56	-40.74	88.30	48.51	40.10	19.06	60.11	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																								
1	13500.37	47.21	-41.09	88.30	48.16	40.10	19.06	60.11	300	0 Peak	HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																								
1	13500.37	47.56	-40.74	88.30	48.51	40.10	19.06	60.11	100	360 Peak	VERTICAL																																																						



U-NII 7 6525~6875MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)





WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE160 Full CH143 6665MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 47 Plane: Full-directivity MEI: 13 Power setting: 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13328.16</td><td>47.11</td><td>-26.89</td><td>74.00</td><td>48.36</td><td>39.97</td><td>18.89</td><td>60.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 47 Plane: Full-directivity MEI: 13 Power setting: 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13328.16</td><td>47.11</td><td>-26.89</td><td>74.00</td><td>48.36</td><td>39.97</td><td>18.89</td><td>60.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13328.16	47.11	-26.89	74.00	48.36	39.97	18.89	60.11	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13328.16	47.11	-26.89	74.00	48.36	39.97	18.89	60.11	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 47 Plane: Full-directivity MEI: 13 Power setting: 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13328.16</td><td>45.80</td><td>-28.20</td><td>74.00</td><td>47.05</td><td>39.97</td><td>18.89</td><td>60.11</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>  Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 47 Plane: Full-directivity MEI: 13 Power setting: 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13328.16</td><td>45.80</td><td>-28.20</td><td>74.00</td><td>47.05</td><td>39.97</td><td>18.89</td><td>60.11</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13328.16	45.80	-28.20	74.00	47.05	39.97	18.89	60.11	100	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13328.16	45.80	-28.20	74.00	47.05	39.97	18.89	60.11	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13328.16	47.11	-26.89	74.00	48.36	39.97	18.89	60.11	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13328.16	47.11	-26.89	74.00	48.36	39.97	18.89	60.11	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13328.16	45.80	-28.20	74.00	47.05	39.97	18.89	60.11	100	360 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13328.16	45.80	-28.20	74.00	47.05	39.97	18.89	60.11	100	360 Peak	VERTICAL																																																																																																																												

U-NII 7 - Straddle Channel
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																																																																																									
ANT	802.11a CH185 6875MHz																																																																																																																									
1+2	Horizontal	Vertical																																																																																																																								
Peak Avg.	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3.000.000KHz SMT Auto Date : 070192317 Plane : Y Polar : Full-directivity Polarization : H Power setting : 0 Adaptor:2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13748.68</td><td>46.93</td><td>-41.27</td><td>88.30</td><td>47.80</td><td>39.90</td><td>19.31</td><td>60.08</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>  Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3.000.000KHz SMT Auto Date : 070192317 Plane : Y Polar : Full-directivity Polarization : H Power setting : 0 Adaptor:2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13748.68</td><td>46.93</td><td>-41.27</td><td>88.30</td><td>47.80</td><td>39.90</td><td>19.31</td><td>60.08</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13748.68	46.93	-41.27	88.30	47.80	39.90	19.31	60.08	300	0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13748.68	46.93	-41.27	88.30	47.80	39.90	19.31	60.08	300	0 Peak HORIZONTAL	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3.000.000KHz SMT Auto Date : 070192317 Plane : Y Polar : Full-directivity Polarization : V Power setting : 0 Adaptor:2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13748.68</td><td>46.63</td><td>-41.67</td><td>88.30</td><td>47.50</td><td>39.90</td><td>19.31</td><td>60.08</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>  Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3.000.000KHz SMT Auto Date : 070192317 Plane : Y Polar : Full-directivity Polarization : V Power setting : 0 Adaptor:2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13748.68</td><td>46.63</td><td>-41.67</td><td>88.30</td><td>47.50</td><td>39.90</td><td>19.31</td><td>60.08</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13748.68	46.63	-41.67	88.30	47.50	39.90	19.31	60.08	100	360 Peak VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13748.68	46.63	-41.67	88.30	47.50	39.90	19.31	60.08	100	360 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13748.68	46.93	-41.27	88.30	47.80	39.90	19.31	60.08	300	0 Peak HORIZONTAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13748.68	46.93	-41.27	88.30	47.80	39.90	19.31	60.08	300	0 Peak HORIZONTAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13748.68	46.63	-41.67	88.30	47.50	39.90	19.31	60.08	100	360 Peak VERTICAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13748.68	46.63	-41.67	88.30	47.50	39.90	19.31	60.08	100	360 Peak VERTICAL																																																																																																																	







U-NII 7 – Straddle Channel
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																																																																																																									
ANT	802.11ax HE20 Full CH185 6875MHz																																																																																																																																									
1+2	Horizontal	Vertical																																																																																																																																								
Peak Avg.	 Site Condition Project Mode Plane Full-directivity IMEI Powersetting <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13748.68</td><td>47.35</td><td>-40.97</td><td>88.38</td><td>48.28</td><td>39.98</td><td>39.33</td><td>68.88</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site Condition Project Mode Plane Full-directivity IMEI Powersetting <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13748.68</td><td>47.35</td><td>-40.97</td><td>88.38</td><td>48.28</td><td>39.98</td><td>39.33</td><td>68.88</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	13748.68	47.35	-40.97	88.38	48.28	39.98	39.33	68.88	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	13748.68	47.35	-40.97	88.38	48.28	39.98	39.33	68.88	300	0 Peak	HORIZONTAL	 Site Condition Project Mode Plane Full-directivity IMEI Powersetting <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13748.68</td><td>46.27</td><td>-42.83</td><td>88.38</td><td>47.14</td><td>39.98</td><td>39.33</td><td>68.88</td><td>300</td><td>368 Peak</td><td>VERTICAL</td></tr></tbody></table>  Site Condition Project Mode Plane Full-directivity IMEI Powersetting <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13748.68</td><td>46.27</td><td>-42.83</td><td>88.38</td><td>47.14</td><td>39.98</td><td>39.33</td><td>68.88</td><td>300</td><td>368 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	13748.68	46.27	-42.83	88.38	47.14	39.98	39.33	68.88	300	368 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	13748.68	46.27	-42.83	88.38	47.14	39.98	39.33	68.88	300	368 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	13748.68	47.35	-40.97	88.38	48.28	39.98	39.33	68.88	300	0 Peak	HORIZONTAL																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	13748.68	47.35	-40.97	88.38	48.28	39.98	39.33	68.88	300	0 Peak	HORIZONTAL																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	13748.68	46.27	-42.83	88.38	47.14	39.98	39.33	68.88	300	368 Peak	VERTICAL																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	13748.68	46.27	-42.83	88.38	47.14	39.98	39.33	68.88	300	368 Peak	VERTICAL																																																																																																																															





U-NII 7 - Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)




WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE80 Full CH183 6865MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model: 48 Plane: Y Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13748.68</td><td>47.33</td><td>-40.97</td><td>88.30</td><td>48.20</td><td>39.90</td><td>19.31</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model: 48 Plane: Y Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13748.68</td><td>47.33</td><td>-40.97</td><td>88.30</td><td>48.20</td><td>39.90</td><td>19.31</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13748.68	47.33	-40.97	88.30	48.20	39.90	19.31	60.08	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13748.68	47.33	-40.97	88.30	48.20	39.90	19.31	60.08	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model: 48 Plane: X Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13748.68</td><td>46.27</td><td>-42.03</td><td>88.30</td><td>47.14</td><td>39.90</td><td>19.31</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model: 48 Plane: X Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13748.68</td><td>46.27</td><td>-42.03</td><td>88.30</td><td>47.14</td><td>39.90</td><td>19.31</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13748.68	46.27	-42.03	88.30	47.14	39.90	19.31	60.08	100	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13748.68	46.27	-42.03	88.30	47.14	39.90	19.31	60.08	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																																																																																														
1 13748.68	47.33	-40.97	88.30	48.20	39.90	19.31	60.08	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																																																																																														
1 13748.68	47.33	-40.97	88.30	48.20	39.90	19.31	60.08	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																																																																																														
1 13748.68	46.27	-42.03	88.30	47.14	39.90	19.31	60.08	100	360 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																																																																																														
1 13748.68	46.27	-42.03	88.30	47.14	39.90	19.31	60.08	100	360 Peak	VERTICAL																																																																																																																												






U-NII 7 – Straddle Channel
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																																			
ANT	802.11ax HE160 Full CH175 6825MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Project: (FR) 192317 Mode: 50 Plane: Y Full-directivity MEI: #17 Power setting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13648.55</td><td>46.18</td><td>-42.12</td><td>88.30</td><td>47.08</td><td>39.98</td><td>19.21</td><td>60.09</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13648.55	46.18	-42.12	88.30	47.08	39.98	19.21	60.09	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Project: (FR) 192317 Mode: 50 Plane: X Full-directivity MEI: #17 Power setting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13648.55</td><td>46.11</td><td>-42.19</td><td>88.30</td><td>47.01</td><td>39.98</td><td>19.21</td><td>60.09</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13648.55	46.11	-42.19	88.30	47.01	39.98	19.21	60.09	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 13648.55	46.18	-42.12	88.30	47.08	39.98	19.21	60.09	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 13648.55	46.11	-42.19	88.30	47.01	39.98	19.21	60.09	100	360 Peak	VERTICAL																																																										






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																								
ANT	802.11a CH229 7095MHz																																																																								
1+2	Vertical	Fundamental																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 12 Full-directivity : 7 Powersetting : 87 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7239.72</td><td>56.24</td><td>-32.06</td><td>88.30</td><td>41.80</td><td>36.70</td><td>13.65</td><td>35.91</td><td>100</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7239.72	56.24	-32.06	88.30	41.80	36.70	13.65	35.91	100	23	Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 12 Full-directivity : 7 Powersetting : 87 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.00</td><td>102.27</td><td>13.97</td><td>88.30</td><td>87.91</td><td>36.77</td><td>13.50</td><td>35.91</td><td>100</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7093.00</td><td>94.33</td><td>26.03</td><td>68.30</td><td>79.97</td><td>36.77</td><td>13.50</td><td>35.91</td><td>100</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7093.00	102.27	13.97	88.30	87.91	36.77	13.50	35.91	100	23	Peak	VERTICAL	2	7093.00	94.33	26.03	68.30	79.97	36.77	13.50	35.91	100	23	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	7239.72	56.24	-32.06	88.30	41.80	36.70	13.65	35.91	100	23	Peak	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	7093.00	102.27	13.97	88.30	87.91	36.77	13.50	35.91	100	23	Peak	VERTICAL																																																													
2	7093.00	94.33	26.03	68.30	79.97	36.77	13.50	35.91	100	23	Average	VERTICAL																																																													
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 12 Full-directivity : 7 Powersetting : 87 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7213.80</td><td>46.05</td><td>-22.25</td><td>68.30</td><td>31.61</td><td>36.71</td><td>13.64</td><td>35.91</td><td>100</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7213.80	46.05	-22.25	68.30	31.61	36.71	13.64	35.91	100	23	Average	VERTICAL	Left blank																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	7213.80	46.05	-22.25	68.30	31.61	36.71	13.64	35.91	100	23	Average	VERTICAL																																																													






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																								
ANT	802.11ax HE20 Full CH229 7095MHz																																																																								
1+2	Vertical	Fundamental																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Full-directivity IMEI : 87 Powersetting : Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7207.56</td><td>56.88</td><td>-31.42</td><td>88.30</td><td>42.45</td><td>36.72</td><td>13.62</td><td>35.91</td><td>100</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7207.56	56.88	-31.42	88.30	42.45	36.72	13.62	35.91	100	23	Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Full-directivity IMEI : 87 Powersetting : Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7092.00</td><td>102.98</td><td>15.68</td><td>88.30</td><td>89.62</td><td>36.77</td><td>13.50</td><td>35.91</td><td>100</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7093.00</td><td>96.35</td><td>28.05</td><td>68.30</td><td>81.99</td><td>26.77</td><td>13.50</td><td>35.91</td><td>100</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7092.00	102.98	15.68	88.30	89.62	36.77	13.50	35.91	100	23	Peak	VERTICAL	2	7093.00	96.35	28.05	68.30	81.99	26.77	13.50	35.91	100	23	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	7207.56	56.88	-31.42	88.30	42.45	36.72	13.62	35.91	100	23	Peak	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	7092.00	102.98	15.68	88.30	89.62	36.77	13.50	35.91	100	23	Peak	VERTICAL																																																													
2	7093.00	96.35	28.05	68.30	81.99	26.77	13.50	35.91	100	23	Average	VERTICAL																																																													
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.0100KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Full-directivity IMEI : 87 Powersetting : Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7243.24</td><td>45.99</td><td>-22.31</td><td>68.30</td><td>31.55</td><td>36.70</td><td>13.65</td><td>35.91</td><td>100</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7243.24	45.99	-22.31	68.30	31.55	36.70	13.65	35.91	100	23	Average	VERTICAL	Left blank																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	7243.24	45.99	-22.31	68.30	31.55	36.70	13.65	35.91	100	23	Average	VERTICAL																																																													






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE20 Partial 26/8 CH229 7095MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FRS192317 Plane : S4 Full-directivity : Y Power setting : Full-directivity IMEI : 8T Power setting : -1.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>55.63</td><td>-32.67</td><td>88.30</td><td>41.25</td><td>36.75</td><td>13.54</td><td>35.91</td><td>100</td><td>357</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FRS192317 Plane : S4 Full-directivity : Y Power setting : Full-directivity IMEI : 8T Power setting : -1.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7102.00</td><td>96.56</td><td>8.26</td><td>88.30</td><td>82.19</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>357</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7102.00</td><td>96.56</td><td>22.09</td><td>68.30</td><td>75.98</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>357</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	7125.00	55.63	-32.67	88.30	41.25	36.75	13.54	35.91	100	357	Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	7102.00	96.56	8.26	88.30	82.19	36.76	13.52	35.91	100	357	Peak	VERTICAL	2	7102.00	96.56	22.09	68.30	75.98	36.76	13.52	35.91	100	357	Average	VERTICAL	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																						
1	7125.00	55.63	-32.67	88.30	41.25	36.75	13.54	35.91	100	357	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																						
1	7102.00	96.56	8.26	88.30	82.19	36.76	13.52	35.91	100	357	Peak	VERTICAL																																																																	
2	7102.00	96.56	22.09	68.30	75.98	36.76	13.52	35.91	100	357	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.0100KHz SRT-Auto Bode : FRS192317 Plane : S4 Full-directivity : Y Power setting : Full-directivity IMEI : 8T Power setting : -1.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>45.70</td><td>-22.60</td><td>68.30</td><td>31.32</td><td>36.75</td><td>13.54</td><td>35.91</td><td>100</td><td>357</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	7125.00	45.70	-22.60	68.30	31.32	36.75	13.54	35.91	100	357	Average	VERTICAL																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																						
1	7125.00	45.70	-22.60	68.30	31.32	36.75	13.54	35.91	100	357	Average	VERTICAL																																																																	

U-NII 8 - 6875-7125MHzMHz




WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Partial 52/40 CH229 7095MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SRT Auto Mode : 50 Plane : Full-directivity IMEI : #17 Power setting : 1.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7185.80</td><td>56.81</td><td>-31.49</td><td>88.30</td><td>42.40</td><td>36.72</td><td>13.60</td><td>35.91</td><td>243</td><td>360 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7185.80	56.81	-31.49	88.30	42.40	36.72	13.60	35.91	243	360 Peak	HORIZONTAL	 Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SRT Auto Mode : 50 Plane : Full-directivity IMEI : #17 Power setting : 1.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 7102.00</td><td>97.90</td><td>9.60</td><td>88.30</td><td>83.53</td><td>36.76</td><td>13.52</td><td>35.91</td><td>243</td><td>360 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 7102.00</td><td>90.15</td><td>21.85</td><td>68.30</td><td>75.78</td><td>36.76</td><td>13.52</td><td>35.91</td><td>243</td><td>360 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 7102.00	97.90	9.60	88.30	83.53	36.76	13.52	35.91	243	360 Peak	HORIZONTAL	2 * 7102.00	90.15	21.85	68.30	75.78	36.76	13.52	35.91	243	360 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7185.80	56.81	-31.49	88.30	42.40	36.72	13.60	35.91	243	360 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 7102.00	97.90	9.60	88.30	83.53	36.76	13.52	35.91	243	360 Peak	HORIZONTAL																																																																					
2 * 7102.00	90.15	21.85	68.30	75.78	36.76	13.52	35.91	243	360 Average	HORIZONTAL																																																																					
Avg.	 Site : 030605-KS Condition : WIFI 6E (AVERAGE) 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 0.0100Hz SRT Auto Mode : 50 Plane : Full-directivity IMEI : #17 Power setting : 1.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7244.52</td><td>45.92</td><td>-22.38</td><td>68.30</td><td>31.48</td><td>36.70</td><td>13.60</td><td>35.91</td><td>243</td><td>360 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7244.52	45.92	-22.38	68.30	31.48	36.70	13.60	35.91	243	360 Average	HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7244.52	45.92	-22.38	68.30	31.48	36.70	13.60	35.91	243	360 Average	HORIZONTAL																																																																					



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Partial 52/40 CH229 7095MHz																																																																					
1+2	Vertical	Fundamental																																																																				
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y Powersetting : 1.5 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7187.40</td><td>56.07</td><td>-32.23</td><td>88.30</td><td>41.66</td><td>36.72</td><td>13.60</td><td>35.91</td><td>115</td><td>0 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y Powersetting : 1.5 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7102.00</td><td>96.51</td><td>8.21</td><td>88.30</td><td>82.14</td><td>36.76</td><td>13.52</td><td>35.91</td><td>115</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7102.00</td><td>95.07</td><td>21.77</td><td>68.30</td><td>75.70</td><td>36.76</td><td>13.52</td><td>35.91</td><td>115</td><td>0 Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg	1	7187.40	56.07	-32.23	88.30	41.66	36.72	13.60	35.91	115	0 Peak	VERTICAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg	1	7102.00	96.51	8.21	88.30	82.14	36.76	13.52	35.91	115	0 Peak	VERTICAL	2	7102.00	95.07	21.77	68.30	75.70	36.76	13.52	35.91	115	0 Average	VERTICAL	Left blank
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																															
1	7187.40	56.07	-32.23	88.30	41.66	36.72	13.60	35.91	115	0 Peak	VERTICAL																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																															
1	7102.00	96.51	8.21	88.30	82.14	36.76	13.52	35.91	115	0 Peak	VERTICAL																																																											
2	7102.00	95.07	21.77	68.30	75.70	36.76	13.52	35.91	115	0 Average	VERTICAL																																																											
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.0100KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y Powersetting : 1.5 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7241.48</td><td>45.94</td><td>-22.36</td><td>68.30</td><td>31.50</td><td>36.70</td><td>13.65</td><td>35.91</td><td>115</td><td>0 Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg	1	7241.48	45.94	-22.36	68.30	31.50	36.70	13.65	35.91	115	0 Average	VERTICAL																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																															
1	7241.48	45.94	-22.36	68.30	31.50	36.70	13.65	35.91	115	0 Average	VERTICAL																																																											






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE20 Partial 106/54 CH229 7095MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y IMEI : 47 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1m</th><th>dB</th><th>dBm/1m</th><th>dBm/1m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7158.92</td><td>56.61</td><td>-31.69</td><td>88.30</td><td>42.21</td><td>36.74</td><td>13.57</td><td>35.91</td><td>100</td><td>26</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y IMEI : 47 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1m</th><th>dB</th><th>dBm/1m</th><th>dBm/1m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7102.00</td><td>99.75</td><td>11.45</td><td>88.30</td><td>85.38</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>26</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7102.00</td><td>91.76</td><td>22.46</td><td>68.30</td><td>77.39</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>26</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	dB	cm	deg	1	7158.92	56.61	-31.69	88.30	42.21	36.74	13.57	35.91	100	26	Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	dB	cm	deg	1	7102.00	99.75	11.45	88.30	85.38	36.76	13.52	35.91	100	26	Peak	VERTICAL	2	7102.00	91.76	22.46	68.30	77.39	36.76	13.52	35.91	100	26	Average	VERTICAL	Left blank
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																				
MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	dB	cm	deg																																																																					
1	7158.92	56.61	-31.69	88.30	42.21	36.74	13.57	35.91	100	26	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																					
MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	dB	cm	deg																																																																					
1	7102.00	99.75	11.45	88.30	85.38	36.76	13.52	35.91	100	26	Peak	VERTICAL																																																																	
2	7102.00	91.76	22.46	68.30	77.39	36.76	13.52	35.91	100	26	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.0100KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y IMEI : 47 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1m</th><th>dB</th><th>dBm/1m</th><th>dBm/1m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7244.20</td><td>45.90</td><td>-22.49</td><td>68.30</td><td>31.46</td><td>36.70</td><td>13.65</td><td>35.91</td><td>100</td><td>26</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	dB	cm	deg	1	7244.20	45.90	-22.49	68.30	31.46	36.70	13.65	35.91	100	26	Average	VERTICAL																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																					
MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	dB	cm	deg																																																																					
1	7244.20	45.90	-22.49	68.30	31.46	36.70	13.65	35.91	100	26	Average	VERTICAL																																																																	

U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)




WIFI		U-NII 8 - 6875-7125MHz Band Edge @ 3m		
ANT		802.11ax HE40 Full CH227 7085MHz		
1+2		Horizontal	Fundamental	
Peak	SPORTRON LAB No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sportron.com.cn SPORTRON LAB Date: 7 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK -65 130 117.8 104.6 91.4 78.2 65.0 51.8 38.6 25.4 12.2 07055 7110 7130 7150 7170 7190 7210 7230 7245 Site Condition Project Mode Plane IMEI Power setting : 032005-KS : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL : RRM 1000.000KHz VSW:3000.000KHz SWT:Auto : 62 : Full-directivity : #17 : 11.5 : Adapter2408B 1 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 7125.00 55.64 -32.66 88.30 41.26 36.75 13.54 35.91 303 349 Peak HORIZONTAL Site Condition Project Mode Plane IMEI Power setting : 032005-KS : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL : RRM 1000.000KHz VSW:3000.000KHz SWT:Auto : 62 : Full-directivity : #17 : 11.5 : Adapter2408B 1 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 * 7093.00 99.78 11.48 88.30 85.42 36.77 13.50 35.91 303 349 Peak HORIZONTAL 2 * 7093.00 92.72 24.42 68.30 78.36 36.77 13.50 35.91 303 349 Average HORIZONTAL		SPORTRON LAB No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sportron.com.cn SPORTRON LAB Date: 9 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK -65 130 117.8 104.6 91.4 78.2 65.0 51.8 38.6 25.4 12.2 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Site Condition Project Mode Plane IMEI Power setting : 032005-KS : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL : RRM 1000.000KHz VSW:3000.000KHz SWT:Auto : 62 : Full-directivity : #17 : 11.5 : Adapter2408B 1 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 * 7093.00 99.78 11.48 88.30 85.42 36.77 13.50 35.91 303 349 Peak HORIZONTAL 2 * 7093.00 92.72 24.42 68.30 78.36 36.77 13.50 35.91 303 349 Average HORIZONTAL	
	Avg.	SPORTRON LAB No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sportron.com.cn SPORTRON LAB Date: 8 Level (dBuV/m) Frequency (MHz) WIFI 6E (Ave) -65 130 117.8 104.6 91.4 78.2 65.0 51.8 38.6 25.4 12.2 07055 7110 7130 7150 7170 7190 7210 7230 7245 Site Condition Project Mode Plane IMEI Power setting : 032005-KS : WIFI 6E (Ave) 3m 3117 00218652 HORIZONTAL : RRM 1000.000KHz VSW:0.010KHz SWT:Auto : 62 : Full-directivity : #17 : 11.5 : Adapter2408B 1 Freq Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 7125.00 46.10 -22.20 68.30 31.72 36.75 13.54 35.91 303 349 Average HORIZONTAL		Left blank






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																					
ANT	802.11ax HE40 Full H227 7085MHz																																																																																					
1+2	Vertical	Fundamental																																																																																				
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 030805-KS : RIFI 46 PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : (FR)192317 Plane : 62 Full-directivity : 7 Power setting : 11.5 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th></th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.00</td><td>57.18</td><td>-31.12</td><td>88.30</td><td>42.80</td><td>36.75</td><td>13.54</td><td>35.91</td><td>100</td><td>22</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss		MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg	1 7125.00	57.18	-31.12	88.30	42.80	36.75	13.54	35.91	100	22	Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 030805-KS : RIFI 46 PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : (FR)192317 Plane : 62 Full-directivity : 7 Power setting : 11.5 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th></th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7085.00</td><td>101.71</td><td>13.41</td><td>88.30</td><td>87.35</td><td>36.77</td><td>13.50</td><td>35.91</td><td>100</td><td>22</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2 7095.00</td><td>92.35</td><td>24.05</td><td>68.30</td><td>77.99</td><td>36.77</td><td>13.50</td><td>35.91</td><td>100</td><td>22</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss		MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg	1 7085.00	101.71	13.41	88.30	87.35	36.77	13.50	35.91	100	22	Peak	VERTICAL	2 7095.00	92.35	24.05	68.30	77.99	36.77	13.50	35.91	100	22	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
Freq	Level	Limit	Line	Level	Factor	Loss																																																																																
MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg																																																																															
1 7125.00	57.18	-31.12	88.30	42.80	36.75	13.54	35.91	100	22	Peak	VERTICAL																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
Freq	Level	Limit	Line	Level	Factor	Loss																																																																																
MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg																																																																															
1 7085.00	101.71	13.41	88.30	87.35	36.77	13.50	35.91	100	22	Peak	VERTICAL																																																																											
2 7095.00	92.35	24.05	68.30	77.99	36.77	13.50	35.91	100	22	Average	VERTICAL																																																																											
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 030805-KS : RIFI 66 (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : (FR)192317 Plane : 62 Full-directivity : 7 Power setting : 11.5 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th></th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.00</td><td>46.08</td><td>-22.22</td><td>68.30</td><td>31.70</td><td>36.75</td><td>13.54</td><td>35.91</td><td>100</td><td>22</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss		MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg	1 7125.00	46.08	-22.22	68.30	31.70	36.75	13.54	35.91	100	22	Average	VERTICAL	Left blank																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
Freq	Level	Limit	Line	Level	Factor	Loss																																																																																
MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg																																																																															
1 7125.00	46.08	-22.22	68.30	31.70	36.75	13.54	35.91	100	22	Average	VERTICAL																																																																											



U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)




WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE40 Partial 242/62 H227 7085MHz																																																																																	
1+2	Horizontal	Fundamental																																																																																
Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 1  Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK -dBm Site Condition : 032005-KS RIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : 03 Plane : Full-directivity IMEI : #17 Power setting : 6 Adapter:4USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7226.28</td><td>56.99</td><td>-31.31</td><td>88.30</td><td>42.55</td><td>36.71</td><td>13.64</td><td>35.91</td><td>300</td><td>343 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7226.28	56.99	-31.31	88.30	42.55	36.71	13.64	35.91	300	343 Peak	HORIZONTAL	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 3  Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK -dBm WIFI 6E (AVG) -dBm Site Condition : 032005-KS RIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : 03 Plane : Full-directivity IMEI : #17 Power setting : 6 Adapter:4USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7102.00</td><td>98.00</td><td>9.70</td><td>88.30</td><td>83.63</td><td>36.76</td><td>13.52</td><td>35.91</td><td>300</td><td>343 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7102.00</td><td>89.69</td><td>21.39</td><td>68.30</td><td>75.32</td><td>36.76</td><td>13.52</td><td>35.91</td><td>300</td><td>343 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7102.00	98.00	9.70	88.30	83.63	36.76	13.52	35.91	300	343 Peak	HORIZONTAL	2	7102.00	89.69	21.39	68.30	75.32	36.76	13.52	35.91	300	343 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7226.28	56.99	-31.31	88.30	42.55	36.71	13.64	35.91	300	343 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7102.00	98.00	9.70	88.30	83.63	36.76	13.52	35.91	300	343 Peak	HORIZONTAL																																																																							
2	7102.00	89.69	21.39	68.30	75.32	36.76	13.52	35.91	300	343 Average	HORIZONTAL																																																																							
Avg.	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 2  Level (dBuV/m) Frequency (MHz) WIFI 6E (AVG) -dBm Site Condition : 032005-KS RIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW:0.010KHz SWT:Auto Mode : 03 Plane : Full-directivity IMEI : #17 Power setting : 6 Adapter:4USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7211.72</td><td>45.92</td><td>-22.38</td><td>68.30</td><td>31.49</td><td>36.72</td><td>13.62</td><td>35.91</td><td>300</td><td>343 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7211.72	45.92	-22.38	68.30	31.49	36.72	13.62	35.91	300	343 Average	HORIZONTAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7211.72	45.92	-22.38	68.30	31.49	36.72	13.62	35.91	300	343 Average	HORIZONTAL																																																																							






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																									
ANT	802.11ax HE40 Partial 242/62 H227 7085MHz																																																																									
1+2	Vertical	Fundamental																																																																								
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB DATA: 4 Level (dBm/100m) 130 117.5 104.0 91.5 78.0 65.0 52.0 39.0 26.0 13.0 7085 7115 7130 7150 7170 7190 7210 7230 7245 Frequency (MHz) WIFI HE PEAK -60dB Site Condition : 030805-KS RIFI HE PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 000000 VBR-3000 000000 SRT-Auto Bode : FR192317 Plane : 63 Full-directivity : Y Power setting : AT Adaptor2+USB 1 : 6 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7203.72</td><td>57.26</td><td>-31.04</td><td>88.30</td><td>42.83</td><td>36.72</td><td>13.62</td><td>35.91</td><td>100</td><td>24 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	7203.72	57.26	-31.04	88.30	42.83	36.72	13.62	35.91	100	24 Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB DATA: 6 Level (dBm/100m) 130 117.5 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 7085 7115 7130 7150 7170 7190 7210 7230 7245 Frequency (MHz) WIFI HE PEAK -60dB Site Condition : 030805-KS RIFI HE PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 000000 VBR-3000 000000 SRT-Auto Bode : FR192317 Plane : 63 Full-directivity : Y Power setting : AT Adaptor2+USB 1 : 6 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7102.00</td><td>97.90</td><td>9.60</td><td>88.30</td><td>83.63</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>24 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7102.00</td><td>89.84</td><td>21.54</td><td>68.30</td><td>75.47</td><td>35.76</td><td>13.52</td><td>35.91</td><td>100</td><td>24 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	7102.00	97.90	9.60	88.30	83.63	36.76	13.52	35.91	100	24 Peak	VERTICAL	2	7102.00	89.84	21.54	68.30	75.47	35.76	13.52	35.91	100	24 Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																		
1	7203.72	57.26	-31.04	88.30	42.83	36.72	13.62	35.91	100	24 Peak	VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																		
1	7102.00	97.90	9.60	88.30	83.63	36.76	13.52	35.91	100	24 Peak	VERTICAL																																																															
2	7102.00	89.84	21.54	68.30	75.47	35.76	13.52	35.91	100	24 Average	VERTICAL																																																															
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB DATA: 5 Level (dBm/100m) 130 117.5 104.0 91.5 78.0 65.0 52.0 39.0 26.0 13.0 7085 7115 7130 7150 7170 7190 7210 7230 7245 Frequency (MHz) WIFI HE (AVG) -60dB Site Condition : 030805-KS RIFI HE (AVG) 3m 3117 00218652 VERTICAL Project : RSM-1000 000000 VBR-3000 000000 SRT-Auto Bode : FR192317 Plane : 63 Full-directivity : Y Power setting : AT Adaptor2+USB 1 : 6 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7213.32</td><td>45.91</td><td>-22.39</td><td>68.30</td><td>31.48</td><td>36.72</td><td>13.62</td><td>35.91</td><td>100</td><td>24 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	7213.32	45.91	-22.39	68.30	31.48	36.72	13.62	35.91	100	24 Average	VERTICAL	Left blank																																										
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																		
1	7213.32	45.91	-22.39	68.30	31.48	36.72	13.62	35.91	100	24 Average	VERTICAL																																																															

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11ax HE80 Full (Band Edge @ 3m)




WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE80 Full CH215 7025MHz																																																																			
1+2	Horizontal	Fundamental																																																																		
Peak	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto Mode : 05 Plane : 7 Full-directivity IMEI : #17 Power setting : 14 Adapter: 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7125.00</td><td>53.98</td><td>-34.32</td><td>88.30</td><td>39.60</td><td>36.75</td><td>13.54</td><td>35.91</td><td>109 47 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 7125.00	53.98	-34.32	88.30	39.60	36.75	13.54	35.91	109 47 Peak	HORIZONTAL	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto Mode : 05 Plane : 7 Full-directivity IMEI : #17 Power setting : 14 Adapter: 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 7003.00</td><td>99.08</td><td>10.78</td><td>88.30</td><td>84.77</td><td>36.80</td><td>13.42</td><td>35.91</td><td>109 47 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 7003.00</td><td>91.70</td><td>23.40</td><td>68.30</td><td>77.39</td><td>36.80</td><td>13.42</td><td>35.91</td><td>109 47 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 * 7003.00	99.08	10.78	88.30	84.77	36.80	13.42	35.91	109 47 Peak	HORIZONTAL	2 * 7003.00	91.70	23.40	68.30	77.39	36.80	13.42	35.91	109 47 Average	HORIZONTAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1 7125.00	53.98	-34.32	88.30	39.60	36.75	13.54	35.91	109 47 Peak	HORIZONTAL																																																											
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1 * 7003.00	99.08	10.78	88.30	84.77	36.80	13.42	35.91	109 47 Peak	HORIZONTAL																																																											
2 * 7003.00	91.70	23.40	68.30	77.39	36.80	13.42	35.91	109 47 Average	HORIZONTAL																																																											
Avg.	 Site : 032005-KS Condition : WIFI 6E (Ave) 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 0.0100Hz SWT Auto Mode : 05 Plane : 7 Full-directivity IMEI : #17 Power setting : 14 Adapter: 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7125.00</td><td>46.40</td><td>-21.99</td><td>68.30</td><td>32.02</td><td>36.75</td><td>13.54</td><td>35.91</td><td>109 47 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 7125.00	46.40	-21.99	68.30	32.02	36.75	13.54	35.91	109 47 Average	HORIZONTAL	Left blank																																						
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1 7125.00	46.40	-21.99	68.30	32.02	36.75	13.54	35.91	109 47 Average	HORIZONTAL																																																											






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE80 Full CH215 7025MHz																																																																													
1+2	Vertical	Fundamental																																																																												
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 05 Polar : Full-directivity IMEI : 817 Power setting : 14 Adaptor:2458B-1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7127.24</td><td>56.73</td><td>-31.57</td><td>88.30</td><td>42.35</td><td>36.75</td><td>13.54</td><td>35.91</td><td>101</td><td>15 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 05 Polar : Full-directivity IMEI : 817 Power setting : 14 Adaptor:2458B-1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7021.00</td><td>102.28</td><td>13.98</td><td>88.30</td><td>87.86</td><td>36.79</td><td>13.44</td><td>35.91</td><td>101</td><td>15 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7021.00</td><td>93.12</td><td>24.82</td><td>68.30</td><td>78.80</td><td>36.79</td><td>13.44</td><td>35.91</td><td>101</td><td>15 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg		1	7127.24	56.73	-31.57	88.30	42.35	36.75	13.54	35.91	101	15 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg		1	7021.00	102.28	13.98	88.30	87.86	36.79	13.44	35.91	101	15 Peak	VERTICAL	2	7021.00	93.12	24.82	68.30	78.80	36.79	13.44	35.91	101	15 Average	VERTICAL	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																						
1	7127.24	56.73	-31.57	88.30	42.35	36.75	13.54	35.91	101	15 Peak	VERTICAL																																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																						
1	7021.00	102.28	13.98	88.30	87.86	36.79	13.44	35.91	101	15 Peak	VERTICAL																																																																			
2	7021.00	93.12	24.82	68.30	78.80	36.79	13.44	35.91	101	15 Average	VERTICAL																																																																			
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 05 Polar : Full-directivity IMEI : 817 Power setting : 14 Adaptor:2458B-1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7128.04</td><td>46.52</td><td>-21.78</td><td>68.30</td><td>32.14</td><td>36.75</td><td>13.54</td><td>35.91</td><td>101</td><td>15 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg		1	7128.04	46.52	-21.78	68.30	32.14	36.75	13.54	35.91	101	15 Average	VERTICAL																																													
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																						
1	7128.04	46.52	-21.78	68.30	32.14	36.75	13.54	35.91	101	15 Average	VERTICAL																																																																			



U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																																												
ANT	802.11ax HE80 Partial 484/66 CH215 7025MHz																																																																																																												
1+2	Horizontal	Fundamental																																																																																																											
Peak	 SPORTON LAB. No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 1 Level (dBuV/m) Site Condition : 032005-KS RIFI 6E PEAK 3m 3117 00218652 HORIZONTAL RBM 1000.000KHz VSW:3.000.000KHz SWT:Auto Project : (FR)192317 Mode : 60 Plane : Full-directivity IMEI : #17 Power setting : #17 Adapter:24dB 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7144.36</td><td>55.84</td><td>-32.46</td><td>88.30</td><td>41.46</td><td>36.74</td><td>13.55</td><td>35.91</td><td>303</td><td>340</td><td>Peak</td><td>HORIZONTAL</td></tr></table>  SPORTON LAB. No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 3 Level (dBuV/m) Site Condition : 032005-KS RIFI 6E PEAK 3m 3117 00218652 HORIZONTAL RBM 1000.000KHz VSW:3.000.000KHz SWT:Auto Project : (FR)192317 Mode : 60 Plane : Full-directivity IMEI : #17 Power setting : #17 Adapter:24dB 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7048.00</td><td>95.46</td><td>7.16</td><td>88.30</td><td>81.12</td><td>36.78</td><td>13.47</td><td>35.91</td><td>303</td><td>340</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7048.00</td><td>86.37</td><td>18.07</td><td>68.30</td><td>72.03</td><td>36.78</td><td>13.47</td><td>35.91</td><td>303</td><td>340</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	7144.36	55.84	-32.46	88.30	41.46	36.74	13.55	35.91	303	340	Peak	HORIZONTAL	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	7048.00	95.46	7.16	88.30	81.12	36.78	13.47	35.91	303	340	Peak	HORIZONTAL	2	7048.00	86.37	18.07	68.30	72.03	36.78	13.47	35.91	303	340	Average	HORIZONTAL	Avg.	 SPORTON LAB. No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 2 Level (dBuV/m) Site Condition : 032005-KS RIFI 6E (AVERAGE) 3m 3117 00218652 HORIZONTAL RBM 1000.000KHz VSW:3.010KHz SWT:Auto Project : (FR)192317 Mode : 60 Plane : Full-directivity IMEI : #17 Power setting : #17 Adapter:24dB 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7111.88</td><td>45.74</td><td>-22.56</td><td>68.30</td><td>31.36</td><td>36.75</td><td>13.54</td><td>35.91</td><td>303</td><td>340</td><td>Average</td><td>HORIZONTAL</td></tr></table> Left blank	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	7111.88	45.74	-22.56	68.30	31.36	36.75	13.54	35.91	303	340	Average	HORIZONTAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																						
1	7144.36	55.84	-32.46	88.30	41.46	36.74	13.55	35.91	303	340	Peak	HORIZONTAL																																																																																																	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																						
1	7048.00	95.46	7.16	88.30	81.12	36.78	13.47	35.91	303	340	Peak	HORIZONTAL																																																																																																	
2	7048.00	86.37	18.07	68.30	72.03	36.78	13.47	35.91	303	340	Average	HORIZONTAL																																																																																																	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																						
1	7111.88	45.74	-22.56	68.30	31.36	36.75	13.54	35.91	303	340	Average	HORIZONTAL																																																																																																	






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/66 CH215 7025MHz	
1+2	Vertical	Fundamental
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FR)192317 Plane : 66 Full-directivity : Y Power setting : AT Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/100m dB dBm/100m dBm/100m dBm/100m dBm/100m cm deg 1 7131.24 55.47 -32.83 88.30 41.09 36.74 13.55 35.91 193 360 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FR)192317 Plane : 66 Full-directivity : Y Power setting : AT Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/100m dB dBm/100m dBm/100m dBm/100m dBm/100m cm deg 1 7048.00 94.94 6.64 88.30 80.60 36.78 13.47 35.91 193 360 Peak VERTICAL 2 7048.00 86.79 18.00 68.30 72.61 26.78 12.47 35.91 193 360 Average VERTICAL
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FR)192317 Plane : 66 Full-directivity : Y Power setting : AT Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/100m dB dBm/100m dBm/100m dBm/100m dBm/100m cm deg 1 7110.92 45.68 -22.62 68.30 31.31 36.76 13.52 35.91 193 360 Average VERTICAL	Left blank






U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
ANT	802.11ax HE160 Full CH207 6985MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
1+2	Horizontal	Fundamental																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Level (dBm/Vm) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 6905 6930 6950 6970 6990 7010 7030 7050 7070 7090 7110 7130 7150 7170 7190 7225 Frequency (MHz) Site Condition Project Mode Plane IMEI Powersetting Adaptor Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7156.84</td><td>57.27</td><td>-31.83</td><td>88.38</td><td>42.87</td><td>36.74</td><td>13.57</td><td>35.91</td><td>100</td><td>50 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 9 Level (dBm/Vm) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) Site Condition Project Mode Plane IMEI Powersetting Adaptor Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	7156.84	57.27	-31.83	88.38	42.87	36.74	13.57	35.91	100	50 Peak	HORIZONTAL	Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1	7156.84	57.27	-31.83	88.38	42.87	36.74	13.57	35.91	100	50 Peak	HORIZONTAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																										
ANT	802.11ax HE160 Full CH207 6985MHz																																																																										
1+2	Vertical	Fundamental																																																																									
Peak	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 10 Site : 03CB05-KS Condition : WIFI 6E PEAK @ 3117 00218052 VERTICAL Project : RFW 1000.000MHz YEW 3000.000MHz SPT Auto Model : 07 Plane : 7 Polarization : Full-directivity Polarization : #1 PowerSetting : 13 Adaptor:2H2B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.44</td><td>56.15</td><td>-12.15</td><td>88.30</td><td>41.77</td><td>36.75</td><td>13.54</td><td>35.91</td><td>133</td><td>6 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg	1	7126.44	56.15	-12.15	88.30	41.77	36.75	13.54	35.91	133	6 Peak VERTICAL	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 12 Site : 03CB05-KS Condition : WIFI 6E PEAK @ 3117 00218052 VERTICAL Project : RFW 1000.000MHz YEW 3000.000MHz SPT Auto Model : 07 Plane : 7 Polarization : Full-directivity Polarization : #1 PowerSetting : 13 Adaptor:2H2B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6958.00</td><td>98.78</td><td>18.40</td><td>88.38</td><td>84.55</td><td>36.58</td><td>13.37</td><td>35.88</td><td>133</td><td>6 Peak VERTICAL</td></tr><tr><td>2</td><td>6958.00</td><td>88.77</td><td>20.47</td><td>68.30</td><td>74.62</td><td>36.58</td><td>13.37</td><td>35.88</td><td>133</td><td>6 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg	1	6958.00	98.78	18.40	88.38	84.55	36.58	13.37	35.88	133	6 Peak VERTICAL	2	6958.00	88.77	20.47	68.30	74.62	36.58	13.37	35.88	133	6 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																		
1	7126.44	56.15	-12.15	88.30	41.77	36.75	13.54	35.91	133	6 Peak VERTICAL																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																		
1	6958.00	98.78	18.40	88.38	84.55	36.58	13.37	35.88	133	6 Peak VERTICAL																																																																	
2	6958.00	88.77	20.47	68.30	74.62	36.58	13.37	35.88	133	6 Average VERTICAL																																																																	
Avg.	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 11 Site : 03CB05-KS Condition : WIFI 6E (AVG) @ 3117 00218052 VERTICAL Project : RFW 1000.000MHz YEW 3000.000MHz SPT Auto Model : 07 Plane : 7 Polarization : Full-directivity Polarization : #1 PowerSetting : 13 Adaptor:2H2B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.76</td><td>47.16</td><td>-21.14</td><td>68.38</td><td>32.78</td><td>36.75</td><td>13.54</td><td>35.91</td><td>133</td><td>6 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg	1	7126.76	47.16	-21.14	68.38	32.78	36.75	13.54	35.91	133	6 Average VERTICAL	Left blank																																										
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																		
1	7126.76	47.16	-21.14	68.38	32.78	36.75	13.54	35.91	133	6 Average VERTICAL																																																																	







WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																									
ANT	802.11ax HE160 Partial 996/S67 CH207 6985MHz																																																																									
1+2	Vertical	Fundamental																																																																								
Peak	 Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-3000 000KHz SRT-Auto Model : FRS192317 Plane : Y Full-directivity : Y Power setting : A.5 Adaptor2:USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7132.84</td><td>57.04</td><td>-31.26</td><td>88.30</td><td>42.66</td><td>36.74</td><td>13.55</td><td>35.91</td><td>109</td><td>13 Peak</td><td>VERTICAL</td></tr></table>  Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RSM-1000 000KHz VBR-3000 000KHz SRT-Auto Model : FRS192317 Plane : Y Full-directivity : Y Power setting : A.5 Adaptor2:USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7057.00</td><td>92.81</td><td>4.51</td><td>88.30</td><td>78.47</td><td>36.78</td><td>13.47</td><td>35.91</td><td>309</td><td>347 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7057.00</td><td>92.81</td><td>4.51</td><td>88.30</td><td>69.13</td><td>36.78</td><td>13.47</td><td>35.91</td><td>309</td><td>347 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dB	dB	cm	deg		1	7132.84	57.04	-31.26	88.30	42.66	36.74	13.55	35.91	109	13 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dB	dB	cm	deg		1	7057.00	92.81	4.51	88.30	78.47	36.78	13.47	35.91	309	347 Peak	HORIZONTAL	2	7057.00	92.81	4.51	88.30	69.13	36.78	13.47	35.91	309	347 Average	HORIZONTAL	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/Hz	dB	dBm/Hz	dB	dB	cm	deg																																																																			
1	7132.84	57.04	-31.26	88.30	42.66	36.74	13.55	35.91	109	13 Peak	VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/Hz	dB	dBm/Hz	dB	dB	cm	deg																																																																			
1	7057.00	92.81	4.51	88.30	78.47	36.78	13.47	35.91	309	347 Peak	HORIZONTAL																																																															
2	7057.00	92.81	4.51	88.30	69.13	36.78	13.47	35.91	309	347 Average	HORIZONTAL																																																															
Avg.	 Site : 030805-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-3000 000KHz SRT-Auto Model : FRS192317 Plane : Y Full-directivity : Y Power setting : A.5 Adaptor2:USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7219.24</td><td>45.91</td><td>-22.39</td><td>68.30</td><td>31.47</td><td>36.71</td><td>13.64</td><td>35.91</td><td>109</td><td>13 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dB	dB	cm	deg		1	7219.24	45.91	-22.39	68.30	31.47	36.71	13.64	35.91	109	13 Average	VERTICAL																																											
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/Hz	dB	dBm/Hz	dB	dB	cm	deg																																																																			
1	7219.24	45.91	-22.39	68.30	31.47	36.71	13.64	35.91	109	13 Average	VERTICAL																																																															





U-NII 8 - 6875-7125MHzMHz

WIFI 802.11a (Harmonic @ 3m)



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																																																																					
ANT	802.11a CH189 6895MHz																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																				
Peak Avg.	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13788.73</td><td>45.85</td><td>-42.45</td><td>88.30</td><td>46.71</td><td>39.87</td><td>19.35</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13788.73</td><td>45.85</td><td>-42.45</td><td>88.30</td><td>46.71</td><td>39.87</td><td>19.35</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 13788.73	45.85	-42.45	88.30	46.71	39.87	19.35	60.08	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 13788.73	45.85	-42.45	88.30	46.71	39.87	19.35	60.08	300	0 Peak	HORIZONTAL	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13788.73</td><td>46.30</td><td>-42.00</td><td>88.30</td><td>47.16</td><td>39.87</td><td>19.35</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13788.73</td><td>46.30</td><td>-42.00</td><td>88.30</td><td>47.16</td><td>39.87</td><td>19.35</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 13788.73	46.30	-42.00	88.30	47.16	39.87	19.35	60.08	100	360 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 13788.73	46.30	-42.00	88.30	47.16	39.87	19.35	60.08	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																															
1 13788.73	45.85	-42.45	88.30	46.71	39.87	19.35	60.08	300	0 Peak	HORIZONTAL																																																																																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																															
1 13788.73	45.85	-42.45	88.30	46.71	39.87	19.35	60.08	300	0 Peak	HORIZONTAL																																																																																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																															
1 13788.73	46.30	-42.00	88.30	47.16	39.87	19.35	60.08	100	360 Peak	VERTICAL																																																																																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																															
1 13788.73	46.30	-42.00	88.30	47.16	39.87	19.35	60.08	100	360 Peak	VERTICAL																																																																																																												





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																				
ANT	802.11a CH209 6995 MHz																																																																				
1+2	Horizontal	Vertical																																																																			
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900508 http://www.sporton.co.uk.cn Data: 5  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FS) 192317 Plane : Y Full-directivity : Y IME1 : Full-directivity Power setting : 0 Adaptor:2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>13988.98</td><td>46.46</td><td>-41.84</td><td>88.30</td><td>47.25</td><td>39.71</td><td>19.55</td><td>60.05</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900508 http://www.sporton.co.uk.cn Data: 6  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FS) 192317 Plane : Y Full-directivity : Y IME1 : Full-directivity Power setting : 0 Adaptor:2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>13988.98</td><td>46.61</td><td>-41.69</td><td>88.30</td><td>47.40</td><td>39.71</td><td>19.55</td><td>60.05</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	deg			1	13988.98	46.46	-41.84	88.30	47.25	39.71	19.55	60.05	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	deg			1	13988.98	46.61	-41.69	88.30	47.40	39.71	19.55	60.05	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	deg																																																													
1	13988.98	46.46	-41.84	88.30	47.25	39.71	19.55	60.05	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	deg																																																													
1	13988.98	46.61	-41.69	88.30	47.40	39.71	19.55	60.05	100	360 Peak	VERTICAL																																																										





U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																				
ANT	802.11ax HE20 Full CH189 6895MHz																																																																				
1+2	Horizontal	Vertical																																																																			
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 51 Plane: 5 Full-directivity MEI: 10 Power setting: 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13788.73</td><td>46.40</td><td>-41.90</td><td>88.30</td><td>47.26</td><td>39.87</td><td>19.35</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	cm	deg			1 13788.73	46.40	-41.90	88.30	47.26	39.87	19.35	60.08	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 51 Plane: 5 Full-directivity MEI: 10 Power setting: 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13788.73</td><td>46.79</td><td>-41.51</td><td>88.30</td><td>47.65</td><td>39.87</td><td>19.35</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	cm	deg			1 13788.73	46.79	-41.51	88.30	47.65	39.87	19.35	60.08	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	cm	deg																																																													
1 13788.73	46.40	-41.90	88.30	47.26	39.87	19.35	60.08	300	0 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	cm	deg																																																												
1 13788.73	46.79	-41.51	88.30	47.65	39.87	19.35	60.08	100	360 Peak	VERTICAL																																																											







WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH209 6995 MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FRS192317 Plane : 52 Polar : 7 IME1 : Full-directivity Power setting : 47 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pow T/Pow Remark Pol/Phas MHz dBm/100kHz Over Limit Line Level Factor Loss Factor dB dB cm deg 1 13988.98 45.81 -42.49 88.30 46.60 39.71 19.55 60.05 300 0 Peak HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FRS192317 Plane : 52 Polar : 7 IME1 : Full-directivity Power setting : 47 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pow T/Pow Remark Pol/Phas MHz dBm/100kHz Over Limit Line Level Factor Loss Factor dB dB cm deg 1 13988.98 45.21 -42.09 88.30 47.00 39.71 19.55 60.05 100 360 Peak VERTICAL





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																															
ANT	802.11ax HE20 Full CH229 7095 MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn  Site Condition : 03905-KS RIFI 6E PEAK 3m 3117.00218652 HORIZONTAL RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Project : FRS192317 Bode : 53 Plane : Full-directivity MEI : #17 Power setting : 10 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th></tr></thead><tbody><tr><td>1</td><td>14192.00</td><td>45.41</td><td>-42.89</td><td>88.30</td><td>45.97</td><td>39.83</td><td>19.65</td><td>60.04</td><td>300 360 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	1	14192.00	45.41	-42.89	88.30	45.97	39.83	19.65	60.04	300 360 Peak	HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn  Site Condition : 03905-KS RIFI 6E PEAK 3m 3117.00218652 VERTICAL RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Project : FRS192317 Bode : 53 Plane : Full-directivity MEI : #17 Power setting : 10 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th></tr></thead><tbody><tr><td>1</td><td>14192.00</td><td>47.37</td><td>-40.93</td><td>88.30</td><td>47.93</td><td>39.83</td><td>19.65</td><td>60.04</td><td>100 0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	1	14192.00	47.37	-40.93	88.30	47.93	39.83	19.65	60.04	100 0 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz																																																							
1	14192.00	45.41	-42.89	88.30	45.97	39.83	19.65	60.04	300 360 Peak	HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz																																																							
1	14192.00	47.37	-40.93	88.30	47.93	39.83	19.65	60.04	100 0 Peak	VERTICAL																																																						



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE40 Full CH203 6965MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model : 01 Plane : 0 Full-directivity MEI : 12 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13928.91</td><td>47.42</td><td>-40.88</td><td>88.30</td><td>48.23</td><td>39.75</td><td>19.50</td><td>60.06</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model : 01 Plane : 0 Full-directivity MEI : 12 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13928.91</td><td>47.42</td><td>-40.88</td><td>88.30</td><td>48.23</td><td>39.75</td><td>19.50</td><td>60.06</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13928.91	47.42	-40.88	88.30	48.23	39.75	19.50	60.06	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13928.91	47.42	-40.88	88.30	48.23	39.75	19.50	60.06	300	0 Peak	HORIZONTAL	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model : 01 Plane : 0 Full-directivity MEI : 12 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13928.91</td><td>47.33</td><td>-40.97</td><td>88.30</td><td>48.14</td><td>39.75</td><td>19.50</td><td>60.06</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model : 01 Plane : 0 Full-directivity MEI : 12 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13928.91</td><td>47.33</td><td>-40.97</td><td>88.30</td><td>48.14</td><td>39.75</td><td>19.50</td><td>60.06</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13928.91	47.33	-40.97	88.30	48.14	39.75	19.50	60.06	100	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13928.91	47.33	-40.97	88.30	48.14	39.75	19.50	60.06	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																											
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																																																																																														
1 13928.91	47.42	-40.88	88.30	48.23	39.75	19.50	60.06	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																												
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																																																																																														
1 13928.91	47.42	-40.88	88.30	48.23	39.75	19.50	60.06	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																												
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																																																																																														
1 13928.91	47.33	-40.97	88.30	48.14	39.75	19.50	60.06	100	360 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																												
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																																																																																														
1 13928.91	47.33	-40.97	88.30	48.14	39.75	19.50	60.06	100	360 Peak	VERTICAL																																																																																																																												



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																		
ANT	802.11ax HE40 Full CH227 7085MHz																																																																		
1+2	Horizontal	Vertical																																																																	
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 62 Plane : 7 Full-directivity IME1 : 81 Power setting : 11.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14168.00</td><td>46.48</td><td>-41.82</td><td>88.30</td><td>47.06</td><td>39.82</td><td>19.64</td><td>60.04</td><td>300</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	14168.00	46.48	-41.82	88.30	47.06	39.82	19.64	60.04	300	360 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 62 Plane : 7 Full-directivity IME1 : 81 Power setting : 11.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14168.00</td><td>47.02</td><td>-41.28</td><td>88.30</td><td>47.60</td><td>39.82</td><td>19.64</td><td>60.04</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg	1	14168.00	47.02	-41.28	88.30	47.60	39.82	19.64	60.04	100	0 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																										
1	14168.00	46.48	-41.82	88.30	47.06	39.82	19.64	60.04	300	360 Peak	HORIZONTAL																																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg																																																									
1	14168.00	47.02	-41.28	88.30	47.60	39.82	19.64	60.04	100	0 Peak	VERTICAL																																																								





U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH199 6945MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model: 64 Plane: Y Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13888.86</td><td>46.05</td><td>-42.25</td><td>88.30</td><td>46.87</td><td>39.79</td><td>19.45</td><td>60.06</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13888.86	46.05	-42.25	88.30	46.87	39.79	19.45	60.06	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Model: 64 Plane: X Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13888.86</td><td>46.57</td><td>-41.73</td><td>88.30</td><td>47.39</td><td>39.79</td><td>19.45</td><td>60.06</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13888.86	46.57	-41.73	88.30	47.39	39.79	19.45	60.06	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																												
1 13888.86	46.05	-42.25	88.30	46.87	39.79	19.45	60.06	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																												
1 13888.86	46.57	-41.73	88.30	47.39	39.79	19.45	60.06	100	360 Peak	VERTICAL																																																										





U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE160 Full CH207 6985MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model: 60 Plane: Y Full-directivity MEI: #17 Power setting: 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13968.96</td><td>46.55</td><td>-41.75</td><td>88.30</td><td>47.33</td><td>29.73</td><td>19.54</td><td>60.05</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg			1 13968.96	46.55	-41.75	88.30	47.33	29.73	19.54	60.05	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model: 60 Plane: X Full-directivity MEI: #17 Power setting: 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13968.96</td><td>45.95</td><td>-42.35</td><td>88.30</td><td>46.73</td><td>29.73</td><td>19.54</td><td>60.05</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg			1 13968.96	45.95	-42.35	88.30	46.73	29.73	19.54	60.05	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																									
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 13968.96	46.55	-41.75	88.30	47.33	29.73	19.54	60.05	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 13968.96	45.95	-42.35	88.30	46.73	29.73	19.54	60.05	100	360 Peak	VERTICAL																																																										





U-NII 8 - Straddle Channel

WIFI 802.11ax HE40 Full (Harmonic @ 3m)




WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																													
ANT	802.11ax HE40 Full CH187 6885MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 00218663 HORIZONTAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Model : FR192317 Plane : Y Polarization : Full-directivity Power setting : 11 Adapter2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13768.71</td><td>46.59</td><td>-41.71</td><td>88.30</td><td>47.45</td><td>39.89</td><td>19.33</td><td>60.08</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 13768.71	46.59	-41.71	88.30	47.45	39.89	19.33	60.08	300	0 Peak HORIZONTAL	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 00218663 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Model : FR192317 Plane : Y Polarization : Full-directivity Power setting : 11 Adapter2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13768.71</td><td>46.83</td><td>-41.47</td><td>88.30</td><td>47.69</td><td>39.89</td><td>19.33</td><td>60.08</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 13768.71	46.83	-41.47	88.30	47.69	39.89	19.33	60.08	100	360 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 13768.71	46.59	-41.71	88.30	47.45	39.89	19.33	60.08	300	0 Peak HORIZONTAL																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 13768.71	46.83	-41.47	88.30	47.69	39.89	19.33	60.08	100	360 Peak VERTICAL																																																					



Emission below 1GHz
5GHz WIFI 802.11ax HE160 Full (LF)

WIFI	5GHz WIFI																																																																																																																																																																																																
ANT	802.11ax HE160 Full LF																																																																																																																																																																																																
1+2	Horizontal	Vertical																																																																																																																																																																																															
QP / Peak	 Data: 13 Level (dBuV/m) Frequency (MHz) Site: No. 1006, Pengli North Road, Kunshan Condition: Economic & Technical Development Project: Zone Jiangsu, China Date: tel: +86-512-57900158 Time: fax: +86-512-57900958 IMEI: http://www.sporton.com.cn Power setting: 13 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>45.52</td><td>27.25</td><td>-12.75</td><td>40.00</td><td>42.22</td><td>16.92</td><td>1.83</td><td>32.92</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>2</td><td>96.93</td><td>22.32</td><td>-22.18</td><td>43.50</td><td>36.14</td><td>17.47</td><td>1.49</td><td>32.78</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>3</td><td>184.23</td><td>21.84</td><td>-22.46</td><td>43.50</td><td>35.31</td><td>16.68</td><td>2.00</td><td>33.40</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>4</td><td>427.79</td><td>23.13</td><td>-22.87</td><td>46.00</td><td>29.51</td><td>23.20</td><td>3.10</td><td>32.74</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>5</td><td>680.49</td><td>26.58</td><td>-19.42</td><td>46.00</td><td>29.19</td><td>25.75</td><td>4.40</td><td>32.77</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>6</td><td>871.96</td><td>28.56</td><td>-17.44</td><td>46.00</td><td>29.32</td><td>27.29</td><td>4.51</td><td>32.56</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr></table>  Data: 14 Level (dBuV/m) Frequency (MHz) Site: No. 1006, Pengli North Road, Kunshan Condition: Economic & Technical Development Project: Zone Jiangsu, China Date: tel: +86-512-57900158 Time: fax: +86-512-57900958 IMEI: http://www.sporton.com.cn Power setting: 13 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>45.52</td><td>27.82</td><td>-12.18</td><td>40.00</td><td>42.79</td><td>16.92</td><td>1.83</td><td>32.92</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>96.93</td><td>21.30</td><td>-22.20</td><td>43.50</td><td>35.32</td><td>17.47</td><td>1.49</td><td>32.78</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>3</td><td>184.23</td><td>20.26</td><td>-23.14</td><td>43.50</td><td>34.83</td><td>16.68</td><td>2.00</td><td>33.40</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>4</td><td>345.25</td><td>22.45</td><td>-23.95</td><td>46.00</td><td>30.84</td><td>21.29</td><td>2.83</td><td>32.90</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>5</td><td>572.23</td><td>26.40</td><td>-19.60</td><td>46.00</td><td>29.13</td><td>25.72</td><td>3.65</td><td>32.56</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>6</td><td>795.33</td><td>27.90</td><td>-18.10</td><td>46.00</td><td>29.25</td><td>26.86</td><td>4.31</td><td>32.52</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	45.52	27.25	-12.75	40.00	42.22	16.92	1.83	32.92	---	---	Peak HORIZONTAL	2	96.93	22.32	-22.18	43.50	36.14	17.47	1.49	32.78	---	---	Peak HORIZONTAL	3	184.23	21.84	-22.46	43.50	35.31	16.68	2.00	33.40	---	---	Peak HORIZONTAL	4	427.79	23.13	-22.87	46.00	29.51	23.20	3.10	32.74	---	---	Peak HORIZONTAL	5	680.49	26.58	-19.42	46.00	29.19	25.75	4.40	32.77	---	---	Peak HORIZONTAL	6	871.96	28.56	-17.44	46.00	29.32	27.29	4.51	32.56	---	---	Peak HORIZONTAL	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	45.52	27.82	-12.18	40.00	42.79	16.92	1.83	32.92	---	---	Peak VERTICAL	2	96.93	21.30	-22.20	43.50	35.32	17.47	1.49	32.78	---	---	Peak VERTICAL	3	184.23	20.26	-23.14	43.50	34.83	16.68	2.00	33.40	---	---	Peak VERTICAL	4	345.25	22.45	-23.95	46.00	30.84	21.29	2.83	32.90	---	---	Peak VERTICAL	5	572.23	26.40	-19.60	46.00	29.13	25.72	3.65	32.56	---	---	Peak VERTICAL	6	795.33	27.90	-18.10	46.00	29.25	26.86	4.31	32.52	---	---	Peak VERTICAL
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																																																																																																																								
1	45.52	27.25	-12.75	40.00	42.22	16.92	1.83	32.92	---	---	Peak HORIZONTAL																																																																																																																																																																																						
2	96.93	22.32	-22.18	43.50	36.14	17.47	1.49	32.78	---	---	Peak HORIZONTAL																																																																																																																																																																																						
3	184.23	21.84	-22.46	43.50	35.31	16.68	2.00	33.40	---	---	Peak HORIZONTAL																																																																																																																																																																																						
4	427.79	23.13	-22.87	46.00	29.51	23.20	3.10	32.74	---	---	Peak HORIZONTAL																																																																																																																																																																																						
5	680.49	26.58	-19.42	46.00	29.19	25.75	4.40	32.77	---	---	Peak HORIZONTAL																																																																																																																																																																																						
6	871.96	28.56	-17.44	46.00	29.32	27.29	4.51	32.56	---	---	Peak HORIZONTAL																																																																																																																																																																																						
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																																																																																																																								
1	45.52	27.82	-12.18	40.00	42.79	16.92	1.83	32.92	---	---	Peak VERTICAL																																																																																																																																																																																						
2	96.93	21.30	-22.20	43.50	35.32	17.47	1.49	32.78	---	---	Peak VERTICAL																																																																																																																																																																																						
3	184.23	20.26	-23.14	43.50	34.83	16.68	2.00	33.40	---	---	Peak VERTICAL																																																																																																																																																																																						
4	345.25	22.45	-23.95	46.00	30.84	21.29	2.83	32.90	---	---	Peak VERTICAL																																																																																																																																																																																						
5	572.23	26.40	-19.60	46.00	29.13	25.72	3.65	32.56	---	---	Peak VERTICAL																																																																																																																																																																																						
6	795.33	27.90	-18.10	46.00	29.25	26.86	4.31	32.52	---	---	Peak VERTICAL																																																																																																																																																																																						








BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH39 2480MHZ	
1	Vertical	Fundamental
Peak	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 11 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C 64dB Site Condition Project Model Plane Plane Plane Power setting BT Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 2487.08 93.78 -28.22 74.00 49.19 38.93 7.89 34.23 299 81 Peak VERTICAL	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 13 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1600 1900 2200 2500 2700 3000 Frequency (MHz) FCC PART 15C 64dB Site Condition Project Model Plane Plane Plane Power setting BT Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 2480.00 99.11 25.11 74.00 94.65 38.86 7.86 34.26 299 81 Peak VERTICAL
	Avg.	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 12 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) 64dB Site Condition Project Model Plane Plane Plane Power setting BT Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB dB cm deg 1 2483.58 47.87 -6.13 54.00 43.41 38.86 7.86 34.26 299 81 Average VERTICAL






U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE160 Full RU (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m			
ANT	802.11ax HE160 Full CH15 6025MHz			
1+2	Horizontal	Fundamental		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Level (dBm/Hz) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5785 5810 5830 5850 5870 5890 5910 5930 5950 5970 5990 6010 6030 6050 6070 6090 6125 Frequency (MHz) WIFI 6E PEAK In 3117 00218652 HORIZONTAL BW 1000.000KHz VSW 3000.000KHz SWT Auto Project (FR) 192317 Role 07 Plane Y Full-directivity IMEI #17 Powersetting 13 WIFI Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dBm/Hz dB dBm/Hz dBm/Hz dB dB cm deg 1 5904.68 57.94 -30.36 88.30 43.29 35.88 12.33 33.54 134 185 Peak HORIZONTAL  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 3 Level (dBm/Hz) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 6000 6020 6040 6060 6080 6100 6120 6140 6160 6180 6200 6220 6240 6260 6280 6300 6320 6340 6360 6380 6400 6420 6440 6460 6480 6500 6520 6540 6560 6580 6600 6620 6640 6660 6680 6700 6720 6740 6760 6780 6800 6820 6840 6860 6880 6900 6920 6940 6960 6980 7000 7020 7040 7060 7080 7100 7120 7140 7160 7180 7200 7220 7240 7260 7280 7300 7320 7340 7360 7380 7400 7420 7440 7460 7480 7500 7520 7540 7560 7580 7600 7620 7640 7660 7680 7700 7720 7740 7760 7780 7800 7820 7840 7860 7880 7900 7920 7940 7960 7980 8000 8020 8040 8060 8080 8100 8120 8140 8160 8180 8200 8220 8240 8260 8280 8300 8320 8340 8360 8380 8400 8420 8440 8460 8480 8500 8520 8540 8560 8580 8600 8620 8640 8660 8680 8700 8720 8740 8760 8780 8800 8820 8840 8860 8880 8900 8920 8940 8960 8980 9000 9020 9040 9060 9080 9100 9120 9140 9160 9180 9200 9220 9240 9260 9280 9300 9320 9340 9360 9380 9400 9420 9440 9460 9480 9500 9520 9540 9560 9580 9600 9620 9640 9660 9680 9700 9720 9740 9760 9780 9800 9820 9840 9860 9880 9900 9920 9940 9960 9980 10000 Frequency (MHz) WIFI 6E PEAK In 3117 00218652 HORIZONTAL BW 1000.000KHz VSW 3000.000KHz SWT Auto Project (FR) 192317 Role 07 Plane Y Full-directivity IMEI #17 Powersetting 13 WIFI Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dBm/Hz dB dBm/Hz dBm/Hz dB dB cm deg 1 * 6040.00 95.77 7.47 88.30 81.35 35.82 12.42 33.82 134 185 Peak HORIZONTAL 2 * 6040.00 87.99 19.69 68.38 73.57 35.82 12.42 33.82 134 185 Average HORIZONTAL <tr><td>Avg.</td><td>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBm/Hz) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5785 5810 5830 5850 5870 5890 5910 5930 5950 5970 5990 6010 6030 6050 6070 6090 6125 Frequency (MHz) WIFI 6E (AVG) In 3117 00218652 HORIZONTAL BW 1000.000KHz VSW 0.01000KHz SWT Auto Project (FR) 192317 Role 07 Plane Y Full-directivity IMEI #17 Powersetting 13 WIFI Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dBm/Hz dB dBm/Hz dBm/Hz dB dB cm deg 1 5896.18 48.17 -28.13 68.30 33.54 35.88 12.29 33.54 134 185 Average HORIZONTAL Left blank </td><td></td></tr>	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBm/Hz) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5785 5810 5830 5850 5870 5890 5910 5930 5950 5970 5990 6010 6030 6050 6070 6090 6125 Frequency (MHz) WIFI 6E (AVG) In 3117 00218652 HORIZONTAL BW 1000.000KHz VSW 0.01000KHz SWT Auto Project (FR) 192317 Role 07 Plane Y Full-directivity IMEI #17 Powersetting 13 WIFI Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dBm/Hz dB dBm/Hz dBm/Hz dB dB cm deg 1 5896.18 48.17 -28.13 68.30 33.54 35.88 12.29 33.54 134 185 Average HORIZONTAL Left blank	
	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Level (dBm/Hz) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5785 5810 5830 5850 5870 5890 5910 5930 5950 5970 5990 6010 6030 6050 6070 6090 6125 Frequency (MHz) WIFI 6E (AVG) In 3117 00218652 HORIZONTAL BW 1000.000KHz VSW 0.01000KHz SWT Auto Project (FR) 192317 Role 07 Plane Y Full-directivity IMEI #17 Powersetting 13 WIFI Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dBm/Hz dB dBm/Hz dBm/Hz dB dB cm deg 1 5896.18 48.17 -28.13 68.30 33.54 35.88 12.29 33.54 134 185 Average HORIZONTAL Left blank		





WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE160 Full CH15 6025MHz																																																																																
1+2	Vertical	Fundamental																																																																															
Peak	 No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 4 Site Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL RFW 1000, 0008Hz VSW 0.0018Hz SPT Auto Project: GR0192317 Mode: 67 Plane: Pull-directivity IMEI: 13 Power setting: 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5956.48</td><td>56.38</td><td>-31.92</td><td>88.30</td><td>41.65</td><td>35.90</td><td>12.26</td><td>33.43</td><td>163</td><td>282</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	5956.48	56.38	-31.92	88.30	41.65	35.90	12.26	33.43	163	282	Peak	VERTICAL	 No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 6 Site Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL RFW 1000, 0008Hz VSW 0.0018Hz SPT Auto Project: GR0192317 Mode: 67 Plane: Pull-directivity IMEI: 13 Power setting: 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>6067.00</td><td>94.87</td><td>6.57</td><td>88.30</td><td>88.50</td><td>35.88</td><td>12.45</td><td>33.88</td><td>163</td><td>282</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>6067.00</td><td>85.85</td><td>17.55</td><td>68.30</td><td>71.48</td><td>35.88</td><td>12.45</td><td>33.88</td><td>163</td><td>282</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	6067.00	94.87	6.57	88.30	88.50	35.88	12.45	33.88	163	282	Peak	VERTICAL	2	6067.00	85.85	17.55	68.30	71.48	35.88	12.45	33.88	163	282	Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																										
1	5956.48	56.38	-31.92	88.30	41.65	35.90	12.26	33.43	163	282	Peak	VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																										
1	6067.00	94.87	6.57	88.30	88.50	35.88	12.45	33.88	163	282	Peak	VERTICAL																																																																					
2	6067.00	85.85	17.55	68.30	71.48	35.88	12.45	33.88	163	282	Average	VERTICAL																																																																					
Avg.	 No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Date: 5 Site Condition: WIFI 6E (ATC) 3m 3117 00218653 VERTICAL RFW 1000, 0008Hz VSW 0.0108Hz SPT Auto Project: GR0192317 Mode: 67 Plane: Pull-directivity IMEI: 13 Power setting: 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5789.42</td><td>46.59</td><td>-21.71</td><td>68.30</td><td>31.69</td><td>35.78</td><td>12.21</td><td>33.09</td><td>163</td><td>282</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	5789.42	46.59	-21.71	68.30	31.69	35.78	12.21	33.09	163	282	Average	VERTICAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																										
1	5789.42	46.59	-21.71	68.30	31.69	35.78	12.21	33.09	163	282	Average	VERTICAL																																																																					











U-NII 5 - 5925-6425MHzMHz




WIFI 802.11ax HE160 Full RU (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE160 Full CH15 6025MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site Condition: WIFI 4E PEAK In 3117 00210652 HORIZONTAL BW: 1000.000KHz VSW: 3000.000KHz SWT: Auto Project: FR192317 Date: 07 Time: 7 Polar: Pull-directivity IMEI: 817 PowerSetting: 13 WIFI <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12859.56</td><td>44.89</td><td>-29.11</td><td>74.00</td><td>53.88</td><td>39.84</td><td>17.98</td><td>66.81</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12859.56	44.89	-29.11	74.00	53.88	39.84	17.98	66.81	300	0 Peak	HORIZONTAL	 Site Condition: WIFI 4E PEAK In 3117 00210652 VERTICAL BW: 1000.000KHz VSW: 3000.000KHz SWT: Auto Project: FR192317 Date: 07 Time: 7 Polar: Pull-directivity IMEI: 817 PowerSetting: 13 WIFI <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12859.56</td><td>44.35</td><td>-29.65</td><td>74.00</td><td>53.34</td><td>39.84</td><td>17.98</td><td>66.81</td><td>300</td><td>368 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12859.56	44.35	-29.65	74.00	53.34	39.84	17.98	66.81	300	368 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12859.56	44.89	-29.11	74.00	53.88	39.84	17.98	66.81	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12859.56	44.35	-29.65	74.00	53.34	39.84	17.98	66.81	300	368 Peak	VERTICAL																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11ax HE20 Full CH11 2462MHz																																																																																																																																						
1+2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5  Site Condition: a FCC PART 15C 3e 3117 00218052 VERTICAL RSM 1000.000MHz YEW 3000.000MHz SPT Auto Project: (F91)92317 Model: 09 Plane: Y Polarization: Full-directivity JMI: #17 Power: GE 13 2.4G 17.5 Power: 2.4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2463.58</td><td>59.81</td><td>-14.19</td><td>74.00</td><td>55.35</td><td>30.86</td><td>7.86</td><td>34.26</td><td>262</td><td>298 Peak VERTICAL</td></tr></tbody></table>  No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 7  Site Condition: a FCC PART 15C 3e 3117 00218052 VERTICAL RSM 1000.000MHz YEW 3000.000MHz SPT Auto Project: (F91)92317 Model: 09 Plane: Y Polarization: Full-directivity JMI: #17 Power: GE 13 2.4G 17.5 Power: 2.4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2460.00</td><td>108.13</td><td>34.13</td><td>74.00</td><td>103.79</td><td>38.79</td><td>7.83</td><td>34.28</td><td>262</td><td>298 Peak VERTICAL</td></tr></tbody></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6  Site Condition: a FCC PART 15C (AVG) 3e 3117 00218052 VERTICAL RSM 1000.000MHz YEW 3000.000MHz SPT Auto Project: (F91)92317 Model: 09 Plane: Y Polarization: Full-directivity JMI: #17 Power: GE 13 2.4G 17.5 Power: 2.4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.58</td><td>46.95</td><td>-7.05</td><td>54.00</td><td>42.49</td><td>30.86</td><td>7.86</td><td>34.26</td><td>262</td><td>298 Average VERTICAL</td></tr></tbody></table>  No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 8  Site Condition: a FCC PART 15C (AVG) 3e 3117 00218052 VERTICAL RSM 1000.000MHz YEW 3000.000MHz SPT Auto Project: (F91)92317 Model: 09 Plane: Y Polarization: Full-directivity JMI: #17 Power: GE 13 2.4G 17.5 Power: 2.4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2460.00</td><td>98.19</td><td>44.19</td><td>54.00</td><td>93.85</td><td>38.79</td><td>7.83</td><td>34.28</td><td>262</td><td>298 Average VERTICAL</td></tr></tbody></table> </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2463.58	59.81	-14.19	74.00	55.35	30.86	7.86	34.26	262	298 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2460.00	108.13	34.13	74.00	103.79	38.79	7.83	34.28	262	298 Peak VERTICAL	Avg.	 No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6  Site Condition: a FCC PART 15C (AVG) 3e 3117 00218052 VERTICAL RSM 1000.000MHz YEW 3000.000MHz SPT Auto Project: (F91)92317 Model: 09 Plane: Y Polarization: Full-directivity JMI: #17 Power: GE 13 2.4G 17.5 Power: 2.4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.58</td><td>46.95</td><td>-7.05</td><td>54.00</td><td>42.49</td><td>30.86</td><td>7.86</td><td>34.26</td><td>262</td><td>298 Average VERTICAL</td></tr></tbody></table>  No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 8  Site Condition: a FCC PART 15C (AVG) 3e 3117 00218052 VERTICAL RSM 1000.000MHz YEW 3000.000MHz SPT Auto Project: (F91)92317 Model: 09 Plane: Y Polarization: Full-directivity JMI: #17 Power: GE 13 2.4G 17.5 Power: 2.4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2460.00</td><td>98.19</td><td>44.19</td><td>54.00</td><td>93.85</td><td>38.79</td><td>7.83</td><td>34.28</td><td>262</td><td>298 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2483.58	46.95	-7.05	54.00	42.49	30.86	7.86	34.26	262	298 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2460.00	98.19	44.19	54.00	93.85	38.79	7.83	34.28	262	298 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2463.58	59.81	-14.19	74.00	55.35	30.86	7.86	34.26	262	298 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2460.00	108.13	34.13	74.00	103.79	38.79	7.83	34.28	262	298 Peak VERTICAL																																																																																																																													
Avg.	 No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6  Site Condition: a FCC PART 15C (AVG) 3e 3117 00218052 VERTICAL RSM 1000.000MHz YEW 3000.000MHz SPT Auto Project: (F91)92317 Model: 09 Plane: Y Polarization: Full-directivity JMI: #17 Power: GE 13 2.4G 17.5 Power: 2.4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.58</td><td>46.95</td><td>-7.05</td><td>54.00</td><td>42.49</td><td>30.86</td><td>7.86</td><td>34.26</td><td>262</td><td>298 Average VERTICAL</td></tr></tbody></table>  No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 8  Site Condition: a FCC PART 15C (AVG) 3e 3117 00218052 VERTICAL RSM 1000.000MHz YEW 3000.000MHz SPT Auto Project: (F91)92317 Model: 09 Plane: Y Polarization: Full-directivity JMI: #17 Power: GE 13 2.4G 17.5 Power: 2.4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2460.00</td><td>98.19</td><td>44.19</td><td>54.00</td><td>93.85</td><td>38.79</td><td>7.83</td><td>34.28</td><td>262</td><td>298 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2483.58	46.95	-7.05	54.00	42.49	30.86	7.86	34.26	262	298 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2460.00	98.19	44.19	54.00	93.85	38.79	7.83	34.28	262	298 Average VERTICAL																																																																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2483.58	46.95	-7.05	54.00	42.49	30.86	7.86	34.26	262	298 Average VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																																																																															
1	2460.00	98.19	44.19	54.00	93.85	38.79	7.83	34.28	262	298 Average VERTICAL																																																																																																																													





WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE160 Full CH15 6025MHz																																																																														
1+2	Vertical	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: WIFI 6E PEAK @ 3117 00218052 VERTICAL RFW 1000.000KHz YAW 3000.000KHz SPT Auto Project: OFDM 192317 Mode: OF Plane: T Polar: Full-directivity Polarization: H Power: 13 2.40 17.5 Power: 13 2.40 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5931.58</td><td>56.29</td><td>-32.81</td><td>88.30</td><td>41.53</td><td>35.84</td><td>12.24</td><td>35.32</td><td>136</td><td>15 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	cm	deg			1 5931.58	56.29	-32.81	88.30	41.53	35.84	12.24	35.32	136	15 Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: WIFI 6E PEAK @ 3117 00218052 VERTICAL RFW 1000.000KHz YAW 3000.000KHz SPT Auto Project: OFDM 192317 Mode: OF Plane: T Polar: Full-directivity Polarization: H Power: 13 2.40 17.5 Power: 13 2.40 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 6067.00</td><td>93.91</td><td>5.61</td><td>88.30</td><td>79.54</td><td>35.88</td><td>12.45</td><td>33.88</td><td>136</td><td>15 Peak</td><td>VERTICAL</td></tr><tr><td>2 * 6067.00</td><td>86.33</td><td>18.03</td><td>68.30</td><td>71.96</td><td>35.88</td><td>12.45</td><td>33.88</td><td>136</td><td>15 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	cm	deg			1 * 6067.00	93.91	5.61	88.30	79.54	35.88	12.45	33.88	136	15 Peak	VERTICAL	2 * 6067.00	86.33	18.03	68.30	71.96	35.88	12.45	33.88	136	15 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	cm	deg																																																																							
1 5931.58	56.29	-32.81	88.30	41.53	35.84	12.24	35.32	136	15 Peak	VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	cm	deg																																																																							
1 * 6067.00	93.91	5.61	88.30	79.54	35.88	12.45	33.88	136	15 Peak	VERTICAL																																																																					
2 * 6067.00	86.33	18.03	68.30	71.96	35.88	12.45	33.88	136	15 Average	VERTICAL																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition: WIFI 6E (AVG) @ 3117 00218052 VERTICAL RFW 1000.000KHz YAW 3000.000KHz SPT Auto Project: OFDM 192317 Mode: OF Plane: T Polar: Full-directivity Polarization: H Power: 13 2.40 17.5 Power: 13 2.40 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5931.14</td><td>46.77</td><td>-21.53</td><td>68.30</td><td>32.12</td><td>35.88</td><td>12.31</td><td>33.54</td><td>136</td><td>15 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	cm	deg			1 5931.14	46.77	-21.53	68.30	32.12	35.88	12.31	33.54	136	15 Average	VERTICAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100	dB	dBm/100	dBm/100	dB	dB	cm	deg																																																																							
1 5931.14	46.77	-21.53	68.30	32.12	35.88	12.31	33.54	136	15 Average	VERTICAL																																																																					



2.4GHz 2400~2483.5MHz



WIFI 802.11 ax HE20 Full RU (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																													
ANT	802.11 ax HE20 Full CH11 2462MHz																																																																																													
1+2	Horizontal	Vertical																																																																																												
Peak Avg.	 Site Condition: a FCC PART 15C 3a 3117 00210652 HORIZONTAL BW 1000.000KHz VSW 3000.000KHz SWT Auto Project: FR192317 Date: 05 Time: T Full-directivity REI: 0E 13 2.46 17.5 Powersetting: Over Limit <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Hz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>38.62</td><td>-35.38</td><td>74.00</td><td>57.95</td><td>34.77</td><td>11.35</td><td>65.45</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7386.00</td><td>41.36</td><td>-32.64</td><td>74.00</td><td>57.68</td><td>36.64</td><td>11.00</td><td>66.16</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site Condition: a FCC PART 15C 3a 3117 00210652 VERTICAL BW 1000.000KHz VSW 3000.000KHz SWT Auto Project: FR192317 Date: 05 Time: T Full-directivity REI: 0E 13 2.46 17.5 Powersetting: Over Limit <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Hz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>38.73</td><td>-35.27</td><td>74.00</td><td>58.06</td><td>34.77</td><td>11.35</td><td>65.45</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7386.00</td><td>40.62</td><td>-33.38</td><td>74.00</td><td>56.14</td><td>36.64</td><td>11.00</td><td>66.16</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4926.00	38.62	-35.38	74.00	57.95	34.77	11.35	65.45	300	0 Peak	HORIZONTAL	2	7386.00	41.36	-32.64	74.00	57.68	36.64	11.00	66.16	300	0 Peak	HORIZONTAL	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4926.00	38.73	-35.27	74.00	58.06	34.77	11.35	65.45	300	360 Peak	VERTICAL	2	7386.00	40.62	-33.38	74.00	56.14	36.64	11.00	66.16	300	360 Peak	VERTICAL	
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																						
1	4926.00	38.62	-35.38	74.00	57.95	34.77	11.35	65.45	300	0 Peak	HORIZONTAL																																																																																			
2	7386.00	41.36	-32.64	74.00	57.68	36.64	11.00	66.16	300	0 Peak	HORIZONTAL																																																																																			
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																						
1	4926.00	38.73	-35.27	74.00	58.06	34.77	11.35	65.45	300	360 Peak	VERTICAL																																																																																			
2	7386.00	40.62	-33.38	74.00	56.14	36.64	11.00	66.16	300	360 Peak	VERTICAL																																																																																			



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE160 Full RU (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
1+2	Horizontal	Vertical
Peak Avg.	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sportow.com.cn Site Condition : Project : Date : Plane : Full-directivity : IMEI : PowerSetting : a FCC PART 15C 3a 3117 00210652 HORIZONTAL BW 1000.000kHz VSW 3000.000kHz SW Auto FR192317 08 Full-directivity #17 #17 #13 2.46 17.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor cm deg 1 12051.00 46.59 -27.41 74.00 55.58 39.04 17.98 66.01 100 300 Peak HORIZONTAL	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sportow.com.cn Site Condition : Project : Date : Plane : Full-directivity : IMEI : PowerSetting : a FCC PART 15C 3a 3117 00210652 VERTICAL BW 1000.000kHz VSW 3000.000kHz SW Auto FR192317 08 Full-directivity #17 #17 #13 2.46 17.5 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Line Level Factor Loss Factor cm deg 1 12051.00 45.38 -28.62 74.00 54.37 39.04 17.98 66.01 100 0 Peak VERTICAL

Appendix E. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	99.32	-	-	10Hz
1+2	802.11ax HE20	100	-	-	10Hz
1+2	802.11ax HE40	100	-	-	10Hz
1+2	802.11ax HE80	100	-	-	10Hz
1+2	802.11ax HE160	100	-	-	10Hz

802.11a

