

FCC RF Exposure Report

FCC ID : 188WSQ50

Equipment : Multy X AC3000 Tri-Band WiFi System

Model No. : WSQ50

Brand Name : ZYXEL

Applicant : Zyxel Communications Corporation

Address : No.2, Industry East Road IX, Hsinchu Science

Park, Hsinchu, 30075, Taiwan, R.O.C.

Standard : 47 CFR FCC Part 2.1091

Received Date : May 26, 2017

Tested Date : May 26 ~ Aug. 22, 2017

We, International Certification Corp., would like to declare that the tested sample has been evaluated and in compliance with the requirement of the above standards. The test results contained in this report refer exclusively to the product. It may be duplicated completely for legal use with the approval of the applicant. It shall not be reproduced except in full without the written approval of our laboratory.

Reviewed by: Approved by:

Along Chery Assistant Manager Gary Chang / Manager

Testing Laboratory

Report No.: FA760801 Page: 1 of 6



Table of Contents

1	MPE EVALUATION OF MOBILE DEVICES	4
-		
1.1	LIMITS FOR GENERAL POPULATION/UNCONTROLLED EXPOSURE	4
1.2	MPE EVALUATION FORMULA	4
1.3	MPE EVALUATION RESULTS	5
=-		
2	TEST LABORATORY INFORMATION	€

Report No.: FA760801

Page : 2 of 6



Release Record

Report No.	Version	Description	Issued Date
FA760801	Rev. 01	Initial issue	Sep. 04, 2017

Report No.: FA760801 Page: 3 of 6



1 MPE EVALUATION OF MOBILE DEVICES

Human exposure to RF emissions from mobile devices (47 CFR §2.1091) may be evaluated based on the MPE limits adopted by the FCC for electric and magnetic field strength and/or power density, as appropriate, since exposures are assumed to occur at distances of 20 cm or more from persons.

1.1 LIMITS FOR GENERAL POPULATION/UNCONTROLLED EXPOSURE

Frequency Range (MHz)	Power Density (mW /cm²)	Averaging Time (minutes)	
300~1500	F/1500	30	
1500~100000	1.0	30	

1.2 MPE EVALUATION FORMULA

$$Pd = \frac{Pt}{4*Pi*R^2}$$

Where

Pd= Power density in mW/cm²

Pt= EIRP in mW Pi= 3.1416

R= Measurement distance

Report No.: FA760801 Page: 4 of 6



1.3 MPE EVALUATION RESULTS

Non-beamforming mode

Frequency Range (MHz)	Maximum Conducted Power (dBm)	Antenna Gain (dBi)	Distance (cm)	Power Density (mW/cm²)	Limit (mW/cm²)		
For WLAN	For WLAN						
2412~2462	29.52	0	20	0.178	1		
5180~5240	27.63	0	20	0.115	1		
5745~5825	29.81	0.43	20	0.210	1		
For BT							
2402~2480 LE	3.57	4.94	20	0.001	1		

Beamforming mode

Frequency Range (MHz)	Maximum Conducted Power (dBm)	Antenna Gain (dBi)	Distance (cm)	Power Density (mW/cm²)	Limit (mW/cm²)	
For WLAN						
5745~5825	28.92	6.45	20	0.685	1	

Note:

For 5745~5850 MHz band

Directional gain = $0.43+10* \log(4/1) = 6.45 \text{ dBi}$

MPE Evaluation of Simultaneous Transmission

The device supports simultaneous transmission as below configurations Wi-Fi 2.4GHz + BT + Wi-Fi 5 GHz UNII Band 1+ Wi-Fi 5GHz UNII Band 3

MPE evaluation is as below formula

PD1 / Limit1 + PD2 / Limit 2 + < 1, PD = Power density

MPE Evaluation = 0.178 / 1 + 0.001 / 1 + 0.115 / 1 + 0.685 / 1 = 0.98 < 1

Conclusion

MPE evaluations of single and simultaneous transmission meet the requirement of standard.

Report No.: FA760801 Page: 5 of 6



2 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corp (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website http://www.icertifi.com.tw.

Linkou

Tel: 886-2-2601-1640 No. 30-2, Ding Fwu Tsuen, Lin Kou District, New Taipei City, Taiwan, R.O.C.

Kwei Shan

Tel: 886-3-271-8666 No. 3-1, Lane 6, Wen San 3rd St., Kwei Shan District, Tao Yuan City 333, Taiwan, R.O.C.

Kwei Shan Site II

Tel: 886-3-271-8640 No. 14-1, Lane 19, Wen San 3rd St., Kwei Shan District, Tao Yuan City 333, Taiwan, R.O.C.

If you have any suggestion, please feel free to contact us as below information.

Tel: 886-3-271-8666 Fax: 886-3-318-0155

Email: ICC_Service@icertifi.com.tw

==END==

Report No.: FA760801 Page: 6 of 6