
文档类型:	使用说明书	审核岗位:	产品/电子/结构/包装/认证/软件/测试/环保									
成型尺寸:	90×120mm-公差±2mm	展开尺寸:	350 × 120mm	材质:	128g双铜纸+ 过哑油	工艺:	单黑印刷	成型	过型方式: 风琴折−4折			
		文件修订履历	(此页非印刷&刻	录页,正	式文件请删除』	比页)						
修订版本	修订日期	修订说明						修订人				
V1.0	2024-4-10	初版制定					杨晓恒					
V1.1	2024-4-11	1	认证雪萍反馈更新产品名称为Touch Control Panel,添加型号: TCP30T,TCP31T,TCP32T,TCP33T,TCP35T						杨晓恒			

## Touch Control Panel User Manual



Note: All the pictures in this manual are for reference only, please refer to the actual product.

### Safety Warnings

Before using and operating this equipment, please read and observe the following precautions carefully to avoid dangerous or illegal operations.

#### · Placement

- 1) Do not expose the camera to any heat source (such as electrical heater).
- ② Normal operating temperature is  $0-40^{\circ}$ C, normal operating humidity is 10%-90%RH.
- ③ Do not place the product in dusty and humid environments in case of internal circuit fault.

#### · Children Safety

① The product and accessories may contain some small-part. Please place them beyond the reach of children in avoidance of swallowing danger.

## · Power Supply

1) Please use the standard cable of this product.


#### · Water Precaution

1) The product is not waterproof. Please keep it dry.

## · Maintenance


- 1) Please contact professional service personnel for maintenance services
- ② When the equipment is damaged, please do not disassemble it for repair without permission, please call customer service to report for repair.
- 3 Do not insert any sharp or pointed object into the device.
- 4 Do not drop or hit the device to avoid damage to the device.

## ◆ Appearance Introduction



1	11.6" Touch Screen
2	PIR: The screen will wake up automatically when a person is detected in front of the screen.
3	RJ45(TO PC): to connect with XC25T mini PC
4	USB-A(2.0): Connect USB devices such as mobile hard disk, U disk, USB keyboard, mouse, USB drives, USB camera and mic etc. 5V=1A
(5)	USB-C: (Ingest): content sharing in Teams Room
6	RJ45(Ext Console): Extend to the second console
7	USB-A(2.0): Pair with MAXHUB wireless Dongle. 5V=0.5A
8	AUDIO OUT: 3.5mm Jack
9	Ultrasonic Speaker

## ◆ Device connection





#### ◆ Statement

- ① Intellectual property right statement: The hardware design and software of this product are covered by the patents. Anyone who reproduces this product or the content of the instruction without the authorization of the Company shall assume legal liabilities.
- ② This manual is for reference only, and the actual function of the final product is subject to the actual function of the product received by the customer.
- ③ The picture is for reference only, please refer to the actual product. The company reserves the right to improve and change the appearance and design of the product without notice.

#### Accessories

- · RJ45 Cable × 1
- · USB Type-C (C to C) Cable × 1
- · MAXHUB XCore Kit for Microsoft Teams Rooms × 1

# ◆ Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- · Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

## **♦** FCC Caution:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

#### ♦ Non-modification Statement:

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

## ◆ IC Radiation Exposure Statement for Canada

This device contains licence–exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence–exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.
- L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence.
- L'exploitation est autoris é e aux deux conditions suivantes :
- 1) L'appareil ne doit pas produire de brouillage:
- 2) L'appareil doit accepter tout brouillage radio é lectrique subi, m ê me si le brouillage est susceptible d'en compromettre le fonctionnement.

This equipment complies with ISED RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

Pour se conformer aux exigences de conformit é CNR 102 RF exposition, une distance de s é paration d'au moins 20 cm doit ê tre maintenue entre l'antenne de cet appareil ettoutes les personnes.

The device for operation in the band 5150 – 5250 MHz is only for indoor use to reduce the potential for harmful interference to co–channel mobile satellite systems Les dispositifs fonctionnant dans la bande de 5 150 à 5 250 MHz sont r é serv é s uniquement pour une utilisation à l' intérieur afin de r é duire les risques de brouillage pr é judiciable aux syst è mes de satellites mobiles utilisant les mê mes canaux.

Hereby, Guangzhou Shirui Electronics Co., Ltd. declares that the radio Equipment is in compliance with Directive 2014/53/EU.





This symbol, affixed to the product or its packaging, indicates that the product must not be processed with household waste. It must be brought to an electric and electronic waste collection point for recycling and disposal. By the appropriate disposal of this product you also help in preventing potentially negative consequences for the environment and human health. The recycling of materials helps preserve our natural resources. For further information regarding the recycling of this product, please contact your municipality, local waste disposal center or the store where the product was purchased.

Model: TCP30T, TCP31T, TCP32T, TCP33T, TCP35T