


BAND EDGE COMPLIANCE - 4 PORT MODE

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, QPSK Modulation, Low Channel 2117.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
3				-26.46	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, QPSK Modulation, High Channel 2147.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
1				-20.2	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, QPSK Modulation, High Channel 2147.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-27.53	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, QPSK Modulation, High Channel 2147.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
3				-27.42	-19	Pass



BAND EDGE COMPLIANCE - 4 PORT MODE


30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-21.29	-19	Pass



30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz


Frequency Range	Value (dBm)	Limit (dBm)	Result
2	-26.39	-19	Pass



BAND EDGE COMPLIANCE - 4 PORT MODE


30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
3	-26.19	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2147.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-20.15	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2147.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-27.38	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2147.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
3				-27.25	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
1				-24.86	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-26.70	-19	Pass



BAND EDGE COMPLIANCE - 4 PORT MODE


30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
3	-26.4	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2147.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-20.15	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2147.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-27.53	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2147.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
3				-27.15	-19	Pass



BAND EDGE COMPLIANCE - 4 PORT MODE


30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel 2117.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-21.43	-19	Pass



30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel 2117.5 MHz


Frequency Range	Value (dBm)	Limit (dBm)	Result
2	-26.89	-19	Pass



BAND EDGE COMPLIANCE - 4 PORT MODE


30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel 2117.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
3	-26.61	-19	Pass



30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 256-QAM Modulation, High Channel 2147.5 MHz


Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-21.81	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

TdTx 2020.10.20.0 BETA XMI 2020.03.25.0

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 256-QAM Modulation, High Channel 2147.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-27.50	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 256-QAM Modulation, High Channel 2147.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
3				-27.2	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
1				-19.83	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-26.97	-19	Pass



BAND EDGE COMPLIANCE - 4 PORT MODE


30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
3	-26.49	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, High Channel 2145 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-20.33	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, High Channel 2145 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-27.97	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, High Channel 2145 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
3				-27.31	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
1				-20.04	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-26.64	-19	Pass



BAND EDGE COMPLIANCE - 4 PORT MODE


30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
3	-26.37	-19	Pass



30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2143 MHz


Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-19.88	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

TdTx 2020.10.20.0 BETA XMI 2020.03.25.0

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2145 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-27.78	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2145 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
3				-27.32	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
1				-20.29	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-27.17	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

TdTx 2020.10.20.0 BETA XMi 2020.03.25.0

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz						
Frequency Range	Value (dBm)	Limit (dBm)	Result			
3	-26.94	-19	Pass			




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2143 MHz						
Frequency Range	Value (dBm)	Limit (dBm)	Result			
1	-20.75	-19	Pass			




BAND EDGE COMPLIANCE - 4 PORT MODE

TdTx 2020.10.20.0 BETA XMi 2020.03.25.0

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2145 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-27.90	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2145 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
3				-27.54	-19	Pass




BAND EDGE COMPLIANCE - 4 PORT MODE

TdTx 2020.10.20.0 BETA XMi 2020.03.25.0

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
1				-19.81	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-27.08	-19	Pass



BAND EDGE COMPLIANCE - 4 PORT MODE


30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
3	-26.69	-19	Pass




30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2145 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-20.46	-19	Pass



BAND EDGE COMPLIANCE - 4 PORT MODE

30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2145 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-27.94	-19	Pass



30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2145 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
3				-27.62	-19	Pass

