



































































Maximum Power Spectral Density Level

Mode	Frequency (MHz)	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
a	5180	1.95	0.11	2.06	11	Pass
a	5200	-0.3	0.11	-0.19	11	Pass
a	5240	-0.83	0.11	-0.72	11	Pass
a	5260	-1.4	0.11	-1.29	11	Pass
a	5300	-0.69	0.11	-0.58	11	Pass
a	5320	-1.08	0.11	-0.97	11	Pass
a	5500	-1.95	0.11	-1.84	11	Pass
a	5580	-0.85	0.11	-0.74	11	Pass
a	5700	-0.59	0.11	-0.48	11	Pass
n20	5180	-0.37	0.12	-0.25	11	Pass
n20	5200	-0.75	0.12	-0.63	11	Pass
n20	5240	-1.12	0.12	-1	11	Pass
n20	5260	-0.96	0.12	-0.84	11	Pass
n20	5300	-0.91	0.12	-0.79	11	Pass
n20	5320	-1.3	0.12	-1.18	11	Pass
n20	5500	-1.31	0.12	-1.19	11	Pass
n20	5580	-1.82	0.12	-1.7	11	Pass
n20	5700	-1.62	0.12	-1.5	11	Pass
n40	5190	-3.95	0.22	-3.73	11	Pass
n40	5230	-4.43	0.22	-4.21	11	Pass
n40	5270	-5.37	0.22	-5.15	11	Pass
n40	5310	-5.19	0.22	-4.97	11	Pass
n40	5510	-6.37	0.22	-6.15	11	Pass
n40	5550	-5.86	0.22	-5.64	11	Pass
n40	5670	-5.38	0.22	-5.16	11	Pass
ac20	5180	0.08	0.12	0.2	11	Pass
ac20	5200	-0.7	0.12	-0.58	11	Pass
ac20	5240	-1.42	0.12	-1.3	11	Pass
ac20	5260	-1.01	0.12	-0.89	11	Pass
ac20	5300	-1.09	0.12	-0.97	11	Pass
ac20	5320	-1.71	0.12	-1.59	11	Pass
ac20	5500	-1.55	0.12	-1.43	11	Pass
ac20	5580	-1.14	0.12	-1.02	11	Pass
ac20	5700	-1.33	0.12	-1.21	11	Pass
ac40	5190	-4.39	0.22	-4.17	11	Pass
ac40	5230	-5.39	0.22	-5.17	11	Pass
ac40	5270	-5.67	0.22	-5.45	11	Pass
ac40	5310	-5.33	0.22	-5.11	11	Pass
ac40	5510	-6.8	0.22	-6.58	11	Pass
ac40	5550	-6.13	0.22	-5.91	11	Pass
ac40	5670	-5.21	0.22	-4.99	11	Pass

Mode	Frequency (MHz)	Conducted PSD (dBm/500KHz)	Duty Factor (dB)	Total PSD (dBm/500KHz)	Limit (dBm/500KHz)	Verdict
a	5745	-4.8	0.11	-4.69	30	Pass
a	5785	-4.08	0.11	-3.97	30	Pass
a	5825	-4.17	0.11	-4.06	30	Pass
n20	5745	-5	0.12	-4.88	30	Pass
n20	5785	-5.31	0.12	-5.19	30	Pass
n20	5825	-4.81	0.12	-4.69	30	Pass
n40	5755	-8.55	0.22	-8.33	30	Pass
n40	5795	-8.2	0.22	-7.98	30	Pass



ac20	5745	-4.93	0.12	-4.81	30	Pass
ac20	5785	-4.6	0.12	-4.48	30	Pass
ac20	5825	-4.25	0.12	-4.13	30	Pass
ac40	5755	-7.39	0.22	-7.17	30	Pass
ac40	5795	-9.45	0.22	-9.23	30	Pass

