

1. Duty Cycle

1.1 Test Result

1.1.1 15_Single_Ant1



Band n14 Single NTN Ant1							
BW (MHz)	DL Frequency (MHz)	Test Mode	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
CC1:5	CC1:760.5	NR-FR1-TM1.1	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.1	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.1a	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.2	100.000	100.000	100.00	0.00	0.00
	CC1:763	NR-FR1-TM1.1	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.1	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.1a	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.2	100.000	100.000	100.00	0.00	0.00
	CC1:765.5	NR-FR1-TM1.1	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.1	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.1a	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.2	100.000	100.000	100.00	0.00	0.00
CC1:10	CC1:763	NR-FR1-TM1.1	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.1	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.1a	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.2	100.000	100.000	100.00	0.00	0.00



1.1.2 30_Single_Ant1



Band n14 Single NTN Ant1							
BW (MHz)	DL Frequency (MHz)	Test Mode	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
CC1:10	CC1:763	NR-FR1-TM1.1	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.1	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.1a	100.000	100.000	100.00	0.00	0.00
		NR-FR1-TM3.2	100.000	100.000	100.00	0.00	0.00



1.2 Test Graph



1.2.1 15_Single_Ant1



























1.2.2 30_Single_Ant1





2. Effective (Isotropic) Radiated Power Output Data

2.1 Test Result

2.1.1 15_Single_Power

Band n14 Single NTNV							
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm)	ERP (dBm)		Verdict
				CC1	Total	Limit	
CC1:5	CC1:760.5	NR-FR1-TM1.1	1	16.89	17.74	/	Pass
			Sum	19.90	20.75	/	Pass
		NR-FR1-TM3.1	1	16.69	17.54	/	Pass
			Sum	19.70	20.55	/	Pass
		NR-FR1-TM3.1a	1	16.87	17.72	/	Pass
			Sum	19.88	20.73	/	Pass
		NR-FR1-TM3.2	1	16.69	17.54	/	Pass
			Sum	19.70	20.55	/	Pass
	CC1:763	NR-FR1-TM1.1	1	16.62	17.47	/	Pass
			Sum	19.63	20.48	/	Pass
		NR-FR1-TM3.1	1	16.51	17.36	/	Pass
			Sum	19.52	20.37	/	Pass
		NR-FR1-TM3.1a	1	16.24	17.09	/	Pass
			Sum	19.25	20.10	/	Pass
		NR-FR1-TM3.2	1	16.38	17.23	/	Pass
			Sum	19.39	20.24	/	Pass
	CC1:765.5	NR-FR1-TM1.1	1	16.18	17.03	/	Pass
			Sum	19.19	20.04	/	Pass
		NR-FR1-TM3.1	1	16.08	16.93	/	Pass
			Sum	19.09	19.94	/	Pass
		NR-FR1-TM3.1a	1	16.08	16.93	/	Pass
			Sum	19.09	19.94	/	Pass
		NR-FR1-TM3.2	1	16.11	16.96	/	Pass
			Sum	19.12	19.97	/	Pass
CC1:10	CC1:763	NR-FR1-TM1.1	1	16.77	17.62	/	Pass
			Sum	19.78	20.63	/	Pass
		NR-FR1-TM3.1	1	16.76	17.61	/	Pass
			Sum	19.77	20.62	/	Pass
		NR-FR1-TM3.1a	1	16.66	17.51	/	Pass
			Sum	19.67	20.52	/	Pass
		NR-FR1-TM3.2	1	16.65	17.50	/	Pass
			Sum	19.66	20.51	/	Pass

2.1.2 15_Single_Power2

Band n14 Single NTN							
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/MHz)	ERP (dBm/MHz)		Verdict
				CC1	Total	Limit	
CC1:5	CC1:760.5	NR-FR1-TM1.1	1	11.00	11.85	/	Pass
			Sum	14.01	14.86	<=60	Pass
		NR-FR1-TM3.1	1	10.93	11.78	/	Pass
			Sum	13.94	14.79	<=60	Pass
		NR-FR1-TM3.1a	1	11.09	11.94	/	Pass
			Sum	14.10	14.95	<=60	Pass
		NR-FR1-TM3.2	1	11.02	11.87	/	Pass
			Sum	14.03	14.88	<=60	Pass
	CC1:763	NR-FR1-TM1.1	1	10.82	11.67	/	Pass
			Sum	13.83	14.68	<=60	Pass
		NR-FR1-TM3.1	1	10.66	11.51	/	Pass
			Sum	13.67	14.52	<=60	Pass
		NR-FR1-TM3.1a	1	10.69	11.54	/	Pass
			Sum	13.70	14.55	<=60	Pass
		NR-FR1-TM3.2	1	10.92	11.77	/	Pass
			Sum	13.93	14.78	<=60	Pass
	CC1:765.5	NR-FR1-TM1.1	1	10.47	11.32	/	Pass
			Sum	13.48	14.33	<=60	Pass
		NR-FR1-TM3.1	1	10.52	11.37	/	Pass
			Sum	13.53	14.38	<=60	Pass
		NR-FR1-TM3.1a	1	10.58	11.43	/	Pass
			Sum	13.59	14.44	<=60	Pass
		NR-FR1-TM3.2	1	10.56	11.41	/	Pass
			Sum	13.57	14.42	<=60	Pass
CC1:10	CC1:763	NR-FR1-TM1.1	1	7.99	8.84	/	Pass
			Sum	11.00	11.85	<=60	Pass
		NR-FR1-TM3.1	1	8.05	8.90	/	Pass
			Sum	11.06	11.91	<=60	Pass
		NR-FR1-TM3.1a	1	8.03	8.88	/	Pass
			Sum	11.04	11.89	<=60	Pass
		NR-FR1-TM3.2	1	8.66	9.51	/	Pass
			Sum	11.67	12.52	<=60	Pass

2.1.3 30_Single_Power



Band n14 Single NTN							
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm)	ERP (dBm)		Verdict
				CC1	Total	Limit	
CC1:10	CC1:763	NR-FR1-TM1.1	1	16.63	17.48	/	Pass
			Sum	19.64	20.49	/	Pass
		NR-FR1-TM3.1	1	16.61	17.46	/	Pass
			Sum	19.62	20.47	/	Pass
		NR-FR1-TM3.1a	1	16.39	17.24	/	Pass
			Sum	19.40	20.25	/	Pass
		NR-FR1-TM3.2	1	16.63	17.48	/	Pass
			Sum	19.64	20.49	/	Pass



2.1.4 30_Single_Power2



Band n14 Single NTN							
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/MHz)	ERP (dBm/MHz)		Verdict
				CC1	Total	Limit	
CC1:10	CC1:763	NR-FR1-TM1.1	1	8.26	9.11	/	Pass
			Sum	11.27	12.12	<=60	Pass
		NR-FR1-TM3.1	1	8.15	9.00	/	Pass
			Sum	11.16	12.01	<=60	Pass
		NR-FR1-TM3.1a	1	7.94	8.79	/	Pass
			Sum	10.95	11.80	<=60	Pass
		NR-FR1-TM3.2	1	9.01	9.86	/	Pass
			Sum	12.02	12.87	<=60	Pass



2.2 Test Graph



2.2.1 15_Single_Power

































2.2.2 15_Single_Power2































2.2.3 30_Single_Power





2.2.4 30_Single_Power2





3. Frequency Stability

3.1 Test Result

3.1.1 15_Single_Ant1

Band n14 Single NTN Ant1								
BW (MHz)	DL Frequency (MHz)	Test Mode	Temp. (°C)	Voltage (VDC)	Frequency Deviation (Hz)	Freq. vs. Rated (ppm)		Verdict
						Result	Limit	
CC1:5	CC1:760.5	NR-FR1-TM1.1	20	40.8	278.00	-0.37	-1.5 to 1.5	Pass
				48.0	278.00	-0.37	-1.5 to 1.5	Pass
				55.2	278.00	-0.37	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.37	-1.5 to 1.5	Pass
		NR-FR1-TM3.1	20	40.8	278.00	-0.37	-1.5 to 1.5	Pass
				48.0	278.00	-0.37	-1.5 to 1.5	Pass
				55.2	278.00	-0.37	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.37	-1.5 to 1.5	Pass
		NR-FR1-TM3.1a	20	40.8	278.00	-0.37	-1.5 to 1.5	Pass
				48.0	278.00	-0.37	-1.5 to 1.5	Pass
				55.2	278.00	-0.37	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.37	-1.5 to 1.5	Pass
		NR-FR1-TM3.2	20	40.8	278.00	-0.37	-1.5 to 1.5	Pass
				48.0	278.00	-0.37	-1.5 to 1.5	Pass
				55.2	278.00	-0.37	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.37	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.37	-1.5 to 1.5	Pass

	CC1:763	NR-FR1-TM1.1	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass
				55.2	278.00	-0.36	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass
		NR-FR1-TM3.1	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass
				55.2	278.00	-0.36	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass
		NR-FR1-TM3.1a	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass
				55.2	278.00	-0.36	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass
		NR-FR1-TM3.2	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass
				55.2	278.00	-0.36	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass
	CC1:765.5	NR-FR1-TM1.1	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass
				55.2	278.00	-0.36	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass
		NR-FR1-TM3.1	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass

					55.2	278.00	-0.36	-1.5 to 1.5	Pass	
				-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass	
				-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass	
				-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass	
				0	48.0	278.00	-0.36	-1.5 to 1.5	Pass	
				10	48.0	278.00	-0.36	-1.5 to 1.5	Pass	
				30	48.0	278.00	-0.36	-1.5 to 1.5	Pass	
				40	48.0	278.00	-0.36	-1.5 to 1.5	Pass	
				50	48.0	278.00	-0.36	-1.5 to 1.5	Pass	
		NR-FR1-TM3.1a	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass		
				48.0	278.00	-0.36	-1.5 to 1.5	Pass		
				55.2	278.00	-0.36	-1.5 to 1.5	Pass		
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
		40	48.0	278.00	-0.36	-1.5 to 1.5	Pass			
		50	48.0	278.00	-0.36	-1.5 to 1.5	Pass			
		NR-FR1-TM3.2	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass		
				48.0	278.00	-0.36	-1.5 to 1.5	Pass		
				55.2	278.00	-0.36	-1.5 to 1.5	Pass		
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass		
		40	48.0	278.00	-0.36	-1.5 to 1.5	Pass			
		50	48.0	278.00	-0.36	-1.5 to 1.5	Pass			
		CC1:10	CC1:763	NR-FR1-TM1.1	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
						48.0	278.00	-0.36	-1.5 to 1.5	Pass
						55.2	278.00	-0.36	-1.5 to 1.5	Pass
					-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
					-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
-10	48.0				278.00	-0.36	-1.5 to 1.5	Pass		
0	48.0				278.00	-0.36	-1.5 to 1.5	Pass		
10	48.0				278.00	-0.36	-1.5 to 1.5	Pass		
30	48.0				278.00	-0.36	-1.5 to 1.5	Pass		
40	48.0			278.00	-0.36	-1.5 to 1.5	Pass			
50	48.0			278.00	-0.36	-1.5 to 1.5	Pass			
NR-FR1-TM3.1	20			40.8	278.00	-0.36	-1.5 to 1.5	Pass		
				48.0	278.00	-0.36	-1.5 to 1.5	Pass		
				55.2	278.00	-0.36	-1.5 to 1.5	Pass		
	-30			48.0	278.00	-0.36	-1.5 to 1.5	Pass		
	-20			48.0	278.00	-0.36	-1.5 to 1.5	Pass		
	-10			48.0	278.00	-0.36	-1.5 to 1.5	Pass		
	0			48.0	278.00	-0.36	-1.5 to 1.5	Pass		
	10			48.0	278.00	-0.36	-1.5 to 1.5	Pass		
	30			48.0	278.00	-0.36	-1.5 to 1.5	Pass		
40	48.0			278.00	-0.36	-1.5 to 1.5	Pass			
50	48.0			278.00	-0.36	-1.5 to 1.5	Pass			
NR-FR1-TM3.1a	20			40.8	278.00	-0.36	-1.5 to 1.5	Pass		
				48.0	278.00	-0.36	-1.5 to 1.5	Pass		
				55.2	278.00	-0.36	-1.5 to 1.5	Pass		
	-30			48.0	278.00	-0.36	-1.5 to 1.5	Pass		

			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass
		NR-FR1-TM3.2	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass
				55.2	278.00	-0.36	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass

3.1.2 30_Single_Ant1

Band n14 Single NTN Ant1								
BW (MHz)	DL Frequency (MHz)	Test Mode	Temp. (°C)	Voltage (VDC)	Frequency Deviation (Hz)	Freq. vs. Rated (ppm)		Verdict
						Result	Limit	
CC1:10	CC1:763	NR-FR1-TM1.1	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass
				55.2	278.00	-0.36	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass
		NR-FR1-TM3.1	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass
				55.2	278.00	-0.36	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass
		NR-FR1-TM3.1a	20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass
				55.2	278.00	-0.36	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass

		NR-FR1-TM3.2	40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			20	40.8	278.00	-0.36	-1.5 to 1.5	Pass
				48.0	278.00	-0.36	-1.5 to 1.5	Pass
				55.2	278.00	-0.36	-1.5 to 1.5	Pass
			-30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-20	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			-10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			0	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			10	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			30	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			40	48.0	278.00	-0.36	-1.5 to 1.5	Pass
			50	48.0	278.00	-0.36	-1.5 to 1.5	Pass

4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 15_Single_OBW

Band n14 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:5	CC1:760.5	NR-FR1-TM1.1	1	4.58	/	Pass
		NR-FR1-TM3.1	1	4.58	/	Pass
		NR-FR1-TM3.1a	1	4.52	/	Pass
		NR-FR1-TM3.2	1	4.56	/	Pass
	CC1:763	NR-FR1-TM1.1	1	4.53	/	Pass
		NR-FR1-TM3.1	1	4.54	/	Pass
		NR-FR1-TM3.1a	1	4.55	/	Pass
		NR-FR1-TM3.2	1	4.55	/	Pass
	CC1:765.5	NR-FR1-TM1.1	1	4.53	/	Pass
		NR-FR1-TM3.1	1	4.54	/	Pass
		NR-FR1-TM3.1a	1	4.54	/	Pass
		NR-FR1-TM3.2	1	4.54	/	Pass
CC1:10	CC1:763	NR-FR1-TM1.1	1	9.34	/	Pass
		NR-FR1-TM3.1	1	9.35	/	Pass
		NR-FR1-TM3.1a	1	9.36	/	Pass
		NR-FR1-TM3.2	1	9.26	/	Pass

4.1.2 15_Single_XDB

Band n14 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:5	CC1:760.5	NR-FR1-TM1.1	1	5.04	/	Pass
		NR-FR1-TM3.1	1	5.05	/	Pass
		NR-FR1-TM3.1a	1	5.03	/	Pass
		NR-FR1-TM3.2	1	5.01	/	Pass
	CC1:763	NR-FR1-TM1.1	1	5.05	/	Pass
		NR-FR1-TM3.1	1	5.06	/	Pass
		NR-FR1-TM3.1a	1	5.03	/	Pass

	CC1:765.5	NR-FR1-TM3.2	1	5.00	/	Pass
		NR-FR1-TM1.1	1	5.04	/	Pass
		NR-FR1-TM3.1	1	5.01	/	Pass
		NR-FR1-TM3.1a	1	5.03	/	Pass
		NR-FR1-TM3.2	1	5.02	/	Pass
CC1:10	CC1:763	NR-FR1-TM1.1	1	10.12	/	Pass
		NR-FR1-TM3.1	1	10.10	/	Pass
		NR-FR1-TM3.1a	1	10.12	/	Pass
		NR-FR1-TM3.2	1	10.06	/	Pass

4.1.3 30_Single_OBW



Band n14 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:10	CC1:763	NR-FR1-TM1.1	1	8.68	/	Pass
		NR-FR1-TM3.1	1	8.64	/	Pass
		NR-FR1-TM3.1a	1	8.67	/	Pass
		NR-FR1-TM3.2	1	8.55	/	Pass



4.1.4 30_Single_XDB



Band n14 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:10	CC1:763	NR-FR1-TM1.1	1	9.40	/	Pass
		NR-FR1-TM3.1	1	9.42	/	Pass
		NR-FR1-TM3.1a	1	9.45	/	Pass
		NR-FR1-TM3.2	1	9.36	/	Pass



4.2 Test Graph



4.2.1 15_Single_OBW























4.2.2 15_Single_XDB

