

10922	AAD	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	± 9.6 %
10923	AAD	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10924	AAD	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10925	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	± 9.6 %
10926	AAD	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10927	AAD	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10928	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10929	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10930	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10931	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10932	AAB	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10933	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10934	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10935	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10936	AAC	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10937	AAB	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	± 9.6 %
10938	AAB	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10939	AAB	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	± 9.6 %
10940	AAB	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	± 9.6 %
10941	AAB	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10942	AAB	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10943	AAB	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	± 9.6 %
10944	AAB	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.81	± 9.6 %
10945	AAB	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10946	AAC	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10947	AAB	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10948	AAB	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10949	AAB	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10950	AAB	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10951	AAB	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	± 9.6 %
10952	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.25	± 9.6 %
10953	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	± 9.6 %
10954	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.23	± 9.6 %
10955	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	± 9.6 %
10956	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	± 9.6 %
10957	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	± 9.6 %
10958	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	± 9.6 %
10959	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	± 9.6 %
10960	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	± 9.6 %
10961	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	± 9.6 %
10962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	± 9.6 %
10963	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10964	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.29	± 9.6 %
10965	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.37	± 9.6 %
10966	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10967	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10968	AAB	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	± 9.6 %
10972	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	11.59	± 9.6 %
10973	AAB	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	9.06	± 9.6 %
10974	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 kHz)	5G NR FR1 TDD	10.28	± 9.6 %

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.



Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **Sporton**

Certificate No: **EX3-7577_Sep20**

CALIBRATION CERTIFICATE

Object: **EX3DV4 - SN:7577**

Calibration procedure(s): **QA CAL-01.v9, QA CAL-14.v5, QA CAL-23.v5, QA CAL-25.v7**
Calibration procedure for dosimetric E-field probes

Calibration date: **September 30, 2020**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility, environment temperature $(22 \pm 3)^{\circ}\text{C}$ and humidity $< 70\%$.

Calibration Equipment used (M&E critical for calibration)

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	01-Apr-20 (No. 217-03100/03101)	Apr-21
Power sensor NRP-Z91	SN: 103244	01-Apr-20 (No. 217-03100)	Apr-21
Power sensor NRP-Z91	SN: 103245	01-Apr-20 (No. 217-03101)	Apr-21
Reference 20 dB Attenuator	SN: CC2552 (20x)	31-Mar-20 (No. 217-03106)	Apr-21
DAE4	SN: 660	27-Dec-19 (No. DAE4-660_Dec19)	Dec-20
Reference Probe ES3DV2	SN: 3013	31-Dec-19 (No. ES3-3013_Dec19)	Dec-20
Secondary Standards	ID	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: GB41293874	06-Apr-16 (in house check Jun-20)	In house check: Jun-22
Power sensor E4412A	SN: MY41498087	06-Apr-16 (in house check Jun-20)	In house check: Jun-22
Power sensor E4412A	SN: 000110210	06-Apr-16 (in house check Jun-20)	In house check: Jun-22
RF generator HP 8648C	SN: US3642UD1700	04-Aug-99 (in house check Jun-20)	In house check: Jun-22
Network Analyzer E8358A	SN: US41080477	31-Mar-14 (in house check Oct-19)	In house check: Oct-20

Calibrated by:	Name Leif Klysner	Function Laboratory Technician	Signature 
Approved by:	Name Katja Pokovic	Function Technical Manager	Signature 
This calibration certificate shall not be reproduced except in full without written approval of the laboratory.			Issued: October 1, 2020



Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL	tissue simulating liquid
NORM _{x,y,z}	sensitivity in free space
ConvF	sensitivity in TSL / NORM _{x,y,z}
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization ϕ	ϕ rotation around probe axis
Polarization θ	θ rotation around an axis that is in the plane normal to probe-axis (at measurement center), i.e., $\theta = 0$ is normal to probe axis
Connector Angle	information used in DASY system to align probe-sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- KDB 865864, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORM_{x,y,z}**: Assessed for E-field polarization $\theta = 0$ ($f \leq 900$ MHz in TEM-cell; $f > 1800$ MHz: R22 waveguide). NORM_{x,y,z} are only intermediate values, i.e., the uncertainties of NORM_{x,y,z} does not affect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)_{x,y,z} = NORM_{x,y,z} * frequency_response** (see Frequency Response Chart). This linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of ConvF.
- DCP_{x,y,z}**: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR**: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- A_{x,y,z}; B_{x,y,z}; C_{x,y,z}; D_{x,y,z}; VR_{x,y,z}**: A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters**: Assessed in flat phantom using E-field (or Temperature Transfer Standard for $f \leq 800$ MHz) and inside waveguide using analytical field distributions based on power measurements for $f > 800$ MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORM_{x,y,z} * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy)**: in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset**: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle**: The angle is assessed using the information gained by determining the NORM_x (no uncertainty required).

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7577

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm ($\mu V/(V/m)^2$) ^A	0.56	0.64	0.60	$\pm 10.1 \%$
DCP (mV) ^B	100.3	99.6	100.2	

Calibration Results for Modulation Response

UID	Communication System Name		A dB	B dB $\sqrt{\mu V}$	C	D dB	VR mV	Max dev.	Max Unc ^E (k=2)
0	CW	X	0.00	0.00	1.00	0.00	179.9	$\pm 3.5 \%$	$\pm 4.7 \%$
		Y	0.00	0.00	1.00		190.2		
		Z	0.00	0.00	1.00		187.4		
10352-AAA	Pulse Waveform (200Hz, 10%)	X	15.00	85.65	17.85	10.00	60.0	$\pm 3.3 \%$	$\pm 9.6 \%$
		Y	15.00	86.11	18.19		60.0		
		Z	15.00	86.79	18.62		60.0		
10353-AAA	Pulse Waveform (200Hz, 20%)	X	15.00	87.65	17.70	6.99	80.0	$\pm 2.1 \%$	$\pm 9.6 \%$
		Y	15.00	88.77	18.19		80.0		
		Z	15.00	89.85	19.02		80.0		
10354-AAA	Pulse Waveform (200Hz, 40%)	X	15.00	92.45	18.72	3.96	95.0	$\pm 1.0 \%$	$\pm 9.6 \%$
		Y	15.00	91.79	18.08		95.0		
		Z	15.00	96.85	21.09		95.0		
10355-AAA	Pulse Waveform (200Hz, 60%)	X	15.00	100.46	21.24	2.22	120.0	$\pm 1.1 \%$	$\pm 9.6 \%$
		Y	15.00	90.85	16.23		120.0		
		Z	15.00	108.65	25.24		120.0		
10387-AAA	QPSK Waveform, 1 MHz	X	0.61	61.31	8.06	0.00	150.0	$\pm 2.6 \%$	$\pm 9.6 \%$
		Y	0.51	60.00	6.74		150.0		
		Z	0.62	61.67	8.27		150.0		
10388-AAA	QPSK Waveform, 10 MHz	X	2.33	69.51	16.61	0.00	150.0	$\pm 1.2 \%$	$\pm 9.6 \%$
		Y	1.96	66.54	14.94		150.0		
		Z	2.39	70.09	16.90		150.0		
10396-AAA	64-QAM Waveform, 100 kHz	X	2.79	70.78	19.07	3.01	150.0	$\pm 1.1 \%$	$\pm 9.6 \%$
		Y	2.31	66.70	17.09		150.0		
		Z	2.98	71.91	19.51		150.0		
10399-AAA	64-QAM Waveform, 40 MHz	X	3.45	67.23	15.93	0.00	150.0	$\pm 2.0 \%$	$\pm 9.6 \%$
		Y	3.32	66.40	15.38		150.0		
		Z	3.47	67.48	16.06		150.0		
10414-AAA	WLAN CCDF, 64-QAM, 40MHz	X	4.71	65.62	15.58	0.00	150.0	$\pm 3.7 \%$	$\pm 9.6 \%$
		Y	4.64	65.21	15.32		150.0		
		Z	4.72	65.75	15.64		150.0		

Note: For details on UID parameters see Appendix

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

^A The uncertainties of Norm X,Y,Z do not affect the E²-field uncertainty inside TSL (see Page 5).

^B Numerical linearization parameter: uncertainty not required.

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7577

Sensor Model Parameters

	C1 fF	C2 fF	α V^{-1}	T1 $ms.V^{-2}$	T2 $ms.V^{-1}$	T3 ms	T4 V^{-2}	T5 V^{-1}	T6
X	37.3	275.86	35.01	9.44	0.00	5.05	1.02	0.18	1.01
Y	37.2	282.80	36.55	7.00	0.00	5.08	0.00	0.37	1.01
Z	37.3	273.69	34.51	9.73	0.00	5.07	1.16	0.19	1.01

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	-54.8
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7577

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^c	Relative Permittivity ^f	Conductivity (S/m) ^f	ConvF X	ConvF Y	ConvF Z	Alpha ^g	Depth ^g (mm)	Unc (k=2)
750	41.9	0.89	9.85	9.85	9.85	0.67	0.80	± 12.0 %
835	41.5	0.90	9.54	9.54	9.54	0.59	0.83	± 12.0 %
900	41.5	0.97	9.21	9.21	9.21	0.56	0.80	± 12.0 %
1750	40.1	1.37	8.62	8.62	8.62	0.40	0.86	± 12.0 %
1900	40.0	1.40	8.34	8.34	8.34	0.28	0.86	± 12.0 %
2000	40.0	1.40	8.24	8.24	8.24	0.37	0.86	± 12.0 %
2300	39.5	1.67	7.99	7.99	7.99	0.27	0.86	± 12.0 %
2450	39.2	1.80	7.95	7.95	7.95	0.39	0.90	± 12.0 %
2600	39.0	1.96	7.66	7.66	7.66	0.40	0.90	± 12.0 %
3300	38.2	2.71	6.96	6.96	6.96	0.30	1.35	± 14.0 %
3500	37.9	2.91	6.69	6.69	6.69	0.30	1.35	± 14.0 %
3700	37.7	3.12	6.52	6.52	6.52	0.30	1.35	± 14.0 %
3900	37.5	3.32	6.26	6.26	6.26	0.35	1.60	± 14.0 %
4100	37.2	3.53	5.94	5.94	5.94	0.35	1.60	± 14.0 %
5250	35.9	4.71	5.40	5.40	5.40	0.40	1.80	± 14.0 %
5600	35.5	5.07	4.79	4.79	4.79	0.40	1.80	± 14.0 %
5750	35.4	5.22	5.02	5.02	5.02	0.40	1.80	± 14.0 %


^c Frequency validity above 300 MHz of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Validity of ConvF assessed at 6 MHz is 4-9 MHz, and ConvF assessed at 13 MHz is 9-19 MHz. Above 5 GHz frequency validity can be extended to ± 110 MHz.

^f At frequencies up to 6 GHz, the validity of tissue parameters (ϵ and σ) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

^g Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance larger than half the probe tip diameter from the boundary.

Frequency Response of E-Field

(TEM-Cell:ifi110 EXX, Waveguide: R22)




Uncertainty of Frequency Response of E-field: $\pm 6.3\%$ ($k=2$)

Receiving Pattern (ϕ), $\theta = 0^\circ$



f=600 MHz,TEM



f=1800 MHz,R22


Uncertainty of Axial Isotropy Assessment: $\pm 0.5\%$ ($k=2$)

Dynamic Range $f(\text{SAR}_{\text{head}})$ (TEM cell, $f_{\text{eval}} = 1900 \text{ MHz}$)





Uncertainty of Linearity Assessment: $\pm 0.6\%$ ($k=2$)

Conversion Factor Assessment



Deviation from Isotropy in Liquid

Error (ϕ , θ), $f = 900 \text{ MHz}$



Appendix: Modulation Calibration Parameters

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^F (k=2)
0		CW	CW	0.00	± 4.7 %
10010	CAA	SAR Validation (Square, 100ms, 10ms)	Test	10.00	± 9.6 %
10011	CAB	UMTS-FDD (WCDMA)	WCDMA	2.91	± 9.6 %
10012	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	WLAN	1.87	± 9.6 %
10013	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	WLAN	9.46	± 9.6 %
10021	DAC	GSM-FDD (TDMA, GMSK)	GSM	9.39	± 9.6 %
10023	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	9.57	± 9.6 %
10024	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	6.58	± 9.6 %
10025	DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	GSM	12.62	± 9.6 %
10026	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	GSM	9.55	± 9.6 %
10027	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	GSM	4.80	± 9.6 %
10028	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	GSM	3.55	± 9.6 %
10029	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	GSM	7.78	± 9.6 %
10030	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH1)	Bluetooth	5.30	± 9.6 %
10031	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	Bluetooth	1.87	± 9.6 %
10032	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	Bluetooth	1.16	± 9.6 %
10033	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH1)	Bluetooth	7.74	± 9.6 %
10034	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	Bluetooth	4.53	± 9.6 %
10035	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH5)	Bluetooth	3.83	± 9.6 %
10036	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	Bluetooth	8.01	± 9.6 %
10037	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	Bluetooth	4.77	± 9.6 %
10038	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	Bluetooth	4.10	± 9.6 %
10039	CAB	CDMA2000 (1xRTT, RC1)	CDMA2000	4.57	± 9.6 %
10042	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Halfrate)	AMPS	7.78	± 9.6 %
10044	CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	AMPS	0.00	± 9.6 %
10048	CAA	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	DECT	13.80	± 9.6 %
10049	CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	DECT	10.79	± 9.6 %
10056	CAA	UMTS-TDD (TD-SCDMA, 1.28 Mcps)	TD-SCDMA	11.01	± 9.6 %
10058	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	GSM	6.52	± 9.6 %
10059	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps)	WLAN	2.12	± 9.6 %
10060	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps)	WLAN	2.83	± 9.6 %
10061	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	WLAN	3.60	± 9.6 %
10062	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	WLAN	8.68	± 9.6 %
10063	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps)	WLAN	8.63	± 9.6 %
10064	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	WLAN	9.09	± 9.6 %
10065	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps)	WLAN	9.00	± 9.6 %
10066	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	WLAN	9.38	± 9.6 %
10067	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	WLAN	10.12	± 9.6 %
10068	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps)	WLAN	10.24	± 9.6 %
10069	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	WLAN	10.56	± 9.6 %
10071	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mbps)	WLAN	9.83	± 9.6 %
10072	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	WLAN	9.62	± 9.6 %
10073	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 18 Mbps)	WLAN	9.94	± 9.6 %
10074	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 24 Mbps)	WLAN	10.30	± 9.6 %
10075	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	WLAN	10.77	± 9.6 %
10076	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	WLAN	10.94	± 9.6 %
10077	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	WLAN	11.00	± 9.6 %
10081	CAB	CDMA2000 (1xRTT, RC3)	CDMA2000	3.97	± 9.6 %
10082	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	AMPS	4.77	± 9.6 %
10090	DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	GSM	6.56	± 9.6 %
10097	CAC	UMTS-FDD (HSDPA)	WCDMA	3.98	± 9.6 %
10098	DAC	UMTS-FDD (HSUPA, Subtest 2)	WCDMA	3.98	± 9.6 %

10099	CAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	GSM	9.55	±9.6 %
10100	CAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-FDD	5.67	±9.6 %
10101	CAB	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	±9.6 %
10102	CAB	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	±9.6 %
10103	DAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-TDD	9.29	±9.6 %
10104	CAE	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-TDD	9.97	±9.6 %
10105	CAE	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-TDD	10.01	±9.6 %
10108	CAE	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-FDD	5.80	±9.6 %
10109	CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-FDD	6.43	±9.6 %
10110	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-FDD	5.75	±9.6 %
10111	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-FDD	6.44	±9.6 %
10112	CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-FDD	6.59	±9.6 %
10113	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-FDD	6.62	±9.6 %
10114	CAG	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	WLAN	8.10	±9.6 %
10115	CAG	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	WLAN	8.46	±9.6 %
10116	CAG	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	WLAN	8.15	±9.6 %
10117	CAG	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	WLAN	8.07	±9.6 %
10118	CAD	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	WLAN	8.59	±9.6 %
10119	CAD	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	WLAN	8.13	±9.6 %
10140	CAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-FDD	6.49	±9.6 %
10141	CAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-FDD	6.53	±9.6 %
10142	CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-FDD	5.73	±9.6 %
10143	CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-FDD	6.35	±9.6 %
10144	CAC	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-FDD	6.65	±9.6 %
10145	CAC	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-FDD	5.76	±9.6 %
10146	CAC	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.41	±9.6 %
10147	CAC	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.72	±9.6 %
10149	CAE	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	±9.6 %
10150	CAE	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	±9.6 %
10151	CAE	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-TDD	9.28	±9.6 %
10152	CAE	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-TDD	9.92	±9.6 %
10153	CAE	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-TDD	10.05	±9.6 %
10154	CAF	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-FDD	5.75	±9.6 %
10155	CAF	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-FDD	6.43	±9.6 %
10156	CAF	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-FDD	5.79	±9.6 %
10157	CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-FDD	6.49	±9.6 %
10158	CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-FDD	6.62	±9.6 %
10159	CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-FDD	6.56	±9.6 %
10160	CAG	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-FDD	5.82	±9.6 %
10161	CAG	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-FDD	6.43	±9.6 %
10162	CAG	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-FDD	6.58	±9.6 %
10166	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-FDD	5.46	±9.6 %
10167	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.21	±9.6 %
10168	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.79	±9.6 %
10169	CAG	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-FDD	5.73	±9.6 %
10170	CAG	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-FDD	6.52	±9.6 %
10171	CAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-FDD	6.49	±9.6 %
10172	CAE	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-TDD	9.21	±9.6 %
10173	CAE	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-TDD	9.48	±9.6 %
10174	CAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-TDD	10.25	±9.6 %
10175	CAF	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-FDD	5.72	±9.6 %
10176	CAF	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-FDD	6.52	±9.6 %
10177	CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-FDD	5.73	±9.6 %
10178	CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-FDD	6.52	±9.6 %
10179	AAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-FDD	6.50	±9.6 %
10180	CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-FDD	6.50	±9.6 %

10181	CAG	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-FDD	5.72	± 9.6 %
10182	CAG	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10183	CAG	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10184	CAG	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10185	CAI	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-FDD	6.51	± 9.6 %
10186	CAG	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10187	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
10188	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10189	CAE	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10193	CAE	IEEE 802.11n (HT Greenfield, 8.5 Mbps, BPSK)	WLAN	8.09	± 9.6 %
10194	AAD	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	WLAN	8.12	± 9.6 %
10195	CAE	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	WLAN	8.21	± 9.6 %
10196	CAE	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	WLAN	8.10	± 9.6 %
10197	AAE	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	WLAN	8.13	± 9.6 %
10198	CAF	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	WLAN	8.27	± 9.6 %
10219	CAF	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	WLAN	8.03	± 9.6 %
10220	AAF	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	WLAN	8.13	± 9.6 %
10221	CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	WLAN	8.27	± 9.6 %
10222	CAC	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	WLAN	8.06	± 9.6 %
10223	CAD	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	WLAN	8.48	± 9.6 %
10224	CAD	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	WLAN	8.08	± 9.6 %
10225	CAD	UMTS-FDD (HSPA+)	WCDMA	5.97	± 9.6 %
10226	CAD	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.49	± 9.6 %
10227	CAD	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.26	± 9.6 %
10228	CAD	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDD	9.22	± 9.6 %
10229	DAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10230	CAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10231	CAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-TDD	9.19	± 9.6 %
10232	CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10233	CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10234	CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10235	CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10236	CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10237	CAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10238	CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-TDD	9.48	± 9.6 %
10239	CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-TDD	10.25	± 9.6 %
10240	CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10241	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.82	± 9.6 %
10242	CAD	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-TDD	9.86	± 9.6 %
10243	CAD	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-TDD	9.46	± 9.6 %
10244	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-TDD	10.06	± 9.6 %
10245	CAG	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-TDD	10.06	± 9.6 %
10246	CAG	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-TDD	9.30	± 9.6 %
10247	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-TDD	9.91	± 9.6 %
10248	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-TDD	10.09	± 9.6 %
10249	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-TDD	9.29	± 9.6 %
10250	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TDD	9.81	± 9.6 %
10251	CAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-TDD	10.17	± 9.6 %
10252	CAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-TDD	9.24	± 9.6 %
10253	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-TDD	9.90	± 9.6 %
10254	CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-TDD	10.14	± 9.6 %
10255	CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-TDD	9.20	± 9.6 %
10256	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.96	± 9.6 %
10257	CAD	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.08	± 9.6 %
10258	CAD	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TDD	9.34	± 9.6 %
10259	CAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-TDD	9.98	± 9.6 %

10260	CAG	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-TDD	9.97	± 9.6 %
10261	CAG	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-TDD	9.24	± 9.6 %
10262	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	LTE-TDD	9.83	± 9.6 %
10263	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-TDD	10.16	± 9.6 %
10264	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-TDD	9.23	± 9.6 %
10265	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-TDD	9.92	± 9.6 %
10266	CAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-TDD	10.07	± 9.6 %
10267	CAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TDD	9.30	± 9.6 %
10268	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-TDD	10.06	± 9.6 %
10269	CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-TDD	10.13	± 9.6 %
10270	CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-TDD	9.58	± 9.6 %
10274	CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	WCDMA	4.87	± 9.8 %
10275	CAD	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	WCDMA	3.96	± 9.6 %
10277	CAD	PHS (QPSK)	PHS	11.81	± 9.6 %
10278	CAD	PHS (QPSK, BW 884MHz, Roll-off 0.5)	PHS	11.81	± 9.6 %
10279	CAG	PHS (QPSK, BW 884MHz, Roll-off 0.38)	PHS	12.18	± 9.6 %
10280	CAG	CDMA2000, RC1, 3055, Full Rate	CDMA2000	3.91	± 9.6 %
10291	CAG	CDMA2000, RC3, 3055, Full Rate	CDMA2000	3.46	± 9.6 %
10292	CAG	CDMA2000, RC3, 3032, Full Rate	CDMA2000	3.39	± 9.6 %
10293	CAG	CDMA2000, RC3, 303, Full Rate	CDMA2000	3.50	± 9.6 %
10295	CAG	CDMA2000, RC1, 303, 1/8th Rate 25 Ir	CDMA2000	12.49	± 9.6 %
10297	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-FDD	5.81	± 9.6 %
10298	CAF	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-FDD	5.72	± 9.6 %
10299	CAF	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-FDD	6.39	± 9.6 %
10300	CAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-FDD	6.60	± 9.6 %
10301	CAC	IEEE 802.16e WiMAX (20:18, 5ms, 10MHz, QPSK, PUSC)	WiMAX	12.03	± 9.6 %
10302	CAB	IEEE 802.16e WiMAX (20:18, 5ms, 10MHz, QPSK, PUSC, 3CTRL)	WiMAX	12.57	± 9.6 %
10303	CAB	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	WiMAX	12.52	± 9.6 %
10304	CAA	IEEE 802.16e WiMAX (20:18, 5ms, 10MHz, 64QAM, PUSC)	WiMAX	11.86	± 9.8 %
10305	CAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC)	WiMAX	15.24	± 9.6 %
10306	CAA	IEEE 802.16e WiMAX (20:18, 10ms, 10MHz, 64QAM, PUSC)	WiMAX	14.67	± 9.6 %
10307	AAB	IEEE 802.16e WiMAX (20:18, 10ms, 10MHz, QPSK, PUSC)	WiMAX	14.49	± 9.8 %
10308	AAB	IEEE 802.16e WiMAX (20:18, 10ms, 10MHz, 16QAM, PUSC)	WiMAX	14.46	± 9.6 %
10309	AAB	IEEE 802.16e WiMAX (20:18, 10ms, 10MHz, 16QAM, AMC 2x3)	WiMAX	14.58	± 9.6 %
10310	AAB	IEEE 802.16e WiMAX (20:18, 10ms, 10MHz, QPSK, AMC 2x3)	WiMAX	14.57	± 9.6 %
10311	AAB	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-FDD	6.06	± 9.6 %
10313	AAD	IDEN 1:3	IDEN	10.51	± 9.6 %
10314	AAD	IDEN 1:6	IDEN	13.48	± 9.6 %
10315	AAD	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc dc)	WLAN	1.71	± 9.6 %
10316	AAD	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc dc)	WLAN	8.36	± 9.6 %
10317	AAA	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc dc)	WLAN	8.36	± 9.6 %
10352	AAA	Pulse Waveform (200Hz, 10%)	Generic	10.00	± 9.6 %
10353	AAA	Pulse Waveform (200Hz, 20%)	Generic	6.99	± 9.6 %
10354	AAA	Pulse Waveform (200Hz, 40%)	Generic	3.98	± 9.6 %
10355	AAA	Pulse Waveform (200Hz, 60%)	Generic	2.22	± 9.6 %
10356	AAA	Pulse Waveform (200Hz, 80%)	Generic	0.97	± 9.6 %
10387	AAA	QPSK Waveform, 1 MHz	Generic	5.10	± 9.6 %
10388	AAA	QPSK Waveform, 10 MHz	Generic	5.22	± 9.6 %
10396	AAA	64-QAM Waveform, 100 kHz	Generic	6.27	± 9.6 %
10399	AAA	64-QAM Waveform, 40 MHz	Generic	6.27	± 9.6 %
10400	AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc dc)	WLAN	8.37	± 9.6 %
10401	AAA	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc dc)	WLAN	8.60	± 9.6 %
10402	AAA	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc dc)	WLAN	8.53	± 9.6 %
10403	AAB	CDMA2000 (1xEV-DO, Rev. 0)	CDMA2000	3.76	± 9.6 %
10404	AAB	CDMA2000 (1xEV-DO, Rev. A)	CDMA2000	3.77	± 9.6 %
10406	AAD	CDMA2000, RC3, 3032, SCH0, Full Rate	CDMA2000	5.22	± 9.6 %

10410	AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Sub=2,3,4,7,8,9)	LTE-TDD	7.82	± 9.6 %
10414	AAA	WLAN CCDF, 64-QAM, 40MHz	Generic	8.54	± 9.6 %
10416	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 1 Mbps, 99pc dc)	WLAN	1.54	± 9.6 %
10416	AAA	IEEE 802.11g WIFI 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc dc)	WLAN	8.23	± 9.6 %
10417	AAA	IEEE 802.11a/n WIFI 5 GHz (OFDM, 6 Mbps, 99pc dc)	WLAN	8.23	± 9.6 %
10418	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc, Long)	WLAN	8.14	± 9.6 %
10419	AAA	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc, Short)	WLAN	8.19	± 9.6 %
10422	AAA	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	WLAN	8.32	± 9.6 %
10423	AAA	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	WLAN	8.47	± 9.6 %
10424	AAE	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	WLAN	8.40	± 9.6 %
10425	AAE	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	WLAN	8.41	± 9.6 %
10426	AAE	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	WLAN	8.45	± 9.6 %
10427	AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	WLAN	8.41	± 9.6 %
10430	AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	LTE-FDD	8.28	± 9.6 %
10431	AAC	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	LTE-FDD	8.38	± 9.6 %
10432	AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	LTE-FDD	8.34	± 9.6 %
10433	AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDD	8.34	± 9.6 %
10434	AAG	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	8.60	± 9.6 %
10435	AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10447	AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.56	± 9.6 %
10448	AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.53	± 9.6 %
10449	AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.51	± 9.6 %
10450	AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.48	± 9.6 %
10451	AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.59	± 9.6 %
10453	AAC	Validation (Square, 10ms, 1ms)	Test	10.00	± 9.6 %
10456	AAC	IEEE 802.11ac WIFI (160MHz, 64-QAM, 99pc dc)	WLAN	8.63	± 9.6 %
10457	AAC	UMTS-FDD (DC-HSDPA)	WCDMA	6.62	± 9.6 %
10458	AAC	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	CDMA2000	6.55	± 9.6 %
10459	AAC	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	CDMA2000	8.25	± 9.6 %
10460	AAC	UMTS-FDD (WCDMA, AMR)	WCDMA	2.39	± 9.6 %
10461	AAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10462	AAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.30	± 9.6 %
10463	AAD	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.56	± 9.6 %
10464	AAD	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10465	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10466	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10467	AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10468	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10469	AAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.56	± 9.6 %
10470	AAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10471	AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10472	AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10473	AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10474	AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10475	AAD	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10477	AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10478	AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10479	AAC	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10480	AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.18	± 9.6 %
10481	AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.45	± 9.6 %
10482	AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.71	± 9.6 %
10483	AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, Sub)	LTE-TDD	8.39	± 9.6 %
10484	AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.47	± 9.6 %
10485	AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.59	± 9.6 %
10486	AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.38	± 9.6 %
10487	AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.60	± 9.6 %

10488	AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.70	± 9.6 %
10489	AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	± 9.6 %
10490	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10491	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10492	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.41	± 9.6 %
10493	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.55	± 9.6 %
10494	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10495	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.37	± 9.6 %
10496	AAE	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10497	AAE	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.67	± 9.6 %
10498	AAE	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.40	± 9.6 %
10499	AAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.68	± 9.6 %
10500	AAF	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.67	± 9.6 %
10501	AAF	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Sub)	LTE-TDD	8.44	± 9.6 %
10502	AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.52	± 9.6 %
10503	AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.72	± 9.6 %
10504	AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	± 9.6 %
10505	AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10506	AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10507	AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.36	± 9.6 %
10508	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.55	± 9.6 %
10509	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.99	± 9.6 %
10510	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.49	± 9.6 %
10511	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.51	± 9.6 %
10512	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10513	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.42	± 9.6 %
10514	AAE	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.45	± 9.6 %
10515	AAE	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc dc)	WLAN	1.58	± 9.6 %
10516	AAE	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc dc)	WLAN	1.57	± 9.6 %
10517	AAF	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc dc)	WLAN	1.58	± 9.6 %
10518	AAF	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc dc)	WLAN	8.23	± 9.6 %
10519	AAF	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc dc)	WLAN	8.39	± 9.6 %
10520	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc dc)	WLAN	8.12	± 9.6 %
10521	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc dc)	WLAN	7.97	± 9.6 %
10522	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc dc)	WLAN	8.45	± 9.6 %
10523	AAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc dc)	WLAN	8.08	± 9.6 %
10524	AAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc dc)	WLAN	8.27	± 9.6 %
10525	AAC	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc dc)	WLAN	8.36	± 9.6 %
10526	AAF	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc dc)	WLAN	8.42	± 9.6 %
10527	AAF	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc dc)	WLAN	8.21	± 9.6 %
10528	AAF	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc dc)	WLAN	8.36	± 9.6 %
10529	AAF	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc dc)	WLAN	8.36	± 9.6 %
10531	AAF	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc dc)	WLAN	8.43	± 9.6 %
10532	AAF	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10533	AAE	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc dc)	WLAN	8.38	± 9.6 %
10534	AAE	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc dc)	WLAN	8.45	± 9.6 %
10535	AAE	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc dc)	WLAN	8.45	± 9.6 %
10536	AAF	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc dc)	WLAN	8.32	± 9.6 %
10537	AAF	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc dc)	WLAN	8.44	± 9.6 %
10538	AAF	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc dc)	WLAN	8.54	± 9.6 %
10540	AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc dc)	WLAN	8.39	± 9.6 %
10541	AAA	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc dc)	WLAN	8.46	± 9.6 %
10542	AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc dc)	WLAN	8.65	± 9.6 %
10543	AAC	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc dc)	WLAN	8.65	± 9.6 %
10544	AAC	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc dc)	WLAN	8.47	± 9.6 %
10545	AAC	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %

10546	AAC	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc dc)	WLAN	8.35	± 9.6 %
10547	AAC	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc dc)	WLAN	8.49	± 9.6 %
10548	AAC	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc dc)	WLAN	8.37	± 9.6 %
10550	AAC	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc dc)	WLAN	8.38	± 9.6 %
10551	AAC	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc dc)	WLAN	8.50	± 9.6 %
10552	AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc dc)	WLAN	8.42	± 9.6 %
10553	AAC	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc dc)	WLAN	8.45	± 9.6 %
10554	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc dc)	WLAN	8.48	± 9.6 %
10555	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc dc)	WLAN	8.47	± 9.6 %
10556	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc dc)	WLAN	8.50	± 9.6 %
10557	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc dc)	WLAN	8.52	± 9.6 %
10558	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc dc)	WLAN	8.61	± 9.6 %
10560	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc dc)	WLAN	8.73	± 9.6 %
10561	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc dc)	WLAN	8.56	± 9.6 %
10562	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc dc)	WLAN	8.69	± 9.6 %
10563	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc dc)	WLAN	8.77	± 9.6 %
10564	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc dc)	WLAN	8.25	± 9.6 %
10565	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc dc)	WLAN	8.45	± 9.6 %
10566	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc dc)	WLAN	8.13	± 9.6 %
10567	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc dc)	WLAN	8.00	± 9.6 %
10568	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc dc)	WLAN	8.37	± 9.6 %
10569	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc dc)	WLAN	8.10	± 9.6 %
10570	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc dc)	WLAN	8.30	± 9.6 %
10571	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc dc)	WLAN	1.99	± 9.6 %
10572	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc dc)	WLAN	1.99	± 9.6 %
10573	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc dc)	WLAN	1.98	± 9.6 %
10574	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc dc)	WLAN	1.98	± 9.6 %
10575	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc dc)	WLAN	8.59	± 9.6 %
10576	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc dc)	WLAN	8.60	± 9.6 %
10577	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc dc)	WLAN	8.70	± 9.6 %
10578	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc dc)	WLAN	8.49	± 9.6 %
10579	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc dc)	WLAN	8.36	± 9.6 %
10580	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc dc)	WLAN	8.76	± 9.6 %
10581	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc dc)	WLAN	8.35	± 9.6 %
10582	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc dc)	WLAN	8.67	± 9.6 %
10583	AAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc dc)	WLAN	8.59	± 9.6 %
10584	AAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc dc)	WLAN	8.60	± 9.6 %
10585	AAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc dc)	WLAN	8.70	± 9.6 %
10586	AAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc dc)	WLAN	8.49	± 9.6 %
10587	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc dc)	WLAN	8.36	± 9.6 %
10588	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc dc)	WLAN	8.76	± 9.6 %
10589	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc dc)	WLAN	8.35	± 9.6 %
10590	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc dc)	WLAN	8.67	± 9.6 %
10591	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc dc)	WLAN	8.63	± 9.6 %
10592	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6 %
10593	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc dc)	WLAN	8.64	± 9.6 %
10594	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10595	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc dc)	WLAN	8.74	± 9.6 %
10596	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc dc)	WLAN	8.71	± 9.6 %
10597	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc dc)	WLAN	8.72	± 9.6 %
10598	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc dc)	WLAN	8.50	± 9.6 %
10599	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc dc)	WLAN	8.79	± 9.6 %
10600	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc dc)	WLAN	8.88	± 9.6 %
10601	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc dc)	WLAN	8.82	± 9.6 %
10602	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc dc)	WLAN	8.94	± 9.6 %
10603	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc dc)	WLAN	9.03	± 9.6 %

10604	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc dc)	WLAN	8.76	± 9.6 %
10605	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc dc)	WLAN	8.97	± 9.6 %
10606	AAC	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc dc)	WLAN	8.82	± 9.6 %
10607	AAC	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc dc)	WLAN	8.64	± 9.6 %
10608	AAC	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc dc)	WLAN	8.77	± 9.6 %
10609	AAC	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc dc)	WLAN	8.57	± 9.6 %
10610	AAC	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc dc)	WLAN	8.78	± 9.6 %
10611	AAC	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6 %
10612	AAC	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10613	AAC	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc dc)	WLAN	8.94	± 9.6 %
10614	AAC	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc dc)	WLAN	8.59	± 9.6 %
10615	AAC	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10616	AAC	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc dc)	WLAN	8.82	± 9.6 %
10617	AAC	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc dc)	WLAN	8.81	± 9.6 %
10618	AAC	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc dc)	WLAN	8.58	± 9.6 %
10619	AAC	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc dc)	WLAN	8.86	± 9.6 %
10620	AAC	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc dc)	WLAN	8.87	± 9.6 %
10621	AAC	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10622	AAC	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc dc)	WLAN	8.68	± 9.6 %
10623	AAC	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc dc)	WLAN	8.82	± 9.6 %
10624	AAC	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc dc)	WLAN	8.96	± 9.6 %
10625	AAC	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc dc)	WLAN	8.96	± 9.6 %
10626	AAC	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6 %
10627	AAC	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc dc)	WLAN	8.88	± 9.6 %
10628	AAC	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc dc)	WLAN	8.71	± 9.6 %
10629	AAC	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc dc)	WLAN	8.85	± 9.6 %
10630	AAC	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc dc)	WLAN	8.72	± 9.6 %
10631	AAC	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc dc)	WLAN	8.81	± 9.6 %
10632	AAC	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10633	AAC	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc dc)	WLAN	8.83	± 9.6 %
10634	AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc dc)	WLAN	8.80	± 9.6 %
10635	AAC	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10636	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6 %
10637	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6 %
10638	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc dc)	WLAN	8.86	± 9.6 %
10639	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc dc)	WLAN	8.85	± 9.6 %
10640	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc dc)	WLAN	8.98	± 9.6 %
10641	AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc dc)	WLAN	9.06	± 9.6 %
10642	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc dc)	WLAN	9.06	± 9.6 %
10643	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc dc)	WLAN	8.89	± 9.6 %
10644	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 90pc dc)	WLAN	9.05	± 9.6 %
10645	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 90pc dc)	WLAN	9.11	± 9.6 %
10646	AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	± 9.6 %
10647	AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	± 9.6 %
10648	AAC	CDMA2000 (1x Advanced)	CDMA2000	3.45	± 9.6 %
10652	AAC	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.91	± 9.6 %
10653	AAC	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.42	± 9.6 %
10654	AAC	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.96	± 9.6 %
10655	AAC	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.21	± 9.6 %
10658	AAC	Pulse Waveform (200Hz, 10%)	Test	10.00	± 9.6 %
10659	AAC	Pulse Waveform (200Hz, 20%)	Test	6.99	± 9.6 %
10660	AAC	Pulse Waveform (200Hz, 40%)	Test	3.98	± 9.6 %
10661	AAC	Pulse Waveform (200Hz, 60%)	Test	2.22	± 9.6 %
10662	AAC	Pulse Waveform (200Hz, 80%)	Test	0.97	± 9.6 %
10670	AAC	Bluetooth Low Energy	Bluetooth	2.19	± 9.6 %
10671	AAD	IEEE 802.11ax (20MHz, MCS0, 90pc dc)	WLAN	9.09	± 9.6 %

10672	AAD	IEEE 802.11ax (20MHz, MCS1, 90pc dc)	WLAN	8.57	± 9.6 %
10673	AAD	IEEE 802.11ax (20MHz, MCS2, 90pc dc)	WLAN	8.78	± 9.6 %
10674	AAD	IEEE 802.11ax (20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10675	AAD	IEEE 802.11ax (20MHz, MCS4, 90pc dc)	WLAN	8.90	± 9.6 %
10676	AAD	IEEE 802.11ax (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10677	AAD	IEEE 802.11ax (20MHz, MCS6, 90pc dc)	WLAN	8.73	± 9.6 %
10678	AAD	IEEE 802.11ax (20MHz, MCS7, 90pc dc)	WLAN	8.78	± 9.6 %
10679	AAD	IEEE 802.11ax (20MHz, MCS8, 90pc dc)	WLAN	8.89	± 9.6 %
10680	AAD	IEEE 802.11ax (20MHz, MCS9, 90pc dc)	WLAN	8.80	± 9.6 %
10681	AAG	IEEE 802.11ax (20MHz, MCS10, 90pc dc)	WLAN	8.62	± 9.6 %
10682	AAF	IEEE 802.11ax (20MHz, MCS11, 90pc dc)	WLAN	8.83	± 9.6 %
10683	AAA	IEEE 802.11ax (20MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10684	AAC	IEEE 802.11ax (20MHz, MCS1, 99pc dc)	WLAN	8.26	± 9.6 %
10685	AAC	IEEE 802.11ax (20MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10686	AAC	IEEE 802.11ax (20MHz, MCS3, 99pc dc)	WLAN	8.28	± 9.6 %
10687	AAE	IEEE 802.11ax (20MHz, MCS4, 99pc dc)	WLAN	8.45	± 9.6 %
10688	AAE	IEEE 802.11ax (20MHz, MCS5, 99pc dc)	WLAN	8.29	± 9.6 %
10689	AAD	IEEE 802.11ax (20MHz, MCS6, 99pc dc)	WLAN	8.55	± 9.6 %
10690	AAE	IEEE 802.11ax (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10691	AAB	IEEE 802.11ax (20MHz, MCS8, 99pc dc)	WLAN	8.25	± 9.6 %
10692	AAA	IEEE 802.11ax (20MHz, MCS9, 99pc dc)	WLAN	8.29	± 9.6 %
10693	AAA	IEEE 802.11ax (20MHz, MCS10, 99pc dc)	WLAN	8.25	± 9.6 %
10694	AAA	IEEE 802.11ax (20MHz, MCS11, 99pc dc)	WLAN	8.57	± 9.6 %
10695	AAA	IEEE 802.11ax (40MHz, MCS0, 90pc dc)	WLAN	8.78	± 9.6 %
10696	AAA	IEEE 802.11ax (40MHz, MCS1, 90pc dc)	WLAN	8.91	± 9.6 %
10697	AAA	IEEE 802.11ax (40MHz, MCS2, 90pc dc)	WLAN	8.61	± 9.6 %
10698	AAA	IEEE 802.11ax (40MHz, MCS3, 90pc dc)	WLAN	8.89	± 9.6 %
10699	AAA	IEEE 802.11ax (40MHz, MCS4, 90pc dc)	WLAN	8.82	± 9.6 %
10700	AAA	IEEE 802.11ax (40MHz, MCS5, 90pc dc)	WLAN	8.73	± 9.6 %
10701	AAA	IEEE 802.11ax (40MHz, MCS6, 90pc dc)	WLAN	8.88	± 9.6 %
10702	AAA	IEEE 802.11ax (40MHz, MCS7, 90pc dc)	WLAN	8.70	± 9.6 %
10703	AAA	IEEE 802.11ax (40MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10704	AAA	IEEE 802.11ax (40MHz, MCS9, 90pc dc)	WLAN	8.56	± 9.6 %
10705	AAA	IEEE 802.11ax (40MHz, MCS10, 90pc dc)	WLAN	8.69	± 9.6 %
10706	AAC	IEEE 802.11ax (40MHz, MCS11, 90pc dc)	WLAN	8.66	± 9.6 %
10707	AAC	IEEE 802.11ax (40MHz, MCS0, 99pc dc)	WLAN	8.32	± 9.6 %
10708	AAC	IEEE 802.11ax (40MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %
10709	AAC	IEEE 802.11ax (40MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10710	AAC	IEEE 802.11ax (40MHz, MCS3, 99pc dc)	WLAN	8.29	± 9.6 %
10711	AAC	IEEE 802.11ax (40MHz, MCS4, 99pc dc)	WLAN	8.39	± 9.6 %
10712	AAC	IEEE 802.11ax (40MHz, MCS5, 99pc dc)	WLAN	8.67	± 9.6 %
10713	AAC	IEEE 802.11ax (40MHz, MCS6, 99pc dc)	WLAN	8.33	± 9.6 %
10714	AAC	IEEE 802.11ax (40MHz, MCS7, 99pc dc)	WLAN	8.26	± 9.6 %
10715	AAC	IEEE 802.11ax (40MHz, MCS8, 99pc dc)	WLAN	8.45	± 9.6 %
10716	AAC	IEEE 802.11ax (40MHz, MCS9, 99pc dc)	WLAN	8.30	± 9.6 %
10717	AAC	IEEE 802.11ax (40MHz, MCS10, 99pc dc)	WLAN	8.48	± 9.6 %
10718	AAC	IEEE 802.11ax (40MHz, MCS11, 99pc dc)	WLAN	8.24	± 9.6 %
10719	AAC	IEEE 802.11ax (80MHz, MCS0, 90pc dc)	WLAN	8.81	± 9.6 %
10720	AAC	IEEE 802.11ax (80MHz, MCS1, 90pc dc)	WLAN	8.87	± 9.6 %
10721	AAC	IEEE 802.11ax (80MHz, MCS2, 90pc dc)	WLAN	8.76	± 9.6 %
10722	AAC	IEEE 802.11ax (80MHz, MCS3, 90pc dc)	WLAN	8.55	± 9.6 %
10723	AAC	IEEE 802.11ax (80MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6 %
10724	AAC	IEEE 802.11ax (80MHz, MCS5, 90pc dc)	WLAN	8.90	± 9.6 %
10725	AAC	IEEE 802.11ax (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10726	AAC	IEEE 802.11ax (80MHz, MCS7, 90pc dc)	WLAN	8.72	± 9.6 %
10727	AAC	IEEE 802.11ax (80MHz, MCS8, 90pc dc)	WLAN	8.66	± 9.6 %

10728	AAC	IEEE 802.11ax (80MHz, MCS9, 99pc dc)	WLAN	8.65	± 9.6 %
10729	AAC	IEEE 802.11ax (80MHz, MCS10, 99pc dc)	WLAN	8.64	± 9.6 %
10730	AAC	IEEE 802.11ax (80MHz, MCS11, 99pc dc)	WLAN	8.67	± 9.6 %
10731	AAC	IEEE 802.11ax (80MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10732	AAC	IEEE 802.11ax (80MHz, MCS1, 99pc dc)	WLAN	8.46	± 9.6 %
10733	AAC	IEEE 802.11ax (80MHz, MCS2, 99pc dc)	WLAN	8.40	± 9.6 %
10734	AAC	IEEE 802.11ax (80MHz, MCS3, 99pc dc)	WLAN	8.25	± 9.6 %
10735	AAC	IEEE 802.11ax (80MHz, MCS4, 99pc dc)	WLAN	8.33	± 9.6 %
10736	AAC	IEEE 802.11ax (80MHz, MCS5, 99pc dc)	WLAN	8.27	± 9.6 %
10737	AAC	IEEE 802.11ax (80MHz, MCS6, 99pc dc)	WLAN	8.36	± 9.6 %
10738	AAC	IEEE 802.11ax (80MHz, MCS7, 99pc dc)	WLAN	8.42	± 9.6 %
10739	AAC	IEEE 802.11ax (80MHz, MCS8, 99pc dc)	WLAN	8.29	± 9.6 %
10740	AAC	IEEE 802.11ax (80MHz, MCS9, 99pc dc)	WLAN	8.48	± 9.6 %
10741	AAC	IEEE 802.11ax (80MHz, MCS10, 99pc dc)	WLAN	8.40	± 9.6 %
10742	AAC	IEEE 802.11ax (80MHz, MCS11, 99pc dc)	WLAN	8.43	± 9.6 %
10743	AAC	IEEE 802.11ax (160MHz, MCS0, 99pc dc)	WLAN	8.94	± 9.6 %
10744	AAC	IEEE 802.11ax (160MHz, MCS1, 99pc dc)	WLAN	9.16	± 9.6 %
10745	AAC	IEEE 802.11ax (160MHz, MCS2, 99pc dc)	WLAN	8.93	± 9.6 %
10746	AAC	IEEE 802.11ax (160MHz, MCS3, 99pc dc)	WLAN	9.11	± 9.6 %
10747	AAC	IEEE 802.11ax (160MHz, MCS4, 99pc dc)	WLAN	9.04	± 9.6 %
10748	AAC	IEEE 802.11ax (160MHz, MCS5, 99pc dc)	WLAN	8.93	± 9.6 %
10749	AAC	IEEE 802.11ax (160MHz, MCS6, 99pc dc)	WLAN	8.90	± 9.6 %
10750	AAC	IEEE 802.11ax (160MHz, MCS7, 99pc dc)	WLAN	8.79	± 9.6 %
10751	AAC	IEEE 802.11ax (160MHz, MCS8, 99pc dc)	WLAN	8.82	± 9.6 %
10752	AAC	IEEE 802.11ax (160MHz, MCS9, 99pc dc)	WLAN	8.81	± 9.6 %
10753	AAC	IEEE 802.11ax (160MHz, MCS10, 99pc dc)	WLAN	9.00	± 9.6 %
10754	AAC	IEEE 802.11ax (160MHz, MCS11, 99pc dc)	WLAN	8.94	± 9.6 %
10755	AAC	IEEE 802.11ax (160MHz, MCS0, 99pc dc)	WLAN	8.64	± 9.6 %
10756	AAC	IEEE 802.11ax (160MHz, MCS1, 99pc dc)	WLAN	8.77	± 9.6 %
10757	AAC	IEEE 802.11ax (160MHz, MCS2, 99pc dc)	WLAN	8.77	± 9.6 %
10758	AAC	IEEE 802.11ax (160MHz, MCS3, 99pc dc)	WLAN	8.69	± 9.6 %
10759	AAC	IEEE 802.11ax (160MHz, MCS4, 99pc dc)	WLAN	8.58	± 9.6 %
10760	AAC	IEEE 802.11ax (160MHz, MCS5, 99pc dc)	WLAN	8.49	± 9.6 %
10761	AAC	IEEE 802.11ax (160MHz, MCS6, 99pc dc)	WLAN	8.58	± 9.6 %
10762	AAC	IEEE 802.11ax (160MHz, MCS7, 99pc dc)	WLAN	8.49	± 9.6 %
10763	AAC	IEEE 802.11ax (160MHz, MCS8, 99pc dc)	WLAN	8.53	± 9.6 %
10764	AAC	IEEE 802.11ax (160MHz, MCS9, 99pc dc)	WLAN	8.54	± 9.6 %
10765	AAC	IEEE 802.11ax (160MHz, MCS10, 99pc dc)	WLAN	8.54	± 9.6 %
10766	AAC	IEEE 802.11ax (160MHz, MCS11, 99pc dc)	WLAN	8.51	± 9.6 %
10767	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	7.99	± 9.6 %
10768	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10769	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10770	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10771	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10772	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.23	± 9.6 %
10773	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.03	± 9.6 %
10774	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10775	AAC	5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10776	AAC	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10777	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10778	AAC	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10779	AAC	5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10780	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10781	AAC	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10782	AAC	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10783	AAC	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %

10784	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 %
10785	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10786	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10787	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	± 9.6 %
10788	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10789	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10790	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10791	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	± 9.6 %
10792	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	± 9.6 %
10793	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	± 9.6 %
10794	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10795	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	± 9.6 %
10796	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10797	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10798	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10799	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10801	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10802	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	± 9.6 %
10803	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10805	AAD	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10806	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10809	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10810	AAD	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10812	AAD	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10817	AAD	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10818	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10819	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	± 9.6 %
10820	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10821	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10822	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10823	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10824	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10825	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10827	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10828	AAC	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10829	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10830	AAD	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6 %
10831	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6 %
10832	AAD	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6 %
10833	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10834	AAD	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6 %
10835	AAD	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10836	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6 %
10837	AAD	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	± 9.6 %
10839	AAD	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10840	AAD	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	± 9.6 %
10841	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	± 9.6 %
10843	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6 %
10844	AAD	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10846	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10854	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10855	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10856	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10857	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10858	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10859	AAD	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %

10860	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10861	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10863	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10864	AAD	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10865	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10866	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10868	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	± 9.6 %
10869	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10870	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 %
10871	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10872	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 %
10873	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10874	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10875	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10876	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 %
10877	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6 %
10878	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10879	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	± 9.6 %
10880	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	± 9.6 %
10881	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10882	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 %
10883	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	± 9.6 %
10884	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	± 9.6 %
10885	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10886	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10887	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10888	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6 %
10889	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6 %
10890	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6 %
10891	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	± 9.6 %
10892	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10897	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	± 9.6 %
10898	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10899	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10900	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10901	AAD	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10902	AAD	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10903	AAD	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10904	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10905	AAD	5G NR (DFT-s-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10906	AAD	5G NR (DFT-s-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10907	AAD	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	± 9.6 %
10908	AAD	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10909	AAD	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	± 9.6 %
10910	AAD	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10911	AAD	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10912	AAD	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10913	AAD	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10914	AAD	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	± 9.6 %
10915	AAD	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10916	AAD	5G NR (DFT-s-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10917	AAD	5G NR (DFT-s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10918	AAD	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10919	AAD	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10920	AAD	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10921	AAD	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %

10922	AAD	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	± 9.6 %
10923	AAD	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10924	AAD	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10925	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	± 9.6 %
10926	AAD	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10927	AAD	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10928	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10929	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10930	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10931	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10932	AAB	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10933	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10934	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10935	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10936	AAC	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10937	AAB	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	± 9.6 %
10938	AAB	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10939	AAB	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	± 9.6 %
10940	AAB	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	± 9.6 %
10941	AAB	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10942	AAB	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10943	AAB	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	± 9.6 %
10944	AAB	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.81	± 9.6 %
10945	AAB	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10946	AAC	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10947	AAB	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10948	AAB	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10949	AAB	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10950	AAB	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10951	AAB	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	± 9.6 %
10952	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.25	± 9.6 %
10953	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	± 9.6 %
10954	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.23	± 9.6 %
10955	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	± 9.6 %
10956	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	± 9.6 %
10957	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	± 9.6 %
10958	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	± 9.6 %
10959	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	± 9.6 %
10960	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	± 9.6 %
10961	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	± 9.6 %
10962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	± 9.6 %
10963	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10964	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.29	± 9.6 %
10965	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.37	± 9.6 %
10966	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10967	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10968	AAB	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	± 9.6 %
10972	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	11.59	± 9.6 %
10973	AAB	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	9.06	± 9.6 %
10974	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 kHz)	5G NR FR1 TDD	10.28	± 9.6 %

* Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.



Appendix E. Conducted RF Output Power Table

The detailed power table are shown as follows.

Conducted Full Power level/Default Power level/ Pmax Power Level for WWAN

Band	Ant 1				Ant 1				Ant 1				
	WCDMA II			Tune-up Limit (dBm)	WCDMA IV			Tune-up Limit (dBm)	WCDMA V			Tune-up Limit (dBm)	
	TX Channel	9262	9400		9538	1312	1413		1513	4132	4182		4233
	Rx Channel	9662	9800		9938	1537	1638		1738	4357	4407		4458
Frequency (MHz)	1852.4	1880	1907.6	1712.4	1732.5	1752.6	826.4	836.4	846.6				
3GPP Rel 99	AMR 12.2Kbps	21.44	21.50	21.42	22.50	21.48	21.50	21.44	22.50	23.10	23.19	23.20	24.00
3GPP Rel 99	RMC 12.2Kbps	21.46	21.52	21.45	22.50	21.51	21.53	21.46	22.50	23.13	23.22	23.21	24.00
3GPP Rel 6	HSDPA Subtest-1	20.46	20.55	20.46	21.50	20.55	20.60	20.48	21.50	22.16	22.16	22.21	23.00
3GPP Rel 6	HSDPA Subtest-2	20.48	20.55	20.48	21.50	20.54	20.58	20.48	21.50	22.16	22.15	22.23	23.00
3GPP Rel 6	HSDPA Subtest-3	19.99	20.06	20.01	21.00	20.00	20.08	19.97	21.00	21.61	21.68	21.71	22.50
3GPP Rel 6	HSDPA Subtest-4	20.01	20.09	19.97	21.00	20.00	20.08	19.97	21.00	21.61	21.71	21.34	22.50
3GPP Rel 8	DC-HSDPA Subtest-1	20.44	20.52	20.42	21.50	20.48	20.50	20.42	21.50	21.98	22.02	22.13	23.00
3GPP Rel 8	DC-HSDPA Subtest-2	20.45	20.50	20.45	21.50	20.45	20.48	20.44	21.50	21.95	22.00	22.11	23.00
3GPP Rel 8	DC-HSDPA Subtest-3	19.95	19.98	19.95	21.00	19.93	19.98	19.90	21.00	21.47	21.55	21.63	22.50
3GPP Rel 8	DC-HSDPA Subtest-4	19.94	19.99	19.93	21.00	19.95	19.98	19.88	21.00	21.45	21.53	21.60	22.50
3GPP Rel 6	HSUPA Subtest-1	20.57	20.58	20.53	21.50	20.57	20.62	20.48	21.50	22.11	22.15	22.23	23.00
3GPP Rel 6	HSUPA Subtest-2	18.48	18.60	18.55	19.50	18.56	18.59	18.32	19.50	20.13	20.17	20.19	21.00
3GPP Rel 6	HSUPA Subtest-3	19.52	19.59	19.49	20.50	19.56	19.58	19.49	20.50	21.09	21.16	21.18	22.00
3GPP Rel 6	HSUPA Subtest-4	18.47	18.56	18.48	19.50	18.55	18.58	18.52	19.50	20.15	20.16	20.19	21.00
3GPP Rel 6	HSUPA Subtest-5	20.50	20.60	20.50	21.50	20.50	20.60	20.50	21.50	22.10	22.21	22.20	23.00

Ant 0									
GSM850		Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
TX Channel		128	169	251		128	169	251	
Frequency (MHz)		824.2	836.4	848.6		824.2	836.4	848.6	
GSM 1 Tx slot		31.94	31.66	31.76	33.00	22.94	22.66	22.76	24.00
GPRS 1 Tx slot		31.88	31.62	31.71	33.00	22.88	22.62	22.71	24.00
GPRS 2 Tx slots		28.77	28.68	28.63	29.50	22.77	22.68	22.63	23.50
GPRS 3 Tx slots		27.50	27.51	27.38	28.50	23.24	23.25	23.12	24.24
GPRS 4 Tx slots		25.66	25.57	25.52	26.50	22.66	22.57	22.52	23.50
EDGE 1 Tx slot		24.89	24.62	24.75	25.50	15.89	15.62	15.75	16.50
EDGE 2 Tx slots		23.15	23.17	22.98	24.00	17.15	17.17	16.98	18.00
EDGE 3 Tx slots		21.73	21.80	21.78	22.50	17.47	17.54	17.52	18.24
EDGE 4 Tx slots		19.99	20.16	20.07	21.00	16.99	17.16	17.07	18.00

Ant 0									
GSM1900		Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
TX Channel		512	661	810		512	661	810	
Frequency (MHz)		1552.2	1630	1690.8		1552.2	1630	1690.8	
GSM 1 Tx slot		29.03	28.83	29.01	30.00	20.03	19.83	20.01	21.00
GPRS 1 Tx slot		29.01	28.80	28.99	30.00	20.01	19.80	19.99	21.00
GPRS 2 Tx slots		26.58	26.55	26.50	27.50	20.58	20.55	20.50	21.50
GPRS 3 Tx slots		25.11	25.25	25.28	26.50	20.85	20.99	21.02	22.24
GPRS 4 Tx slots		22.91	22.72	23.02	24.50	19.91	19.72	20.02	21.50
EDGE 1 Tx slot		24.42	24.24	24.31	25.50	15.42	15.24	15.31	16.50
EDGE 2 Tx slots		22.84	22.80	22.85	24.00	16.84	16.80	16.85	18.00
EDGE 3 Tx slots		21.50	21.42	21.53	22.50	17.24	17.16	17.27	18.24
EDGE 4 Tx slots		19.77	19.71	19.75	21.00	16.77	16.71	16.75	18.00

		Ant 0				Ant 0				Ant 0				Tune-up Limit (dBm)
Band		WCDMA II				WCDMA IV				WCDMA V				
TX Channel		9262	9400	9538		1312	1413	1513		4132	4182	4233		
Rx Channel		9662	9800	9938		1537	1638	1738		4367	4407	4458		
Frequency (MHz)		1852.4	1880	1907.6		1712.4	1732.6	1752.6		828.4	836.4	846.6		
3GPP Rel 99	AMR 12.2Kbps	22.81	22.85	22.80	24.00	22.85	23.08	22.89	24.00	23.99	24.00	23.98	25.00	
3GPP Rel 99	AMR 12.2Kbps	22.84	22.88	22.83	24.00	22.88	23.10	22.91	24.00	24.01	24.02	24.01	25.00	
3GPP Rel 6	HSDPA Subtest-1	21.77	21.77	21.80	23.00	21.87	22.06	21.87	23.00	23.03	23.03	23.05	24.00	
3GPP Rel 6	HSDPA Subtest-2	21.81	21.74	21.81	23.00	21.91	22.07	21.90	23.00	23.01	23.02	23.09	24.00	
3GPP Rel 6	HSDPA Subtest-3	21.26	20.92	21.32	22.50	21.39	21.58	21.35	22.50	22.52	22.51	22.53	23.50	
3GPP Rel 6	HSDPA Subtest-4	21.31	21.27	21.30	22.50	21.45	21.55	21.41	22.50	22.51	22.52	22.56	23.50	
3GPP Rel 8	DC-HSDPA Subtest-1	22.01	21.88	21.89	23.00	22.03	22.14	21.98	23.00	22.98	23.00	23.03	24.00	
3GPP Rel 8	DC-HSDPA Subtest-2	21.99	21.87	21.86	23.00	21.99	22.12	21.95	23.00	22.96	22.99	23.04	24.00	
3GPP Rel 8	DC-HSDPA Subtest-3	21.51	21.37	21.38	22.50	21.49	21.63	21.46	22.50	22.45	22.48	22.50	23.50	
3GPP Rel 8	DC-HSDPA Subtest-4	21.49	21.36	21.35	22.50	21.47	21.61	21.45	22.50	22.44	22.48	22.51	23.50	
3GPP Rel 6	HSUPA Subtest-1	21.80	21.80	21.88	23.00	21.89	22.08	21.86	23.00	23.05	23.02	23.07	24.00	
3GPP Rel 6	HSUPA Subtest-2	19.85	19.79	19.77	21.00	19.95	20.09	19.94	21.00	21.03	21.03	21.04	22.00	
3GPP Rel 6	HSUPA Subtest-3	20.70	20.67	20.87	22.00	20.91	21.07	20.95	22.00	22.02	22.00	22.03	23.00	
3GPP Rel 6	HSUPA Subtest-4	19.89	19.83	19.87	21.00	19.93	20.06	19.91	21.00	21.03	20.96	21.04	22.00	
3GPP Rel 6	HSUPA Subtest-5	21.90	21.93	21.96	23.00	21.90	22.10	21.96	23.00	22.90	23.00	23.00	24.00	

Reduced Power Mode for WWAN

DSi2 (Head Standalone)

Band	DSS (HSPA+ / LTE)												
	Ant 1				Ant 2				Ant 1				
	WCDMA II				WCDMA IV				WCDMA V				
	TX Channel	9262	9400	9538	Tune-up Limit (dbm)	1312	1413	1513	Tune-up Limit (dbm)	4132	4182	4233	Tune-up Limit (dbm)
Rx Channel	9662	9800	9938		1537	1638	1738		4357	4407	4458		
Frequency (MHz)	1852.4	1880	1907.6		1712.4	1732.6	1752.6		826.4	836.4	846.6		
3GPP Rel 99	AMR 12.2Kbps	19.97	20.00	19.90	21.00	15.70	15.80	15.60	16.50	20.86	20.93	20.89	22.00
3GPP Rel 99	RMC 12.2Kbps	19.99	20.02	19.93	21.00	15.73	15.83	15.62	16.50	20.87	20.95	20.91	22.00
3GPP Rel 6	HSDPA Subtest-1	19.02	18.85	18.83	20.00	14.51	14.65	14.55	15.50	20.07	20.16	20.03	21.00
3GPP Rel 6	HSDPA Subtest-2	19.02	18.86	18.83	20.00	14.52	14.68	14.56	15.50	20.01	20.14	20.05	21.00
3GPP Rel 6	HSDPA Subtest-3	18.48	18.31	18.29	19.50	13.98	14.17	14.07	15.00	19.48	19.71	19.57	20.50
3GPP Rel 6	HSDPA Subtest-4	18.47	18.38	18.34	19.50	14.00	14.11	14.01	15.00	19.49	19.69	19.42	20.50
3GPP Rel 8	DC-HSDPA Subtest-1	18.95	18.73	18.74	20.00	14.39	14.46	14.38	15.50	19.98	19.95	19.97	21.00
3GPP Rel 8	DC-HSDPA Subtest-2	18.91	18.71	18.73	20.00	14.24	14.37	14.31	15.50	19.78	19.90	19.89	21.00
3GPP Rel 8	DC-HSDPA Subtest-3	18.37	18.17	18.13	19.50	13.84	13.80	13.96	15.00	19.33	19.62	19.38	20.50
3GPP Rel 8	DC-HSDPA Subtest-4	18.30	18.21	18.20	19.50	13.86	13.92	13.91	15.00	19.37	19.62	19.32	20.50
3GPP Rel 6	HSUPA Subtest-1	19.07	18.93	18.86	20.00	14.65	14.60	14.55	15.50	20.08	20.12	20.18	21.00
3GPP Rel 6	HSUPA Subtest-2	17.04	17.01	16.86	18.00	12.64	12.58	12.43	13.50	18.00	18.12	18.24	19.00
3GPP Rel 6	HSUPA Subtest-3	18.01	17.83	17.88	19.00	13.54	13.70	13.62	14.50	19.15	19.28	19.22	20.00
3GPP Rel 6	HSUPA Subtest-4	17.04	16.84	16.86	18.00	12.57	12.72	12.70	13.50	18.29	18.30	18.08	19.00
3GPP Rel 6	HSUPA Subtest-5	19.30	19.10	19.20	20.00	14.40	14.40	14.50	15.50	20.00	20.10	20.10	21.00



DSI2 (Head Simultaneous)

		Ant 1			Ant 1			Ant 1					
Band		WCDMA II			Tune-up Limit (dBm)	WCDMA IV			Tune-up Limit (dBm)	WCDMA V			Tune-up Limit (dBm)
TX Channel		9262	9400	9538		1312	1413	1513		4132	4182	4233	
Rx Channel		9662	9800	9938		1537	1638	1738		4357	4407	4458	
Frequency (MHz)		1852.4	1880	1907.5		1712.4	1732.5	1752.6		826.4	836.4	846.6	
3GPP Rel 99	AMR 12.2Kbps	19.03	19.05	18.90	20.00	14.70	14.73	14.68	15.50	19.90	19.96	19.88	21.00
3GPP Rel 99	RMC 12.2Kbps	19.05	19.08	18.92	20.00	14.73	14.75	14.70	15.50	19.93	19.98	19.90	21.00
3GPP Rel 6	HSDPA Subtest-1	18.02	18.12	17.98	19.00	13.67	13.72	13.60	14.50	18.80	18.82	18.86	20.00
3GPP Rel 6	HSDPA Subtest-2	19.04	18.10	18.00	19.00	13.66	13.70	13.60	14.50	18.78	18.80	18.84	20.00
3GPP Rel 6	HSDPA Subtest-3	17.52	17.62	17.53	18.50	13.12	13.27	13.09	14.00	18.25	18.33	18.36	19.50
3GPP Rel 6	HSDPA Subtest-4	17.63	17.66	17.50	18.50	13.17	13.20	13.09	14.00	18.26	18.32	18.28	19.50
3GPP Rel 8	DC-HSDPA Subtest-1	17.87	18.00	17.90	19.00	13.60	13.60	13.55	14.50	18.63	18.67	18.77	20.00
3GPP Rel 8	DC-HSDPA Subtest-2	17.88	18.03	17.89	19.00	13.57	13.62	13.52	14.50	18.62	18.62	18.76	20.00
3GPP Rel 8	DC-HSDPA Subtest-3	17.54	17.52	17.47	18.50	13.05	13.10	13.00	14.00	18.12	18.22	18.28	19.50
3GPP Rel 8	DC-HSDPA Subtest-4	17.50	17.53	17.45	18.50	13.09	13.05	13.02	14.00	18.10	18.18	18.20	19.50
3GPP Rel 6	HSUPA Subtest-1	18.13	18.22	18.05	19.00	13.69	13.72	13.58	14.50	18.75	18.80	18.58	20.00
3GPP Rel 6	HSUPA Subtest-2	16.00	16.10	16.10	17.00	11.68	11.71	11.51	12.50	16.80	16.76	16.84	18.00
3GPP Rel 6	HSUPA Subtest-3	17.11	17.15	17.04	18.00	12.71	12.74	12.61	13.50	17.74	17.53	17.82	19.00
3GPP Rel 6	HSUPA Subtest-4	16.03	16.13	16.00	17.00	11.67	11.70	11.63	12.50	16.81	16.81	16.84	18.00
3GPP Rel 6	HSUPA Subtest-5	18.10	18.10	18.00	19.00	13.60	13.70	13.60	14.50	18.70	18.80	18.80	20.00

Band 12_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				23060	23095	23130			
Frequency (MHz)				704	707.5	711			
10	QPSK	1	0	20.83	20.87	20.79	22	0	
10	QPSK	1	25	20.76	20.84	20.77			
10	QPSK	1	49	20.81	20.74	20.64			
10	QPSK	25	0	20.78	20.82	20.69			
10	QPSK	25	12	20.81	20.85	20.71	22	0	
10	QPSK	25	25	20.80	20.67	20.65			
10	QPSK	50	0	20.78	20.79	20.71			
10	16QAM	1	0	20.76	20.79	20.76			
10	16QAM	1	25	20.74	20.76	20.67	22	0	
10	16QAM	1	49	20.76	20.68	20.60			
10	16QAM	25	0	20.58	20.53	20.54			
10	16QAM	25	12	20.61	20.54	20.53			
10	16QAM	25	25	20.57	20.59	20.47	21.5	0.5	
10	16QAM	50	0	20.57	20.51	20.53			
10	64QAM	1	0	20.65	20.63	20.62			
10	64QAM	1	25	20.69	20.62	20.59			
10	64QAM	1	49	20.74	20.55	20.50	21.5	0.5	
10	64QAM	25	0	19.73	19.77	19.79			
10	64QAM	25	12	19.84	19.77	19.76			
10	64QAM	25	25	19.82	19.71	19.71			
10	64QAM	50	0	19.81	19.74	19.72	20.5	1.5	
Channel				23035	23095	23155			
Frequency (MHz)				701.5	707.5	713.5			
5	QPSK	1	0	20.69	20.74	20.66	22	0	
5	QPSK	1	12	20.67	20.75	20.68			
5	QPSK	1	24	20.71	20.72	20.67			
5	QPSK	12	0	20.85	20.85	20.86			
5	QPSK	12	7	20.69	20.73	20.64	22	0	
5	QPSK	12	13	20.66	20.64	20.66			
5	QPSK	25	0	20.84	20.81	20.80			
5	16QAM	1	0	20.71	20.73	20.81			
5	16QAM	1	12	20.61	20.78	20.85	22	0	
5	16QAM	1	24	20.84	20.58	20.63			
5	16QAM	12	0	20.71	20.46	20.55			
5	16QAM	12	7	20.57	20.56	20.42			
5	16QAM	12	13	20.46	20.76	20.58	21.5	0.5	
5	16QAM	25	0	20.54	20.58	20.71			
5	64QAM	1	0	20.77	20.81	20.54			
5	64QAM	1	12	20.52	20.48	20.59			
5	64QAM	1	24	20.82	20.65	20.65	21.5	0.5	
5	64QAM	12	0	19.84	19.67	19.87			
5	64QAM	12	7	19.77	19.82	19.76			
5	64QAM	12	13	19.70	19.64	19.65			
5	64QAM	25	0	19.99	19.58	19.74	20.5	1.5	
Channel				23025	23095	23165			
Frequency (MHz)				700.5	707.5	714.5			
3	QPSK	1	0	20.85	20.69	20.71	22	0	
3	QPSK	1	8	20.67	20.80	20.83			
3	QPSK	1	14	20.85	20.63	20.75			
3	QPSK	8	0	20.81	20.64	20.83			
3	QPSK	8	4	20.86	20.86	20.58	22	0	
3	QPSK	8	7	20.63	20.62	20.80			
3	QPSK	15	0	20.79	20.81	20.73			
3	16QAM	1	0	20.66	20.84	20.69			
3	16QAM	1	8	20.84	20.80	20.54	22	0	
3	16QAM	1	14	20.86	20.72	20.65			
3	16QAM	8	0	20.61	20.39	20.45			
3	16QAM	8	4	20.64	20.43	20.57			
3	16QAM	8	7	20.54	20.54	20.47	21.5	0.5	
3	16QAM	15	0	20.72	20.64	20.63			
3	64QAM	1	0	20.47	20.55	20.54			
3	64QAM	1	8	20.71	20.65	20.41			
3	64QAM	1	14	20.57	20.47	20.68	20.5	1.5	
3	64QAM	8	0	19.58	19.88	19.71			
3	64QAM	8	4	19.96	19.60	19.71			
3	64QAM	8	7	19.97	19.82	19.65			
3	64QAM	15	0	19.81	19.92	19.62	Tune-up limit (dBm)	MPR (dB)	
Channel				23017	23095	23173			
Frequency (MHz)				699.7	707.5	715.3			
1.4	QPSK	1	0	20.79	20.80	20.77	22	0	
1.4	QPSK	1	3	20.80	20.70	20.86			
1.4	QPSK	1	5	20.76	20.84	20.50			
1.4	QPSK	3	0	20.86	20.66	20.83			
1.4	QPSK	3	1	20.71	20.85	20.85	22	0	
1.4	QPSK	3	3	20.82	20.74	20.82			
1.4	QPSK	6	0	20.72	20.83	20.80			
1.4	16QAM	1	0	20.58	20.80	20.78			
1.4	16QAM	1	3	20.76	20.78	20.54	22	0	
1.4	16QAM	1	5	20.83	20.74	20.42			
1.4	16QAM	3	0	20.52	20.50	20.51			
1.4	16QAM	3	1	20.72	20.47	20.60			
1.4	16QAM	3	3	20.62	20.76	20.33	21.5	0.5	
1.4	16QAM	6	0	20.60	20.66	20.63			
1.4	64QAM	1	0	20.47	20.62	20.63			
1.4	64QAM	1	3	20.55	20.72	20.51			
1.4	64QAM	1	5	20.71	20.70	20.49	21.5	0.5	
1.4	64QAM	3	0	20.58	20.72	20.65			
1.4	64QAM	3	1	20.52	20.75	20.60			
1.4	64QAM	3	3	20.60	20.76	20.36			
1.4	64QAM	6	0	19.84	19.61	19.81	20.5	1.5	

Band 13_Ant1							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)
Channel				23230			
Frequency (MHz)				782			
10	QPSK	1	0		20.16		21.5
10	QPSK	1	25		20.25		
10	QPSK	1	49		20.16		
10	QPSK	25	0		20.02		21.5
10	QPSK	25	12		20.10		
10	QPSK	25	25		20.07		
10	QPSK	50	0		20.20		21.5
10	16QAM	1	0		20.21		
10	16QAM	1	25		20.20		
10	16QAM	1	49		20.23		21.5
10	16QAM	25	0		20.09		
10	16QAM	25	12		20.11		
10	16QAM	25	25		20.17		21.5
10	16QAM	50	0		20.14		
10	64QAM	1	0		20.23		
10	64QAM	1	25		20.20		21.5
10	64QAM	1	49		20.23		
10	64QAM	25	0		19.66		
10	64QAM	25	12		19.68		20.5
10	64QAM	25	25		19.73		
10	64QAM	50	0		19.67		
Channel				23205	23230	23255	Tune-up limit (dbm)
Frequency (MHz)				779.5	782	784.5	
5	QPSK	1	0	19.98	20.10	20.09	21.5
5	QPSK	1	12	20.19	20.24	20.19	
5	QPSK	1	24	20.04	19.98	20.10	
5	QPSK	12	0	20.01	19.99	19.94	21.5
5	QPSK	12	7	19.97	20.05	19.95	
5	QPSK	12	13	20.06	20.08	20.03	
5	QPSK	25	0	20.03	20.08	20.06	21.5
5	16QAM	1	0	20.23	20.15	20.13	
5	16QAM	1	12	20.15	20.02	20.03	
5	16QAM	1	24	20.09	20.19	20.15	21.5
5	16QAM	12	0	20.06	20.09	20.06	
5	16QAM	12	7	20.06	20.05	20.06	
5	16QAM	12	13	20.00	20.00	20.10	21.5
5	16QAM	25	0	20.06	20.10	20.00	
5	64QAM	1	0	20.23	20.19	20.24	
5	64QAM	1	12	20.17	20.11	20.18	21.5
5	64QAM	1	24	20.10	20.15	20.17	
5	64QAM	12	0	19.54	19.49	19.49	
5	64QAM	12	7	19.60	19.63	19.60	20.5
5	64QAM	12	13	19.73	19.62	19.59	
5	64QAM	25	0	19.60	19.51	19.55	

DSI3 (Body-WornStandalone)

Band		Ant 1				Tune-up Limit (dBm)	Ant 1				Tune-up Limit (dBm)
		WCDMA II					WCDMA IV				
TX Channel		9262	9400	9538		1312	1413	1513			
Rx Channel		9662	9800	9938		1537	1638	1738			
Frequency (MHz)		1852.4	1880	1907.6		1712.4	1732.6	1752.6			
3GPP Rel 99	AMR 12.2Kbps	19.10	19.32	19.23	20.50	16.67	16.68	16.55	17.50		
3GPP Rel 99	RMC 12.2Kbps	19.13	19.35	19.25	20.50	16.69	16.71	16.58	17.50		
3GPP Rel 6	HSDPA Subtest-1	18.11	18.10	18.07	19.50	15.33	15.47	15.35	16.50		
3GPP Rel 6	HSDPA Subtest-2	18.09	18.14	18.11	19.50	15.35	15.45	15.38	16.50		
3GPP Rel 6	HSDPA Subtest-3	17.64	17.62	17.63	19.00	14.85	14.96	14.87	16.00		
3GPP Rel 6	HSDPA Subtest-4	17.60	17.69	17.64	19.00	14.86	14.92	14.86	16.00		
3GPP Rel 6	DC-HSDPA Subtest-1	18.20	18.38	18.15	19.50	15.65	15.81	15.58	16.50		
3GPP Rel 6	DC-HSDPA Subtest-2	18.36	18.27	18.02	19.50	15.78	15.61	15.75	16.50		
3GPP Rel 6	DC-HSDPA Subtest-3	17.53	17.61	17.72	19.00	15.02	15.11	14.99	16.00		
3GPP Rel 6	DC-HSDPA Subtest-4	17.51	17.62	17.73	19.00	15.24	15.18	15.10	16.00		
3GPP Rel 6	HSUPA Subtest-1	18.46	18.39	18.43	19.50	15.62	15.87	15.55	16.50		
3GPP Rel 6	HSUPA Subtest-2	16.17	16.38	16.45	17.50	13.68	13.69	13.55	14.50		
3GPP Rel 6	HSUPA Subtest-3	17.17	17.41	17.27	18.50	14.80	14.63	14.78	15.50		
3GPP Rel 6	HSUPA Subtest-4	16.19	16.30	16.37	17.50	13.82	13.58	13.55	14.50		
3GPP Rel 6	HSUPA Subtest-5	18.30	18.40	18.20	19.50	15.60	15.60	15.60	16.50		

Ant 0		Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
GSM1900		512	661	310		512	661	310	
TX Channel		1850.2	1850	1809.8	Limit (dBm)	1850.2	1850	1809.8	Limit (dBm)
Frequency (MHz)									
GSM 1 Tx slot		26.62	26.60	26.45	27.70	17.62	17.60	17.45	18.70
GPRS 1 Tx slot		26.37	26.57	26.43	27.70	17.37	17.57	17.43	18.70
GPRS 2 Tx slots		23.36	22.96	23.34	24.70	17.36	16.96	17.34	18.70
GPRS 3 Tx slots		21.43	21.44	21.51	23.00	17.17	17.18	17.25	18.74
GPRS 4 Tx slots		20.31	20.02	20.30	21.70	17.31	17.02	17.30	18.70
EDGE 1 Tx slot		24.42	24.24	24.31	25.50	15.42	15.24	15.31	16.50
EDGE 2 Tx slots		22.84	22.80	22.85	24.00	16.84	16.80	16.85	18.00
EDGE 3 Tx slots		21.50	21.42	21.53	22.50	17.24	17.16	17.27	18.24
EDGE 4 Tx slots		19.77	19.71	19.75	21.00	16.77	16.71	16.75	18.00

		Ant 0				Ant 0			
Band		WCDMA II				WCDMA IV			
TX Channel		9282	9400	9538	Tune-up Limit (dBm)	1312	1413	1513	Tune-up Limit (dBm)
Rx Channel		9662	9800	9938		1537	1638	1738	
Frequency (MHz)		1852.4	1880	1907.6	Limit (dBm)	1712.4	1726.6	1752.6	
3GPP Rel 99	AMR 12.2Kbps	17.13	17.23	17.20	18.50	18.27	18.33	18.26	19.50
3GPP Rel 99	RMC 12.2Kbps	17.15	17.26	17.21	18.50	18.29	18.38	18.28	19.50
3GPP Rel 6	HSDPA Subtest-1	16.27	16.27	16.30	17.50	17.45	17.46	17.32	18.50
3GPP Rel 6	HSDPA Subtest-2	16.31	16.24	16.31	17.50	17.36	17.46	17.35	18.50
3GPP Rel 6	HSDPA Subtest-3	15.76	15.42	15.82	17.00	16.92	16.88	16.80	18.00
3GPP Rel 6	HSDPA Subtest-4	15.81	15.77	15.80	17.00	17.02	17.12	16.86	18.00
3GPP Rel 8	DC-HSDPA Subtest-1	16.51	16.38	16.39	17.50	17.36	17.61	17.43	18.50
3GPP Rel 8	DC-HSDPA Subtest-2	16.49	16.37	16.36	17.50	17.48	17.50	17.40	18.50
3GPP Rel 8	DC-HSDPA Subtest-3	16.01	15.87	15.88	17.00	16.82	17.11	16.91	18.00
3GPP Rel 8	DC-HSDPA Subtest-4	15.99	15.86	15.85	17.00	16.83	17.01	16.90	18.00
3GPP Rel 6	HSUPA Subtest-1	16.30	16.30	16.38	17.50	17.52	17.63	17.31	18.50
3GPP Rel 6	HSUPA Subtest-2	14.35	14.29	14.27	15.50	15.54	15.46	15.39	16.50
3GPP Rel 6	HSUPA Subtest-3	15.20	15.17	15.37	16.50	16.32	16.54	16.40	17.50
3GPP Rel 6	HSUPA Subtest-4	14.39	14.33	14.37	15.50	15.35	15.62	15.36	16.50
3GPP Rel 6	HSUPA Subtest-5	16.40	16.40	16.40	17.50	17.27	17.61	17.41	18.50

DSI3(Body-Worn Simultaneous&Hotspot)

Band	Ant 1					Ant 1					Ant 1				
	WCDMA II				Tune-up Limit (dBm)	WCDMA IV				Tune-up Limit (dBm)	WCDMA V				Tune-up Limit (dBm)
	TX Channel	9262	9400	9538		1312	1413	1513	4132		4182	4233			
	Rx Channel	9662	9800	9938		1537	1638	1738	4357		4407	4458			
Frequency (MHz)		1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6					
3GPP Rel 99	AMR 12.2Kbps	18.22	18.23	18.10	19.00	14.50	14.53	14.48	15.50	21.69	21.76	21.75	22.50		
3GPP Rel 99	RMC 12.2Kbps	18.24	18.25	18.14	19.00	14.53	14.55	14.51	15.50	21.71	21.78	21.77	22.50		
3GPP Rel 6	HSDPA Subtest-1	17.03	17.07	17.30	18.00	13.48	13.60	13.40	14.50	20.73	20.89	20.75	21.50		
3GPP Rel 6	HSDPA Subtest-2	17.13	17.32	17.04	18.00	13.68	13.63	13.45	14.50	20.87	20.83	20.85	21.50		
3GPP Rel 6	HSDPA Subtest-3	16.73	16.73	16.79	17.50	12.91	13.06	12.79	14.00	20.07	20.07	20.18	21.00		
3GPP Rel 6	HSDPA Subtest-4	16.53	16.63	16.54	17.50	13.07	12.92	13.02	14.00	20.17	20.14	19.97	21.00		
3GPP Rel 8	DC-HSDPA Subtest-1	16.94	17.23	17.21	18.00	13.52	13.50	13.45	14.50	20.48	20.49	20.79	21.50		
3GPP Rel 8	DC-HSDPA Subtest-2	17.05	17.21	17.28	18.00	13.35	13.48	13.52	14.50	20.62	20.62	20.69	21.50		
3GPP Rel 8	DC-HSDPA Subtest-3	16.51	16.66	16.72	17.50	12.96	12.87	12.75	14.00	19.89	20.00	20.34	21.00		
3GPP Rel 8	DC-HSDPA Subtest-4	16.44	16.57	16.66	17.50	13.04	13.16	12.93	14.00	20.03	20.04	20.01	21.00		
3GPP Rel 6	HSUPA Subtest-1	17.27	17.26	17.14	18.00	13.69	13.51	13.51	14.50	20.61	20.60	20.63	21.50		
3GPP Rel 6	HSUPA Subtest-2	15.17	15.14	15.27	16.00	11.59	11.46	11.42	12.50	18.82	18.68	18.83	19.50		
3GPP Rel 6	HSUPA Subtest-3	16.19	16.44	16.11	17.00	12.48	12.69	12.37	13.50	19.75	19.78	19.81	20.50		
3GPP Rel 6	HSUPA Subtest-4	15.20	15.05	15.17	16.00	11.46	11.58	11.47	12.50	18.53	18.53	18.64	19.50		
3GPP Rel 6	HSUPA Subtest-5	17.00	17.30	17.20	18.00	13.50	13.50	13.40	14.50	20.60	20.60	20.60	21.50		

Ant 0								
GSM1900		Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)		
TX Channel		512	661	310		512	661	310
Frequency (MHz)		1850.2	1860	1909.8		1852.2	1860	1909.8
GSM 1 Tx slot		23.50	23.42	23.48	25.00	14.50	14.42	14.48
GPRS 1 Tx slot		23.48	23.40	23.46	25.00	14.48	14.40	14.46
GPRS 2 Tx slots		20.23	20.30	20.24	22.00	14.23	14.30	14.24
GPRS 3 Tx slots		18.93	19.12	19.14	20.50	14.67	14.86	14.88
GPRS 4 Tx slots		17.49	17.71	17.83	19.00	14.49	14.71	14.83
EDGE 1 Tx slot		23.32	23.18	23.45	25.00	14.32	14.18	14.45
EDGE 2 Tx slots		20.27	20.25	20.25	22.00	14.27	14.25	14.25
EDGE 3 Tx slots		18.21	18.17	18.39	20.50	13.95	13.91	14.13
EDGE 4 Tx slots		16.76	16.77	16.80	19.00	13.76	13.77	13.80

Ant 0								
Band		WCDMA II			Tune-up Limit (dBm)	WCDMA IV		
TX Channel		9282	9400	9538		1312	1413	1513
Rx Channel		9662	9800	9938		1537	1638	1738
Frequency (MHz)		1852.4	1880	1907.6		1712.4	1732.6	1752.6
3GPP Rel 99	AMR 12.2Kbps	14.65	14.79	14.75	16.00	16.20	16.27	16.26
3GPP Rel 99	RMC 12.2Kbps	14.68	14.81	14.78	16.00	16.22	16.30	16.29
3GPP Rel 6	HSDPA Subtest-1	13.71	13.61	13.71	15.00	15.23	15.11	15.11
3GPP Rel 6	HSDPA Subtest-2	13.79	13.52	13.79	15.00	15.16	15.17	14.96
3GPP Rel 6	HSDPA Subtest-3	12.99	12.70	13.18	14.50	14.58	14.77	14.56
3GPP Rel 6	HSDPA Subtest-4	13.19	13.02	13.11	14.50	14.54	14.88	14.65
3GPP Rel 8	DC-HSDPA Subtest-1	13.96	13.70	13.61	15.00	15.08	15.31	15.15
3GPP Rel 8	DC-HSDPA Subtest-2	14.06	13.66	13.84	15.00	15.20	15.28	15.27
3GPP Rel 8	DC-HSDPA Subtest-3	13.46	13.11	13.18	14.50	14.77	14.69	14.78
3GPP Rel 8	DC-HSDPA Subtest-4	13.57	13.17	13.28	14.50	14.82	15.00	14.65
3GPP Rel 6	HSUPA Subtest-1	13.52	13.75	13.69	15.00	14.96	15.14	15.07
3GPP Rel 6	HSUPA Subtest-2	11.74	11.69	11.51	13.00	13.11	13.36	13.33
3GPP Rel 6	HSUPA Subtest-3	12.68	12.50	12.84	14.00	14.15	14.38	14.30
3GPP Rel 6	HSUPA Subtest-4	11.80	11.91	11.93	13.00	13.15	13.16	12.98
3GPP Rel 6	HSUPA Subtest-5	13.65	13.79	13.78	15.00	15.01	15.48	15.13

DSI 6(Extremity Standalone)

Band		Ant 1			Tune-up Limit (dBm)
TX Channel		1312	1413	1513	
Rx Channel		1537	1638	1738	
Frequency (MHz)		1712.4	1732.6	1752.6	
3GPP Rel 99	AMR 12.2Kbps	19.94	19.98	19.78	21.00
3GPP Rel 99	RMC 12.2Kbps	19.96	20.00	19.81	21.00
3GPP Rel 6	HS-DSPA Subtest-1	18.92	19.01	18.79	20.00
3GPP Rel 6	HS-DSPA Subtest-2	19.10	19.00	18.82	20.00
3GPP Rel 6	HS-DSPA Subtest-3	18.50	18.63	18.23	19.50
3GPP Rel 6	HS-DSPA Subtest-4	18.24	18.39	18.43	19.50
3GPP Rel 8	DC-HSDSPA Subtest-1	18.74	18.78	18.70	20.00
3GPP Rel 8	DC-HSDSPA Subtest-2	18.91	19.04	19.02	20.00
3GPP Rel 8	DC-HSDSPA Subtest-3	18.21	18.42	18.35	19.50
3GPP Rel 8	DC-HSDSPA Subtest-4	18.46	18.26	18.12	19.50
3GPP Rel 6	HS-SPA Subtest-1	18.95	18.88	18.77	20.00
3GPP Rel 6	HS-SPA Subtest-2	17.00	16.95	16.91	18.00
3GPP Rel 6	HS-SPA Subtest-3	17.96	17.89	17.95	19.00
3GPP Rel 6	HS-SPA Subtest-4	17.02	17.18	16.83	18.00
3GPP Rel 6	HS-SPA Subtest-5	19.00	19.20	18.90	20.00

DSI 6(Extremity Simultaneous)

		Ant 1				Ant 2			
Band		WCDMA II				WCDMA IV			
TX Channel		9262	9400	9538		1312	1413	1513	
Rx Channel		9662	9800	9938		1537	1638	1738	
Frequency (MHz)		1852.4	1880	1907.6		1712.4	1732.6	1752.6	
3GPP Rel 99	AMR 12.2Kbps	19.88	19.90	19.80	21.00	18.84	19.00	18.83	20.00
3GPP Rel 99	RMC 12.2Kbps	19.90	19.93	19.83	21.00	18.86	19.02	18.86	20.00
3GPP Rel 6	HSDPA Subtest-1	18.89	19.18	18.83	20.00	17.94	18.02	17.95	19.00
3GPP Rel 6	HSDPA Subtest-2	19.16	19.06	19.05	20.00	18.06	18.11	18.15	19.00
3GPP Rel 6	HSDPA Subtest-3	18.64	18.61	18.61	19.50	17.33	17.69	17.56	18.50
3GPP Rel 6	HSDPA Subtest-4	18.39	18.54	18.35	19.50	17.53	17.74	17.62	18.50
3GPP Rel 6	DC-HSDPA Subtest-1	18.85	18.96	18.84	20.00	17.85	17.91	17.74	19.00
3GPP Rel 6	DC-HSDPA Subtest-2	18.86	18.98	18.98	20.00	17.86	18.16	17.83	19.00
3GPP Rel 6	DC-HSDPA Subtest-3	18.49	18.51	18.38	19.50	17.45	17.31	17.28	18.50
3GPP Rel 6	DC-HSDPA Subtest-4	18.28	18.56	18.43	19.50	17.48	17.61	17.55	18.50
3GPP Rel 6	HSUPA Subtest-1	19.01	19.21	19.02	20.00	17.53	18.29	18.01	19.00
3GPP Rel 6	HSUPA Subtest-2	16.96	17.00	17.22	18.00	16.01	16.21	15.98	17.00
3GPP Rel 6	HSUPA Subtest-3	18.17	17.91	18.07	19.00	17.18	16.91	17.04	18.00
3GPP Rel 6	HSUPA Subtest-4	16.94	16.99	17.09	18.00	16.18	16.23	15.98	17.00
3GPP Rel 6	HSUPA Subtest-5	18.87	19.23	19.14	20.00	18.06	18.26	17.97	19.00

DSI 6(Extremity Standalone&Simultaneous)

Band		Ant 0				Tune-up Limit (dBm)	Ant 0				Tune-up Limit (dBm)
		WCDMA II					WCDMA IV				
TX Channel		9262	9400	9538		1312	1413	1513			
Rx Channel		9662	9800	9938		1537	1638	1738			
Frequency (MHz)		1852.4	1880	1907.6		1712.4	1732.6	1752.6			
3GPP Rel 99	AMR 12.2Kbps	20.05	20.10	20.07	21.00	20.56	20.61	20.50	21.50		
3GPP Rel 99	RMC 12.2Kbps	20.07	20.12	20.10	21.00	20.58	20.64	20.53	21.50		
3GPP Rel 6	HSDPA Subtest-1	19.15	19.06	19.21	20.00	19.34	19.62	19.57	20.50		
3GPP Rel 6	HSDPA Subtest-2	19.01	19.15	19.00	20.00	19.51	19.82	19.41	20.50		
3GPP Rel 6	HSDPA Subtest-3	18.54	18.36	18.58	19.50	18.90	19.25	19.05	20.00		
3GPP Rel 6	HSDPA Subtest-4	18.70	18.39	18.62	19.50	19.13	19.21	18.94	20.00		
3GPP Rel 6	DC-HSDPA Subtest-1	19.40	19.31	19.03	20.00	19.72	19.86	19.66	20.50		
3GPP Rel 6	DC-HSDPA Subtest-2	19.37	19.14	18.99	20.00	19.52	19.95	19.67	20.50		
3GPP Rel 6	DC-HSDPA Subtest-3	18.68	18.57	18.78	19.50	19.32	19.15	19.25	20.00		
3GPP Rel 6	DC-HSDPA Subtest-4	18.77	18.84	18.66	19.50	19.17	19.25	19.13	20.00		
3GPP Rel 6	HSUPA Subtest-1	19.09	18.99	19.22	20.00	19.43	19.87	19.65	20.50		
3GPP Rel 6	HSUPA Subtest-2	17.29	17.16	17.12	18.00	17.78	17.83	17.72	18.50		
3GPP Rel 6	HSUPA Subtest-3	18.18	18.07	18.06	19.00	18.73	18.56	18.54	19.50		
3GPP Rel 6	HSUPA Subtest-4	17.20	17.14	17.27	18.00	17.52	17.75	17.71	18.50		
3GPP Rel 6	HSUPA Subtest-5	19.22	19.21	19.39	20.00	19.46	19.84	19.46	20.50		

Conducted Power for UL CA

CA_41C											
Combination 20MHz+20MHz (100RB+100RB)											
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Power Reduction	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset					
39750	39948	QPSK	1	99	1	0	1	0	Full Power	20.54	21.90
40185	40383	QPSK	1	99	1	0	1	0	Full Power	20.65	21.90
40620	40818	QPSK	1	99	1	0	1	0	Full Power	20.75	21.90
41055	41253	QPSK	1	99	1	0	1	0	Full Power	20.74	21.90
41490	41292	QPSK	1	0	1	99	1	0	Full Power	20.59	21.90



n2_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1880	1900	24.0	0.0	
Frequency (MHz)				1860	1880	1900			
20	PI2 BPSK	1	1	23.24	23.15	23.12			
20	PI2 BPSK	1	53	22.98	23.03	22.98	24.0	0.0	
20	PI2 BPSK	1	104	23.03	22.97	22.91			
20	PI2 BPSK	50	0	22.68	22.52	22.60		23.5	
20	PI2 BPSK	50	28	23.16	23.10	23.07	24.0	0.0	
20	PI2 BPSK	50	56	22.62	22.61	22.45			
20	PI2 BPSK	100	0	22.77	22.65	22.49		23.5	
20	QPSK	1	1	23.15	23.02	22.99	24.0	0.0	
20	QPSK	1	53	23.12	23.05	22.98			
20	QPSK	1	104	23.04	22.98	22.92			
20	QPSK	50	0	22.18	22.04	22.10	24.0	1.0	
20	QPSK	50	28	23.13	22.91	22.91			
20	QPSK	50	56	22.11	22.05	21.99		23.0	
20	QPSK	100	0	22.27	22.22	22.21	24.0	1.0	
20	16QAM	1	1	22.25	22.15	22.14			
20	64QAM	1	1	20.76	20.75	20.77		22.0	
20	256QAM	1	1	19.43	19.25	19.29	20.0	4.0	
Channel				371500	376000	380500			
Frequency (MHz)				1867.5	1880	1902.5		Tune-up limit (dBm)	
15	PI2 BPSK	1	1	23.09	23.01	22.82	24.0	0.0	
Channel				371000	376000	381000			
Frequency (MHz)				1865	1880	1905		Tune-up limit (dBm)	
10	PI2 BPSK	1	1	23.07	22.91	22.86	24.0	0.0	
Channel				370500	376000	381500			
Frequency (MHz)				1862.5	1880	1902.5		Tune-up limit (dBm)	
5	PI2 BPSK	1	1	23.12	22.99	22.98	24.0	0.0	

Conducted Full Power level/Default Power level/ Pmax Power Level for 5G NR

n5_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166800	167300	167800	24.0	0.0	
Frequency (MHz)				834	836.5	839			
20	PI2 BPSK	1	1	23.10	23.25	23.05			
20	PI2 BPSK	1	53	22.98	23.08	23.01	24.0	0.0	
20	PI2 BPSK	1	104	22.92	22.95	22.80			
20	PI2 BPSK	50	0	23.02	23.15	23.02		24.0	
20	PI2 BPSK	50	28	23.06	23.20	23.04	24.0	0.0	
20	PI2 BPSK	50	56	23.05	23.04	22.95			
20	PI2 BPSK	100	0	23.03	23.16	22.99		24.0	
20	QPSK	1	1	23.12	23.19	23.22	24.0	0.0	
20	QPSK	1	53	23.20	23.13	23.20			
20	QPSK	1	104	23.14	23.00	23.07			
20	QPSK	50	0	23.11	23.17	23.17	24.0	0.0	
20	QPSK	50	28	23.16	23.15	23.08			
20	QPSK	50	56	23.12	23.05	22.99		24.0	
20	QPSK	100	0	23.20	23.12	23.08	24.0	0.0	
20	16QAM	1	1	23.15	22.88	23.09			
20	64QAM	1	1	21.50	21.79	21.62		22.5	
20	256QAM	1	1	20.17	20.23	20.19	21.0	3.0	
Channel				166300	167300	168300			
Frequency (MHz)				831.5	836.5	841.5		Tune-up limit (dBm)	
15	PI2 BPSK	1	1	23.21	23.12	23.05	24.0	0.0	
Channel				165800	167300	168800			
Frequency (MHz)				829	836.5	844		Tune-up limit (dBm)	
10	PI2 BPSK	1	1	23.23	23.22	23.18	24.0	0.0	
Channel				165300	167300	169300			
Frequency (MHz)				824.5	836.5	844.5		Tune-up limit (dBm)	
5	PI2 BPSK	1	1	23.21	23.19	23.18	24.0	0.0	

n25_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				1870	1882.5	1895	24.0	0.0	
Frequency (MHz)				1870	1882.5	1895			
40	PI2 BPSK	1	1	23.24	23.25	23.14			
40	PI2 BPSK	1	108	23.04	23.12	22.94	24.0	0.0	
40	PI2 BPSK	1	214	22.97	23.00	23.11			
40	PI2 BPSK	108	0	22.57	22.54	22.52		23.5	
40	PI2 BPSK	108	54	23.15	23.18	23.09	24.0	0.0	
40	PI2 BPSK	108	108	22.65	22.72	22.77			
40	PI2 BPSK	216	0	22.86	22.71	22.98		23.5	
40	QPSK	1	1	23.04	23.08	23.02	24.0	0.0	
40	QPSK	1	108	22.90	22.97	23.11			
40	QPSK	1	214	22.88	22.92	22.95			
40	QPSK	108	0	22.14	22.11	22.04	23.0	1.0	
40	QPSK	108	54	22.93	22.90	23.09			
40	QPSK	108	108	22.14	22.20	22.33		23.0	
40	QPSK	216	0	22.16	22.09	22.23	23.0	1.0	
40	16QAM	1	1	22.28	22.29	22.12			
40	64QAM	1	1	20.81	20.84	20.77		22.0	
40	256QAM	1	1	18.98	18.85	18.75	20.0	4.0	
Channel				373000	376500	380000			
Frequency (MHz)				1885	1892.5	1900		Tune-up limit (dBm)	
30	PI2 BPSK	1	1	23.07	22.99	23.06	24.0	0.0	
Channel				372500	376500	380500			
Frequency (MHz)				1882.5	1892.5	1902.5		Tune-up limit (dBm)	
25	PI2 BPSK	1	1	23.16	23.04	23.06	24.0	0.0	
Channel				372000	376500	381000			
Frequency (MHz)				1880	1892.5	1904		Tune-up limit (dBm)	
20	PI2 BPSK	1	1	23.08	22.92	22.99	24.0	0.0	
Channel				371500	376500	381500			
Frequency (MHz)				1887.5	1892.5	1907.5		Tune-up limit (dBm)	
15	PI2 BPSK	1	1	23.06	23.10	23.02	24.0	0.0	
Channel				371000	376500	382000			
Frequency (MHz)				1885	1892.5	1910		Tune-up limit (dBm)	
10	PI2 BPSK	1	1	22.98	23.02	23.15	24.0	0.0	
Channel				370500	376500	382500			
Frequency (MHz)				1882.5	1892.5	1912.5		Tune-up limit (dBm)	
5	PI2 BPSK	1	1	23.01	23.08	22.99	24.0	0.0	

n66_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				345000	349000	352000	24.0	0.0	
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	22.76	22.84	22.78			
40	PI2 BPSK	1	108	22.73	22.82	22.76	24.0	0.0	
40	PI2 BPSK	1	214	22.70	22.81	22.72			
40	PI2 BPSK	108	0	22.87	22.75	22.72			
40	PI2 BPSK	108	54	22.73	22.79	22.75	24.0	0.0	
40	PI2 BPSK	108	108	22.71	22.78	22.87			
40	PI2 BPSK	216	0	22.70	22.76	22.72			
40	QPSK	1	1	22.86	22.75	22.78	24.0	0.0	
40	QPSK	1	108	22.89	22.81	22.74			
40	QPSK	1	214	22.75	22.87	22.76			
40	QPSK	108	0	22.28	22.25	22.24	23.5	0.5	
40	QPSK	108	54	22.62	22.76	22.86			
40	QPSK	108	108	22.21	22.26	22.23			
40	QPSK	216	0	22.15	22.25	22.20	23.5	0.5	
40	16QAM	1	1	22.19	22.17	22.22			
40	64QAM	1	1	20.75	20.85	20.87	22.0	2.0	
40	256QAM	1	1	18.81	18.87	18.84			
Channel				345000	349000	353000	24.0	0.0	
Frequency (MHz)				1725	1745	1765			
30	PI2 BPSK	1	1	22.68	22.76	22.73		24.0	
Channel				341000	345000	349000	24.0	0.0	
Frequency (MHz)				1720	1745	1770			
20	PI2 BPSK	1	1	22.73	22.80	22.75		24.0	
Channel				343500	349000	354500	24.0	0.0	
Frequency (MHz)				1717.5	1744	1772.5			
15	PI2 BPSK	1	1	22.83	22.82	22.79		24.0	
Channel				343000	349000	355000	24.0	0.0	
Frequency (MHz)				1715	1745	1775			
10	PI2 BPSK	1	1	22.71	22.81	22.72		24.0	
Channel				345500	349000	355500	24.0	0.0	
Frequency (MHz)				1712.5	1745	1777.5			
5	PI2 BPSK	1	1	22.69	22.81	22.66		24.0	

n71_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				134600	136100	137600	24.0	0.0	
Frequency (MHz)				673	680.5	688			
20	PI2 BPSK	1	1	23.05	23.07	22.97			
20	PI2 BPSK	1	53	22.84	23.03	22.91	24.0	0.0	
20	PI2 BPSK	1	104	22.94	22.87	22.64			
20	PI2 BPSK	50	0	23.00	23.00	22.92			
20	PI2 BPSK	50	28	23.02	23.05	22.95	24.0	0.0	
20	PI2 BPSK	50	56	22.96	22.89	22.76			
20	PI2 BPSK	100	0	23.00	23.02	22.92			
20	QPSK	1	1	23.01	23.05	23.03	24.0	0.0	
20	QPSK	1	53	23.03	23.04	23.02			
20	QPSK	1	104	23.06	23.01	22.88			
20	QPSK	50	0	22.95	22.95	22.85	24.0	0.0	
20	QPSK	50	28	23.02	22.98	22.94			
20	QPSK	50	56	23.00	22.92	22.76			
20	QPSK	100	0	23.05	23.02	22.91	24.0	0.0	
20	16QAM	1	1	22.73	22.74	22.71			
20	64QAM	1	1	21.46	21.65	21.52	22.5	1.5	
20	256QAM	1	1	20.10	20.00	19.91			
Channel				134100	136100	138100	24.0	0.0	
Frequency (MHz)				670.5	680.5	690.5			
15	PI2 BPSK	1	1	23.06	23.00	22.92		24.0	
Channel				133500	134100	135000	24.0	0.0	
Frequency (MHz)				666	680.5	693			
10	PI2 BPSK	1	1	23.06	22.92	22.93		24.0	
Channel				133100	136100	139100	24.0	0.0	
Frequency (MHz)				664.5	680.5	696.5			
5	PI2 BPSK	1	1	23.02	22.98	22.93		24.0	

n41_Ant0 FCC									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				505202	518598	528000	24.0	0.0	
Frequency (MHz)				2546.01	2592.99	2640			
100	Pi/2 BPSK	1	1	22.98	23.04	23.02	24.0	0.0	
100	Pi/2 BPSK	1	137	22.99	22.93	22.93			
100	Pi/2 BPSK	1	271	22.96	22.92	22.85			
100	Pi/2 BPSK	135	0	22.95	23.02	22.98			
100	Pi/2 BPSK	135	69	22.91	23.00	22.92	24.0	0.0	
100	Pi/2 BPSK	135	138	22.80	22.85	22.75	24.0	0.0	
100	Pi/2 BPSK	270	0	22.92	22.97	22.94	24.0	0.0	
100	QPSK	1	1	22.94	22.91	22.93	24.0	0.0	
100	QPSK	1	137	22.95	22.88	22.84			
100	QPSK	1	271	22.96	22.85	22.82			
100	QPSK	135	0	22.93	22.92	22.88			
100	QPSK	135	69	22.94	22.90	22.82	24.0	0.0	
100	QPSK	135	138	22.97	22.80	22.74	24.0	0.0	
100	QPSK	270	0	23.01	22.91	22.73	24.0	0.0	
100	16QAM	1	1	23.01	23.02	22.78	24.0	0.0	
100	64QAM	1	1	22.93	22.94	22.83	24.0	0.0	
100	256QAM	1	1	22.40	22.96	22.69	24.0	0.0	
Channel				508200	518598	528998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2541	2592.99	2644.98	(dBm)		
90	Pi/2 BPSK	1	1	23.01	22.94	23.03	24.0	0.0	
Channel				517204	518598	529998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2536.02	2592.99	2649.99	(dBm)		
80	Pi/2 BPSK	1	1	23.00	22.94	22.98	24.0	0.0	
Channel				505200	518598	531998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2594	2592.99	2649.98	(dBm)		
60	Pi/2 BPSK	1	1	22.99	23.02	22.87	24.0	0.0	
Channel				504204	518598	532998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2521.02	2592.99	2664.99	(dBm)		
50	Pi/2 BPSK	1	1	22.95	22.98	22.94	24.0	0.0	
Channel				503202	518598	533000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2516.01	2592.99	2670	(dBm)		
40	Pi/2 BPSK	1	1	22.94	22.93	22.75	24.0	0.0	
Channel				502200	518598	534998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2511	2592.99	2674.98	(dBm)		
30	Pi/2 BPSK	1	1	23.00	22.96	22.81	24.0	0.0	
Channel				501204	518598	535998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2506.02	2592.99	2679.99	(dBm)		
20	Pi/2 BPSK	1	1	22.95	23.02	22.85	24.0	0.0	

n41_Ant0 HPUE_FCC									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				505202	518598	528000	24.0	0.0	
Frequency (MHz)				2546.01	2592.99	2640			
100	Pi/2 BPSK	1	1	25.93	25.98	25.97	27.0	0.0	
100	Pi/2 BPSK	1	137	25.85	25.90	25.88			
100	Pi/2 BPSK	1	271	25.81	25.88	25.70			
100	Pi/2 BPSK	135	0	25.91	25.96	25.94			
100	Pi/2 BPSK	135	69	25.86	25.91	25.72	27.0	0.0	
100	Pi/2 BPSK	135	138	25.85	25.85	25.70	27.0	0.0	
100	Pi/2 BPSK	270	0	25.87	25.94	25.81	27.0	0.0	
100	QPSK	1	1	25.84	25.80	25.82	27.0	0.0	
100	QPSK	1	137	25.83	25.84	25.84			
100	QPSK	1	271	25.86	25.79	25.83			
100	QPSK	135	0	25.80	25.82	25.85			
100	QPSK	135	69	25.75	25.83	25.80	27.0	0.0	
100	QPSK	135	138	25.83	25.34	25.76	27.0	0.0	
100	QPSK	270	0	25.76	25.88	25.88	27.0	0.0	
100	16QAM	1	1	25.88	25.85	25.78	27.0	0.0	
100	64QAM	1	1	24.45	25.07	24.85	28.0	1.0	
100	256QAM	1	1	23.13	23.76	23.11	24.0	3.0	
Channel				508200	518598	528998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2541	2592.99	2644.98	(dBm)		
90	Pi/2 BPSK	1	1	25.95	25.95	25.95	27.0	0.0	
Channel				517204	518598	532998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2536.02	2592.99	2649.99	(dBm)		
80	Pi/2 BPSK	1	1	25.95	25.95	25.96	27.0	0.0	
Channel				505200	518598	531998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2594	2592.99	2649.98	(dBm)		
60	Pi/2 BPSK	1	1	25.92	25.97	25.90	27.0	0.0	
Channel				504204	518598	532998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2521.02	2592.99	2664.99	(dBm)		
50	Pi/2 BPSK	1	1	25.94	25.80	25.68	27.0	0.0	
Channel				503202	518598	533000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2516.01	2592.99	2670	(dBm)		
40	Pi/2 BPSK	1	1	25.96	25.90	25.80	27.0	0.0	
Channel				502200	518598	534998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2511	2592.99	2674.98	(dBm)		
30	Pi/2 BPSK	1	1	25.93	25.88	25.75	27.0	0.0	
Channel				501204	518598	535998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2506.02	2592.99	2679.99	(dBm)		
20	Pi/2 BPSK	1	1	25.90	25.96	25.89	27.0	0.0	



n2_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				370000	376000	380000	24.0	0.0	
Frequency (MHz)				1860	1880	1900			
20	PI2 BPSK	1	1	23.31	23.23	23.22			
20	PI2 BPSK	1	53	23.27	23.19	23.18	23.5	0.5	
20	PI2 BPSK	1	104	23.21	23.21	23.20			
20	PI2 BPSK	50	0	22.81	22.71	22.72			
20	PI2 BPSK	50	28	23.28	23.17	23.13	24.0	0.0	
20	PI2 BPSK	50	58	22.73	22.66	22.73			
20	PI2 BPSK	100	0	22.93	22.80	22.74			
20	QPSK	1	1	23.26	23.27	23.22	23.5	0.5	
20	QPSK	1	53	23.23	23.22	23.29			
20	QPSK	1	104	23.26	23.25	23.25			
20	QPSK	50	0	22.30	22.21	22.22	23.0	1.0	
20	QPSK	50	28	23.28	23.18	23.16			
20	QPSK	50	58	22.26	22.17	22.21			
20	QPSK	100	0	22.38	22.32	22.33	23.0	1.0	
20	16QAM	1	1	22.59	22.43	22.47			
20	64QAM	1	1	21.28	21.12	21.15		22.0	
20	256QAM	1	1	19.48	19.35	19.34			
Channel				371500	376000	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1857.5	1880	1902.5	24.0	0.0	
15	PI2 BPSK	1	1	23.25	23.24	23.17			
Channel				371000	376000	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1880	1905	24.0	0.0	
10	PI2 BPSK	1	1	23.25	23.24	23.27			
Channel				370500	376000	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1880	1907.5	24.0	0.0	
5	PI2 BPSK	1	1	23.13	23.23	23.11			

n5_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166500	167000	167500	24.0	0.0	
Frequency (MHz)				834	836.5	838			
20	PI2 BPSK	1	1	23.12	23.20	23.08			
20	PI2 BPSK	1	53	23.01	23.04	23.02	23.5	0.5	
20	PI2 BPSK	1	104	22.94	23.02	22.89			
20	PI2 BPSK	50	0	22.85	22.91	22.81			
20	PI2 BPSK	50	28	23.11	23.17	23.05	24.0	0.0	
20	PI2 BPSK	50	58	22.79	22.75	22.71			
20	PI2 BPSK	100	0	22.76	22.80	22.72			
20	QPSK	1	1	23.12	23.13	23.11	24.0	0.0	
20	QPSK	1	53	23.10	23.18	23.08			
20	QPSK	1	104	23.03	22.95	22.95			
20	QPSK	50	0	22.48	22.41	22.46	23.0	1.0	
20	QPSK	50	28	23.16	23.18	23.12			
20	QPSK	50	58	22.29	22.28	22.24			
20	QPSK	100	0	22.38	22.36	22.32	23.0	1.0	
20	16QAM	1	1	22.43	22.42	22.34			
20	64QAM	1	1	21.91	21.88	21.91		22.5	
20	256QAM	1	1	19.58	19.50	19.52			
Channel				166300	167300	168300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				831.5	836.5	841.5	24.0	0.0	
15	PI2 BPSK	1	1	23.09	22.92	22.89			
Channel				165800	167200	168500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				829	836.5	844	24.0	0.0	
10	PI2 BPSK	1	1	23.10	23.00	23.02			
Channel				165300	167300	169300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				828.5	836.5	844.5	24.0	0.0	
5	PI2 BPSK	1	1	23.03	23.08	22.98			

n25_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				374000	376500	379000	24.0	0.0	
Frequency (MHz)				1870	1882.5	1895			
40	PI2 BPSK	1	1	23.30	23.33	23.25			
40	PI2 BPSK	1	108	23.29	23.30	23.23	23.5	0.5	
40	PI2 BPSK	1	214	23.22	23.21	23.20			
40	PI2 BPSK	108	0	22.72	22.72	22.65			
40	PI2 BPSK	108	54	23.24	23.30	23.20	24.0	0.0	
40	PI2 BPSK	108	108	22.78	22.81	22.73			
40	PI2 BPSK	216	0	22.80	22.86	22.76			
40	QPSK	1	1	23.30	23.30	23.15	24.0	0.0	
40	QPSK	1	108	23.16	23.10	23.12			
40	QPSK	1	214	23.15	23.19	23.22			
40	QPSK	108	0	22.22	22.12	22.16	23.0	1.0	
40	QPSK	108	54	23.18	23.16	23.24			
40	QPSK	108	108	22.23	22.22	22.28			
40	QPSK	216	0	22.20	22.24	22.30	23.0	1.0	
40	16QAM	1	1	22.48	22.38	22.30			
40	64QAM	1	1	21.48	21.48	21.38		22.0	
40	256QAM	1	1	19.18	19.13	18.82			
Channel				373000	376500	380000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1882.5	1900	24.0	0.0	
30	PI2 BPSK	1	1	23.24	23.16	23.10			
Channel				372000	376500	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1882.5	1902.5	24.0	0.0	
25	PI2 BPSK	1	1	23.15	23.05	23.09			
Channel				372000	376500	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1860	1882.5	1900	24.0	0.0	
20	PI2 BPSK	1	1	23.18	23.21	23.16			
Channel				371000	376500	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1857.5	1882.5	1907.5	24.0	0.0	
15	PI2 BPSK	1	1	23.25	23.15	23.08			
Channel				371000	376500	382000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1855	1882.5	1910	24.0	0.0	
10	PI2 BPSK	1	1	23.25	23.28	23.14			
Channel				370500	376500	382500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1852.5	1882.5	1912.5	24.0	0.0	
5	PI2 BPSK	1	1	23.21	23.26	23.05			

n66_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				345000	349000	353000			
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	22.88	22.98	22.93			
40	PI2 BPSK	1	108	22.76	22.96	22.90	24.0	0.0	
40	PI2 BPSK	1	214	22.85	22.89	22.71			
40	PI2 BPSK	108	0	22.83	22.83	22.87	24.0	0.0	
40	PI2 BPSK	108	54	22.85	22.95	22.90	24.0	0.0	
40	PI2 BPSK	108	108	22.80	22.90	22.76			
40	PI2 BPSK	216	0	22.82	22.92	22.86	24.0	0.0	
40	QPSK	1	1	22.74	22.82	22.92			
40	QPSK	1	108	22.86	22.90	22.88	24.0	0.0	
40	QPSK	1	214	22.87	22.83	22.75			
40	QPSK	108	0	22.21	22.25	22.31	23.5	0.5	
40	QPSK	108	54	22.79	22.82	22.80	24.0	0.0	
40	QPSK	108	108	22.44	22.37	22.32			
40	QPSK	216	0	22.29	22.35	22.29	23.5	0.5	
40	16QAM	1	1	22.33	22.32	22.46	23.5	0.5	
40	64QAM	1	1	21.00	21.01	21.13	22.0	2.0	
40	256QAM	1	1	18.94	18.92	18.09	20.0	4.0	
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	PI2 BPSK	1	1	22.78	22.77	22.80	24.0	0.0	
Channel				34500	349500	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1745	1770			
20	PI2 BPSK	1	1	22.76	22.78	22.82	24.0	0.0	
Channel				343500	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1744	1772.5			
15	PI2 BPSK	1	1	22.93	22.90	22.95	24.0	0.0	
Channel				343000	349000	350000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	PI2 BPSK	1	1	22.86	22.92	22.86	24.0	0.0	
Channel				342500	349500	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	PI2 BPSK	1	1	22.91	22.95	22.88	24.0	0.0	

n71_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				134600	136100	137600			
Frequency (MHz)				673	680.5	688			
20	PI2 BPSK	1	1	22.96	23.05	22.89			
20	PI2 BPSK	1	53	22.75	22.90	22.81	24.0	0.0	
20	PI2 BPSK	1	104	22.77	22.96	22.71			
20	PI2 BPSK	50	0	22.43	22.80	22.73	24.0	0.0	
20	PI2 BPSK	50	28	22.90	22.95	22.84	24.0	0.0	
20	PI2 BPSK	50	56	22.85	22.79	22.59			
20	PI2 BPSK	100	0	22.86	22.92	22.80	24.0	0.0	
20	QPSK	1	1	23.03	23.03	22.97			
20	QPSK	1	53	22.95	23.01	22.95	24.0	0.0	
20	QPSK	1	104	22.92	22.83	22.67			
20	QPSK	50	0	22.33	22.30	22.27	23.5	0.5	
20	QPSK	50	28	22.83	22.85	22.77	24.0	0.0	
20	QPSK	50	56	22.37	22.33	22.17			
20	QPSK	100	0	22.54	22.44	22.24	23.5	0.5	
20	16QAM	1	1	22.35	22.33	22.23	23.5	0.5	
20	64QAM	1	1	21.32	21.61	21.38	22.5	1.5	
20	256QAM	1	1	19.56	19.55	19.42	21.0	3.0	
Channel				134100	136100	138100	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				670.5	680.5	690.5			
15	PI2 BPSK	1	1	23.02	22.93	22.92	24.0	0.0	
Channel				133600	136100	138500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				666	680.5	693			
10	PI2 BPSK	1	1	23.02	23.00	22.98	24.0	0.0	
Channel				133100	136100	139100	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				663.5	680.5	695.5			
5	PI2 BPSK	1	1	23.00	23.02	22.86	24.0	0.0	

n77_Ant3 HPUE_Par27Q							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	25.53	3499.98		
100	PQ2 BPSK	1	137	25.82			27.0
100	PQ2 BPSK	1	271	25.75			
100	PQ2 BPSK	135	0	25.31			26.5
100	PQ2 BPSK	135	69	25.83			27.0
100	PQ2 BPSK	135	138	25.16			26.5
100	PQ2 BPSK	270	0	25.22			
100	QPSK	1	1	25.86			
100	QPSK	1	137	25.81			26.5
100	QPSK	1	271	25.77			
100	QPSK	135	0	24.84			
100	QPSK	135	69	25.75			26.5
100	QPSK	135	138	24.65			26.5
100	QPSK	270	0	24.75			26.0
100	16QAM	1	1	24.91			26.0
100	64QAM	1	1	23.31			24.5
100	256QAM	1	1	21.15			22.5
Channel							
90	PQ2 BPSK	1	1	633000	633332	633986	Tune-up limit (dBm)
90	PQ2 BPSK	1	1	3495	3499.98	3504.99	MPR (dB)
Channel							
80	PQ2 BPSK	1	1	632688	633332	634000	Tune-up limit (dBm)
80	PQ2 BPSK	1	1	3490.02	3499.98	3510	MPR (dB)
Channel							
70	PQ2 BPSK	1	1	632000	633332	634986	Tune-up limit (dBm)
70	PQ2 BPSK	1	1	3485.01	3499.98	3514.98	MPR (dB)
Channel							
60	PQ2 BPSK	1	1	631688	633332	635000	Tune-up limit (dBm)
60	PQ2 BPSK	1	1	3475.02	3499.98	3505	MPR (dB)
Channel							
50	PQ2 BPSK	1	1	631334	633332	635332	Tune-up limit (dBm)
50	PQ2 BPSK	1	1	3470.01	3499.98	3529.98	MPR (dB)
Channel							
40	PQ2 BPSK	1	1	631000	633332	635686	Tune-up limit (dBm)
40	PQ2 BPSK	1	1	3465	3499.98	3534.99	MPR (dB)
Channel							
30	PQ2 BPSK	1	1	630688	633332	636000	Tune-up limit (dBm)
30	PQ2 BPSK	1	1	3460.02	3499.98	3540	MPR (dB)
Channel							
20	PQ2 BPSK	1	1	630334	633332	636332	Tune-up limit (dBm)
20	PQ2 BPSK	1	1	3455	3499.98	3534.99	MPR (dB)

n78_Ant3 FCC							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	22.85	3750		
100	PQ2 BPSK	1	137	22.77			24.0
100	PQ2 BPSK	1	271	22.75			
100	PQ2 BPSK	135	0	22.75			24.0
100	PQ2 BPSK	135	69	22.77			24.0
100	PQ2 BPSK	135	138	22.64			24.0
100	PQ2 BPSK	270	0	22.74			
100	QPSK	1	1	22.78			
100	QPSK	1	137	22.83			24.0
100	QPSK	1	271	22.79			
100	QPSK	135	0	22.31			
100	QPSK	135	69	22.78			24.0
100	QPSK	135	138	22.35			24.0
100	QPSK	270	0	22.24			23.5
100	16QAM	1	1	22.51			23.5
100	64QAM	1	1	20.78			22.0
100	256QAM	1	1	18.92			20.0
Channel							
90	PQ2 BPSK	1	1	649688	650000	650332	Tune-up limit (dBm)
90	PQ2 BPSK	1	1	3745.02	3750	3754.98	MPR (dB)
Channel							
80	PQ2 BPSK	1	1	649334	650000	650666	Tune-up limit (dBm)
80	PQ2 BPSK	1	1	3740.01	3750	3759.99	MPR (dB)
Channel							
70	PQ2 BPSK	1	1	648980	650000	651000	Tune-up limit (dBm)
70	PQ2 BPSK	1	1	3735	3750	3765	MPR (dB)
Channel							
60	PQ2 BPSK	1	1	648688	650000	651332	Tune-up limit (dBm)
60	PQ2 BPSK	1	1	3730.02	3750	3769.98	MPR (dB)
Channel							
50	PQ2 BPSK	1	1	648334	650000	651666	Tune-up limit (dBm)
50	PQ2 BPSK	1	1	3725.01	3750	3774.99	MPR (dB)
Channel							
40	PQ2 BPSK	1	1	648000	650000	652000	Tune-up limit (dBm)
40	PQ2 BPSK	1	1	3720	3750	3780	MPR (dB)
Channel							
30	PQ2 BPSK	1	1	647688	650000	652332	Tune-up limit (dBm)
30	PQ2 BPSK	1	1	3715.02	3750	3784.98	MPR (dB)
Channel							
20	PQ2 BPSK	1	1	647334	650000	652666	Tune-up limit (dBm)
20	PQ2 BPSK	1	1	3710.01	3750	3789.99	MPR (dB)

n78_Ant3 Par27Q							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	22.81	3499.98		
100	PQ2 BPSK	1	137	22.80			24.0
100	PQ2 BPSK	1	271	22.86			
100	PQ2 BPSK	135	0	22.83			24.0
100	PQ2 BPSK	135	69	22.85			24.0
100	PQ2 BPSK	135	138	22.65			24.0
100	PQ2 BPSK	270	0	22.80			
100	QPSK	1	1	22.84			
100	QPSK	1	137	22.80			24.0
100	QPSK	1	271	22.82			
100	QPSK	135	0	22.74			
100	QPSK	135	69	22.77			24.0
100	QPSK	135	138	22.59			24.0
100	QPSK	270	0	22.61			23.5
100	16QAM	1	1	22.63			23.5
100	64QAM	1	1	20.62			22.0
100	256QAM	1	1	18.18			20.0
Channel							
90	PQ2 BPSK	1	1	633000	633332	633986	Tune-up limit (dBm)
90	PQ2 BPSK	1	1	3495	3499.98	3504.99	MPR (dB)
Channel							
80	PQ2 BPSK	1	1	632688	633332	634000	Tune-up limit (dBm)
80	PQ2 BPSK	1	1	3490.02	3499.98	3510	MPR (dB)
Channel							
70	PQ2 BPSK	1	1	632000	633332	634986	Tune-up limit (dBm)
70	PQ2 BPSK	1	1	3485.01	3499.98	3514.98	MPR (dB)
Channel							
60	PQ2 BPSK	1	1	631688	633332	635000	Tune-up limit (dBm)
60	PQ2 BPSK	1	1	3475.02	3499.98	3505	MPR (dB)
Channel							
50	PQ2 BPSK	1	1	631334	633332	635332	Tune-up limit (dBm)
50	PQ2 BPSK	1	1	3470.01	3499.98	3529.98	MPR (dB)
Channel							
40	PQ2 BPSK	1	1	631000	633332	635686	Tune-up limit (dBm)
40	PQ2 BPSK	1	1	3465	3499.98	3534.99	MPR (dB)
Channel							
30	PQ2 BPSK	1	1	630688	633332	636000	Tune-up limit (dBm)
30	PQ2 BPSK	1	1	3460.02	3499.98	3540	MPR (dB)
Channel							
20	PQ2 BPSK	1	1	630334	633332	636332	Tune-up limit (dBm)
20	PQ2 BPSK	1	1	3455	3499.98	3534.99	MPR (dB)



Reduced Power Mode for 5G NR
DS13 (Body-WornStandalone)

n2_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000	19.5	0.0	
Frequency (MHz)				1860	1860	1900			
20	PI2 BPSK	1	1	18.55	18.42	18.43			
20	PI2 BPSK	1	53	18.33	18.40	18.41			
20	PI2 BPSK	1	104	18.41	18.36	18.39	19.5	0.0	
20	PI2 BPSK	50	0	18.41	18.39	18.38			
20	PI2 BPSK	50	28	18.53	18.40	18.41			
20	PI2 BPSK	50	56	18.48	18.37	18.36			
20	PI2 BPSK	100	0	18.50	18.38	18.39	19.5	0.0	
20	QPSK	1	1	18.30	18.44	18.50	19.5	0.0	
20	QPSK	1	53	18.31	18.47	18.32			
20	QPSK	1	104	18.44	18.39	18.45			
20	QPSK	50	0	18.38	18.29	18.43			
20	QPSK	50	28	18.41	18.43	18.38	19.5	0.0	
20	QPSK	50	56	18.24	18.36	18.30	19.5	0.0	
20	QPSK	100	0	18.52	18.52	18.49	19.5	0.0	
20	15QAM	1	1	18.27	18.39	18.30	19.5	0.0	
20	64QAM	1	1	18.18	18.32	18.49	19.5	0.0	
20	256QAM	1	1	18.19	18.16	18.26	19.5	0.0	
Channel				371500	376000	380500	Tune-up limit (dB)	MPR	
Frequency (MHz)				1867.5	1860	1902.5	(dB)		
15	PI2 BPSK	1	1	18.51	18.40	18.45	19.5	0.0	
Channel				371000	376000	381000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1855	1860	1905	(dBm)		
10	PI2 BPSK	1	1	18.49	18.36	18.45	19.5	0.0	
Channel				370500	376000	381500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1849.5	1860	1901.5	(dBm)		
5	PI2 BPSK	1	1	18.51	18.46	18.53	19.5	0.0	

n25_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				374000	376500	379000	19.5	0.0	
Frequency (MHz)				1870	1882.5	1885			
40	PI2 BPSK	1	1	18.56	18.59	18.49			
40	PI2 BPSK	1	108	18.35	18.47	18.42			
40	PI2 BPSK	1	214	18.55	18.55	18.39	19.5	0.0	
40	PI2 BPSK	108	0	18.35	18.42	18.35			
40	PI2 BPSK	108	54	18.55	18.57	18.48			
40	PI2 BPSK	108	108	18.40	18.44	18.42			
40	PI2 BPSK	216	0	18.53	18.58	18.47	19.5	0.0	
40	QPSK	1	1	18.53	18.52	18.51	19.5	0.0	
40	QPSK	1	108	18.30	18.42	18.46			
40	QPSK	1	214	18.51	18.58	18.44			
40	QPSK	108	0	18.52	18.44	18.42			
40	QPSK	108	54	18.44	18.38	18.31	19.5	0.0	
40	QPSK	108	108	18.43	18.50	18.53	19.5	0.0	
40	QPSK	216	0	18.48	18.51	18.37	19.5	0.0	
40	15QAM	1	1	18.43	18.46	18.48	19.5	0.0	
40	64QAM	1	1	18.33	18.42	18.55	19.5	0.0	
40	256QAM	1	1	18.56	18.55	18.49	19.5	0.0	
Channel				373000	376500	380000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1865	1882.5	1900	(dBm)		
30	PI2 BPSK	1	1	18.58	18.53	18.42	19.5	0.0	
Channel				372500	376500	380500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1862.5	1882.5	1902.5	(dBm)		
25	PI2 BPSK	1	1	18.57	18.53	18.54	19.5	0.0	
Channel				372000	376500	381000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1860	1882.5	1904	(dBm)		
20	PI2 BPSK	1	1	18.53	18.37	18.36	19.5	0.0	
Channel				371500	376500	381500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1857.5	1882.5	1907.5	(dBm)		
15	PI2 BPSK	1	1	18.44	18.45	18.46	19.5	0.0	
Channel				371000	376500	382000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1855	1882.5	1910	(dBm)		
10	PI2 BPSK	1	1	18.46	18.51	18.37	19.5	0.0	
Channel				370500	376500	382500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1852.5	1882.5	1912.5	(dBm)		
5	PI2 BPSK	1	1	18.42	18.53	18.57	19.5	0.0	

n66_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				346000	349000	352000	20.0	0.0	
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	18.77	18.83	18.80			
40	PI2 BPSK	1	108	18.70	18.81	18.76			
40	PI2 BPSK	1	214	18.80	18.68	18.83	20.0	0.0	
40	PI2 BPSK	108	0	18.75	18.75	18.70			
40	PI2 BPSK	108	54	18.78	18.81	18.77			
40	PI2 BPSK	108	108	18.68	18.78	18.72			
40	PI2 BPSK	216	0	18.74	18.80	18.76	20.0	0.0	
40	QPSK	1	1	18.75	18.74	18.67	20.0	0.0	
40	QPSK	1	108	18.73	18.81	18.58			
40	QPSK	1	214	18.65	18.70	18.59			
40	QPSK	108	0	18.83	18.77	18.66			
40	QPSK	108	54	18.74	18.78	18.75	20.0	0.0	
40	QPSK	108	108	18.77	18.79	18.68	20.0	0.0	
40	QPSK	216	0	18.71	18.74	18.71	20.0	0.0	
40	15QAM	1	1	18.70	18.81	18.74	20.0	0.0	
40	64QAM	1	1	18.81	18.72	18.69	20.0	0.0	
40	256QAM	1	1	18.72	18.78	18.71	20.0	0.0	
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1725	1745	1765	(dBm)		
30	PI2 BPSK	1	1	18.75	18.70	18.66	20.0	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1720	1745	1770	(dBm)		
20	PI2 BPSK	1	1	18.64	18.71	18.74	20.0	0.0	
Channel				343000	349000	354500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1717.5	1745	1772.5	(dBm)		
15	PI2 BPSK	1	1	18.78	18.72	18.69	20.0	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1715	1745	1775	(dBm)		
10	PI2 BPSK	1	1	18.82	18.74	18.82	20.0	0.0	
Channel				342500	349000	355500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1712.5	1745	1777.5	(dBm)		
5	PI2 BPSK	1	1	18.70	18.85	18.72	20.0	0.0	

n41_Ant0 FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502002	518998	528000	22.0	0.0	
Frequency (MHz)				2546.01	2592.99	2640			
100	Pl/2 BPSK	1	1	21.07	21.10	20.91	22.0	0.0	
100	Pl/2 BPSK	1	137	20.89	20.86	20.87			
100	Pl/2 BPSK	1	271	20.93	20.97	21.06	22.0	0.0	
100	Pl/2 BPSK	135	0	21.05	21.08	20.89			
100	Pl/2 BPSK	135	69	20.87	21.04	20.86	22.0	0.0	
100	Pl/2 BPSK	135	138	20.95	20.94	20.82			
100	Pl/2 BPSK	270	0	21.03	21.05	20.85	22.0	0.0	
100	QPSK	1	1	20.75	20.80	20.76			
100	QPSK	1	137	20.57	20.84	21.00	22.0	0.0	
100	QPSK	1	271	20.66	20.88	20.91			
100	QPSK	135	0	20.95	21.01	20.95	22.0	0.0	
100	QPSK	135	69	20.94	20.96	21.02			
100	QPSK	135	138	20.87	20.90	20.78	22.0	0.0	
100	QPSK	270	0	20.76	20.96	20.86			
100	16QAM	1	1	20.88	20.89	20.95	22.0	0.0	
100	64QAM	1	1	20.92	20.99	21.00			
100	256QAM	1	1	20.98	21.08	21.05	22.0	0.0	
Channel				508200	518998	528998		MPR (dB)	
Frequency (MHz)				2541	2592.99	2644.98			
90	Pl/2 BPSK	1	1	20.91	20.80	20.75	22.0	0.0	
Channel				512204	518998	522998			
Frequency (MHz)				2536.02	2592.99	2649.99	22.0	0.0	
80	Pl/2 BPSK	1	1	20.93	20.81	20.83			
Channel				505200	518998	531998	22.0	MPR (dB)	
Frequency (MHz)				2524	2592.99	2658.98			
60	Pl/2 BPSK	1	1	21.04	21.06	21.02	22.0	0.0	
Channel				504204	518998	532998			
Frequency (MHz)				2521.02	2592.99	2664.99	22.0	0.0	
50	Pl/2 BPSK	1	1	21.03	21.05	20.92			
Channel				503202	518998	532000	22.0	MPR (dB)	
Frequency (MHz)				2516.01	2592.99	2670			
40	Pl/2 BPSK	1	1	20.94	21.01	20.84	22.0	0.0	
Channel				502200	518998	534998			
Frequency (MHz)				2511	2592.99	2674.98	22.0	0.0	
30	Pl/2 BPSK	1	1	20.99	21.00	20.77			
Channel				501204	518998	535998	22.0	MPR (dB)	
Frequency (MHz)				2506.02	2592.99	2679.99			
20	Pl/2 BPSK	1	1	21.00	20.93	20.83	22.0	0.0	

n41_Ant0 HPUE_FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502002	518998	528000	22.0	0.0	
Frequency (MHz)				2546.01	2592.99	2640			
100	Pl/2 BPSK	1	1	21.07	21.10	20.91	22.0	0.0	
100	Pl/2 BPSK	1	137	20.89	20.86	20.87			
100	Pl/2 BPSK	1	271	20.93	20.97	21.06	22.0	0.0	
100	Pl/2 BPSK	135	0	21.05	21.08	20.89			
100	Pl/2 BPSK	135	69	20.87	21.04	20.86	22.0	0.0	
100	Pl/2 BPSK	135	138	20.95	20.94	20.82			
100	Pl/2 BPSK	270	0	21.03	21.05	20.85	22.0	0.0	
100	QPSK	1	1	20.75	20.80	20.76			
100	QPSK	1	137	20.57	20.84	21.00	22.0	0.0	
100	QPSK	1	271	20.66	20.88	20.91			
100	QPSK	135	0	20.95	21.01	20.95	22.0	0.0	
100	QPSK	135	69	20.94	20.96	21.02			
100	QPSK	135	138	20.87	20.90	20.78	22.0	0.0	
100	QPSK	270	0	20.76	20.96	20.86			
100	16QAM	1	1	20.88	20.89	20.95	22.0	0.0	
100	64QAM	1	1	20.92	20.99	21.00			
100	256QAM	1	1	20.98	21.08	21.05	22.0	0.0	
Channel				508200	518998	528998		MPR (dB)	
Frequency (MHz)				2541	2592.99	2644.98			
90	Pl/2 BPSK	1	1	20.91	20.80	20.75	22.0	0.0	
Channel				512204	518998	522998			
Frequency (MHz)				2536.02	2592.99	2649.99	22.0	MPR (dB)	
80	Pl/2 BPSK	1	1	20.93	20.81	20.83			
Channel				505200	518998	531998	22.0	MPR (dB)	
Frequency (MHz)				2524	2592.99	2658.98			
60	Pl/2 BPSK	1	1	21.04	21.06	21.02	22.0	0.0	
Channel				504204	518998	532998			
Frequency (MHz)				2521.02	2592.99	2664.99	22.0	0.0	
50	Pl/2 BPSK	1	1	21.03	21.05	20.92			
Channel				503202	518998	532000	22.0	MPR (dB)	
Frequency (MHz)				2516.01	2592.99	2670			
40	Pl/2 BPSK	1	1	20.94	21.01	20.84	22.0	0.0	
Channel				502200	518998	534998			
Frequency (MHz)				2511	2592.99	2674.98	22.0	0.0	
30	Pl/2 BPSK	1	1	20.99	21.00	20.77			
Channel				501204	518998	535998	22.0	MPR (dB)	
Frequency (MHz)				2506.02	2592.99	2679.99			
20	Pl/2 BPSK	1	1	21.00	20.93	20.83	22.0	0.0	



n2_Ant1								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (db)
Channel				372000	376000	380000	18.5	0.0
Frequency (MHz)				1860	1880	1900		
20	PI2 BPSK	1	1	17.69	17.67	17.64		
20	PI2 BPSK	1	53	17.63	17.62	17.52		
20	PI2 BPSK	1	104	17.61	17.58	17.44	18.5	0.0
20	PI2 BPSK	50	0	17.66	17.56	17.61	18.5	0.0
20	PI2 BPSK	50	28	17.67	17.65	17.62	18.5	0.0
20	PI2 BPSK	50	56	17.64	17.56	17.61	18.5	0.0
20	PI2 BPSK	100	0	17.65	17.62	17.58	18.5	0.0
20	QPSK	1	1	17.54	17.56	17.56	18.5	0.0
20	QPSK	1	53	17.42	17.51	17.52		
20	QPSK	1	104	17.47	17.49	17.52		
20	QPSK	50	0	17.51	17.52	17.50		
20	QPSK	50	28	17.50	17.55	17.52	18.5	0.0
20	QPSK	50	56	17.55	17.49	17.32	18.5	0.0
20	QPSK	100	0	17.52	17.63	17.62	18.5	0.0
20	16QAM	1	1	17.49	17.52	17.67	18.5	0.0
20	64QAM	1	1	17.55	17.67	17.62	18.5	0.0
20	256QAM	1	1	17.61	17.48	17.64	18.5	0.0
Channel				371500	376000	380500	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1857.5	1880	1902.5	18.5	0.0
15	PI2 BPSK	1	1	17.58	17.52	17.60		
Channel				371000	376000	381000	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1865	1880	1905	18.5	0.0
10	PI2 BPSK	1	1	17.62	17.62	17.64		
Channel				370500	376000	381500	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1862.5	1880	1907.5	18.5	0.0
5	PI2 BPSK	1	1	17.62	17.53	17.51		

n25_Ant1								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (db)
Channel				374000	376500	379000	18.5	0.0
Frequency (MHz)				1870	1882.5	1896		
40	PI2 BPSK	1	1	17.68	17.70	17.64		
40	PI2 BPSK	1	108	17.61	17.51	17.58		
40	PI2 BPSK	1	214	17.58	17.64	17.57	18.5	0.0
40	PI2 BPSK	108	0	17.60	17.61	17.51	18.5	0.0
40	PI2 BPSK	108	54	17.63	17.66	17.60	18.5	0.0
40	PI2 BPSK	108	108	17.48	17.64	17.54	18.5	0.0
40	PI2 BPSK	216	0	17.58	17.63	17.56	18.5	0.0
40	QPSK	1	1	17.68	17.69	17.58		
40	QPSK	1	108	17.56	17.58	17.56		
40	QPSK	1	214	17.64	17.60	17.54		
40	QPSK	108	0	17.57	17.54	17.51	18.5	0.0
40	QPSK	108	54	17.58	17.65	17.49	18.5	0.0
40	QPSK	108	108	17.52	17.64	17.59	18.5	0.0
40	QPSK	216	0	17.65	17.62	17.56	18.5	0.0
40	16QAM	1	1	17.57	17.64	17.55		
40	64QAM	1	1	17.64	17.69	17.61		
40	256QAM	1	1	17.62	17.66	17.60		
Channel				373000	376500	380000	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1865	1882.5	1900	18.5	0.0
30	PI2 BPSK	1	1	17.58	17.49	17.45		
Channel				372500	376500	380500	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1862.5	1882.5	1902.5	18.5	0.0
25	PI2 BPSK	1	1	17.53	17.60	17.39		
Channel				372000	376500	381000	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1860	1882.5	1905	18.5	0.0
20	PI2 BPSK	1	1	17.66	17.58	17.62		
Channel				371500	376500	381500	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1857.5	1882.5	1907.5	18.5	0.0
15	PI2 BPSK	1	1	17.54	17.68	17.61		
Channel				371000	376500	382000	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1855	1882.5	1910	18.5	0.0
10	PI2 BPSK	1	1	17.61	17.44	17.43		
Channel				370500	376500	382500	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1852.5	1882.5	1912.5	18.5	0.0
5	PI2 BPSK	1	1	17.61	17.45	17.54		

n66_Ant1								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				346000	349000	352000	17.5	0.0
Frequency (MHz)				1730	1745	1760		
40	PI2 BPSK	1	1	16.53	16.64	16.51		
40	PI2 BPSK	1	108	16.51	16.48	16.50		
40	PI2 BPSK	1	214	16.52	16.47	16.39	17.5	0.0
40	PI2 BPSK	108	0	16.33	16.42	16.32	17.5	0.0
40	PI2 BPSK	108	54	16.36	16.52	16.35	17.5	0.0
40	PI2 BPSK	108	108	16.30	16.47	16.28	17.5	0.0
40	PI2 BPSK	216	0	16.41	16.49	16.38	17.5	0.0
40	QPSK	1	1	16.43	16.52	16.49		
40	QPSK	1	108	16.61	16.55	16.53		
40	QPSK	1	214	16.45	16.52	16.55		
40	QPSK	108	0	16.51	16.49	16.33	17.5	0.0
40	QPSK	108	54	16.50	16.46	16.44	17.5	0.0
40	QPSK	108	108	16.40	16.53	16.57	17.5	0.0
40	QPSK	216	0	16.47	16.55	16.48	17.5	0.0
40	16QAM	1	1	16.61	16.54	16.55		
40	64QAM	1	1	16.58	16.52	16.52		
40	256QAM	1	1	16.06	16.16	16.00		
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1725	1745	1765	17.5	0.0
30	PI2 BPSK	1	1	16.31	16.45	16.46		
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1720	1745	1770	17.5	0.0
20	PI2 BPSK	1	1	16.37	16.45	16.62		
Channel				343500	349000	354500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1717.5	1745	1772.5	17.5	0.0
15	PI2 BPSK	1	1	16.26	16.36	16.55		
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1715	1745	1775	17.5	0.0
10	PI2 BPSK	1	1	16.25	16.46	16.48		
Channel				342500	349000	355500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1712.5	1745	1777.5	17.5	0.0
5	PI2 BPSK	1	1	16.51	16.52	16.36		



n77_Ant3 FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				3750	3840	3930			
100	Pi/2 BPSK	1	1	15.26	15.31	15.20			
100	Pi/2 BPSK	1	137	15.20	15.23	15.18	16.5	0.0	
100	Pi/2 BPSK	1	271	15.17	15.17	15.21			
100	Pi/2 BPSK	136	0	15.14	15.14	15.12	16.5	0.0	
100	Pi/2 BPSK	136	69	15.15	15.20	15.15	16.5	0.0	
100	Pi/2 BPSK	136	138	15.13	15.12	15.14	16.5	0.0	
100	Pi/2 BPSK	270	0	15.10	15.17	15.15			
100	QPSK	1	1	15.25	15.28	15.20			
100	QPSK	1	137	15.18	15.22	15.06	16.5	0.0	
100	QPSK	1	271	15.20	15.23	15.18			
100	QPSK	136	0	15.09	15.17	15.01			
100	QPSK	136	69	15.15	15.19	15.17	16.5	0.0	
100	QPSK	136	138	15.03	15.15	15.12			
100	QPSK	270	0	15.10	15.18	15.21	16.5	0.0	
100	16QAM	1	1	15.14	15.28	15.16	16.5	0.0	
100	64QAM	1	1	15.30	15.28	15.21	16.5	0.0	
100	256QAM	1	1	15.22	15.20	15.12	16.5	0.0	
Channel									
Frequency (MHz)				648668	656000	662332	Tune-up limit (dBm)	MPR (dB)	
90	Pi/2 BPSK	1	1	15.16	15.29	15.31	16.5	0.0	
Channel									
Frequency (MHz)				648334	656000	662066	Tune-up limit (dBm)	MPR (dB)	
80	Pi/2 BPSK	1	1	15.22	15.06	15.24	16.5	0.0	
Channel									
Frequency (MHz)				3735	3840	3945			
70	Pi/2 BPSK	1	1	15.15	15.08	15.18	16.5	0.0	
Channel									
Frequency (MHz)				648668	656000	662332	Tune-up limit (dBm)	MPR (dB)	
60	Pi/2 BPSK	1	1	15.21	15.03	15.26	16.5	0.0	
Channel									
Frequency (MHz)				648334	656000	662066	Tune-up limit (dBm)	MPR (dB)	
50	Pi/2 BPSK	1	1	15.13	15.13	15.17	16.5	0.0	
Channel									
Frequency (MHz)				648000	656000	664000	Tune-up limit (dBm)	MPR (dB)	
40	Pi/2 BPSK	1	1	15.26	15.23	15.31	16.5	0.0	
Channel									
Frequency (MHz)				647668	656000	664332	Tune-up limit (dBm)	MPR (dB)	
30	Pi/2 BPSK	1	1	15.17	15.03	15.26	16.5	0.0	
Channel									
Frequency (MHz)				647234	656000	664666	Tune-up limit (dBm)	MPR (dB)	
20	Pi/2 BPSK	1	1	15.21	15.05	15.22	16.5	0.0	

n77_Ant3 Par27Q									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)					633938				
100	Pi/2 BPSK	1	1		15.31				
100	Pi/2 BPSK	1	137		15.06		16.5	0.0	
100	Pi/2 BPSK	1	271		15.23				
100	Pi/2 BPSK	136	0		15.10		16.5	0.0	
100	Pi/2 BPSK	136	69		15.16		16.5	0.0	
100	Pi/2 BPSK	136	138		15.05		16.5	0.0	
100	Pi/2 BPSK	270	0		15.10				
100	QPSK	1	1		15.22				
100	QPSK	1	137		15.07		16.5	0.0	
100	QPSK	1	271		15.28				
100	QPSK	136	0		15.16				
100	QPSK	136	69		15.06		16.5	0.0	
100	QPSK	136	138		15.06				
100	QPSK	270	0		15.08		16.5	0.0	
100	16QAM	1	1		15.24		16.5	0.0	
100	64QAM	1	1		15.27		16.5	0.0	
100	256QAM	1	1		15.14		16.5	0.0	
Channel									
Frequency (MHz)				633000	633332	633668	Tune-up limit (dBm)	MPR (dB)	
90	Pi/2 BPSK	1	1	15.12	15.21	15.06	16.5	0.0	
Channel									
Frequency (MHz)				632668	633332	634000	Tune-up limit (dBm)	MPR (dB)	
80	Pi/2 BPSK	1	1	15.31	15.04	15.20	16.5	0.0	
Channel									
Frequency (MHz)				632334	633332	634332	Tune-up limit (dBm)	MPR (dB)	
70	Pi/2 BPSK	1	1	15.11	14.97	15.04	16.5	0.0	
Channel									
Frequency (MHz)				632000	633332	634668	Tune-up limit (dBm)	MPR (dB)	
60	Pi/2 BPSK	1	1	15.17	14.99	15.12	16.5	0.0	
Channel									
Frequency (MHz)				631668	633332	635000	Tune-up limit (dBm)	MPR (dB)	
50	Pi/2 BPSK	1	1	15.16	15.05	15.05	16.5	0.0	
Channel									
Frequency (MHz)				631334	633332	635332	Tune-up limit (dBm)	MPR (dB)	
40	Pi/2 BPSK	1	1	15.23	15.18	14.98	16.5	0.0	
Channel									
Frequency (MHz)				631000	633332	635668	Tune-up limit (dBm)	MPR (dB)	
30	Pi/2 BPSK	1	1	15.17	15.15	14.94	16.5	0.0	
Channel									
Frequency (MHz)				630668	633332	636000	Tune-up limit (dBm)	MPR (dB)	
20	Pi/2 BPSK	1	1	15.04	15.17	15.10	16.5	0.0	

n77_Ant3 HPUE_FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				3750	3840	3930			
100	Pi/2 BPSK	1	1	15.26	15.31	15.20			
100	Pi/2 BPSK	1	137	15.20	15.23	15.18	16.5	0.0	
100	Pi/2 BPSK	1	271	15.17	15.17	15.21			
100	Pi/2 BPSK	136	0	15.14	15.14	15.12	16.5	0.0	
100	Pi/2 BPSK	136	69	15.15	15.20	15.15	16.5	0.0	
100	Pi/2 BPSK	136	138	15.13	15.12	15.14	16.5	0.0	
100	Pi/2 BPSK	270	0	15.10	15.17	15.15	16.5	0.0	
100	QPSK	1	1	15.25	15.28	15.20			
100	QPSK	1	137	15.18	15.22	15.06	16.5	0.0	
100	QPSK	1	271	15.20	15.23	15.18			
100	QPSK	136	0	15.09	15.17	15.01			
100	QPSK	136	69	15.15	15.19	15.17	16.5	0.0	
100	QPSK	136	138	15.03	15.15	15.12			
100	QPSK	270	0	15.10	15.18	15.21	16.5	0.0	
100	16QAM	1	1	15.14	15.28	15.16	16.5	0.0	
100	64QAM	1	1	15.30	15.28	15.21	16.5	0.0	
100	256QAM	1	1	15.22	15.20	15.12	16.5	0.0	
Channel									
Frequency (MHz)				648668	656000	662332	Tune-up limit (dBm)	MPR (dB)	
90	Pi/2 BPSK	1	1	15.16	15.29	15.31	16.5	0.0	
Channel									
Frequency (MHz)				648334	656000	662066	Tune-up limit (dBm)	MPR (dB)	
80	Pi/2 BPSK	1	1	15.22	15.06	15.24	16.5	0.0	
Channel									
Frequency (MHz)				3735	3840	3945			
70	Pi/2 BPSK	1	1	15.15	15.08	15.18	16.5	0.0	
Channel									
Frequency (MHz)				648668	656000	662332	Tune-up limit (dBm)	MPR (dB)	
60	Pi/2 BPSK	1	1	15.21	15.03	15.26	16.5	0.0	
Channel									
Frequency (MHz)				648334	656000	662066	Tune-up limit (dBm)	MPR (dB)	
50	Pi/2 BPSK	1	1	15.13	15.13	15.17	16.5	0.0	
Channel									
Frequency (MHz)				648000	656000	664000	Tune-up limit (dBm)	MPR (dB)	
40	Pi/2 BPSK	1	1	15.28	15.23	15.31	16.5	0.0	
Channel									
Frequency (MHz)				647664	656000	664664	Tune-up limit (dBm)	MPR (dB)	
30	Pi/2 BPSK	1	1	15.17	15.03	15.26	16.5	0.0	
Channel									
Frequency (MHz)				647328	656000	665000	Tune-up limit (dBm)	MPR (dB)	
20	Pi/2 BPSK	1	1	15.20	15.00	15.22	16.5	0.0	

n77_Ant3 HPUE_Par27Q							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	15.3			
100	PQ2 BPSK	1	137	15.08			16.5
100	PQ2 BPSK	1	271	15.23			
100	PQ2 BPSK	135	0	15.10			16.5
100	PQ2 BPSK	135	69	15.15			16.5
100	PQ2 BPSK	135	138	15.05			16.5
100	PQ2 BPSK	270	0	15.10			16.5
100	QPSK	1	1	15.22			
100	QPSK	1	137	15.07			16.5
100	QPSK	1	271	15.20			
100	QPSK	135	0	15.16			
100	QPSK	135	69	15.06			16.5
100	QPSK	135	138	15.05			16.5
100	QPSK	270	0	15.08			16.5
100	16QAM	1	1	15.24			16.5
100	64QAM	1	1	15.27			16.5
100	256QAM	1	1	15.14			16.5
Channel							
Frequency (MHz)				633000	633332	633666	Tune-up limit (dBm) MPR
90	PQ2 BPSK	1	1	3495	3499.98	3504.99	(dB) (dB)
Channel							
Frequency (MHz)				632668	633332	634000	Tune-up limit (dBm) MPR
80	PQ2 BPSK	1	1	3490.02	3499.98	3510	(dBm) (dB)
Channel							
Frequency (MHz)				635334	633332	631332	Tune-up limit (dBm) MPR
70	PQ2 BPSK	1	1	15.11	14.97	15.04	16.5
Channel							
Frequency (MHz)				632000	633332	634666	Tune-up limit (dBm) MPR
60	PQ2 BPSK	1	1	15.17	14.99	15.12	16.5
Channel							
Frequency (MHz)				631668	633332	635000	Tune-up limit (dBm) MPR
50	PQ2 BPSK	1	1	3492.02	3499.98	3505	(dBm) (dB)
Channel							
Frequency (MHz)				631334	633332	635332	Tune-up limit (dBm) MPR
40	PQ2 BPSK	1	1	3470.01	3499.98	3520.98	(dBm) (dB)
Channel							
Frequency (MHz)				631000	633332	635666	Tune-up limit (dBm) MPR
30	PQ2 BPSK	1	1	15.17	15.15	14.94	16.5
Channel							
Frequency (MHz)				630668	633332	636000	Tune-up limit (dBm) MPR
20	PQ2 BPSK	1	1	15.04	15.17	15.10	16.5

n78_Ant3 FCC							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	15.24			
100	PQ2 BPSK	1	137	15.18			16.5
100	PQ2 BPSK	1	271	15.23			
100	PQ2 BPSK	135	0	15.18			16.5
100	PQ2 BPSK	135	69	15.20			16.5
100	PQ2 BPSK	135	138	15.20			16.5
100	PQ2 BPSK	270	0	15.13			16.5
100	QPSK	1	1	15.12			
100	QPSK	1	137	15.19			16.5
100	QPSK	1	271	15.23			
100	QPSK	135	0	15.15			
100	QPSK	135	69	15.16			16.5
100	QPSK	135	138	15.14			16.5
100	QPSK	270	0	15.20			16.5
100	16QAM	1	1	15.17			16.5
100	64QAM	1	1	15.23			16.5
100	256QAM	1	1	15.22			16.5
Channel							
Frequency (MHz)				649668	650000	650332	Tune-up limit (dBm) MPR
90	PQ2 BPSK	1	1	3745.02	3750	3754.98	(dBm) (dB)
Channel							
Frequency (MHz)				649334	650000	650666	Tune-up limit (dBm) MPR
80	PQ2 BPSK	1	1	3740.01	3750	3759.99	(dBm) (dB)
Channel							
Frequency (MHz)				649000	650000	651000	Tune-up limit (dBm) MPR
70	PQ2 BPSK	1	1	15.14	14.94	15.10	16.5
Channel							
Frequency (MHz)				648668	650000	651332	Tune-up limit (dBm) MPR
60	PQ2 BPSK	1	1	3735	3750	3765	(dBm) (dB)
Channel							
Frequency (MHz)				648334	650000	651666	Tune-up limit (dBm) MPR
50	PQ2 BPSK	1	1	3725.01	3750	3774.99	(dBm) (dB)
Channel							
Frequency (MHz)				648000	650000	652000	Tune-up limit (dBm) MPR
40	PQ2 BPSK	1	1	3720	3750	3780	(dBm) (dB)
Channel							
Frequency (MHz)				647668	650000	652332	Tune-up limit (dBm) MPR
30	PQ2 BPSK	1	1	3715.02	3750	3764.98	(dBm) (dB)
Channel							
Frequency (MHz)				647334	650000	652666	Tune-up limit (dBm) MPR
20	PQ2 BPSK	1	1	14.98	14.91	15.14	16.5
Channel							
Frequency (MHz)				6470.01	3750	3769.99	(dBm) (dB)
10	PQ2 BPSK	1	1	15.02	15.03	15.01	16.5

n78_Ant3 Par27Q							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	15.30			
100	PQ2 BPSK	1	137	15.21			16.5
100	PQ2 BPSK	1	271	15.22			
100	PQ2 BPSK	135	0	15.21			16.5
100	PQ2 BPSK	135	69	15.25			16.5
100	PQ2 BPSK	135	138	15.24			16.5
100	PQ2 BPSK	270	0	15.21			16.5
100	QPSK	1	1	15.27			
100	QPSK	1	137	15.26			16.5
100	QPSK	1	271	15.05			
100	QPSK	135	0	15.24			
100	QPSK	135	69	15.20			16.5
100	QPSK	135	138	14.94			16.5
100	QPSK	270	0	14.92			16.5
100	16QAM	1	1	15.20			16.5
100	64QAM	1	1	15.18			16.5
100	256QAM	1	1	14.68			16.5
Channel							
Frequency (MHz)				639000	633332	639666	Tune-up limit (dBm) MPR
90	PQ2 BPSK	1	1	3495	3499.98	3504.99	(dBm) (dB)
Channel							
Frequency (MHz)				632668	633332	634000	Tune-up limit (dBm) MPR
80	PQ2 BPSK	1	1	15.05	15.12	15.03	16.5
Channel							
Frequency (MHz)				6390.02	3499.98	3510	(dBm) (dB)
70	PQ2 BPSK	1	1	15.08	15.10	15.09	16.5
Channel							
Frequency (MHz)				632000	633332	634666	Tune-up limit (dBm) MPR
60	PQ2 BPSK	1	1	15.11	15.14	15.10	16.5
Channel							
Frequency (MHz)				631668	633332	635000	Tune-up limit (dBm) MPR
50	PQ2 BPSK	1	1	3492.02	3499.98	3505	(dBm) (dB)
Channel							
Frequency (MHz)				631334	633332	635332	Tune-up limit (dBm) MPR
40	PQ2 BPSK	1	1	3470.01	3499.98	3520.98	(dBm) (dB)
Channel							
Frequency (MHz)				631000	633332	635666	Tune-up limit (dBm) MPR
30	PQ2 BPSK	1	1	15.12	15.11	15.14	16.5
Channel							
Frequency (MHz)				630668	633332	636000	Tune-up limit (dBm) MPR
20	PQ2 BPSK	1	1	15.00	15.03	15.09	16.5



n2_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000	16.0	0.0	
Frequency (MHz)				1860	1880	1900			
20	PI2 BPSK	1	1	15.09	15.05	15.07			
20	PI2 BPSK	1	53	14.99	14.96	14.96	16.0	0.0	
20	PI2 BPSK	1	104	14.78	14.97	14.81			
20	PI2 BPSK	50	0	14.93	15.02	15.02		0.0	
20	PI2 BPSK	50	28	15.06	15.03	15.05	16.0	0.0	
20	PI2 BPSK	50	56	14.99	15.00	15.00	16.0	0.0	
20	PI2 BPSK	100	0	15.04	15.01	15.02			
20	QPSK	1	1	14.96	15.03	14.92			
20	QPSK	1	53	14.78	15.00	14.83	16.0	0.0	
20	QPSK	1	104	14.74	15.02	15.00			
20	QPSK	50	0	14.97	15.01	15.04		0.0	
20	QPSK	50	28	15.01	15.04	15.03	16.0	0.0	
20	QPSK	50	56	14.73	15.00	14.97	16.0	0.0	
20	QPSK	100	0	15.07	15.02	15.06	16.0	0.0	
20	16QAM	1	1	14.93	15.00	14.95	16.0	0.0	
20	64QAM	1	1	14.79	15.05	15.07	16.0	0.0	
20	256QAM	1	1	14.77	14.89	14.85	16.0	0.0	
Channel				371500	376000	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1857.5	1880	1902.5	16.0	0.0	
15	PI2 BPSK	1	1	15.04	15.01	15.07	16.0	0.0	
Channel				371000	376000	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1855	1880	1905	16.0	0.0	
10	PI2 BPSK	1	1	15.06	15.06	15.02	16.0	0.0	
Channel				370500	376000	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1852.5	1880	1902.5	16.0	0.0	
5	PI2 BPSK	1	1	15.01	14.99	15.03	16.0	0.0	

DSI3(Body-Worn Simultaneous&Hotspot)									
n25_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				374000	376500	379000	16.0	0.0	
Frequency (MHz)				1870	1882.5	1895			
40	PI2 BPSK	1	1	15.03	15.10	14.96			
40	PI2 BPSK	1	108	15.00	15.02	14.96	16.0	0.0	
40	PI2 BPSK	1	214	14.96	15.05	14.87			
40	PI2 BPSK	108	0	14.93	14.92	14.92		0.0	
40	PI2 BPSK	108	54	15.01	15.08	14.95	16.0	0.0	
40	PI2 BPSK	108	108	14.98	15.02	14.90	16.0	0.0	
40	PI2 BPSK	216	0	15.00	15.07	14.93			
40	QPSK	1	1	14.83	14.96	14.91			
40	QPSK	1	108	14.90	14.86	14.97	16.0	0.0	
40	QPSK	1	214	14.92	15.06	14.98			
40	QPSK	108	0	14.89	14.87	14.85		0.0	
40	QPSK	108	54	14.93	14.93	14.76	16.0	0.0	
40	QPSK	108	108	14.96	15.00	14.94	16.0	0.0	
40	QPSK	216	0	14.81	14.92	14.93	16.0	0.0	
40	16QAM	1	1	14.83	14.92	14.82	16.0	0.0	
40	64QAM	1	1	14.80	14.97	14.97	16.0	0.0	
40	256QAM	1	1	14.72	14.80	14.86	16.0	0.0	
Channel				373000	376500	380000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1882.5	1900	16.0	0.0	
30	PI2 BPSK	1	1	15.09	15.04	14.95	16.0	0.0	
Channel				372500	376500	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1882.5	1902.5	16.0	0.0	
25	PI2 BPSK	1	1	14.92	14.93	14.90	16.0	0.0	
Channel				372000	376500	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1860	1882.5	1900	16.0	0.0	
20	PI2 BPSK	1	1	15.03	14.95	15.00	16.0	0.0	
Channel				371500	376500	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1857.5	1882.5	1907.5	16.0	0.0	
15	PI2 BPSK	1	1	14.85	15.00	14.90	16.0	0.0	
Channel				371000	376500	382000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1855	1882.5	1910	16.0	0.0	
10	PI2 BPSK	1	1	14.87	14.99	14.91	16.0	0.0	
Channel				370500	376500	382500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1852.5	1882.5	1912.5	16.0	0.0	
5	PI2 BPSK	1	1	15.04	15.07	14.85	16.0	0.0	

n66_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				346000	349000	352000	17.5	0.0	
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	16.21	16.35	16.26			
40	PI2 BPSK	1	108	16.15	16.33	16.19	17.5	0.0	
40	PI2 BPSK	1	214	16.14	16.20	16.03			
40	PI2 BPSK	108	0	16.18	16.27	16.18		0.0	
40	PI2 BPSK	108	54	16.20	16.33	16.24	17.5	0.0	
40	PI2 BPSK	108	108	16.15	16.25	16.20	17.5	0.0	
40	PI2 BPSK	216	0	16.18	16.31	16.23			
40	QPSK	1	1	16.18	16.27	16.09			
40	QPSK	1	108	16.11	16.35	16.26	17.5	0.0	
40	QPSK	1	214	16.02	16.11	15.96			
40	QPSK	108	0	16.20	16.14	16.21		0.0	
40	QPSK	108	54	16.06	16.23	16.24	17.5	0.0	
40	QPSK	108	108	16.32	16.20	16.02	17.5	0.0	
40	QPSK	216	0	16.24	16.27	16.16	17.5	0.0	
40	16QAM	1	1	16.30	16.28	16.31	17.5	0.0	
40	64QAM	1	1	16.30	16.10	16.22	17.5	0.0	
40	256QAM	1	1	16.13	16.31	16.18	17.5	0.0	
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765	17.5	0.0	
30	PI2 BPSK	1	1	16.31	16.26	16.20	17.5	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1745	1770	17.5	0.0	
20	PI2 BPSK	1	1	16.24	16.24	16.11	17.5	0.0	
Channel				343000	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5	17.5	0.0	
15	PI2 BPSK	1	1	16.20	16.26	16.13	17.5	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775	17.5	0.0	
10	PI2 BPSK	1	1	16.14	16.25	16.25	17.5	0.0	
Channel				342000	349000	355500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5	17.5	0.0	
5	PI2 BPSK	1	1	16.14	16.24	16.30	17.5	0.0	

n41_Ant0 FCC									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502002	518598	526000	20.5	0.0	
Frequency (MHz)				2546.01	2592.99	2640			
100	PI/2 BPSK	1	1	19.56	19.62	19.61	20.5	0.0	
100	PI/2 BPSK	1	137	19.50	19.60	19.54			
100	PI/2 BPSK	1	271	19.52	19.59	19.56	20.5	0.0	
100	PI/2 BPSK	135	0	19.54	19.54	19.58			
100	PI/2 BPSK	135	69	19.46	19.55	19.47	20.5	0.0	
100	PI/2 BPSK	135	138	19.52	19.55	19.48			
100	PI/2 BPSK	270	0	19.51	19.57	19.58	20.5	0.0	
100	QPSK	1	1	19.51	19.54	19.55			
100	QPSK	1	137	19.41	19.52	19.43	20.5	0.0	
100	QPSK	1	271	19.44	19.58	19.52			
100	QPSK	135	0	19.53	19.61	19.59	20.5	0.0	
100	QPSK	135	69	19.53	19.56	19.48			
100	QPSK	135	138	19.53	19.56	19.46	20.5	0.0	
100	QPSK	270	0	19.47	19.55	19.47			
100	16QAM	1	1	19.58	19.58	19.61	20.5	0.0	
100	64QAM	1	1	19.55	19.44	19.42			
100	256QAM	1	1	19.38	19.41	19.37	20.5		
Channel				508200	518598	528996	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2541	2592.99	2644.98	20.5	0.0	
90	PI/2 BPSK	1	1	19.51	19.57	19.53			
Channel				507204	518598	529098	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2536.02	2592.99	2649.99	20.5	0.0	
80	PI/2 BPSK	1	1	19.52	19.56	19.40			
Channel				505200	518598	531996	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2524	2592.99	2659.98	20.5	0.0	
60	PI/2 BPSK	1	1	19.55	19.58	19.49			
Channel				504204	518598	532998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2521.02	2592.99	2664.99	20.5	0.0	
50	PI/2 BPSK	1	1	19.46	19.49	19.32			
Channel				503202	518598	534000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2516.01	2592.99	2670	20.5	0.0	
40	PI/2 BPSK	1	1	19.46	19.41	19.33			
Channel				502200	518598	534996	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2511	2592.99	2674.98	20.5	0.0	
30	PI/2 BPSK	1	1	19.40	19.50	19.44			
Channel				501204	518598	535998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2506.02	2592.99	2679.99	20.5	0.0	
20	PI/2 BPSK	1	1	19.28	19.48	19.39			

n41_Ant0 HPUE_FCC									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (db)	
Channel				506002	518598	528000	20.5	0.0	
Frequency (MHz)				2546.01	2592.99	2640			
100	PI2 BPSK	1	1	19.56	19.62	19.61	20.5	0.0	
100	PI2 BPSK	1	137	19.50	19.60	19.54			
100	PI2 BPSK	1	271	19.52	19.59	19.56	20.5	0.0	
100	PI2 BPSK	135	0	19.54	19.59	19.58			
100	PI2 BPSK	135	69	19.46	19.55	19.47	20.5	0.0	
100	PI2 BPSK	135	138	19.52	19.55	19.48			
100	PI2 BPSK	270	0	19.51	19.57	19.58	20.5	0.0	
100	QPSK	1	1	19.51	19.54	19.55			
100	QPSK	1	137	19.41	19.52	19.43	20.5	0.0	
100	QPSK	1	271	19.44	19.58	19.52			
100	QPSK	135	0	19.53	19.61	19.59	20.5	0.0	
100	QPSK	135	69	19.53	19.56	19.48			
100	QPSK	135	138	19.53	19.56	19.46	20.5	0.0	
100	QPSK	270	0	19.47	19.55	19.47			
100	16QAM	1	1	19.58	19.58	19.61	20.5	0.0	
100	64QAM	1	1	19.55	19.44	19.42			
100	256QAM	1	1	19.38	19.41	19.37	20.5		
Channel				508200	518598	528996	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				2541	2592.99	2644.98	20.5	0.0	
90	PI2 BPSK	1	1	19.51	19.57	19.53			
Channel				507204	518598	529098	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				2536.02	2592.99	2649.99	20.5	0.0	
80	PI2 BPSK	1	1	19.52	19.56	19.40			
Channel				505200	518598	531996	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				2524	2592.99	2659.98	20.5	0.0	
60	PI2 BPSK	1	1	19.47	19.45	19.38			
Channel				504204	518598	532998	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				2521.02	2592.99	2664.99	20.5	0.0	
50	PI2 BPSK	1	1	19.36	19.59	19.52			
Channel				503202	518598	534000	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				2516.01	2592.99	2670	20.5	0.0	
40	PI2 BPSK	1	1	19.46	19.51	19.53			
Channel				502200	518598	534996	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				2511	2592.99	2674.98	20.5	0.0	
30	PI2 BPSK	1	1	19.50	19.60	19.54			
Channel				501204	518598	535998	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				2506.02	2592.99	2679.99	20.5	0.0	
20	PI2 BPSK	1	1	19.48	19.58	19.39			




n2_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000	16.5	0.0	
Frequency (MHz)				1860	1880	1900			
20	PI2 BPSK	1	1	15.75	15.80	15.73			
20	PI2 BPSK	1	53	15.74	15.69	15.66	16.5	0.0	
20	PI2 BPSK	1	104	15.65	15.61	15.61			
20	PI2 BPSK	50	0	15.66	15.74	15.66			
20	PI2 BPSK	50	28	15.72	15.77	15.70	16.5	0.0	
20	PI2 BPSK	50	56	15.64	15.69	15.63			
20	PI2 BPSK	100	0	15.73	15.76	15.68			
20	QPSK	1	1	15.65	15.75	15.73	16.5	0.0	
20	QPSK	1	53	15.73	15.73	15.48			
20	QPSK	1	104	15.66	15.70	15.50			
20	QPSK	50	0	15.58	15.69	15.68	16.5	0.0	
20	QPSK	50	28	15.51	15.73	15.53			
20	QPSK	50	56	15.41	15.69	15.62			
20	QPSK	100	0	15.68	15.77	15.62	16.5	0.0	
20	16QAM	1	1	15.57	15.64	15.63			
20	64QAM	1	1	15.62	15.90	15.71		16.5	
20	256QAM	1	1	15.69	15.73	15.71	16.5	0.0	
Channel				371500	376000	380500			
Frequency (MHz)				1857.5	1880	1902.5		Tune-up limit (dBm)	
15	PI2 BPSK	1	1	15.78	15.77	15.68	16.5	0.0	
Channel				371000	376000	381000			
Frequency (MHz)				1865	1880	1905		Tune-up limit (dBm)	
10	PI2 BPSK	1	1	15.74	15.78	15.79	16.5	0.0	
Channel				370500	376000	381500			
Frequency (MHz)				1862.5	1880	1907.5		Tune-up limit (dBm)	
5	PI2 BPSK	1	1	15.67	15.79	15.76	16.5	0.0	

n5_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166500	167000	167500	23.5	0.0	
Frequency (MHz)				834	836.5	838			
20	PI2 BPSK	1	1	22.78	22.80	22.72			
20	PI2 BPSK	1	53	22.57	22.75	22.57	23.5	0.0	
20	PI2 BPSK	1	104	22.58	22.62	22.55			
20	PI2 BPSK	50	0	22.54	22.67	22.51			
20	PI2 BPSK	50	28	22.73	22.78	22.65	23.5	0.0	
20	PI2 BPSK	50	56	22.67	22.74	22.63			
20	PI2 BPSK	100	0	22.65	22.67	22.59			
20	QPSK	1	1	22.58	22.63	22.59	23.5	0.0	
20	QPSK	1	53	22.64	22.54	22.53			
20	QPSK	1	104	22.46	22.51	22.52			
20	QPSK	50	0	22.42	22.47	22.37	23.0	0.5	
20	QPSK	50	28	22.56	22.63	22.45			
20	QPSK	50	56	22.48	22.45	22.42			
20	QPSK	100	0	22.49	22.44	22.42	23.0	0.5	
20	16QAM	1	1	22.44	22.43	22.41			
20	64QAM	1	1	21.71	21.73	21.77		22.8	
20	256QAM	1	1	19.64	19.60	19.77	20.5	3.0	
Channel				166300	167300	168300			
Frequency (MHz)				831.5	836.5	841.5		Tune-up limit (dBm)	
15	PI2 BPSK	1	1	22.67	22.47	22.41	23.5	0.0	
Channel				165200	166200	167200			
Frequency (MHz)				829	836.5	844		Tune-up limit (dBm)	
10	PI2 BPSK	1	1	22.64	22.67	22.67	23.5	0.0	
Channel				165300	167300	169300			
Frequency (MHz)				828.5	836.5	844.5		Tune-up limit (dBm)	
5	PI2 BPSK	1	1	22.49	22.61	22.53	23.5	0.0	

n25_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				374000	376500	379000	16.5	0.0	
Frequency (MHz)				1870	1882.5	1895			
40	PI2 BPSK	1	1	15.82	15.86	15.82			
40	PI2 BPSK	1	108	15.80	15.73	15.80	16.5	0.0	
40	PI2 BPSK	1	214	15.78	15.83	15.78			
40	PI2 BPSK	108	0	15.75	15.81	15.73			
40	PI2 BPSK	108	54	15.80	15.84	15.80	16.5	0.0	
40	PI2 BPSK	108	108	15.78	15.83	15.77			
40	PI2 BPSK	216	0	15.83	15.85	15.79			
40	QPSK	1	1	15.77	15.84	15.73	16.5	0.0	
40	QPSK	1	108	15.81	15.78	15.74			
40	QPSK	1	214	15.78	15.84	15.72			
40	QPSK	108	0	15.82	15.71	15.63	16.5	0.0	
40	QPSK	108	54	15.77	15.78	15.62			
40	QPSK	108	108	15.65	15.80	15.85			
40	QPSK	216	0	15.82	15.79	15.85	16.5	0.0	
40	16QAM	1	1	15.79	15.83	15.80			
40	64QAM	1	1	15.89	15.85	15.82		16.5	
40	256QAM	1	1	15.79	15.81	15.79	16.5	0.0	
Channel				373000	376500	380000			
Frequency (MHz)				1865	1882.5	1900		Tune-up limit (dBm)	
30	PI2 BPSK	1	1	15.78	15.83	15.85	16.5	0.0	
Channel				372000	376500	380500			
Frequency (MHz)				1862.5	1882.5	1902.5		Tune-up limit (dBm)	
25	PI2 BPSK	1	1	15.76	15.82	15.83	16.5	0.0	
Channel				372000	376500	381000			
Frequency (MHz)				1860	1882.5	1900		Tune-up limit (dBm)	
20	PI2 BPSK	1	1	15.73	15.71	15.79	16.5	0.0	
Channel				371000	376500	381500			
Frequency (MHz)				1857.5	1882.5	1907.5		Tune-up limit (dBm)	
15	PI2 BPSK	1	1	15.84	15.69	15.80	16.5	0.0	
Channel				370000	376500	382000			
Frequency (MHz)				1855	1882.5	1910		Tune-up limit (dBm)	
10	PI2 BPSK	1	1	15.74	15.72	15.79	16.5	0.0	
Channel				370500	376500	382500			
Frequency (MHz)				1852.5	1882.5	1912.5		Tune-up limit (dBm)	
5	PI2 BPSK	1	1	15.85	15.75	15.82	16.5	0.0	

n66_Ant1								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				345000	345000	350000		
Frequency (MHz)				1730	1745	1760		
40	PI2 BPSK	1	1	15.71	15.74	15.84	16.5	0.0
40	PI2 BPSK	1	108	15.59	15.68	15.56		
40	PI2 BPSK	1	214	15.60	15.70	15.59		
40	PI2 BPSK	106	0	15.58	15.68	15.60	16.5	0.0
40	PI2 BPSK	106	54	15.71	15.73	15.62	16.5	0.0
40	PI2 BPSK	108	108	15.69	15.64	15.54	16.5	0.0
40	PI2 BPSK	216	0	15.62	15.69	15.59		
40	QPSK	1	1	15.65	15.69	15.65		
40	QPSK	1	108	15.54	15.70	15.67	16.5	0.0
40	QPSK	1	214	15.64	15.63	15.69	16.5	0.0
40	QPSK	108	0	15.70	15.67	15.49		
40	QPSK	108	54	15.64	15.69	15.62		
40	QPSK	108	108	15.71	15.67	15.53	16.5	0.0
40	QPSK	216	0	15.68	15.68	15.50	16.5	0.0
40	16QAM	1	1	15.71	15.67	15.62		
40	16QAM	1	1	15.57	15.70	15.60		
40	256QAM	1	1	15.21	15.32	15.32	16.5	0.0
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1725	1745	1765		
30	PI2 BPSK	1	1	15.62	15.65	15.56	16.5	0.0
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1720	1745	1770		
20	PI2 BPSK	1	1	15.54	15.56	15.49	16.5	0.0
Channel				343500	349000	354500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1717.5	1745	1772.5		
15	PI2 BPSK	1	1	15.62	15.71	15.70	16.5	0.0
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1715	1745	1775		
10	PI2 BPSK	1	1	15.60	15.70	15.62	16.5	0.0
Channel				342500	349000	355500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1712.5	1745	1777.5		
5	PI2 BPSK	1	1	15.71	15.68	15.64	16.5	0.0



n77_Ants Par27Q								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Middle Ch / Freq.	Power High Ch / Freq.	Turn-up limit (dBm)	MPR (dB)
	Channel				633332			
	Frequency (MHz)				3499.98			
100	P2/ BPSK	1	1	14.48	14.48			
100	P2/ BPSK	1	137	14.75	14.75	16.0	0.0	
100	P2/ BPSK	1	271	14.75	14.75	16.0	0.0	
100	P2/ BPSK	135	0	14.70	14.70	16.0	0.0	
100	P2/ BPSK	135	89	14.70	14.70	16.0	0.0	
100	P2/ BPSK	135	138	14.57	14.57	16.0	0.0	
100	P2/ BPSK	270	0	14.72	14.72	16.0	0.0	
100	QPSK	1	1	14.74	14.74			
100	QPSK	1	137	14.58	14.58	16.0	0.0	
100	QPSK	1	271	14.69	14.69	16.0	0.0	
100	QPSK	135	0	14.57	14.57	16.0	0.0	
100	QPSK	135	89	14.58	14.58	16.0	0.0	
100	QPSK	270	0	14.68	14.68	16.0	0.0	
100	16QAM	1	1	14.75	14.75			
100	64QAM	1	1	14.75	14.75	16.0	0.0	
100	256QAM	1	1	14.74	14.74	16.0	0.0	
	Channel			633000	633332	633666	Turn-up limit (dBm)	MPR (dB)
	Frequency (MHz)			3495	3499.98	3504.99	(dBm)	
90	P2/ BPSK	1	1	14.88	14.88	14.71	16.0	0.0
	Channel			632666	633332	634000	Turn-up limit (dBm)	MPR (dB)
	Frequency (MHz)			3490.02	3499.98	3510	(dBm)	
80	P2/ BPSK	1	1	14.67	14.71	14.70	16.0	0.0
	Channel			633332	633332	633332	Turn-up limit (dBm)	MPR (dB)
	Frequency (MHz)			3485.01	3499.98	3514.98	(dBm)	
70	P2/ BPSK	1	1	14.46	14.48	14.41	16.0	0.0
	Channel			632000	633332	634666	Turn-up limit (dBm)	MPR (dB)
	Frequency (MHz)			3486	3499.98	3519.99	(dBm)	
60	P2/ BPSK	1	1	14.52	14.45	14.46	16.0	0.0
	Channel			631668	633332	635000	Turn-up limit (dBm)	MPR (dB)
	Frequency (MHz)			3475.52	3499.98	3520	(dBm)	
50	P2/ BPSK	1	1	14.53	14.57	14.66	16.0	0.0
	Channel			631334	633332	635332	Turn-up limit (dBm)	MPR (dB)
	Frequency (MHz)			3470.01	3499.98	3529.98	(dBm)	
40	P2/ BPSK	1	1	14.48	14.58	14.42	16.0	0.0
	Channel			631000	633332	635666	Turn-up limit (dBm)	MPR (dB)
	Frequency (MHz)			3465	3499.98	3534.99	(dBm)	
30	P2/ BPSK	1	1	14.55	14.64	14.70	16.0	0.0
	Channel			630668	633332	636000	Turn-up limit (dBm)	MPR (dB)
	Frequency (MHz)			3460.29	3499.98	3540	(dBm)	
20	P2/ BPSK	1	1	14.67	14.69	14.42	16.0	0.0

n77_Ant3 HPUE_FCC								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Qu, F, Pwr	Power Middle Qu, F, Pwr	Power High Qu, F, Pwr	Turn-up limit (dBm)	MPR (dB)
	Channel			650000	656000	662000		
	Frequency (MHz)			3750	3840	3930		
150	Pi2 BPSK	1	1	14.86	14.82	14.78		
100	Pi2 BPSK	1	137	14.55	14.62	14.66	16.0	0.0
100	Pi2 BPSK	1	211	14.61	14.69	14.74		
100	Pi2 BPSK	135	0	14.57	14.73	14.72	16.0	0.0
100	Pi2 BPSK	135	89	14.58	14.78	14.75	16.0	0.0
100	Pi2 BPSK	135	138	14.62	14.70	14.69		
100	Pi2 BPSK	270	0	14.78	14.74	14.69	16.0	0.0
100	QPSK	1	1	14.79	14.82	14.68		
100	QPSK	1	137	14.48	14.78	14.74		
100	QPSK	1	211	14.51	14.83	14.76		
100	QPSK	135	0	14.61	14.76	14.77		
100	QPSK	135	69	14.64	14.73	14.83		
100	QPSK	135	138	14.59	14.66	14.61		
100	QPSK	270	0	14.51	14.64	14.61	16.0	0.0
100	16QAM	1	1	14.74	14.81	14.82	16.0	0.0
100	16QAM	1	1	14.72	14.80	14.73	16.0	0.0
100	256QAM	1	1	14.58	14.54	14.69	16.0	0.0
	Channel			649698	650000	652332	Turn-up limit (dBm)	
	Frequency (MHz)			3745.02	3840	3934.98	MPR (dB)	
90	Pi2 BPSK	1	1	14.44	14.81	14.73	16.0	0.0
	Channel			650000	652000	652948	Turn-up limit (dBm)	
	Frequency (MHz)			3740.01	3840	3939.99	MPR (dB)	
80	Pi2 BPSK	1	1	14.77	14.71	14.80	16.0	0.0
	Channel			650000	650000	650000	Turn-up limit (dBm)	
	Frequency (MHz)			3735	3840	3945	MPR (dB)	
70	Pi2 BPSK	1	1	14.74	14.84	14.69	16.0	0.0
	Channel			646668	650000	653332	Turn-up limit (dBm)	
	Frequency (MHz)			3740	3840	3940.99	MPR (dB)	
60	Pi2 BPSK	1	1	14.47	14.58	14.56	16.0	0.0
	Channel			648334	650000	653666	Turn-up limit (dBm)	
	Frequency (MHz)			3725.01	3840	3954.99	MPR (dB)	
50	Pi2 BPSK	1	1	14.71	14.65	14.81	16.0	0.0
	Channel			648000	650000	654000	Turn-up limit (dBm)	
	Frequency (MHz)			3720	3840	3960	MPR (dB)	
40	Pi2 BPSK	1	1	14.50	14.52	14.76	16.0	0.0
	Channel			647102	647000	647102	Turn-up limit (dBm)	
	Frequency (MHz)			3715.02	3840	3964.98	MPR (dB)	
30	Pi2 BPSK	1	1	14.76	14.64	14.72	16.0	0.0
	Channel			647102	650000	650000	Turn-up limit (dBm)	
	Frequency (MHz)			3710.01	3840	3969.99	MPR (dB)	
20	Pi2 BPSK	1	1	14.48	14.49	14.62	16.0	0.0

n77_Ant3 HPUE_Par27Q								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
100	P12 BPSK	1	1	14.84	14.88			
100	P12 BPSK	1	137	14.80	14.80		16.0	0.0
100	P12 BPSK	1	271	14.76				
100	P12 BPSK	135	0	14.70			16.0	0.0
100	P12 BPSK	135	69	14.75			16.0	0.0
100	P12 BPSK	135	138	14.57			16.0	0.0
100	P12 BPSK	270	0	14.72			16.0	0.0
100	QPSK	1	1	14.74				
100	QPSK	1	137	14.50			16.0	0.0
100	QPSK	1	271	14.69				
100	QPSK	135	0	14.68				
100	QPSK	135	69	14.57			16.0	0.0
100	QPSK	135	138	14.58				
100	QPSK	270	0	14.60			16.0	0.0
100	16QAM	1	1	14.75			16.0	0.0
100	64QAM	1	1	14.73			16.0	0.0
100	256QAM	1	1	14.74			16.0	0.0
Channel								
Frequency (MHz)								
90	P12 BPSK	1	1	14.61	14.63	14.71	16.0	0.0
Channel								
Frequency (MHz)								
80	P12 BPSK	1	1	14.57	14.71	14.70	16.0	0.0
Channel								
Frequency (MHz)								
70	P12 BPSK	1	1	14.46	14.49	14.41	16.0	0.0
Channel								
Frequency (MHz)								
60	P12 BPSK	1	1	14.52	14.45	14.48	16.0	0.0
Channel								
Frequency (MHz)								
50	P12 BPSK	1	1	14.53	14.47	14.46	16.0	0.0
Channel								
Frequency (MHz)								
40	P12 BPSK	1	1	14.46	14.50	14.42	16.0	0.0
Channel								
Frequency (MHz)								
30	P12 BPSK	1	1	14.55	14.64	14.70	16.0	0.0
Channel								
Frequency (MHz)								
20	P12 BPSK	1	1	14.67	14.69	14.42	16.0	0.0

n78_Ant3 FCC								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
100	P12 BPSK	1	1	14.75	14.75			
100	P12 BPSK	1	137	14.69			16.0	0.0
100	P12 BPSK	1	271	14.68				
100	P12 BPSK	135	0	14.63			16.0	0.0
100	P12 BPSK	135	69	14.73			16.0	0.0
100	P12 BPSK	135	138	14.65			16.0	0.0
100	P12 BPSK	270	0	14.68			16.0	0.0
100	QPSK	1	1	14.68				
100	QPSK	1	137	14.63			16.0	0.0
100	QPSK	1	271	14.68				
100	QPSK	135	0	14.60				
100	QPSK	135	138	14.58			16.0	0.0
100	QPSK	270	0	14.65			15.5	0.5
100	16QAM	1	1	14.63			15.5	0.5
100	64QAM	1	1	14.71			14.8	2.0
100	256QAM	1	1	14.73			12.0	4.0
Channel								
Frequency (MHz)								
90	P12 BPSK	1	1	14.40	14.40	14.22	16.0	0.0
Channel								
Frequency (MHz)								
80	P12 BPSK	1	1	14.54	14.54	14.64	16.0	0.0
Channel								
Frequency (MHz)								
70	P12 BPSK	1	1	14.47	14.71	14.62	16.0	0.0
Channel								
Frequency (MHz)								
60	P12 BPSK	1	1	14.55	14.40	14.42	16.0	0.0
Channel								
Frequency (MHz)								
50	P12 BPSK	1	1	14.70	14.49	14.73	16.0	0.0
Channel								
Frequency (MHz)								
40	P12 BPSK	1	1	14.53	14.49	14.42	16.0	0.0
Channel								
Frequency (MHz)								
30	P12 BPSK	1	1	14.43	14.68	14.65	16.0	0.0
Channel								
Frequency (MHz)								
20	P12 BPSK	1	1	14.51	14.66	14.73	16.0	0.0

n78_Ant3 Par27Q								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
100	P12 BPSK	1	1	14.75	14.75			
100	P12 BPSK	1	137	14.65			16.0	0.0
100	P12 BPSK	1	271	14.75				
100	P12 BPSK	135	0	14.65			16.0	0.0
100	P12 BPSK	135	69	14.73			16.0	0.0
100	P12 BPSK	135	138	14.68			16.0	0.0
100	P12 BPSK	270	0	14.74			16.0	0.0
100	QPSK	1	1	14.71				
100	QPSK	1	137	14.70			16.0	0.0
100	QPSK	1	271	14.72				
100	QPSK	135	0	14.68				
100	QPSK	135	138	14.68			16.0	0.0
100	QPSK	270	0	14.66			16.0	0.0
100	16QAM	1	1	14.68			16.0	0.0
100	64QAM	1	1	14.70			16.0	0.0
100	256QAM	1	1	14.60			16.0	0.0
Channel								
Frequency (MHz)								
90	P12 BPSK	1	1	14.59	14.68	14.61	16.0	0.0
Channel								
Frequency (MHz)								
80	P12 BPSK	1	1	14.69	14.50	14.64	16.0	0.0
Channel								
Frequency (MHz)								
70	P12 BPSK	1	1	14.50	14.45	14.54	16.0	0.0
Channel								
Frequency (MHz)								
60	P12 BPSK	1	1	14.63	14.61	14.70	16.0	0.0
Channel								
Frequency (MHz)								
50	P12 BPSK	1	1	14.63	14.49	14.68	16.0	0.0
Channel								
Frequency (MHz)								
40	P12 BPSK	1	1	14.59	14.52	14.62	16.0	0.0
Channel								
Frequency (MHz)								
30	P12 BPSK	1	1	14.61	14.56	14.61	16.0	0.0
Channel								
Frequency (MHz)								
20	P12 BPSK	1	1	14.53	14.58	14.55	16.0	0.0



n2_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000			
Frequency (MHz)				1860	1880	1900			
20	PI2 BPSK	1	1	20.52	20.49	20.45			
20	PI2 BPSK	1	53	20.52	20.35	20.18	21.5	0.0	
20	PI2 BPSK	1	104	20.45	20.44	20.37			
20	PI2 BPSK	50	0	20.24	20.33	20.31	21.5	0.0	
20	PI2 BPSK	50	28	20.50	20.47	20.42	21.5	0.0	
20	PI2 BPSK	50	56	20.42	20.35	20.33			
20	PI2 BPSK	100	0	20.47	20.46	20.40	21.5	0.0	
20	QPSK	1	1	20.21	20.32	20.32			
20	QPSK	1	53	20.47	20.36	20.39	21.5	0.0	
20	QPSK	1	104	20.26	20.40	20.25			
20	QPSK	50	0	20.48	20.35	20.37	21.5	0.0	
20	QPSK	50	28	20.38	20.29	20.19	21.5	0.0	
20	QPSK	50	56	20.32	20.42	20.29	21.5	0.0	
20	QPSK	100	0	20.25	20.35	20.24	21.5	0.0	
20	16QAM	1	1	20.47	20.39	20.33	21.5	0.0	
20	64QAM	1	1	20.39	20.48	20.48	21.5	0.0	
20	256QAM	1	1	19.23	19.25	19.33	20.0	1.5	
Channel				371500	376000	380500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1857.5	1880	1902.5			
15	PI2 BPSK	1	1	20.45	20.38	20.30	21.5	0.0	
Channel				371000	376000	381000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1855	1880	1905			
10	PI2 BPSK	1	1	20.48	20.51	20.51	21.5	0.0	
Channel				370500	376000	381500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1852.5	1880	1902.5			
5	PI2 BPSK	1	1	20.43	20.44	20.28	21.5	0.0	

DSI 6(Extremity Standalone&Simultaneous)									
n25_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				374000	376500	379000			
Frequency (MHz)				1870	1882.5	1895			
40	PI2 BPSK	1	1	20.52	20.56	20.45			
40	PI2 BPSK	1	108	20.50	20.42	20.43	21.5	0.0	
40	PI2 BPSK	1	214	20.46	20.53	20.42			
40	PI2 BPSK	108	0	20.31	20.40	20.44	21.5	0.0	
40	PI2 BPSK	108	54	20.49	20.51	20.45	21.5	0.0	
40	PI2 BPSK	108	108	20.35	20.50	20.49			
40	PI2 BPSK	216	0	20.42	20.52	20.51	21.5	0.0	
40	QPSK	1	1	20.45	20.51	20.48			
40	QPSK	1	108	20.49	20.45	20.52	21.5	0.0	
40	QPSK	1	214	20.54	20.52	20.45			
40	QPSK	108	0	20.32	20.46	20.28	21.5	0.0	
40	QPSK	108	54	20.30	20.43	20.38	21.5	0.0	
40	QPSK	108	108	20.47	20.50	20.51	21.5	0.0	
40	QPSK	216	0	20.44	20.46	20.42	21.5	0.0	
40	16QAM	1	1	20.52	20.51	20.54	21.5	0.0	
40	64QAM	1	1	20.40	20.27	20.42	21.5	0.0	
40	256QAM	1	1	18.72	18.76	18.86	20.0	1.5	
Channel				373000	376500	380000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1865	1882.5	1900			
30	PI2 BPSK	1	1	20.52	20.48	20.43	21.5	0.0	
Channel				372500	376500	380500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1862.5	1882.5	1902.5			
25	PI2 BPSK	1	1	20.44	20.40	20.53	21.5	0.0	
Channel				372000	376500	381000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1860	1882.5	1900			
20	PI2 BPSK	1	1	20.51	20.48	20.55	21.5	0.0	
Channel				371500	376500	381500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1857.5	1882.5	1907.5			
15	PI2 BPSK	1	1	20.44	20.50	20.35	21.5	0.0	
Channel				371000	376500	382000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1855	1882.5	1910			
10	PI2 BPSK	1	1	20.48	20.49	20.44	21.5	0.0	
Channel				370500	376500	382500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1852.5	1882.5	1912.5			
5	PI2 BPSK	1	1	20.48	20.42	20.47	21.5	0.0	

n66_Ant0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				346000	349000	352000			
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	21.37	21.41	21.36			
40	PI2 BPSK	1	108	21.33	21.37	21.31	22.5	0.0	
40	PI2 BPSK	1	214	21.19	21.20	21.15			
40	PI2 BPSK	108	0	21.28	21.34	21.26	22.5	0.0	
40	PI2 BPSK	108	54	21.35	21.39	21.33	22.5	0.0	
40	PI2 BPSK	108	108	21.30	21.36	21.27			
40	PI2 BPSK	216	0	21.32	21.34	21.29	22.5	0.0	
40	QPSK	1	1	21.34	21.29	21.16			
40	QPSK	1	108	21.26	21.32	21.19	22.5	0.0	
40	QPSK	1	214	21.24	21.18	21.25			
40	QPSK	108	0	21.27	21.36	21.21	22.5	0.0	
40	QPSK	108	54	21.37	21.33	21.37	22.5	0.0	
40	QPSK	108	108	21.28	21.35	21.33	22.5	0.0	
40	QPSK	216	0	21.27	21.27	21.20	22.5	0.0	
40	16QAM	1	1	21.35	21.29	21.18	22.5	0.0	
40	64QAM	1	1	20.86	20.78	20.93	22.0	0.5	
40	256QAM	1	1	18.76	18.78	18.88	20.0	2.5	
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1725	1745	1765			
30	PI2 BPSK	1	1	21.29	21.39	21.34	22.5	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1720	1745	1770			
20	PI2 BPSK	1	1	21.40	21.31	21.26	22.5	0.0	
Channel				343500	349000	354500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1717.5	1745	1772.5			
15	PI2 BPSK	1	1	21.36	21.34	21.31	22.5	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1715	1745	1775			
10	PI2 BPSK	1	1	21.20	21.35	21.30	22.5	0.0	
Channel				342000	349000	356000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1712.5	1745	1777.5			
5	PI2 BPSK	1	1	21.25	21.22	21.16	22.5	0.0	



n41_Ant0 FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				50200	51898	52800	23.0	0.0	
Frequency (MHz)				2546.01	2592.99	2640			
100	Pi/2 BPSK	1	1	21.97	21.98	21.94	23.0	0.0	
100	Pi/2 BPSK	1	137	21.85	21.73	21.77			
100	Pi/2 BPSK	1	271	21.77	21.81	21.74			
100	Pi/2 BPSK	135	0	21.84	21.86	21.80			
100	Pi/2 BPSK	135	69	21.75	21.81	21.79	23.0	0.0	
100	Pi/2 BPSK	135	138	21.77	21.85	21.77	23.0	0.0	
100	Pi/2 BPSK	270	0	21.86	21.85	21.81	23.0	0.0	
100	QPSK	1	1	21.73	21.86	21.75	23.0	0.0	
100	QPSK	1	137	21.78	21.83	21.81			
100	QPSK	1	271	21.81	21.81	21.69			
100	QPSK	135	0	21.77	21.86	21.85			
100	QPSK	135	69	21.75	21.85	21.84	23.0	0.0	
100	QPSK	135	138	21.81	21.87	21.80	23.0	0.0	
100	QPSK	270	0	21.82	21.86	21.75	23.0	0.0	
100	16QAM	1	1	21.79	21.88	21.88	23.0	0.0	
100	64QAM	1	1	21.57	21.74	21.58	23.0	0.0	
100	256QAM	1	1	21.69	21.81	21.64	23.0	0.0	
Channel				508200	518998	528998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2541	2592.99	2644.98	(dBm)		
90	Pi/2 BPSK	1	1	21.80	21.87	21.70	23.0	0.0	
Channel				512204	518998	529998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2536.02	2592.99	2649.99	(dBm)		
80	Pi/2 BPSK	1	1	21.77	21.83	21.80	23.0	0.0	
Channel				505200	518998	531998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2524	2592.99	2659.98	(dBm)		
60	Pi/2 BPSK	1	1	21.84	21.87	21.70	23.0	0.0	
Channel				504204	518998	532998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2521.02	2592.99	2664.99	(dBm)		
50	Pi/2 BPSK	1	1	21.71	21.77	21.74	23.0	0.0	
Channel				503202	518998	534000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2516.01	2592.99	2670	(dBm)		
40	Pi/2 BPSK	1	1	21.74	21.83	21.70	23.0	0.0	
Channel				502200	518998	534998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2511	2592.99	2674.98	(dBm)		
30	Pi/2 BPSK	1	1	21.68	21.77	21.72	23.0	0.0	
Channel				501204	518998	535998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2506.02	2592.99	2679.99	(dBm)		
20	Pi/2 BPSK	1	1	21.66	21.86	21.74	23.0	0.0	

n41_Ant0 HPUE_FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				50200	51898	52800	23.0	0.0	
Frequency (MHz)				2546.01	2592.99	2640			
100	Pi/2 BPSK	1	1	21.97	21.98	21.94	23.0	0.0	
100	Pi/2 BPSK	1	137	21.85	21.73	21.77			
100	Pi/2 BPSK	1	271	21.77	21.81	21.74			
100	Pi/2 BPSK	135	0	21.84	21.86	21.80			
100	Pi/2 BPSK	135	69	21.75	21.81	21.79	23.0	0.0	
100	Pi/2 BPSK	135	138	21.77	21.85	21.77	23.0	0.0	
100	Pi/2 BPSK	270	0	21.86	21.85	21.81	23.0	0.0	
100	QPSK	1	1	21.73	21.86	21.75	23.0	0.0	
100	QPSK	1	137	21.78	21.83	21.81			
100	QPSK	1	271	21.81	21.81	21.69			
100	QPSK	135	0	21.77	21.86	21.85			
100	QPSK	135	69	21.75	21.85	21.84	23.0	0.0	
100	QPSK	135	138	21.81	21.87	21.80	23.0	0.0	
100	QPSK	270	0	21.82	21.86	21.75	23.0	0.0	
100	16QAM	1	1	21.79	21.88	21.88	23.0	0.0	
100	64QAM	1	1	21.57	21.74	21.58	23.0	0.0	
100	256QAM	1	1	21.69	21.81	21.64	23.0	0.0	
Channel				508200	518998	528998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2541	2592.99	2644.98	(dBm)		
90	Pi/2 BPSK	1	1	21.80	21.87	21.70	23.0	0.0	
Channel				512204	518998	529998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2536.02	2592.99	2649.99	(dBm)		
80	Pi/2 BPSK	1	1	21.77	21.83	21.80	23.0	0.0	
Channel				505200	518998	531998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2524	2592.99	2659.98	(dBm)		
60	Pi/2 BPSK	1	1	21.84	21.87	21.70	23.0	0.0	
Channel				504204	518998	532998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2521.02	2592.99	2664.99	(dBm)		
50	Pi/2 BPSK	1	1	21.71	21.77	21.74	23.0	0.0	
Channel				503202	518998	534000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2516.01	2592.99	2670	(dBm)		
40	Pi/2 BPSK	1	1	21.74	21.83	21.70	23.0	0.0	
Channel				502200	518998	534998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2511	2592.99	2674.98	(dBm)		
30	Pi/2 BPSK	1	1	21.68	21.77	21.72	23.0	0.0	
Channel				501204	518998	535998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2506.02	2592.99	2679.99	(dBm)		
20	Pi/2 BPSK	1	1	21.66	21.86	21.74	23.0	0.0	



n2_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (db)	
Channel				376000	376000	380000			
Frequency (MHz)				1860	1860	1900			
20	PI2 BPSK	1	1	21.15	21.10	21.07	22.0	0.0	
20	PI2 BPSK	1	53	21.02	20.99	21.01			
20	PI2 BPSK	1	104	21.07	21.02	21.03			
20	PI2 BPSK	50	0	21.03	20.99	21.02	22.0	0.0	
20	PI2 BPSK	50	28	21.09	21.05	21.03	22.0	0.0	
20	PI2 BPSK	50	56	21.02	21.04	21.00	22.0	0.0	
20	PI2 BPSK	100	0	21.11	21.07	21.09			
20	QPSK	1	1	21.10	21.05	21.13			
20	QPSK	1	53	21.05	21.07	21.09	22.0	0.0	
20	QPSK	1	104	21.11	21.11	21.04	22.0	0.0	
20	QPSK	50	0	21.01	21.05	21.12			
20	QPSK	50	28	21.00	21.14	21.11			
20	QPSK	50	56	20.85	20.99	21.06	22.0	0.0	
20	QPSK	100	0	21.12	21.13	21.12	22.0	0.0	
20	16QAM	1	1	21.08	21.03	21.09	22.0	0.0	
20	64QAM	1	1	21.08	20.93	21.06	22.0	0.0	
20	256QAM	1	1	19.16	19.17	19.10	20.0	2.0	
Channel				371500	376000	380500	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				1867.5	1860	1902.5	22.0		
15	PI2 BPSK	1	1	21.14	21.13	21.00	22.0	0.0	
Channel				371000	376000	381000	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				1865	1860	1905	22.0 <td colspan="2"></td>		
10	PI2 BPSK	1	1	21.02	21.12	21.02	22.0	0.0	
Channel				370500	376000	381500	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				1862.5	1860	1907.5	22.0 <td colspan="2"></td>		
5	PI2 BPSK	1	1	21.07	21.12	21.04	22.0	0.0	

DSI 6(Extremity Standalone)

n25_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				374000	376500	379000			
Frequency (MHz)				1870	1882.5	1895			
40	PI2 BPSK	1	1	21.12	21.16	21.12	22.0	0.0	
40	PI2 BPSK	1	108	21.11	21.03	21.07			
40	PI2 BPSK	1	214	21.10	21.12	21.10			
40	PI2 BPSK	108	0	21.08	21.09	21.05	22.0	0.0	
40	PI2 BPSK	108	54	21.09	21.15	21.11	22.0	0.0	
40	PI2 BPSK	108	108	21.04	21.14	21.08	22.0	0.0	
40	PI2 BPSK	216	0	21.11	21.13	20.98			
40	QPSK	1	1	21.11	21.15	21.01			
40	QPSK	1	108	21.09	21.12	21.03	22.0	0.0	
40	QPSK	1	214	20.98	21.15	20.98	22.0	0.0	
40	QPSK	108	0	21.09	21.09	21.02			
40	QPSK	108	54	21.05	21.07	21.14			
40	QPSK	108	108	21.12	21.10	21.14	22.0	0.0	
40	QPSK	216	0	21.13	21.12	21.14	22.0	0.0	
40	16QAM	1	1	21.10	21.13	21.10	22.0	0.0	
40	64QAM	1	1	20.97	21.00	21.01	22.0	0.0	
40	256QAM	1	1	19.02	19.10	19.12	20.0	2.0	
Channel				373000	378500	380000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1882.5	1900	22.0	0.0	
30	PI2 BPSK	1	1	21.01	21.13	21.14	22.0	0.0	
Channel				372500	376500	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1882.5	1902.5	22.0	0.0	
25	PI2 BPSK	1	1	21.10	21.01	21.12	22.0	0.0	
Channel				372000	376500	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1860	1882.5	1900	22.0		0.0
20	PI2 BPSK	1	1	21.08	20.99	21.00	22.0	0.0	
Channel				371500	376500	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1867.5	1882.5	1907.5	22.0		0.0
15	PI2 BPSK	1	1	21.06	21.10	20.98	22.0	0.0	
Channel				371000	376500	382000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1882.5	1910	22.0		0.0
10	PI2 BPSK	1	1	20.97	21.05	21.07	22.0	0.0	
Channel				370500	376500	382500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1882.5	1912.5 <td colspan="2">22.0</td> <td>0.0</td>	22.0		0.0
5	PI2 BPSK	1	1	21.08	21.08	21.06	22.0	0.0	

n66_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				346000	349000	352000			
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	21.98	22.14	22.01	23.0	0.0	
40	PI2 BPSK	1	108	21.95	22.01	21.97			
40	PI2 BPSK	1	214	21.93	21.98	21.89			
40	PI2 BPSK	108	0	21.91	21.94	21.98	23.0	0.0	
40	PI2 BPSK	108	54	21.96	22.02	21.99	23.0	0.0	
40	PI2 BPSK	108	108	21.90	22.00	21.96	23.0	0.0	
40	PI2 BPSK	216	0	21.95	22.01	21.97			
40	QPSK	1	1	21.88	21.91	22.01			
40	QPSK	1	108	21.90	21.98	21.94	23.0	0.0	
40	QPSK	1	214	21.99	21.96	21.92	23.0	0.0	
40	QPSK	108	0	21.88	21.98	22.03			
40	QPSK	108	54	21.94	22.00	21.96			
40	QPSK	108	108	21.99	22.02	21.97	23.0	0.0	
40	QPSK	216	0	22.02	21.97	21.96	23.0	0.0	
40	16QAM	1	1	21.84	21.85	22.00	23.0	0.0	
40	64QAM	1	1	20.70	20.72	20.93	22.0	1.0	
40	256QAM	1	1	18.74	18.68	19.01	20.0	3.0	
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1725	1745	1765	23.0	(dB)	
30	PI2 BPSK	1	1	21.98	21.99	21.96	23.0	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1720	1745	1770	23.0	(dB)	
20	PI2 BPSK	1	1	22.02	22.00	22.03	23.0	0.0	
Channel				343000	349000	354000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1717.5	1745	1772.5	23.0	(dB)	
15	PI2 BPSK	1	1	22.01	21.98	21.97	23.0	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1715	1745	1775	23.0	(dB)	
10	PI2 BPSK	1	1	22.00	21.98	22.03	23.0	0.0	
Channel				342000	349000	355500	Tune-up limit (dBm)	MPR	
Frequency (MHz)				1712.5	1745	1777.5	23.0	(dB)	
5	PI2 BPSK	1	1	21.98	21.99	22.03	23.0	0.0	

n77_Ant3 FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				3750	3840	3930			
100	Pi2 BPSK	1	1	18.32	18.35	18.18	19.5	0.0	
100	Pi2 BPSK	1	137	18.19	18.21	18.15			
100	Pi2 BPSK	1	271	18.10	18.14	18.09			
100	Pi2 BPSK	136	0	18.16	18.17	18.15			
100	Pi2 BPSK	136	69	18.27	18.26	18.17	19.5	0.0	
100	Pi2 BPSK	136	138	18.25	18.18	18.07	19.5	0.0	
100	Pi2 BPSK	270	0	18.24	18.26	18.05	19.5	0.0	
100	QPSK	1	1	18.07	18.21	18.29			
100	QPSK	1	137	18.12	18.16	18.22			
100	QPSK	1	271	18.15	18.16	18.08			
100	QPSK	136	0	18.19	18.19	18.32	19.5	0.0	
100	QPSK	136	69	18.06	18.15	18.04			
100	QPSK	136	138	17.98	18.11	18.08			
100	QPSK	270	0	18.00	18.10	18.11			
100	16QAM	1	1	18.30	18.31	18.14	19.5	0.0	
100	64QAM	1	1	18.22	18.15	18.29	19.5	0.0	
100	256QAM	1	1	18.22	18.26	18.24	19.5	0.0	
Channel									
Frequency (MHz)				648668	656000	662332	Tune-up limit	MPR	
80	Pi2 BPSK	1	1	18.01	18.13	18.26	19.5	0.0	
Channel									
Frequency (MHz)				648334	656000	662668	Tune-up limit	MPR	
80	Pi2 BPSK	1	1	18.14	18.05	18.20	19.5	0.0	
Channel									
Frequency (MHz)				3735	3840	3945	Tune-up limit	MPR	
70	Pi2 BPSK	1	1	18.24	18.15	18.30	19.5	0.0	
Channel									
Frequency (MHz)				648668	656000	662332	Tune-up limit	MPR	
60	Pi2 BPSK	1	1	18.25	18.31	18.33	19.5	0.0	
Channel									
Frequency (MHz)				648334	656000	662668	Tune-up limit	MPR	
50	Pi2 BPSK	1	1	18.01	18.13	18.15	19.5	0.0	
Channel									
Frequency (MHz)				648000	656000	664000	Tune-up limit	MPR	
40	Pi2 BPSK	1	1	18.12	18.18	18.29	19.5	0.0	
Channel									
Frequency (MHz)				647168	656000	664332	Tune-up limit	MPR	
30	Pi2 BPSK	1	1	18.10	18.04	18.29	19.5	0.0	
Channel									
Frequency (MHz)				647234	656000	664668	Tune-up limit	MPR	
20	Pi2 BPSK	1	1	18.19	18.08	18.32	19.5	0.0	

n77_Ant3 Par27Q									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)					3499.98				
100	Pi2 BPSK	1	1		18.33		19.5	0.0	
100	Pi2 BPSK	1	137		18.17				
100	Pi2 BPSK	1	271		18.25				
100	Pi2 BPSK	136	0		18.20				
100	Pi2 BPSK	136	69		18.22		19.5	0.0	
100	Pi2 BPSK	136	138		18.21		19.5	0.0	
100	Pi2 BPSK	270	0		18.27		19.5	0.0	
100	QPSK	1	1		18.25				
100	QPSK	1	137		18.27				
100	QPSK	1	271		18.30				
100	QPSK	136	0		18.25		19.5	0.0	
100	QPSK	136	69		18.15				
100	QPSK	136	138		18.17				
100	QPSK	270	0		18.17				
100	16QAM	1	1		18.23		19.5	0.0	
100	64QAM	1	1		18.25		19.5	0.0	
100	256QAM	1	1		18.26		19.5	0.0	
Channel									
Frequency (MHz)				633000	633332	633668	Tune-up limit (dBm)	MPR (dB)	
90	Pi2 BPSK	1	1	18.22	18.08	18.25	19.5	0.0	
Channel									
Frequency (MHz)				632668	633332	634000	Tune-up limit (dBm)	MPR (dB)	
80	Pi2 BPSK	1	1	18.22	18.05	18.16	19.5	0.0	
Channel									
Frequency (MHz)				632334	633332	634332	Tune-up limit (dBm)	MPR (dB)	
70	Pi2 BPSK	1	1	18.07	18.28	18.17	19.5	0.0	
Channel									
Frequency (MHz)				632000	633332	634668	Tune-up limit (dBm)	MPR (dB)	
60	Pi2 BPSK	1	1	18.23	18.25	18.25	19.5	0.0	
Channel									
Frequency (MHz)				631668	633332	635000	Tune-up limit (dBm)	MPR (dB)	
50	Pi2 BPSK	1	1	18.20	18.25	18.31	19.5	0.0	
Channel									
Frequency (MHz)				631334	633332	635332	Tune-up limit (dBm)	MPR (dB)	
40	Pi2 BPSK	1	1	18.26	18.25	18.21	19.5	0.0	
Channel									
Frequency (MHz)				631000	633332	635668	Tune-up limit (dBm)	MPR (dB)	
30	Pi2 BPSK	1	1	18.04	18.26	18.32	19.5	0.0	
Channel									
Frequency (MHz)				630668	633332	636000	Tune-up limit (dBm)	MPR (dB)	
20	Pi2 BPSK	1	1	18.25	18.26	18.27	19.5	0.0	

n77_Ant3 HPUE_FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				3750	3840	3930			
100	Pi2 BPSK	1	1	18.32	18.35	18.18	19.5	0.0	
100	Pi2 BPSK	1	137	18.19	18.21	18.15			
100	Pi2 BPSK	1	271	18.10	18.14	18.09			
100	Pi2 BPSK	136	0	18.16	18.17	18.15			
100	Pi2 BPSK	136	69	18.27	18.26	18.17	19.5	0.0	
100	Pi2 BPSK	136	138	18.25	18.18	18.07	19.5	0.0	
100	Pi2 BPSK	270	0	18.24	18.26	18.05	19.5	0.0	
100	QPSK	1	1	18.07	18.21	18.29			
100	QPSK	1	137	18.12	18.16	18.22			
100	QPSK	1	271	18.15	18.16	18.08			
100	QPSK	136	0	18.19	18.19	18.32	19.5	0.0	
100	QPSK	136	69	18.00	18.15	18.04			
100	QPSK	136	138	17.98	18.11	18.08			
100	QPSK	270	0	18.00	18.10	18.11			
100	16QAM	1	1	18.30	18.31	18.14	19.5	0.0	
100	64QAM	1	1	18.22	18.15	18.29	19.5	0.0	
100	256QAM	1	1	18.22	18.26	18.24	19.5	0.0	
Channel									
Frequency (MHz)				648668	656000	662332	Tune-up limit (dBm)	MPR (dB)	
80	Pi2 BPSK	1	1	18.01	18.13	18.26	19.5	0.0	
Channel									
Frequency (MHz)				648334	656000	662668	Tune-up limit (dBm)	MPR (dB)	
80	Pi2 BPSK	1	1	18.14	18.05	18.20	19.5	0.0	
Channel									
Frequency (MHz)				3735	3840	3945	Tune-up limit (dBm)	MPR (dB)	
70	Pi2 BPSK	1	1	18.24	18.15	18.30	19.5	0.0	
Channel									
Frequency (MHz)				648668	656000	662332	Tune-up limit (dBm)	MPR (dB)	
60	Pi2 BPSK	1	1	18.25	18.31	18.33	19.5	0.0	
Channel									
Frequency (MHz)				648334	656000	662668	Tune-up limit (dBm)	MPR (dB)	
50	Pi2 BPSK	1	1	18.01	18.13	18.15	19.5	0.0	
Channel									
Frequency (MHz)				648000	656000	664000	Tune-up limit (dBm)	MPR (dB)	
40	Pi2 BPSK	1	1	18.12	18.18	18.29	19.5	0.0	
Channel									
Frequency (MHz)				647764	656000	663332	Tune-up limit (dBm)	MPR (dB)	
30	Pi2 BPSK	1	1	18.10	18.04	18.29	19.5	0.0	
Channel									
Frequency (MHz)				647324	656000	666000	Tune-up limit (dBm)	MPR (dB)	
20	Pi2 BPSK	1	1	18.19	18.08	18.32	19.5	0.0	

n77_Ant3 HPUE_Par27Q							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	18.23	3499.98		
100	PQ2 BPSK	1	137	18.17		19.5	0.0
100	PQ2 BPSK	1	271	18.26			
100	PQ2 BPSK	135	0	18.20		19.5	0.0
100	PQ2 BPSK	135	69	18.22		19.5	0.0
100	PQ2 BPSK	135	138	18.21		19.5	0.0
100	PQ2 BPSK	270	0	18.27			
100	QPSK	1	1	18.25			
100	QPSK	1	137	18.27		19.5	0.0
100	QPSK	1	271	18.30			
100	QPSK	135	0	18.25			
100	QPSK	135	69	18.19		19.5	0.0
100	QPSK	135	138	18.17			
100	QPSK	270	0	18.17		19.5	0.0
100	16QAM	1	1	18.23		19.5	0.0
100	64QAM	1	1	18.25		19.5	0.0
100	256QAM	1	1	18.23		19.5	0.0
Channel							
Frequency (MHz)							
90	PQ2 BPSK	1	1	18.22	18.00	18.25	19.5 0.0
Channel							
Frequency (MHz)							
80	PQ2 BPSK	1	1	18.22	18.05	18.16	19.5 0.0
Channel							
Frequency (MHz)							
70	PQ2 BPSK	1	1	18.07	18.28	18.17	19.5 0.0
Channel							
Frequency (MHz)							
60	PQ2 BPSK	1	1	18.23	18.25	18.25	19.5 0.0
Channel							
Frequency (MHz)							
50	PQ2 BPSK	1	1	18.20	18.25	18.31	19.5 0.0
Channel							
Frequency (MHz)							
40	PQ2 BPSK	1	1	18.07	18.28	18.17	19.5 0.0
Channel							
Frequency (MHz)							
30	PQ2 BPSK	1	1	18.04	18.26	18.32	19.5 0.0
Channel							
Frequency (MHz)							
20	PQ2 BPSK	1	1	18.25	18.26	18.27	19.5 0.0

n78_Ant3 FCC							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	18.33	3750		
100	PQ2 BPSK	1	137	18.26		19.5	0.0
100	PQ2 BPSK	1	271	18.22			
100	PQ2 BPSK	135	0	18.16		19.5	0.0
100	PQ2 BPSK	135	69	18.20		19.5	0.0
100	PQ2 BPSK	135	138	18.17		19.5	0.0
100	PQ2 BPSK	270	0	18.27			
100	QPSK	1	1	18.15			
100	QPSK	1	137	18.25		19.5	0.0
100	QPSK	1	271	18.21			
100	QPSK	135	0	18.19			
100	QPSK	135	69	18.24		19.5	0.0
100	QPSK	135	138	18.21			
100	QPSK	270	0	18.18		19.0	0.5
100	16QAM	1	1	18.22		19.0	0.5
100	64QAM	1	1	18.24		19.5	0.0
100	256QAM	1	1	18.31		19.5	0.0
Channel							
Frequency (MHz)							
90	PQ2 BPSK	1	1	18.13	18.21	18.20	19.5 0.0
Channel							
Frequency (MHz)							
80	PQ2 BPSK	1	1	18.29	18.23	18.17	19.5 0.0
Channel							
Frequency (MHz)							
70	PQ2 BPSK	1	1	18.05	18.15	17.90	19.5 0.0
Channel							
Frequency (MHz)							
60	PQ2 BPSK	1	1	18.07	18.27	18.03	19.5 0.0
Channel							
Frequency (MHz)							
50	PQ2 BPSK	1	1	18.02	18.10	18.25	19.5 0.0
Channel							
Frequency (MHz)							
40	PQ2 BPSK	1	1	18.10	18.30	18.20	19.5 0.0
Channel							
Frequency (MHz)							
30	PQ2 BPSK	1	1	17.97	18.28	17.90	19.5 0.0
Channel							
Frequency (MHz)							
20	PQ2 BPSK	1	1	17.98	18.08	17.99	19.5 0.0

n78_Ant3 Par27Q							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	18.32	3499.98		
100	PQ2 BPSK	1	137	18.12		19.5	0.0
100	PQ2 BPSK	1	271	18.10			
100	PQ2 BPSK	135	0	18.04		19.5	0.0
100	PQ2 BPSK	135	69	18.24		19.5	0.0
100	PQ2 BPSK	135	138	18.17		19.5	0.0
100	PQ2 BPSK	270	0	18.23			
100	QPSK	1	1	18.11			
100	QPSK	1	137	18.12		19.5	0.0
100	QPSK	1	271	18.20			
100	QPSK	135	0	18.07			
100	QPSK	135	69	18.15		19.5	0.0
100	QPSK	135	138	18.13			
100	QPSK	270	0	18.14		19.5	0.0
100	16QAM	1	1	18.31		19.5	0.0
100	64QAM	1	1	18.29		19.5	0.0
100	256QAM	1	1	18.07		19.5	0.0
Channel							
Frequency (MHz)							
90	PQ2 BPSK	1	1	18.23	18.18	18.20	19.5 0.0
Channel							
Frequency (MHz)							
80	PQ2 BPSK	1	1	18.25	18.14	18.14	19.5 0.0
Channel							
Frequency (MHz)							
70	PQ2 BPSK	1	1	18.00	18.01	18.25	19.5 0.0
Channel							
Frequency (MHz)							
60	PQ2 BPSK	1	1	18.30	18.04	18.30	19.5 0.0
Channel							
Frequency (MHz)							
50	PQ2 BPSK	1	1	18.29	18.00	18.30	19.5 0.0
Channel							
Frequency (MHz)							
40	PQ2 BPSK	1	1	18.23	18.24	18.01	19.5 0.0
Channel							
Frequency (MHz)							
30	PQ2 BPSK	1	1	18.30	18.24	18.27	19.5 0.0
Channel							
Frequency (MHz)							
20	PQ2 BPSK	1	1	18.18	17.96	18.30	19.5 0.0



n2_Ant1								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (db)
Channel				376000	376000	380000	21.0	0.0
Frequency (MHz)				1860	1880	1900		
20	PI2 BPSK	1	1	20.14	20.06	20.01	21.0	0.0
20	PI2 BPSK	1	53	19.93	19.90	19.91		
20	PI2 BPSK	1	104	19.98	19.91	19.97		
20	PI2 BPSK	50	0	19.87	19.91	19.83		
20	PI2 BPSK	50	28	20.04	19.92	19.90	21.0	0.0
20	PI2 BPSK	50	56	19.98	19.89	19.85	21.0	0.0
20	PI2 BPSK	100	0	20.13	20.08	19.99		
20	QPSK	1	1	20.04	19.97	20.11		
20	QPSK	1	53	20.02	19.92	20.02		
20	QPSK	1	104	19.81	19.90	19.88	21.0	0.0
20	QPSK	50	0	19.97	19.96	19.87		
20	QPSK	50	28	19.84	19.91	20.02		
20	QPSK	50	56	19.87	19.95	19.93		
20	QPSK	100	0	20.06	20.05	20.08	21.0	0.0
20	16QAM	1	1	19.86	19.95	19.95	21.0	0.0
20	64QAM	1	1	20.13	20.00	20.02		
20	256QAM	1	1	19.15	19.28	19.20		
Channel				371500	376000	380500	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1872.5	1880	1902.5	21.0	0.0
15	PI2 BPSK	1	1	20.03	20.03	19.96		
Channel				371500	376000	381000	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1865	1880	1905	21.0	0.0
10	PI2 BPSK	1	1	20.06	20.01	20.02		
Channel				370500	376000	381500	Tune-up limit (dbm)	MPR (db)
Frequency (MHz)				1862.5	1880	1902.5	21.0	0.0
5	PI2 BPSK	1	1	20.07	19.95	19.95		

DSI 6(Extremity Simultaneous)								
n25_Ant1								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				374000	376500	379000		
Frequency (MHz)				1870	1882.5	1895		
40	PI2 BPSK	1	1	20.12	20.19	20.14	21.0	0.0
40	PI2 BPSK	1	108	20.08	20.13	20.02	21.0	0.0
40	PI2 BPSK	1	214	20.07	20.18	20.09	21.0	0.0
40	PI2 BPSK	108	0	20.05	20.14	19.93	21.0	0.0
40	PI2 BPSK	108	54	20.09	20.16	20.11	21.0	0.0
40	PI2 BPSK	108	108	20.03	20.08	19.96	21.0	0.0
40	PI2 BPSK	216	0	20.06	20.16	19.93	21.0	0.0
40	QPSK	1	1	20.12	20.01	20.13	21.0	0.0
40	QPSK	1	108	20.01	20.08	19.91	21.0	0.0
40	QPSK	1	214	20.18	20.16	20.12	21.0	0.0
40	QPSK	108	0	20.15	20.18	19.99	21.0	0.0
40	QPSK	108	54	20.16	20.17	20.18	21.0	0.0
40	QPSK	108	108	19.79	20.17	19.90	21.0	0.0
40	QPSK	216	0	19.92	20.19	19.87	21.0	0.0
40	16QAM	1	1	20.03	20.08	20.07	21.0	0.0
40	64QAM	1	1	20.12	20.09	20.05	21.0	0.0
40	256QAM	1	1	19.03	19.19	19.07	21.0	0.0
Channel				373000	376500	380000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1865	1882.5	1900	21.0	0.0
30	PI2 BPSK	1	1	20.13	19.98	20.01	21.0	0.0
Channel				372500	376500	380500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1862.5	1882.5	1902.5	21.0	0.0
25	PI2 BPSK	1	1	20.08	20.12	19.96	21.0	0.0
Channel				372000	376500	381000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1860	1882.5	1900	21.0	0.0
20	PI2 BPSK	1	1	20.04	19.96	20.14	21.0	0.0
Channel				371500	376500	381500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1857.5	1882.5	1907.5	21.0	0.0
15	PI2 BPSK	1	1	20.02	20.10	20.01	21.0	0.0
Channel				371000	376500	382000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1855	1882.5	1910	21.0	0.0
10	PI2 BPSK	1	1	20.02	20.09	19.98	21.0	0.0
Channel				370500	376500	382500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1852.5	1882.5	1912.5	21.0	0.0
5	PI2 BPSK	1	1	19.99	19.95	19.99	21.0	0.0

n66_Ant1								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000	22.0	0.0
Frequency (MHz)				1726	1745	1760		
40	PI2 BPSK	1	1	21.04	21.10	21.04		
40	PI2 BPSK	1	108	21.03	21.06	21.02		
40	PI2 BPSK	1	214	21.01	21.08	21.00	22.0	0.0
40	PI2 BPSK	108	0	21.00	21.06	21.01		
40	PI2 BPSK	108	54	21.03	21.07	21.04		
40	PI2 BPSK	108	108	20.98	21.02	20.98		
40	PI2 BPSK	216	0	21.03	21.07	21.02	22.0	0.0
40	QPSK	1	1	20.89	21.07	21.05		
40	QPSK	1	108	20.92	21.08	21.02		
40	QPSK	1	214	20.90	21.01	21.09		
40	QPSK	108	0	20.88	21.05	21.05	22.0	0.0
40	QPSK	108	54	21.05	21.07	21.04		
40	QPSK	108	108	20.90	21.05	21.06		
40	QPSK	216	0	21.04	21.06	21.07		
40	16QAM	1	1	21.09	21.05	21.05	22.0	0.0
40	64QAM	1	1	21.01	21.08	21.08		
40	256QAM	1	1	19.81	19.82	19.72		
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1725	1745	1765	22.0	0.0
30	PI2 BPSK	1	1	20.97	20.97	20.85		
Channel				344500	349000	354000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1720	1745	1770	22.0	0.0
20	PI2 BPSK	1	1	21.02	21.02	20.84		
Channel				343500	349000	354500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1717.5	1745	1772.5	22.0	0.0
15	PI2 BPSK	1	1	20.96	20.89	20.94		
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1715	1745	1775	22.0	0.0
10	PI2 BPSK	1	1	20.96	21.02	20.85		
Channel				342500	349000	355500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1712.5	1745	1777.5	22.0	0.0
5	PI2 BPSK	1	1	20.98	20.99	20.81		

n77_Ant3 FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch./ Freq.	Power Middle Ch./ Freq.	Power High Ch./ Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				3750	3840	3930			
100	Pi2 BPSK	1	1	17.76	17.79	17.62			
100	Pi2 BPSK	1	137	17.63	17.65	17.61	19.0	0.0	
100	Pi2 BPSK	1	271	17.54	17.58	17.53			
100	Pi2 BPSK	136	0	17.60	17.61	17.59	19.0	0.0	
100	Pi2 BPSK	136	69	17.71	17.73	17.61	19.0	0.0	
100	Pi2 BPSK	136	138	17.70	17.62	17.51	19.0	0.0	
100	Pi2 BPSK	270	0	17.68	17.55	17.49			
100	QPSK	1	1	17.51	17.68	17.73			
100	QPSK	1	137	17.56	17.62	17.66	19.0	0.0	
100	QPSK	1	271	17.59	17.60	17.50			
100	QPSK	136	0	17.63	17.63	17.76			
100	QPSK	136	69	17.44	17.59	17.48	19.0	0.0	
100	QPSK	136	138	17.40	17.55	17.53			
100	QPSK	270	0	17.44	17.54	17.55	19.0	0.0	
100	16QAM	1	1	17.50	17.73	17.65	19.0	0.0	
100	64QAM	1	1	17.67	17.72	17.65	19.0	0.0	
100	256QAM	1	1	17.60	17.74	17.62	19.0	0.0	
Channel									
Frequency (MHz)				3745.02	3840	3934.98	Tune-up limit (dBm)	MPR (dB)	
90	Pi2 BPSK	1	1	17.69	17.57	17.60	19.0	0.0	
Channel									
Frequency (MHz)				3740.01	3840	3939.99	Tune-up limit (dBm)	MPR (dB)	
80	Pi2 BPSK	1	1	17.67	17.57	17.51	19.0	0.0	
Channel									
Frequency (MHz)				3735	3840	3945	Tune-up limit (dBm)	MPR (dB)	
70	Pi2 BPSK	1	1	17.72	17.60	17.50	19.0	0.0	
Channel									
Frequency (MHz)				3730.02	3840	3940.98	Tune-up limit (dBm)	MPR (dB)	
60	Pi2 BPSK	1	1	17.55	17.43	17.42	19.0	0.0	
Channel									
Frequency (MHz)				3725.01	3840	3945.99	Tune-up limit (dBm)	MPR (dB)	
50	Pi2 BPSK	1	1	17.48	17.60	17.45	19.0	0.0	
Channel									
Frequency (MHz)				3720	3840	3960	Tune-up limit (dBm)	MPR (dB)	
40	Pi2 BPSK	1	1	17.58	17.65	17.59	19.0	0.0	
Channel									
Frequency (MHz)				3715.02	3840	3964.98	Tune-up limit (dBm)	MPR (dB)	
30	Pi2 BPSK	1	1	17.71	17.70	17.48	19.0	0.0	
Channel									
Frequency (MHz)				3710.01	3840	3969.99	Tune-up limit (dBm)	MPR (dB)	
20	Pi2 BPSK	1	1	17.38	17.40	17.51	19.0	0.0	

n77_Ant3 Par27Q									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)					633932	3469.98			
100	Pi2 BPSK	1	1		17.93				
100	Pi2 BPSK	1	137		17.68		19.0	0.0	
100	Pi2 BPSK	1	271		17.76				
100	Pi2 BPSK	136	0		17.71		19.0	0.0	
100	Pi2 BPSK	136	69		17.86		19.0	0.0	
100	Pi2 BPSK	136	138		17.72		19.0	0.0	
100	Pi2 BPSK	270	0		17.84				
100	QPSK	1	1		17.76				
100	QPSK	1	137		17.78		19.0	0.0	
100	QPSK	1	271		17.76				
100	QPSK	136	0		17.76				
100	QPSK	136	69		17.86		19.0	0.0	
100	QPSK	136	138		17.68				
100	QPSK	270	0		17.68		19.0	0.0	
100	16QAM	1	1		17.85		19.0	0.0	
100	64QAM	1	1		17.87		19.0	0.0	
100	256QAM	1	1		17.81		19.0	0.0	
Channel									
Frequency (MHz)				633000	633332	633668	Tune-up limit (dBm)	MPR (dB)	
90	Pi2 BPSK	1	1	17.49	17.57	17.59	19.0	0.0	
Channel									
Frequency (MHz)				632668	633332	634000	Tune-up limit (dBm)	MPR (dB)	
80	Pi2 BPSK	1	1	17.70	17.52	17.77	19.0	0.0	
Channel									
Frequency (MHz)				632332	633332	634332	Tune-up limit (dBm)	MPR (dB)	
70	Pi2 BPSK	1	1	17.79	17.62	17.68	19.0	0.0	
Channel									
Frequency (MHz)				632000	633332	634668	Tune-up limit (dBm)	MPR (dB)	
60	Pi2 BPSK	1	1	17.80	17.80	17.82	19.0	0.0	
Channel									
Frequency (MHz)				631668	633332	635000	Tune-up limit (dBm)	MPR (dB)	
50	Pi2 BPSK	1	1	17.54	17.75	17.54	19.0	0.0	
Channel									
Frequency (MHz)				631334	633332	635332	Tune-up limit (dBm)	MPR (dB)	
40	Pi2 BPSK	1	1	17.78	17.59	17.49	19.0	0.0	
Channel									
Frequency (MHz)				631000	633332	635668	Tune-up limit (dBm)	MPR (dB)	
30	Pi2 BPSK	1	1	17.62	17.67	17.67	19.0	0.0	
Channel									
Frequency (MHz)				630668	633332	636000	Tune-up limit (dBm)	MPR (dB)	
20	Pi2 BPSK	1	1	17.73	17.77	17.83	19.0	0.0	

n77_Ant3 HPUE_FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000	656000	662000			
Frequency (MHz)				3750	3840	3930			
100	Pi2 BPSK	1	1	17.76	17.79	17.62			
100	Pi2 BPSK	1	137	17.63	17.65	17.61	19.0	0.0	
100	Pi2 BPSK	1	271	17.54	17.58	17.53			
100	Pi2 BPSK	136	0	17.60	17.61	17.59	19.0	0.0	
100	Pi2 BPSK	136	69	17.71	17.73	17.61	19.0	0.0	
100	Pi2 BPSK	136	138	17.70	17.62	17.51	19.0	0.0	
100	Pi2 BPSK	270	0	17.68	17.55	17.49			
100	QPSK	1	1	17.51	17.65	17.73			
100	QPSK	1	137	17.56	17.62	17.66	19.0	0.0	
100	QPSK	1	271	17.59	17.60	17.50			
100	QPSK	136	0	17.63	17.63	17.76			
100	QPSK	136	69	17.44	17.59	17.48	19.0	0.0	
100	QPSK	136	138	17.40	17.55	17.53			
100	QPSK	270	0	17.44	17.54	17.55	19.0	0.0	
100	16QAM	1	1	17.50	17.73	17.65	19.0	0.0	
100	64QAM	1	1	17.67	17.72	17.65	19.0	0.0	
100	256QAM	1	1	17.60	17.74	17.62	19.0	0.0	
Channel				649980	656000	662332	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3745.02	3840	3934.98			
90	Pi2 BPSK	1	1	17.69	17.57	17.60	19.0	0.0	
Channel				649924	652000	655976	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3740.01	3840	3939.99			
80	Pi2 BPSK	1	1	17.67	17.57	17.51	19.0	0.0	
Channel				649900	652000	656000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3735	3840	3945			
70	Pi2 BPSK	1	1	17.72	17.60	17.50	19.0	0.0	
Channel				648968	656000	663332	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3730.02	3840	3940.98			
60	Pi2 BPSK	1	1	17.55	17.43	17.42	19.0	0.0	
Channel				648334	652000	663966	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3725.01	3840	3945.99			
50	Pi2 BPSK	1	1	17.48	17.60	17.61	19.0	0.0	
Channel				648000	656000	664000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3720	3840	3960			
40	Pi2 BPSK	1	1	17.58	17.65	17.69	19.0	0.0	
Channel				647152	647000	648332	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3715.02	3840	3964.98			
30	Pi2 BPSK	1	1	17.71	17.70	17.48	19.0	0.0	
Channel				646724	656000	666966	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3710.01	3840	3969.99			
20	Pi2 BPSK	1	1	17.38	17.40	17.51	19.0	0.0	

n77_Ant3 HPUE_Par27Q							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	
Channel							
Frequency (MHz)				633332	3499.98		
100	PQ2 BPSK	1	1	17.60	17.68		19.0 0.0
100	PQ2 BPSK	1	137	17.68			
100	PQ2 BPSK	1	271	17.76			
100	PQ2 BPSK	135	0	17.71			19.0 0.0
100	PQ2 BPSK	135	69	17.80			19.0 0.0
100	PQ2 BPSK	135	138	17.72			19.0 0.0
100	PQ2 BPSK	270	0	17.84			19.0 0.0
100	QPSK	1	1	17.76			
100	QPSK	1	137	17.78			19.0 0.0
100	QPSK	1	271	17.81			
100	QPSK	135	0	17.78			
100	QPSK	135	69	17.86			19.0 0.0
100	QPSK	135	138	17.88			
100	QPSK	270	0	17.88			19.0 0.0
100	16QAM	1	1	17.85			19.0 0.0
100	64QAM	1	1	17.87			19.0 0.0
100	256QAM	1	1	17.81			19.0 0.0
Channel							
Frequency (MHz)				633000	3499.98	633986	Time-up limit (dBm) LPR (dB)
90	PQ2 BPSK	1	1	17.48	17.57	17.59	19.0 0.0
Channel							
Frequency (MHz)				632688	3499.98	634000	Time-up limit (dBm) LPR (dB)
80	PQ2 BPSK	1	1	17.60	17.52	17.77	19.0 0.0
Channel							
Frequency (MHz)				632334	3499.98	634332	Time-up limit (dBm) MPR (dB)
70	PQ2 BPSK	1	1	17.65	17.60	17.68	19.0 0.0
Channel							
Frequency (MHz)				632000	3499.98	634688	Time-up limit (dBm) MPR (dB)
60	PQ2 BPSK	1	1	17.80	17.80	17.82	19.0 0.0
Channel							
Frequency (MHz)				631688	3499.98	635000	Time-up limit (dBm) LPR (dB)
50	PQ2 BPSK	1	1	17.54	17.75	17.54	19.0 0.0
Channel							
Frequency (MHz)				631334	3499.98	635332	Time-up limit (dBm) LPR (dB)
40	PQ2 BPSK	1	1	17.78	17.55	17.49	19.0 0.0
Channel							
Frequency (MHz)				631000	3499.98	635686	Time-up limit (dBm) MPR (dB)
30	PQ2 BPSK	1	1	17.62	17.67	17.67	19.0 0.0
Channel							
Frequency (MHz)				630688	3499.98	636000	Time-up limit (dBm) MPR (dB)
20	PQ2 BPSK	1	1	17.75	17.77	17.83	19.0 0.0

n78_Ant3 FCC								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Time-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)				3750				
100	PQ2 BPSK	1	1	17.75	17.81		19.0	0.0
100	PQ2 BPSK	1	137	17.81				
100	PQ2 BPSK	1	271	17.87				
100	PQ2 BPSK	135	0	17.81			19.0	0.0
100	PQ2 BPSK	135	69	17.88			19.0	0.0
100	PQ2 BPSK	135	138	17.82			19.0	0.0
100	PQ2 BPSK	270	0	17.84			19.0	0.0
100	QPSK	1	1	17.80				
100	QPSK	1	137	17.80			19.0	0.0
100	QPSK	1	271	17.88				
100	QPSK	135	0	17.84				
100	QPSK	135	69	17.98			19.0	0.0
100	QPSK	135	138	17.98				
100	QPSK	270	0	17.93			18.5	0.5
100	16QAM	1	1	17.82			18.5	0.5
100	64QAM	1	1	17.89			19.0	0.0
100	256QAM	1	1	17.87			19.0	0.0
Channel								
Frequency (MHz)				649688	650000	650332	Time-up limit (dBm)	MPR (dB)
90	PQ2 BPSK	1	1	17.66	17.74	17.64	19.0	0.0
Channel								
Frequency (MHz)				649334	650000	650666	Time-up limit (dBm)	MPR (dB)
80	PQ2 BPSK	1	1	17.60	17.70	17.69	19.0	0.0
Channel								
Frequency (MHz)				649000	650000	651000	Time-up limit (dBm)	MPR (dB)
70	PQ2 BPSK	1	1	17.56	17.63	17.71	19.0	0.0
Channel								
Frequency (MHz)				648688	650000	651332	Time-up limit (dBm)	MPR (dB)
60	PQ2 BPSK	1	1	17.59	17.57	17.47	19.0	0.0
Channel								
Frequency (MHz)				648334	650000	651666	Time-up limit (dBm)	MPR (dB)
50	PQ2 BPSK	1	1	17.73	17.64	17.69	19.0	0.0
Channel								
Frequency (MHz)				648000	650000	652000	Time-up limit (dBm)	MPR (dB)
40	PQ2 BPSK	1	1	17.74	17.68	17.49	19.0	0.0
Channel								
Frequency (MHz)				647688	650000	652332	Time-up limit (dBm)	MPR (dB)
30	PQ2 BPSK	1	1	17.68	17.73	17.51	19.0	0.0
Channel								
Frequency (MHz)				647334	650000	652666	Time-up limit (dBm)	MPR (dB)
20	PQ2 BPSK	1	1	17.69	17.69	17.70	19.0	0.0

n78_Ant3 Par27Q									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Turn-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				633332	3499.98				
100	PQ2 BPSK	1	1	17.67	17.63		19.0	0.0	
100	PQ2 BPSK	1	137	17.61					
100	PQ2 BPSK	1	271	17.61					
100	PQ2 BPSK	135	0	17.55			19.0	0.0	
100	PQ2 BPSK	135	69	17.60			19.0	0.0	
100	PQ2 BPSK	135	138	17.68			19.0	0.0	
100	PQ2 BPSK	270	0	17.62			19.0	0.0	
100	QPSK	1	1	17.62					
100	QPSK	1	137	17.63			19.0	0.0	
100	QPSK	1	271	17.71					
100	QPSK	135	0	17.58					
100	QPSK	135	69	17.66			19.0	0.0	
100	QPSK	135	138	17.64					
100	QPSK	270	0	17.65			19.0	0.0	
100	16QAM	1	1	17.63			19.0	0.0	
100	64QAM	1	1	17.60			19.0	0.0	
100	256QAM	1	1	17.54			19.0	0.0	
Channel				633000	633332	633986	Turn-up limit (dBm)	MPR (dB)	
90	PQ2 BPSK	1	1	17.69	3495	3499.98	3004.99	19.0	0.0
Channel				632688	633332	634000	Turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3490.02	3499.98	3510			
80	PQ2 BPSK	1	1	17.73	17.74	17.78	19.0	0.0	
Channel				632334	633332	634000	Turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3485.01	3499.98	3514.98			
70	PQ2 BPSK	1	1	17.62	17.75	17.51	19.0	0.0	
Channel				632000	633332	634666	Turn-up limit (dBm)	MPR (dB)	
60	PQ2 BPSK	1	1	17.64	17.76	17.69	19.0	0.0	
Channel				631688	633332	635000	Turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3475.02	3499.98	3525			
50	PQ2 BPSK	1	1	17.54	17.69	17.55	19.0	0.0	
Channel				631334	633332	635332	Turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3499.98	3529.98			
40	PQ2 BPSK	1	1	17.71	17.60	17.51	19.0	0.0	
Channel				631000	633332	635986	Turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3499.98	3534.99			
30	PQ2 BPSK	1	1	17.67	17.76	17.51	19.0	0.0	
Channel				630688	633332	636000	Turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.00	3499.98	3540			
20	PQ2 BPSK	1	1	17.64	17.77	17.69	19.0	0.0	



DSI2 (Head Standalone)

n2_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000	17.0	0.0	
Frequency (MHz)				1860	1880	1900			
20	PI2 BPSK	1	1	16.14	16.08	16.07	17.0	0.0	
20	PI2 BPSK	1	53	16.08	16.05	16.02			
20	PI2 BPSK	1	104	16.05	16.00	15.98			
20	PI2 BPSK	50	0	16.11	16.03	15.99	17.0	0.0	
20	PI2 BPSK	50	28	16.13	16.05	16.05	17.0	0.0	
20	PI2 BPSK	50	56	16.03	16.00	16.03	17.0	0.0	
20	PI2 BPSK	100	0	16.10	16.04	16.02			
20	QPSK	1	1	16.05	16.05	15.88			
20	QPSK	1	53	16.07	16.00	15.81	17.0	0.0	
20	QPSK	1	104	15.96	15.96	15.96			
20	QPSK	50	0	16.09	16.08	16.03		0.0	
20	QPSK	50	28	16.12	16.07	16.04	17.0	0.0	
20	QPSK	50	56	16.08	15.99	16.08	17.0	0.0	
20	QPSK	100	0	16.10	16.10	16.06	17.0	0.0	
20	16QAM	1	1	16.03	16.06	16.05	17.0	0.0	
20	64QAM	1	1	16.06	16.02	16.00	17.0	0.0	
20	256QAM	1	1	16.04	16.01	15.94	17.0	0.0	
Channel				371500	376000	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1857.5	1880	1902.5	17.0	0.0	
15	PI2 BPSK	1	1	16.07	15.98	16.03	17.0	0.0	
Channel				371000	376000	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1855	1880	1905	17.0	0.0	
10	PI2 BPSK	1	1	16.13	16.07	16.12	17.0	0.0	
Channel				370500	376000	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1852.5	1880	1907.5	17.0	0.0	
5	PI2 BPSK	1	1	15.94	15.96	15.95	17.0	0.0	

n5_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166800	167300	167800	23.0	0.0	
Frequency (MHz)				834	836.5	839			
20	PI2 BPSK	1	1	22.18	22.20	22.12	23.0	0.0	
20	PI2 BPSK	1	53	22.07	22.15	22.07			
20	PI2 BPSK	1	104	22.08	22.12	22.05			
20	PI2 BPSK	50	0	22.04	22.07	22.01	23.0	0.0	
20	PI2 BPSK	50	28	22.16	22.18	22.11	23.0	0.0	
20	PI2 BPSK	50	56	22.13	22.14	22.05	23.0	0.0	
20	PI2 BPSK	100	0	22.15	22.17	22.09			
20	QPSK	1	1	22.06	22.12	22.10			
20	QPSK	1	53	22.14	22.04	22.03	23.0	0.0	
20	QPSK	1	104	21.96	22.01	22.02			
20	QPSK	50	0	22.12	22.17	22.07		0.0	
20	QPSK	50	28	22.06	22.13	21.95	23.0	0.0	
20	QPSK	50	56	22.18	22.15	22.12	23.0	0.0	
20	QPSK	100	0	22.19	22.14	22.12	23.0	0.0	
20	16QAM	1	1	22.14	22.13	22.11	23.0	0.0	
20	64QAM	1	1	21.76	21.80	21.84	22.5	0.5	
20	256QAM	1	1	18.41	19.47	19.54	20.5	2.5	
Channel				166300	167300	168300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				831.5	836.5	841.5	23.0	0.0	
15	PI2 BPSK	1	1	22.14	22.16	22.10	23.0	0.0	
Channel				165800	167300	168800	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				829	836.5	844	23.0	0.0	
10	PI2 BPSK	1	1	22.16	22.18	22.15	23.0	0.0	
Channel				165300	167300	169300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				826.5	836.5	846.5	23.0	0.0	
5	PI2 BPSK	1	1	22.15	22.19	22.14	23.0	0.0	

n25_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				374000	376500	379000	17.0	0.0	
Frequency (MHz)				1870	1882.5	1895			
40	PI2 BPSK	1	1	16.16	16.18	16.14	17.0	0.0	
40	PI2 BPSK	1	108	16.02	16.00	16.13			
40	PI2 BPSK	1	214	16.15	16.07	16.10			
40	PI2 BPSK	108	0	16.10	16.13	16.10	17.0	0.0	
40	PI2 BPSK	108	54	16.15	16.17	16.12	17.0	0.0	
40	PI2 BPSK	108	108	16.01	16.05	16.08	17.0	0.0	
40	PI2 BPSK	216	0	16.13	16.16	16.10			
40	QPSK	1	1	16.12	16.08	16.17			
40	QPSK	1	108	16.08	16.07	16.02	17.0	0.0	
40	QPSK	1	214	16.01	16.05	16.06			
40	QPSK	108	0	16.12	16.09	16.09		0.0	
40	QPSK	108	54	16.17	16.05	15.90	17.0	0.0	
40	QPSK	108	108	16.14	16.06	15.95	17.0	0.0	
40	QPSK	216	0	16.09	16.08	16.08	17.0	0.0	
40	16QAM	1	1	16.08	16.03	16.03	17.0	0.0	
40	64QAM	1	1	15.91	16.00	15.91	17.0	0.0	
40	256QAM	1	1	15.90	15.99	15.85	17.0	0.0	
Channel				373000	376500	380000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1882.5	1900	17.0	0.0	
30	PI2 BPSK	1	1	16.13	16.16	16.06	17.0	0.0	
Channel				372500	376500	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1882.5	1902.5	17.0	0.0	
25	PI2 BPSK	1	1	16.15	15.95	16.13	17.0	0.0	
Channel				372000	376500	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1860	1882.5	1904	17.0	0.0	
20	PI2 BPSK	1	1	16.12	16.15	16.15	17.0	0.0	
Channel				371500	376500	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1857.5	1882.5	1907.5	17.0	0.0	
15	PI2 BPSK	1	1	16.14	16.16	16.09	17.0	0.0	
Channel				371000	376500	382000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1855	1882.5	1910	17.0	0.0	
10	PI2 BPSK	1	1	16.13	16.13	16.08	17.0	0.0	
Channel				370500	376500	382500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1852.5	1882.5	1912.5	17.0	0.0	
5	PI2 BPSK	1	1	16.11	15.92	16.02	17.0	0.0	

n66_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				346000	349000	352000	17.5	0.0	
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	16.60	16.65	16.56			
40	PI2 BPSK	1	108	16.55	16.58	16.53	17.5	0.0	
40	PI2 BPSK	1	214	16.52	16.57	16.49			
40	PI2 BPSK	108	0	16.53	16.52	16.53			
40	PI2 BPSK	108	54	16.58	16.63	16.55	17.5	0.0	
40	PI2 BPSK	108	108	16.44	16.57	16.48	17.5	0.0	
40	PI2 BPSK	216	0	16.56	16.61	16.52			
40	QPSK	1	1	16.43	16.52	16.45			
40	QPSK	1	108	16.51	16.55	16.53	17.5	0.0	
40	QPSK	1	214	16.45	16.52	16.55			
40	QPSK	108	0	16.51	16.49	16.53	17.5	0.0	
40	QPSK	108	54	16.50	16.46	16.44	17.5	0.0	
40	QPSK	108	108	16.40	16.53	16.57	17.5	0.0	
40	QPSK	216	0	16.47	16.65	16.48	17.5	0.0	
40	16QAM	1	1	16.51	16.54	16.55	17.5	0.0	
40	64QAM	1	1	16.58	16.52	16.52	17.5	0.0	
40	256QAM	1	1	16.06	16.16	16.00	17.5	0.0	
Channel				345000	349000	353000	17.5	0.0	
Frequency (MHz)				1725	1745	1765			
30	PI2 BPSK	1	1	16.51	16.45	16.46		0.0	
Channel				344000	348000	352000	17.5	0.0	
Frequency (MHz)				1720	1745	1770			
20	PI2 BPSK	1	1	16.37	16.45	16.52	17.5	0.0	
Channel				343000	349000	354000	17.5	0.0	
Frequency (MHz)				1711.5	1745	1777.5			
15	PI2 BPSK	1	1	16.26	16.36	16.50	17.5	0.0	
Channel				343000	349000	355000	17.5	0.0	
Frequency (MHz)				1715	1745	1775			
10	PI2 BPSK	1	1	16.25	16.46	16.48	17.5	0.0	
Channel				342000	349000	355000	17.5	0.0	
Frequency (MHz)				1712.5	1745	1777.5			
5	PI2 BPSK	1	1	16.51	16.52	16.36	17.5	0.0	

n77_Ant3 FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				3750	3840	3930			
100	Pi2 BPSK	1	1	19.77	19.83	19.73			
100	Pi2 BPSK	1	137	19.64	19.66	19.71	21.0	0.0	
100	Pi2 BPSK	1	271	19.55	19.59	19.54			
100	Pi2 BPSK	136	0	19.61	19.62	19.60	21.0	0.0	
100	Pi2 BPSK	136	69	19.75	19.76	19.72	21.0	0.0	
100	Pi2 BPSK	136	138	19.74	19.63	19.52	21.0	0.0	
100	Pi2 BPSK	270	0	19.73	19.76	19.70			
100	QPSK	1	1	19.52	19.66	19.74			
100	QPSK	1	137	19.57	19.63	19.67	21.0	0.0	
100	QPSK	1	271	19.50	19.61	19.51			
100	QPSK	136	0	19.64	19.64	19.77			
100	QPSK	136	69	19.45	19.60	19.49			
100	QPSK	136	138	19.41	19.56	19.54	21.0	0.0	
100	QPSK	270	0	19.45	19.55	19.56	21.0	0.0	
100	16QAM	1	1	19.66	19.70	19.65	21.0	0.0	
100	64QAM	1	1	19.70	19.64	19.48	21.0	0.0	
100	256QAM	1	1	19.52	19.68	19.52	21.0	0.0	
Channel									
Frequency (MHz)				3745.02	3840	3934.98	Tune-up limit (dBm)	MPR (dB)	
90	Pi2 BPSK	1	1	19.71	19.79	19.70	21.0	0.0	
Channel									
Frequency (MHz)				3463.34	3560	3699.99	Tune-up limit (dBm)	MPR (dB)	
80	Pi2 BPSK	1	1	19.68	19.59	19.59	21.0	0.0	
Channel									
Frequency (MHz)				3735	3840	3945			
70	Pi2 BPSK	1	1	19.59	19.79	19.64	21.0	0.0	
Channel									
Frequency (MHz)				3468.68	356000	363332	Tune-up limit (dBm)	MPR (dB)	
60	Pi2 BPSK	1	1	19.68	19.63	19.58	21.0	0.0	
Channel									
Frequency (MHz)				3463.34	3560	3699.99	Tune-up limit (dBm)	MPR (dB)	
50	Pi2 BPSK	1	1	19.78	19.51	19.61	21.0	0.0	
Channel									
Frequency (MHz)				3720	3840	3960			
40	Pi2 BPSK	1	1	19.50	19.48	19.57	21.0	0.0	
Channel									
Frequency (MHz)				3475.02	3560	3694.98	Tune-up limit (dBm)	MPR (dB)	
30	Pi2 BPSK	1	1	19.61	19.57	19.60	21.0	0.0	
Channel									
Frequency (MHz)				3710.01	3840	3969.99			
20	Pi2 BPSK	1	1	19.53	19.56	19.53	21.0	0.0	

n77_Ant3 Par27Q									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				3469.98					
100	Pi2 BPSK	1	1	19.76					
100	Pi2 BPSK	1	137	19.68					
100	Pi2 BPSK	1	271	19.76					
100	Pi2 BPSK	136	0	19.71					
100	Pi2 BPSK	136	69	19.76					
100	Pi2 BPSK	136	138	19.72					
100	Pi2 BPSK	270	0	19.77					
100	QPSK	1	1	19.76					
100	QPSK	1	137	19.71					
100	QPSK	1	271	19.74					
100	QPSK	136	0	19.76					
100	QPSK	136	69	19.66					
100	QPSK	136	138	19.70					
100	QPSK	270	0	19.68					
100	16QAM	1	1	19.72					
100	64QAM	1	1	19.76					
100	256QAM	1	1	19.73					
Channel									
Frequency (MHz)				633000	633332	633668	Tune-up limit (dBm)	MPR (dB)	
90	Pi2 BPSK	1	1	19.75	19.77	19.72	21.0	0.0	
Channel									
Frequency (MHz)				632668	633332	634000	Tune-up limit (dBm)	MPR (dB)	
80	Pi2 BPSK	1	1	19.76	19.72	19.67	21.0	0.0	
Channel									
Frequency (MHz)				3485.01	3469.98	3514.98	Tune-up limit (dBm)	MPR (dB)	
70	Pi2 BPSK	1	1	19.75	19.76	19.71	21.0	0.0	
Channel									
Frequency (MHz)				632000	633332	634668	Tune-up limit (dBm)	MPR (dB)	
60	Pi2 BPSK	1	1	19.75	19.68	19.68	21.0	0.0	
Channel									
Frequency (MHz)				631668	633332	635000	Tune-up limit (dBm)	MPR (dB)	
50	Pi2 BPSK	1	1	19.74	19.72	19.62	21.0	0.0	
Channel									
Frequency (MHz)				631334	633332	635332	Tune-up limit (dBm)	MPR (dB)	
40	Pi2 BPSK	1	1	19.59	19.75	19.59	21.0	0.0	
Channel									
Frequency (MHz)				3463.34	3469.98	3514.98	Tune-up limit (dBm)	MPR (dB)	
30	Pi2 BPSK	1	1	19.67	19.77	19.72	21.0	0.0	
Channel									
Frequency (MHz)				633668	633332	634000	Tune-up limit (dBm)	MPR (dB)	
20	Pi2 BPSK	1	1	19.73	19.76	19.67	21.0	0.0	

n77_Ant3 HPUE_FCC									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
				3750	3840	3930			
100	Pi2 BPSK	1	1	19.77	19.83	19.73			
100	Pi2 BPSK	1	137	19.64	19.66	19.71	21.0	0.0	
100	Pi2 BPSK	1	271	19.55	19.59	19.54			
100	Pi2 BPSK	136	0	19.61	19.62	19.60	21.0	0.0	
100	Pi2 BPSK	136	69	19.75	19.76	19.72	21.0	0.0	
100	Pi2 BPSK	136	138	19.74	19.63	19.52	21.0	0.0	
100	Pi2 BPSK	270	0	19.73	19.76	19.70			
100	QPSK	1	1	19.52	19.66	19.67			
100	QPSK	1	137	19.57	19.63	19.67	21.0	0.0	
100	QPSK	1	271	19.50	19.61	19.51			
100	QPSK	136	0	19.64	19.64	19.77			
100	QPSK	136	69	19.45	19.60	19.49			
100	QPSK	136	138	19.41	19.56	19.54	21.0	0.0	
100	QPSK	270	0	19.45	19.55	19.56	21.0	0.0	
100	16QAM	1	1	19.66	19.70	19.65	21.0	0.0	
100	64QAM	1	1	19.70	19.64	19.48	21.0	0.0	
100	256QAM	1	1	19.52	19.68	19.52	21.0	0.0	
Channel									
Frequency (MHz)									
				3745.02	3840	3934.98	Tune-up limit (dBm)	MPR (dB)	
90	Pi2 BPSK	1	1	19.71	19.79	19.70	21.0	0.0	
Channel									
Frequency (MHz)									
				3463.34	3560	3699.99	Tune-up limit (dBm)	MPR (dB)	
80	Pi2 BPSK	1	1	19.68	19.59	19.59	21.0	0.0	
Channel									
Frequency (MHz)									
				3735	3840	3945			
70	Pi2 BPSK	1	1	19.59	19.79	19.64	21.0	0.0	
Channel									
Frequency (MHz)									
				3469.68	3569.68	3633.32	Tune-up limit (dBm)	MPR (dB)	
60	Pi2 BPSK	1	1	19.68	19.68	19.68	21.0	0.0	
60	Pi2 BPSK	1	1	19.68	19.63	19.58	21.0	0.0	
Channel									
Frequency (MHz)									
				6483.34	6590.00	6636.66	Tune-up limit (dBm)	MPR (dB)	
50	Pi2 BPSK	1	1	19.72	19.72	19.72	21.0	0.0	
50	Pi2 BPSK	1	1	19.78	19.51	19.61	21.0	0.0	
Channel									
Frequency (MHz)									
				6400.00	6500.00	6640.00	Tune-up limit (dBm)	MPR (dB)	
40	Pi2 BPSK	1	1	19.60	19.48	19.57	21.0	0.0	
Channel									
Frequency (MHz)									
				6371.50	6480	6564.98	Tune-up limit (dBm)	MPR (dB)	
30	Pi2 BPSK	1	1	19.61	19.57	19.60	21.0	0.0	
Channel									
Frequency (MHz)									
				6373.34	6480	6569.99	Tune-up limit (dBm)	MPR (dB)	
20	Pi2 BPSK	1	1	19.53	19.56	19.53	21.0	0.0	

n77_Ant3 HPUE_Par27Q							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	19.73	19.76		
100	PQ2 BPSK	1	137	19.68			21.0
100	PQ2 BPSK	1	271	19.76			
100	PQ2 BPSK	135	0	19.71			21.0
100	PQ2 BPSK	135	69	19.76			21.0
100	PQ2 BPSK	135	138	19.72			21.0
100	PQ2 BPSK	270	0	19.77			
100	QPSK	1	1	19.76			
100	QPSK	1	137	19.71			21.0
100	QPSK	1	271	19.74			
100	QPSK	135	0	19.76			
100	QPSK	135	69	19.68			
100	QPSK	135	138	19.70			21.0
100	QPSK	270	0	19.68			21.0
100	16QAM	1	1	19.72			21.0
100	64QAM	1	1	19.76			21.0
100	256QAM	1	1	19.73			21.0
Channel							
Frequency (MHz)							
90	PQ2 BPSK	1	1	19.73	19.77	19.72	21.0
Channel							
Frequency (MHz)							
80	PQ2 BPSK	1	1	19.76	19.72	19.67	21.0
Channel							
Frequency (MHz)							
70	PQ2 BPSK	1	1	19.76	19.76	19.71	21.0
Channel							
Frequency (MHz)							
60	PQ2 BPSK	1	1	19.75	19.68	19.68	21.0
Channel							
Frequency (MHz)							
50	PQ2 BPSK	1	1	19.74	19.72	19.62	21.0
Channel							
Frequency (MHz)							
40	PQ2 BPSK	1	1	19.75	19.76	19.67	21.0
Channel							
Frequency (MHz)							
30	PQ2 BPSK	1	1	19.67	19.77	19.72	21.0
Channel							
Frequency (MHz)							
20	PQ2 BPSK	1	1	19.73	19.76	19.67	21.0

n78_Ant3 FCC							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	19.73			
100	PQ2 BPSK	1	137	19.76			21.0
100	PQ2 BPSK	1	271	19.72			
100	PQ2 BPSK	135	0	19.73			21.0
100	PQ2 BPSK	135	69	19.76			21.0
100	PQ2 BPSK	135	138	19.75			21.0
100	PQ2 BPSK	270	0	19.75			
100	QPSK	1	1	19.75			
100	QPSK	1	137	19.72			21.0
100	QPSK	1	271	19.71			
100	QPSK	135	0	19.69			
100	QPSK	135	69	19.73			21.0
100	QPSK	135	138	19.72			21.0
100	QPSK	270	0	19.68			21.0
100	16QAM	1	1	19.76			21.0
100	64QAM	1	1	19.75			21.0
100	256QAM	1	1	19.68			20.0
Channel							
Frequency (MHz)							
90	PQ2 BPSK	1	1	19.68	19.62	19.75	21.0
Channel							
Frequency (MHz)							
80	PQ2 BPSK	1	1	19.69	19.70	19.68	21.0
Channel							
Frequency (MHz)							
70	PQ2 BPSK	1	1	19.57	19.49	19.71	21.0
Channel							
Frequency (MHz)							
60	PQ2 BPSK	1	1	19.72	19.50	19.74	21.0
Channel							
Frequency (MHz)							
50	PQ2 BPSK	1	1	19.65	19.60	19.68	21.0
Channel							
Frequency (MHz)							
40	PQ2 BPSK	1	1	19.72	19.63	19.63	21.0
Channel							
Frequency (MHz)							
30	PQ2 BPSK	1	1	19.55	19.52	19.52	21.0
Channel							
Frequency (MHz)							
20	PQ2 BPSK	1	1	19.54	19.67	19.73	21.0

n78_Ant3 Par27Q							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel							
Frequency (MHz)							
100	PQ2 BPSK	1	1	19.73			
100	PQ2 BPSK	1	137	19.72			21.0
100	PQ2 BPSK	1	271	19.70			
100	PQ2 BPSK	135	0	19.64			21.0
100	PQ2 BPSK	135	69	19.66			21.0
100	PQ2 BPSK	135	138	19.66			21.0
100	PQ2 BPSK	270	0	19.72			
100	QPSK	1	1	19.71			
100	QPSK	1	137	19.72			21.0
100	QPSK	1	271	19.70			
100	QPSK	135	0	19.67			
100	QPSK	135	69	19.70			21.0
100	QPSK	135	138	19.73			21.0
100	QPSK	270	0	19.70			21.0
100	16QAM	1	1	19.69			21.0
100	64QAM	1	1	19.68			21.0
100	256QAM	1	1	19.55			20.0
Channel							
Frequency (MHz)							
90	PQ2 BPSK	1	1	19.59	19.60	19.68	21.0
Channel							
Frequency (MHz)							
80	PQ2 BPSK	1	1	19.67	19.60	19.72	21.0
Channel							
Frequency (MHz)							
70	PQ2 BPSK	1	1	19.70	19.47	19.74	21.0
Channel							
Frequency (MHz)							
60	PQ2 BPSK	1	1	19.59	19.48	19.63	21.0
Channel							
Frequency (MHz)							
50	PQ2 BPSK	1	1	19.73	19.70	19.73	21.0
Channel							
Frequency (MHz)							
40	PQ2 BPSK	1	1	19.69	19.68	19.65	21.0
Channel							
Frequency (MHz)							
30	PQ2 BPSK	1	1	19.72	19.68	19.65	21.0
Channel							
Frequency (MHz)							
20	PQ2 BPSK	1	1	19.74	19.66	19.71	21.0



DSI2 (Head Simultaneous)

n2_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1880	1900	16.0	0.0	
Frequency (MHz)				15.13	15.02	15.04			
20	PI2 BPSK	1	1	15.10	14.99	14.96			
20	PI2 BPSK	1	53	15.10	14.99	14.96			
20	PI2 BPSK	1	104	14.81	14.93	15.03	16.0	0.0	
20	PI2 BPSK	50	0	15.08	14.98	14.98			
20	PI2 BPSK	50	28	15.11	15.00	15.02			
20	PI2 BPSK	50	56	15.02	14.97	15.00			
20	PI2 BPSK	100	0	15.06	14.96	14.99	16.0	0.0	
20	QPSK	1	1	15.11	15.02	15.09			
20	QPSK	1	53	15.04	15.00	14.95			
20	QPSK	1	104	15.00	14.92	15.02			
20	QPSK	50	0	14.82	15.00	14.86	16.0	0.0	
20	QPSK	50	28	15.03	15.02	15.08			
20	QPSK	50	56	14.93	14.95	14.85			
20	QPSK	100	0	15.05	15.09	15.12			
20	16QAM	1	1	15.08	15.03	14.99	16.0	0.0	
20	64QAM	1	1	15.08	15.06	15.03			
20	256QAM	1	1	15.11	15.02	14.99			
Channel				371500	376000	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1867.5	1880	1902.5	16.0	0.0	
15	PI2 BPSK	1	1	15.06	15.01	14.99			
Channel				371000	375500	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1880	1905	16.0	0.0	
10	PI2 BPSK	1	1	14.98	15.06	15.07			
Channel				370500	376000	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1880	1902.5	16.0	0.0	
5	PI2 BPSK	1	1	15.04	15.10	15.09			

n5_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166800	167300	167800	22.0	0.0	
Frequency (MHz)				834	836.5	839			
20	PI2 BPSK	1	1	21.21	21.25	21.18			
20	PI2 BPSK	1	53	21.20	21.23	21.16			
20	PI2 BPSK	1	104	21.01	21.13	21.15	22.0	0.0	
20	PI2 BPSK	50	0	21.18	21.16	21.12			
20	PI2 BPSK	50	28	21.19	21.24	21.18			
20	PI2 BPSK	50	56	21.12	21.14	21.10			
20	PI2 BPSK	100	0	21.16	21.22	21.16	22.0	0.0	
20	QPSK	1	1	21.23	21.11	21.16			
20	QPSK	1	53	21.20	21.14	21.10			
20	QPSK	1	104	20.98	21.04	20.88			
20	QPSK	50	0	21.11	21.23	21.23	22.0	0.0	
20	QPSK	50	28	21.22	21.21	21.17			
20	QPSK	50	56	21.17	21.16	20.98			
20	QPSK	100	0	21.09	21.24	21.21			
20	16QAM	1	1	21.24	21.14	20.99	22.0	0.0	
20	64QAM	1	1	21.14	21.17	21.10			
20	256QAM	1	1	19.83	19.82	19.69			
Channel				166300	167300	168300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				831.5	836.5	841.5	22.0	0.0	
15	PI2 BPSK	1	1	21.21	21.18	21.17			
Channel				165800	167300	168800	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				829	836.5	844	22.0	0.0	
10	PI2 BPSK	1	1	21.20	21.21	21.13			
Channel				165300	167300	169300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				826.5	836.5	846.5	22.0	0.0	
5	PI2 BPSK	1	1	21.14	21.20	21.14			

n25_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				374000	376500	379000	16.0	0.0	
Frequency (MHz)				1870	1882.5	1895			
40	PI2 BPSK	1	1	15.10	15.15	15.10			
40	PI2 BPSK	1	108	15.03	14.94	14.80			
40	PI2 BPSK	1	214	14.91	15.01	14.90	16.0	0.0	
40	PI2 BPSK	108	0	15.05	15.01	14.99			
40	PI2 BPSK	108	54	15.08	15.13	15.09			
40	PI2 BPSK	108	108	14.82	14.96	14.80			
40	PI2 BPSK	216	0	15.06	15.11	15.07	16.0	0.0	
40	QPSK	1	1	15.03	15.01	15.05			
40	QPSK	1	108	15.13	15.01	15.04			
40	QPSK	1	214	14.84	15.00	15.06			
40	QPSK	108	0	14.83	14.96	14.83	16.0	0.0	
40	QPSK	108	54	14.86	15.03	15.04			
40	QPSK	108	108	14.82	14.98	14.92			
40	QPSK	216	0	14.87	14.96	15.01			
40	16QAM	1	1	14.89	15.01	15.01	16.0	0.0	
40	64QAM	1	1	15.10	14.97	14.93			
40	256QAM	1	1	14.96	15.02	14.97			
Channel				373000	376500	380000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1882.5	1900	16.0	0.0	
30	PI2 BPSK	1	1	15.11	15.06	15.09			
Channel				372500	376500	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1882.5	1902.5	16.0	0.0	
25	PI2 BPSK	1	1	14.99	15.11	15.08			
Channel				372000	376500	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1860	1882.5	1904	16.0	0.0	
20	PI2 BPSK	1	1	15.14	14.97	15.02			
Channel				371500	376500	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1857.5	1882.5	1907.5	16.0	0.0	
15	PI2 BPSK	1	1	15.08	15.09	14.89			
Channel				371000	376500	382000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1882.5	1910	16.0	0.0	
10	PI2 BPSK	1	1	15.05	14.98	15.10			
Channel				370500	376500	382500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1882.5	1912.5	16.0	0.0	
5	PI2 BPSK	1	1	15.10	15.08	14.86			

n66_Ant1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				346000	349000	352000	18.5	0.0	
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	15.56	15.65	15.57	18.5	0.0	
40	PI2 BPSK	1	108	15.52	15.61	15.49			
40	PI2 BPSK	1	214	15.53	15.63	15.52			
40	PI2 BPSK	108	0	15.49	15.61	15.53	18.5	0.0	
40	PI2 BPSK	108	54	15.55	15.63	15.55	18.5	0.0	
40	PI2 BPSK	108	108	15.52	15.57	15.47	18.5	0.0	
40	PI2 BPSK	216	0	15.53	15.62	15.52	18.5	0.0	
40	QPSK	1	1	15.58	15.62	15.58			
40	QPSK	1	108	15.47	15.63	15.60			
40	QPSK	1	214	15.57	15.68	15.62	18.5	0.0	
40	QPSK	108	0	15.63	15.60	15.42	18.5	0.0	
40	QPSK	108	54	15.57	15.62	15.55	18.5	0.0	
40	QPSK	108	108	15.64	15.60	15.46	18.5	0.0	
40	QPSK	216	0	15.61	15.61	15.43	18.5	0.0	
40	16QAM	1	1	15.64	15.60	15.55	18.5	0.0	
40	64QAM	1	1	15.50	15.63	15.53	18.5	0.0	
40	256QAM	1	1	15.27	15.38	15.38	18.5	0.0	
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	PI2 BPSK	1	1	15.55	15.58	15.49	18.5	0.0	
Channel				344500	349000	353500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1722.5	1745	1767.5			
25	PI2 BPSK	1	1	15.47	15.49	15.42	18.5	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1745	1770			
20	PI2 BPSK	1	1	15.55	15.64	15.63	18.5	0.0	
Channel				343500	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	PI2 BPSK	1	1	15.53	15.63	15.58	18.5	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	PI2 BPSK	1	1	15.64	15.61	15.57	18.5	0.0	

n77_Ant3 FCC											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)											
100	Pi2 BPSK	1	1	18.68	18.73	18.54	20.0	0.0			
	Pi2 BPSK	1	137	18.55	18.57	18.52					
	Pi2 BPSK	1	271	18.46	18.50	18.45					
	Pi2 BPSK	136	0	18.52	18.53	18.48					
100	Pi2 BPSK	136	69	18.65	18.70	18.50	20.0	0.0			
100	Pi2 BPSK	136	138	18.62	18.54	18.43	20.0	0.0			
100	Pi2 BPSK	270	0	18.30	18.68	18.48	20.0	0.0			
100	QPSK	1	1	18.43	18.57	18.65	20.0	0.0			
100	QPSK	1	137	18.48	18.54	18.58					
100	QPSK	1	271	18.51	18.52	18.42					
100	QPSK	136	0	18.55	18.55	18.68					
100	QPSK	136	69	18.36	18.51	18.40	20.0	0.0			
100	QPSK	136	138	18.32	18.47	18.45					
100	QPSK	270	0	18.36	18.46	18.47					
100	16QAM	1	1	18.71	18.66	18.62	20.0	0.0			
100	64QAM	1	1	18.71	18.64	18.57	20.0	0.0			
100	256QAM	1	1	18.61	18.72	18.70	20.0	0.0			
Channel											
Frequency (MHz)											
95	Pi2 BPSK	1	1	18.72	18.60	18.54	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.61	18.65	18.49	20.0	0.0			
80	Pi2 BPSK	1	1	18.48	18.72	18.60	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.50	18.65	18.68	20.0	0.0			
70	Pi2 BPSK	1	1	18.48	18.72	18.60	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.50	18.65	18.68	20.0	0.0			
60	Pi2 BPSK	1	1	18.50	18.65	18.68	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.57	18.47	18.63	20.0	0.0			
50	Pi2 BPSK	1	1	18.57	18.47	18.63	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.55	18.61	18.61	20.0	0.0			
40	Pi2 BPSK	1	1	18.55	18.61	18.61	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.55	18.60	18.64	20.0	0.0			
30	Pi2 BPSK	1	1	18.73	18.60	18.54	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.68	18.70	18.71	20.0	0.0			
20	Pi2 BPSK	1	1	18.73	18.60	18.54	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.55	18.57	18.63	20.0	0.0			

n77_Ant3 Par27Q											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)											
100	Pi2 BPSK	1	1	18.75	18.67	18.75	20.0	0.0			
100	Pi2 BPSK	1	137	18.67	18.67	18.72					
100	Pi2 BPSK	1	271	18.72	18.72	18.72					
100	Pi2 BPSK	136	0	18.52	18.53	18.48					
100	Pi2 BPSK	136	69	18.75	18.75	18.75	20.0	0.0			
100	Pi2 BPSK	136	138	18.71	18.71	18.71	20.0	0.0			
100	Pi2 BPSK	270	0	18.74	18.74	18.74	20.0	0.0			
100	QPSK	1	1	18.75	18.75	18.75	20.0	0.0			
100	QPSK	1	137	18.67	18.67	18.67					
100	QPSK	1	271	18.70	18.70	18.70					
100	QPSK	136	0	18.75	18.75	18.75					
100	QPSK	136	69	18.65	18.65	18.65	20.0	0.0			
100	QPSK	136	138	18.63	18.63	18.63					
100	QPSK	270	0	18.67	18.67	18.67					
100	16QAM	1	1	18.68	18.68	18.68	20.0	0.0			
100	64QAM	1	1	18.73	18.73	18.73	20.0	0.0			
100	256QAM	1	1	18.69	18.69	18.69	20.0	0.0			
Channel											
Frequency (MHz)											
90	Pi2 BPSK	1	1	18.66	18.51	18.54	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.58	18.62	18.69	20.0	0.0			
80	Pi2 BPSK	1	1	18.65	18.51	18.54	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.58	18.62	18.69	20.0	0.0			
70	Pi2 BPSK	1	1	18.57	18.59	18.71	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.65	18.51	18.71	20.0	0.0			
60	Pi2 BPSK	1	1	18.65	18.51	18.71	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.56	18.62	18.62	20.0	0.0			
50	Pi2 BPSK	1	1	18.56	18.62	18.62	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.64	18.49	18.54	20.0	0.0			
40	Pi2 BPSK	1	1	18.60	18.49	18.54	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.60	18.49	18.62	20.0	0.0			
30	Pi2 BPSK	1	1	18.60	18.49	18.62	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.70	18.66	18.71	20.0	0.0			

n77_Ant3 HPUE_FCC											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)											
100	Pi2 BPSK	1	1	18.68	18.73	18.54	20.0	0.0			
	Pi2 BPSK	1	137	18.55	18.57	18.52					
	Pi2 BPSK	1	271	18.46	18.50	18.45					
	Pi2 BPSK	136	0	18.52	18.53	18.48					
100	Pi2 BPSK	136	69	18.65	18.70	18.50	20.0	0.0			
100	Pi2 BPSK	136	138	18.62	18.54	18.43	20.0	0.0			
100	Pi2 BPSK	270	0	18.30	18.68	18.48	20.0	0.0			
100	QPSK	1	1	18.43	18.57	18.65	20.0	0.0			
100	QPSK	1	137	18.48	18.54	18.58					
100	QPSK	1	271	18.51	18.52	18.42					
100	QPSK	136	0	18.55	18.55	18.68					
100	QPSK	136	69	18.36	18.51	18.40	20.0	0.0			
100	QPSK	136	138	18.32	18.47	18.45					
100	QPSK	270	0	18.36	18.46	18.47					
100	16QAM	1	1	18.71	18.66	18.62	20.0	0.0			
100	64QAM	1	1	18.71	18.64	18.57	20.0	0.0			
100	256QAM	1	1	18.61	18.72	18.70	20.0	0.0			
Channel											
Frequency (MHz)											
80	Pi2 BPSK	1	1	18.72	18.60	18.54	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.61	18.65	18.49	20.0	0.0			
70	Pi2 BPSK	1	1	18.48	18.72	18.60	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.50	18.65	18.68	20.0	0.0			
60	Pi2 BPSK	1	1	18.50	18.65	18.68	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.57	18.47	18.63	20.0	0.0			
50	Pi2 BPSK	1	1	18.57	18.47	18.63	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.55	18.57	18.63	20.0	0.0			
40	Pi2 BPSK	1	1	18.50	18.61	18.61	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.60	18.70	18.71	20.0	0.0			
30	Pi2 BPSK	1	1	18.73	18.60	18.66	20.0	0.0			
	Channel										
	Frequency (MHz)										
	Pi2 BPSK	1	1	18.55	18.57	18.63	20.0	0.0			

n77_Ant3 HPUE_Par27Q								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Turn-up limit (dBm)	MPR (dB)
Channel				633332	3499.98			
Frequency (MHz)				18.73				
100	PQ2 BPSK	1	1	18.73	18.67			
100	PQ2 BPSK	1	137	18.67	18.72		20.0	0.0
100	PQ2 BPSK	1	271	18.72				
100	PQ2 BPSK	135	0	18.72			20.0	0.0
100	PQ2 BPSK	135	69	18.73			20.0	0.0
100	PQ2 BPSK	135	138	18.71			20.0	0.0
100	PQ2 BPSK	270	0	18.74			20.0	0.0
100	QPSK	1	1	18.75				
100	QPSK	1	137	18.67			20.0	0.0
100	QPSK	1	271	18.70				
100	QPSK	135	0	18.75				
100	QPSK	135	69	18.65			20.0	0.0
100	QPSK	135	138	18.63			20.0	0.0
100	QPSK	270	0	18.67			20.0	0.0
100	16QAM	1	1	18.68			20.0	0.0
100	64QAM	1	1	18.73			20.0	0.0
100	256QAM	1	1	18.69			20.0	0.0
Channel				633000	633332	633986	Turn-up limit (dBm)	MPR (dB)
Frequency (MHz)				3495	3499.98	3504.99		
90	PQ2 BPSK	1	1	18.63	18.51	18.54	20.0	0.0
Channel				632688	633332	634000	Turn-up limit (dBm)	1.998 (dB)
Frequency (MHz)				3490.02	3499.98	3510		
80	PQ2 BPSK	1	1	18.58	18.62	18.69	20.0	0.0
Channel				632334	633332	634332	Turn-up limit (dBm)	1.997 (dB)
Frequency (MHz)				3485.01	3499.98	3514.98		
70	PQ2 BPSK	1	1	18.57	18.59	18.71	20.0	0.0
Channel				632000	633332	634986	Turn-up limit (dBm)	MPR (dB)
Frequency (MHz)				3480	3499.98	3519.99		
60	PQ2 BPSK	1	1	18.65	18.51	18.71	20.0	0.0
Channel				631688	633332	635000	Turn-up limit (dBm)	MPR (dB)
Frequency (MHz)				3475.02	3499.98	3520		
50	PQ2 BPSK	1	1	18.59	18.62	18.62	20.0	0.0
Channel				631334	633332	635332	Turn-up limit (dBm)	MPR (dB)
Frequency (MHz)				3470.01	3499.98	3529.98		
40	PQ2 BPSK	1	1	18.64	18.49	18.54	20.0	0.0
Channel				631000	633332	635986	Turn-up limit (dBm)	1.998 (dB)
Frequency (MHz)				3465	3499.98	3534.99		
30	PQ2 BPSK	1	1	18.60	18.49	18.62	20.0	0.0
Channel				630688	633332	636000	Turn-up limit (dBm)	1.997 (dB)
Frequency (MHz)				3460.02	3499.98	3540		
20	PQ2 BPSK	1	1	18.70	18.66	18.71	20.0	0.0

n78_Ant3 FCC							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	
Channel				633332	3750		
Frequency (MHz)				18.70			
100	PQ2 BPSK	1	1	18.70	18.69		
100	PQ2 BPSK	1	137	18.69	18.69		20.0
100	PQ2 BPSK	1	271	18.65			0.0
100	PQ2 BPSK	135	0	18.63			20.0
100	PQ2 BPSK	135	69	18.67			20.0
100	PQ2 BPSK	135	138	18.59			20.0
100	PQ2 BPSK	270	0	18.63			20.0
100	QPSK	1	1	18.55			
100	QPSK	1	137	18.63			20.0
100	QPSK	1	271	18.59			
100	QPSK	135	0	18.65			
100	QPSK	135	69	18.66			20.0
100	QPSK	135	138	18.57			20.0
100	QPSK	270	0	18.61			20.0
100	16QAM	1	1	18.57			20.0
100	64QAM	1	1	18.61			20.0
100	256QAM	1	1	18.62			20.0
Channel				649668	650000	650332	Time-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	MPR (dB)
90	PQ2 BPSK	1	1	18.40	18.47	18.44	20.0
Channel				649334	650000	650666	Time-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	MPR (dB)
80	PQ2 BPSK	1	1	18.68	18.36	18.62	20.0
Channel				649000	650000	651000	Time-up limit (dBm)
Frequency (MHz)				3735	3750	3765	MPR (dB)
70	PQ2 BPSK	1	1	18.41	18.68	18.64	20.0
Channel				648668	650000	651332	Time-up limit (dBm)
Frequency (MHz)				3730.02	3750	3764.98	MPR (dB)
60	PQ2 BPSK	1	1	18.66	18.45	18.61	20.0
Channel				648334	650000	651666	Time-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	MPR (dB)
50	PQ2 BPSK	1	1	18.59	18.59	18.54	20.0
Channel				648000	650000	652000	Time-up limit (dBm)
Frequency (MHz)				3720	3750	3780	MPR (dB)
40	PQ2 BPSK	1	1	18.52	18.59	18.62	20.0
Channel				647668	650000	652332	Time-up limit (dBm)
Frequency (MHz)				3715.02	3750	3784.98	MPR (dB)
30	PQ2 BPSK	1	1	18.38	18.54	18.53	20.0
Channel				647334	650000	652666	Time-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	MPR (dB)
20	PQ2 BPSK	1	1	18.53	18.58	18.49	20.0

n78_Ant3 Par27Q							
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch./ Freq.	Power Middle Ch./ Freq.	Power High Ch./ Freq.	
Channel				633332	633332		
Frequency (MHz)				3499.98			
100	PQ2 BPSK	1	1	18.74			
100	PQ2 BPSK	1	137	18.69			20.0 0.0
100	PQ2 BPSK	1	271	18.67			
100	PQ2 BPSK	135	0	18.61			20.0 0.0
100	PQ2 BPSK	135	69	18.71			20.0 0.0
100	PQ2 BPSK	135	138	18.63			20.0 0.0
100	PQ2 BPSK	270	0	18.68			20.0 0.0
100	QPSK	1	1	18.68			
100	QPSK	1	137	18.69			20.0 0.0
100	QPSK	1	271	18.68			
100	QPSK	135	0	18.64			
100	QPSK	135	69	18.67			20.0 0.0
100	QPSK	135	138	18.70			20.0 0.0
100	QPSK	270	0	18.67			20.0 0.0
100	16QAM	1	1	18.68			20.0 0.0
100	64QAM	1	1	18.73			20.0 0.0
100	256QAM	1	1	18.65			19.5 0.5
Channel				633000	633332	633986	Time-up time (dBm) MPR (dB)
Frequency (MHz)				3495	3499.98	3504.99	(dBm)
90	PQ2 BPSK	1	1	18.59	18.57	18.60	20.0 0.0
Channel				632688	633332	634000	Time-up time (dBm) MPR (dB)
Frequency (MHz)				3490.02	3499.98	3510	(dBm)
80	PQ2 BPSK	1	1	18.54	18.57	18.52	20.0 0.0
Channel				632334	633332	634332	Time-up time (dBm) MPR (dB)
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)
70	PQ2 BPSK	1	1	18.58	18.40	18.43	20.0 0.0
Channel				632000	633332	634986	Time-up time (dBm) MPR (dB)
Frequency (MHz)				3480	3499.98	3519.99	(dBm)
60	PQ2 BPSK	1	1	18.45	18.60	18.44	20.0 0.0
Channel				631688	633332	635000	Time-up time (dBm) MPR (dB)
Frequency (MHz)				3475.02	3499.98	3520	(dBm)
50	PQ2 BPSK	1	1	18.52	18.58	18.45	20.0 0.0
Channel				631334	633332	635332	Time-up time (dBm) MPR (dB)
Frequency (MHz)				3470.01	3499.98	3529.98	(dBm)
40	PQ2 BPSK	1	1	18.60	18.43	18.58	20.0 0.0
Channel				631000	633332	635986	Time-up time (dBm) MPR (dB)
Frequency (MHz)				3465	3499.98	3534.99	(dBm)
30	PQ2 BPSK	1	1	18.48	18.61	18.45	20.0 0.0
Channel				630688	633332	636000	Time-up time (dBm) MPR (dB)
Frequency (MHz)				3460.02	3499.98	3540	(dBm)
20	PQ2 BPSK	1	1	18.56	18.62	18.59	20.0 0.0

Conducted Power for WLAN/BT

BT BR/EDR

Mode	Channel	Frequency (MHz)	Average power (dBm)									Tune-up Limit
			Packet Type									
			DH1	DH3	DH5	2DH1	2DH3	2DH5	3DH1	3DH3	3DH5	
Bluetooth	CH 0	2402	11.20	11.20	11.30	9.3	9.30	9.40	9.30	9.30	9.40	12.50
	CH 39	2441	11.30	11.30	11.40	9.3	9.30	9.40	9.40	9.40	9.50	12.50
	CH 78	2480	8.20	8.20	8.30	6.2	6.20	6.40	6.20	6.20	6.40	9.50

BT LE

Mode	Channel	Frequency (MHz)	Average power (dBm)
			GFSK
LE	CH 00	2402	6.90
	CH 19	2440	7.10
	CH 39	2480	3.90
Tune-up Limit			8

BT LE 5.0

Mode	Channel	Frequency (MHz)	Average power (dBm)	
			1Mbps	2Mbps
LE	CH 00	2402	6.90	7.00
	CH 19	2440	7.10	7.20
	CH 39	2480	3.90	4.00
Tune-up Limit			8.00	8.00

2.4GHz WLAN ANT 2+4																			
2.4GHz WLAN ANT 2+4			• Default Power Table, Standalone WLAN • Free-Space / Tabletop Power Table, Standalone WLAN		• AI-Head Power Table, Standalone WLAN		• AI-Head Power Table, Simultaneous WLAN+WWAN		• Body-Worn Power Table, Standalone WLAN		• Body-Worn Power Table, Simultaneous WLAN+WWAN		• MHS (Mobile Hotspot) Power Table, Simultaneous WLAN+WWAN		• Handheld Reduced power table, Standalone WLAN		• Handheld Reduced power table, Simultaneous WLAN+WWAN • Default Power Table, Simultaneous WLAN+WWAN		Duty Cycle %
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
802.11b 1Mbps	1	2412	21.66	22.50	21.66	22.50	16.41	17.50	20.51	21.50	14.86	16.00	14.86	16.00	21.66	22.50	21.66	22.50	100.00
	6	2437	21.56	22.50	21.56	22.50	16.31	17.50	20.46	21.50	14.76	16.00	14.76	16.00	21.56	22.50	21.56	22.50	
	11	2462	21.33	22.50	21.33	22.50	16.13	17.50	20.37	21.50	14.58	16.00	14.58	16.00	21.33	22.50	21.33	22.50	
802.11g 6Mbps	1	2412	20.71	22.00	20.71	22.00	16.06	17.50	20.21	21.50	14.61	16.00	14.61	16.00	20.71	22.00	20.71	22.00	100.00
	6	2437	20.71	22.00	20.71	22.00	16.26	17.50	20.21	21.50	14.76	16.00	14.76	16.00	20.71	22.00	20.71	22.00	
	11	2462	20.02	22.00	20.02	22.00	15.98	17.50	20.50	21.50	14.42	16.00	14.42	16.00	20.02	22.00	20.02	22.00	
802.11n-HT20 MCS0	1	2412	19.91	21.00	19.91	21.00	Not Required	17.50	Not Required	21.00	Not Required	16.00	Not Required	16.00	19.91	21.00	19.91	21.00	100.00
	6	2437	19.86	21.00	19.86	21.00		17.50		21.00		16.00		16.00	19.86	21.00	19.86	21.00	
	11	2462	19.12	21.00	19.12	21.00		17.50		21.00		16.00		16.00	19.12	21.00	19.12	21.00	
802.11ac-VHT20 MCS0	1	2412	19.81	21.00	19.81	21.00	Not Required	17.50	Not Required	21.00	Not Required	16.00	Not Required	16.00	19.81	21.00	19.81	21.00	100.00
	6	2437	19.76	21.00	19.76	21.00		17.50		21.00		16.00		16.00	19.76	21.00	19.76	21.00	
	11	2462	19.02	21.00	19.02	21.00		17.50		21.00		16.00		16.00	19.02	21.00	19.02	21.00	
802.11ax-HE20 MCS0	1	2412	20.01	21.00	20.01	21.00	Not Required	17.50	Not Required	21.00	Not Required	16.00	Not Required	16.00	20.01	21.00	20.01	21.00	100.00
	6	2437	20.06	21.00	20.06	21.00		17.50		21.00		16.00		16.00	20.06	21.00	20.06	21.00	
	11	2462	20.01	21.00	20.01	21.00		17.50		21.00		16.00		16.00	20.01	21.00	20.01	21.00	

5.2GHz WLAN ANT 4+12																			
5.2GHz WLAN ANT 4+12			• Default Power Table, Standalone WLAN • Free-Space / Tabletop Power Table, Standalone WLAN		• AI-Head Power Table, Standalone WLAN		• AI-Head Power Table, Simultaneous WLAN+WWAN		• Body-Worn Power Table, Standalone WLAN		• Body-Worn Power Table, Simultaneous WLAN+WWAN		• MHS (Mobile Hotspot) Power Table, Simultaneous WLAN+WWAN		• Handheld Reduced power table, Standalone WLAN		• Handheld Reduced power table, Simultaneous WLAN+WWAN • Default Power Table, Simultaneous WLAN+WWAN		Duty Cycle %
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
802.11a 6Mbps	36	5180	20.02	21.50	20.02	21.50		17.00		20.00		14.50		14.00	20.02	21.50		19.00	99.32
	40	5200	20.07	21.50	20.07	21.50		17.00		20.00		14.50		14.00	20.07	21.50		19.00	
	44	5220	20.11	21.50	20.11	21.50		17.00		20.00		14.50		14.00	20.11	21.50		19.00	
	48	5240	19.94	21.50	19.94	21.50		17.00		20.00		14.50		14.00	19.94	21.50		19.00	
802.11n-HT20 MCS0	36	5180	19.67	21.00	19.67	21.00		17.00		20.00		14.50		14.00	19.67	21.00		19.00	100.00
	40	5200	19.69	21.00	19.69	21.00		17.00		20.00		14.50		14.00	19.69	21.00		19.00	
	44	5220	19.75	21.00	19.75	21.00		17.00		20.00		14.50		14.00	19.75	21.00		19.00	
	48	5240	19.62	21.00	19.62	21.00		17.00		20.00		14.50		14.00	19.62	21.00		19.00	
802.11n-HT40 MCS0	38	5190	19.42	21.00	19.42	21.00	Not Required	17.00	Not Required	20.00	Not Required	14.50	Not Required	14.00	19.42	21.00	Not Required	19.00	100.00
	46	5230	19.48	21.00	19.48	21.00		17.00		20.00		14.50		14.00	19.48	21.00		19.00	
802.11ac-VHT20 MCS0	36	5180	19.60	21.00	19.60	21.00		17.00		20.00		14.50		14.00	19.60	21.00		19.00	100.00
	40	5200	19.65	21.00	19.65	21.00		17.00		20.00		14.50		14.00	19.65	21.00		19.00	
	44	5220	19.68	21.00	19.68	21.00		17.00		20.00		14.50		14.00	19.68	21.00		19.00	
	48	5240	19.55	21.00	19.55	21.00		17.00		20.00		14.50		14.00	19.55	21.00		19.00	
802.11ac-VHT40 MCS0	38	5190	19.35	21.00	19.35	21.00		17.00		20.00		14.50		14.00	19.35	21.00		19.00	100.00
	46	5230	19.41	21.00	19.41	21.00		17.00		20.00		14.50		14.00	19.41	21.00		19.00	
802.11ac-VHT80 MCS0	42	5210	18.54	20.00	18.54	20.00	15.36	17.00	18.54	20.00	13.06	14.50	12.66	14.00	18.54	20.00	17.61	19.00	100.00
802.11ax-HE20 MCS0	36	5180	19.88	21.00	19.88	21.00		17.00		20.00		14.50		14.00	19.88	21.00		19.00	100.00
	40	5200	19.91	21.00	19.91	21.00		17.00		20.00		14.50		14.00	19.91	21.00		19.00	
	44	5220	19.95	21.00	19.95	21.00		17.00		20.00		14.50		14.00	19.95	21.00		19.00	
	48	5240	19.82	21.00	19.82	21.00	Not Required	17.00	Not Required	20.00	Not Required	14.50	Not Required	14.00	19.82	21.00	Not Required	19.00	
802.11ax-HE40 MCS0	38	5190	19.13	21.00	19.13	21.00		17.00		20.00		14.50		14.00	19.13	21.00		19.00	100.00
	46	5230	19.18	21.00	19.18	21.00		17.00		20.00		14.50		14.00	19.18	21.00		19.00	
802.11ax-HE80 MCS0	42	5210	18.51	20.00	18.51	20.00		17.00		20.00		14.50		14.00	18.51	20.00		19.00	100.00

5.3GHz WLAN ANT 4+12																	
5.3GHz WLAN ANT 4+12			• Default Power Table, Standalone WLAN • Free-Space / Tabletop Power Table, Standalone WLAN		• AI-Head Power Table, Standalone WLAN		• AI-Head Power Table, Simultaneous WLAN+WWAN		• Body-Worn Power Table, Standalone WLAN		• Body-Worn Power Table, Simultaneous WLAN+WWAN		• Handheld Reduced power table, Standalone WLAN		• Handheld Reduced power table, Simultaneous WLAN+WWAN • Default Power Table, Simultaneous WLAN+WWAN		Duty Cycle %
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
802.11a 6Mbps	52	5280	20.07	21.50	20.07	21.50		17.00		20.00		14.50	20.07	21.50		20.00	99.32
	56	5280	20.07	21.50	20.07	21.50		17.00		20.00		14.50	20.07	21.50		20.00	
	60	5300	20.08	21.50	20.08	21.50		17.00		20.00		14.50	20.08	21.50		20.00	
	64	5320	20.17	21.50	20.17	21.50		17.00		20.00		14.50	20.17	21.50		20.00	
802.11n-HT20 MCS0	52	5280	19.73	21.00	19.73	21.00		17.00		20.00		14.50	19.73	21.00		20.00	100.00
	56	5280	19.62	21.00	19.62	21.00		17.00		20.00		14.50	19.62	21.00		20.00	
	60	5300	19.72	21.00	19.72	21.00		17.00		20.00		14.50	19.72	21.00		20.00	
	64	5320	19.80	21.00	19.80	21.00		17.00		20.00		14.50	19.80	21.00		20.00	
802.11n-HT40 MCS0	54	5270	19.51	21.00	19.51	21.00	Not Required	17.00		20.00		14.50	19.51	21.00	Not Required	20.00	100.00
	62	5310	19.62	21.00	19.62	21.00		17.00		20.00		14.50	19.62	21.00		20.00	
802.11ac-VHT20 MCS0	52	5280	19.66	21.00	19.66	21.00		17.00		20.00		14.50	19.66	21.00		20.00	100.00
	56	5280	19.58	21.00	19.58	21.00		17.00		20.00		14.50	19.58	21.00		20.00	
	60	5300	19.65	21.00	19.65	21.00		17.00		20.00		14.50	19.65	21.00		20.00	
	64	5320	19.73	21.00	19.73	21.00		17.00		20.00		14.50	19.73	21.00		20.00	
802.11ac-VHT40 MCS0	54	5270	19.44	21.00	19.44	21.00		17.00		20.00		14.50	19.44	21.00		20.00	100.00
	62	5310	19.55	21.00	19.55	21.00		17.00		20.00		14.50	19.55	21.00		20.00	
802.11ac-VHT80 MCS0	58	5290	18.48	20.00	18.48	20.00		17.00	18.48	20.00		14.50	18.48	20.00	18.48	20.00	100.00
802.11ac-VHT160 MCS0	50	5250	17.41	19.00	17.41	19.00	15.45	17.00		19.00	13.09	14.50	17.41	19.00		19.00	100.00
802.11ax-HE20 MCS0	52	5280	19.90	21.00	19.90	21.00		17.00		20.00		14.50	19.90	21.00		20.00	100.00
	56	5280	20.10	21.00	20.10	21.00		17.00		20.00		14.50	20.10	21.00		20.00	
	60	5300	19.92	21.00	19.92	21.00		17.00		20.00		14.50	19.92	21.00		20.00	
	64	5320	20.03	21.00	20.03	21.00		17.00	Not Required	20.00	Not Required	14.50	20.03	21.00	Not Required	20.00	
802.11ax-HE40 MCS0	54	5270	19.17	21.00	19.17	21.00	Not Required	17.00		20.00	Not Required	14.50	19.17	21.00	Not Required	20.00	100.00
	62	5310	19.28	21.00	19.28	21.00		17.00		20.00		14.50	19.28	21.00		20.00	
802.11ax-HE80 MCS0	58	5290	18.42	20.00	18.42	20.00		17.00		20.00		14.50	18.42	20.00		20.00	100.00
802.11ax-HE160 MCS0	50	5250	17.48	19.00	17.48	19.00		17.00		19.00		14.50	17.48	19.00		19.00	100.00

5.5GHz WLAN ANT 4+12																	
5.5GHz WLAN ANT 4+12			• Default Power Table, Standalone WLAN • Free-Space / Tabletop Power Table, Standalone WLAN		• AI-Head Power Table, Standalone WLAN		• AI-Head Power Table, Simultaneous WLAN+WWAN		• Body-Worn Power Table, Standalone WLAN		• Body-Worn Power Table, Simultaneous WLAN+WWAN		• Handheld Reduced power table, Standalone WLAN		• Handheld Reduced power table, Simultaneous WLAN+WWAN • Default Power Table, Simultaneous WLAN+WWAN		Duty Cycle %
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
802.11a 6Mbps	100	5500	20.38	21.50	20.38	21.50	20.38	21.50	20.38	21.50	Not Required	17.50	20.38	21.50	Not Required	20.00	99.32
	116	5580	19.93	21.50	19.93	21.50	19.93	21.50	19.93	21.50		17.50	19.93	21.50		20.00	
	132	5660	20.05	21.50	20.05	21.50	20.05	21.50	20.05	21.50		17.50	20.05	21.50		20.00	
	140	5700	20.26	21.50	20.26	21.50	20.26	21.50	20.26	21.50		17.50	20.26	21.50		20.00	
802.11n-HT20 MCS0	100	5500	20.00	21.00	20.00	21.00	20.00	21.00	20.00	21.00		17.50	20.00	21.00		20.00	100.00
	116	5580	19.57	21.00	19.57	21.00	19.57	21.00	19.57	21.00		17.50	19.57	21.00		20.00	
	132	5660	19.71	21.00	19.71	21.00	19.71	21.00	19.71	21.00		17.50	19.71	21.00		20.00	
	140	5700	19.88	21.00	19.88	21.00	19.88	21.00	19.88	21.00		17.50	19.88	21.00		20.00	
802.11n-HT40 MCS0	102	5510	19.73	21.00	19.73	21.00	19.73	21.00	19.73	21.00		17.50	19.73	21.00		20.00	100.00
	110	5550	19.76	21.00	19.76	21.00	19.76	21.00	19.76	21.00		17.50	19.76	21.00		20.00	
	134	5670	19.28	21.00	19.28	21.00	19.28	21.00	19.28	21.00		17.50	19.28	21.00		20.00	
	100	5500	19.93	21.00	19.93	21.00	19.93	21.00	19.93	21.00		17.50	19.93	21.00		20.00	
802.11ac-VHT20 MCS0	116	5580	19.50	21.00	19.50	21.00	19.50	21.00	19.50	21.00		17.50	19.50	21.00		20.00	100.00
	132	5660	19.64	21.00	19.64	21.00	19.64	21.00	19.64	21.00		17.50	19.64	21.00		20.00	
	140	5700	19.81	21.00	19.81	21.00	19.81	21.00	19.81	21.00		17.50	19.81	21.00		20.00	
	102	5510	19.66	21.00	19.66	21.00	19.66	21.00	19.66	21.00		17.50	19.66	21.00		20.00	
802.11ac-VHT40 MCS0	110	5550	19.69	21.00	19.69	21.00	19.69	21.00	19.69	21.00	17.50	19.69	21.00	20.00	100.00		
	134	5670	19.21	21.00	19.21	21.00	19.21	21.00	19.21	21.00	17.50	19.21	21.00	20.00			
	802.11ac-VHT80 MCS0	106	5530	18.63	20.00	18.63	20.00	18.63	20.00	18.63	20.00	16.18	17.50	18.63	20.00	18.63	20.00
802.11ax-HE20 MCS0	100	5500	20.20	21.00	20.20	21.00	20.20	21.00	20.20	21.00	Not Required	17.50	20.20	21.00	Not Required	20.00	100.00
	116	5580	19.74	21.00	19.74	21.00	19.74	21.00	19.74	21.00		17.50	19.74	21.00		20.00	
	132	5660	20.02	21.00	20.02	21.00	20.02	21.00	20.02	21.00		17.50	20.02	21.00		20.00	
	140	5700	20.08	21.00	20.08	21.00	20.08	21.00	20.08	21.00		17.50	20.08	21.00		20.00	
802.11ax-HE40 MCS0	102	5510	19.40	21.00	19.40	21.00	19.40	21.00	19.40	21.00	Not Required	17.50	19.40	21.00	Not Required	20.00	100.00
	110	5550	19.46	21.00	19.46	21.00	19.46	21.00	19.46	21.00		17.50	19.46	21.00		20.00	
	134	5670	18.94	20.50	18.94	20.50	18.94	20.50	18.94	20.50		17.50	18.94	20.50		20.00	
802.11ax-HE80 MCS0	106	5530	18.58	20.00	18.58	20.00	18.58	20.00	18.58	20.00	17.50	18.58	20.00	20.00	20.00	100.00	



5.8GHz WLAN ANT 4+12			• Default Power Table, Standalone WLAN • Free-Space / Tabletop Power Table, Standalone WLAN		• AI-Head Power Table, Standalone WLAN		• AI-Head Power Table, Simultaneous WLAN+WWAN		• Body-Worn Power Table, Standalone WLAN		• Body-Worn Power Table, Simultaneous WLAN+WWAN		• MHS (Mobile Hotspot) Power Table, Simultaneous WLAN+WWAN		• Handheld Reduced power table, Standalone WLAN		• Handheld Reduced power table, Simultaneous WLAN+WWAN • Default Power Table, Simultaneous WLAN+WWAN		Duty Cycle %
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
802.11a 6Mbps	149	5745	19.99	21.50	19.99	21.50	19.99	21.50	19.99	21.50	Not Required	15.00	Not Required	15.00	19.99	21.50	Not Required	18.00	99.32
	157	5785	20.03	21.50	20.03	21.50	20.03	21.50	20.03	21.50		15.00		15.00	20.03	21.50		18.00	
	165	5825	19.98	21.50	19.98	21.50	19.98	21.50	19.98	21.50		15.00		15.00	19.98	21.50		18.00	
802.11n-HT20 MCS0	149	5745	19.52	21.00	19.52	21.00	19.52	21.00	19.52	21.00		15.00		15.00	19.52	21.00	Not Required	18.00	100.00
	157	5785	19.57	21.00	19.57	21.00	19.57	21.00	19.57	21.00		15.00		15.00	19.57	21.00		18.00	
	165	5825	19.61	21.00	19.61	21.00	19.61	21.00	19.61	21.00		15.00		15.00	19.61	21.00		18.00	
802.11n-HT40 MCS0	151	5755	19.41	21.00	19.41	21.00	19.41	21.00	19.41	21.00		15.00		15.00	19.41	21.00		18.00	100.00
	159	5795	19.37	21.00	19.37	21.00	19.37	21.00	19.37	21.00		15.00		15.00	19.37	21.00		18.00	
	149	5745	19.43	21.00	19.43	21.00	19.43	21.00	19.43	21.00		15.00		15.00	19.43	21.00		18.00	
802.11ac-VHT20 MCS0	157	5785	19.48	21.00	19.48	21.00	19.48	21.00	19.48	21.00		15.00		15.00	19.48	21.00	Not Required	18.00	100.00
	165	5825	19.52	21.00	19.52	21.00	19.52	21.00	19.52	21.00		15.00		15.00	19.52	21.00		18.00	
	151	5755	19.32	21.00	19.32	21.00	19.32	21.00	19.32	21.00		15.00		15.00	19.32	21.00		18.00	
802.11ac-VHT40 MCS0	159	5795	19.28	21.00	19.28	21.00	19.28	21.00	19.28	21.00		15.00		15.00	19.28	21.00		18.00	100.00
	155	5775	18.22	20.00	18.22	20.00	18.22	20.00	18.22	20.00	13.46	15.00	13.46	15.00	18.22	20.00	16.36	18.00	
	149	5745	19.87	21.00	19.87	21.00	19.87	21.00	19.87	21.00	15.00	15.00	19.87	21.00	18.00				
802.11ax-HE20 MCS0	157	5785	19.90	21.00	19.90	21.00	19.90	21.00	19.90	21.00	Not Required	15.00	Not Required	15.00	19.90	21.00	Not Required	18.00	100.00
	165	5825	19.91	21.00	19.91	21.00	19.91	21.00	19.91	21.00		15.00		15.00	19.91	21.00		18.00	
	151	5755	19.18	21.00	19.18	21.00	19.18	21.00	19.18	21.00		15.00		15.00	19.18	21.00		18.00	
802.11ax-HE40 MCS0	159	5795	19.16	21.00	19.16	21.00	19.16	21.00	19.16	21.00		15.00		15.00	19.16	21.00		18.00	100.00
	155	5775	18.07	20.00	18.07	20.00	18.07	20.00	18.07	20.00		15.00		15.00	18.07	20.00		18.00	
	149	5745	19.87	21.00	19.87	21.00	19.87	21.00	19.87	21.00		15.00		15.00	19.87	21.00		18.00	



Appendix F. Supplemental Tuner Head & Body SAR Results

The results are shown as follows.

	RF exposure position										Average Value of This Sweep (W/kg)					
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	0	34	68	102	136	
W09N_Ant 2 Head	LTE Band 71	20M-QPSK	CSI-2F(a)	13322	693	1	0	Right Cheek	Down	0.100	0.012	0.011	0	0.002	0	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	1	35	69	103	137	
	LTE Band 12	10M-QPSK	CSI-2F(a)	23885	707.5	1	25	Right Cheek	Down	0.189	0.068	0	0.002	0	0.103	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	2	36	70	104	138	
	LTE Band 13	10M-QPSK	CSI-2F(a)	23230	752	1	25	Right Cheek	Down	0.232	0.056	0	0.009	0.046	0	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	3	37	71	105	139	
	LTE Band 14	10M-QPSK	CSI-2F(a)	23330	753	1	25	Right Cheek	Down	0.231	0.068	0.051	0.139	0.13	0	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	4	38	72	106	140	
	LTE Band 26	10M-QPSK	CSI-2F(a)	26765	807.5	1	74	Right Cheek	Down	0.167	0.089	0.085	0.076	0	0	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	5	39	73	107	141	
	LTE Band 66	20M-QPSK	CSI-2F(a)	133072	1739	1	0	Right Cheek	Down	0.068	0.028	0.048	0.058	0	0.03	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	6	40	74	108	142	
	LTE Band 25	20M-QPSK	CSI-2F(a)	20260	690	1	0	Right Cheek	Down	0.094	0.048	0.035	0	0.003	0	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	7	41	75	109	143	
	LTE Band 30	10M-QPSK	CSI-2F(a)	27710	2310	1	0	Right Cheek	Down	0.078	0	0.047	0	0.064	0	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	8	42	76	110	0	
	LTE Band 7	20M-QPSK	CSI-2F(a)	27160	2320	1	69	Left Cheek	Down	0.092	0	0	0	0.020	0.021	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	9	43	77	111	1	
	LTE Band 41	20M-QPSK	CSI-2F(a)	46020	2593	1	99	Left Cheek	Down	0.041	0	0.015	0	0.013	0.021	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	10	44	78	112	2	
	LTE Band 410P(L)	20M-QPSK	CSI-2F(a)	46020	2593	1	99	Left Cheek	Down	0.027	0	0.005	0	0.021	0.041	
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	11	45	79	113	3	
N71	20M-BPSK-QF-TS	CSI-2F(a)	158100	690.5	50	28	Right Cheek	Down	0.080	0.024	0	0.042	0	0.026		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	12	46	80	114	4		
N6	20M-BPSK-QF-TS	CSI-2F(a)	67230	326.5	50	28	Right Cheek	Down	0.143	0.071	0.001	0	0	0.102		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	13	47	81	115	5		
N66	40M-BPSK-QF-TS	CSI-2F(a)	348000	1739	108	54	Right Cheek	Down	0.073	0.033	0.022	0	0.005	0		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	14	48	82	116	6		
N25	40M-BPSK-QF-TS	CSI-2F(a)	374830	1823.5	108	54	Right Cheek	Down	0.067	0.038	0.016	0	0.068	0		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	15	49	83	117	7		
N41_Ant0	100M-BPSK-QF-TS	CSI-2F(a)	518038	2592.99	1	1	Left Cheek	Down	0.080	0.061	0.063	0.047	0.027	0.027		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	16	50	84	118	8		
N410P(L)	100M-BPSK-QF-TS	CSI-2F(a)	518038	2592.99	1	1	Left Cheek	Down	0.154	0.126	0.13	0.086	0.112	0.118		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	17	51	85	119	9		
LTE Band 71	20M-QPSK	CSI-4F(a)	13322	693	1	0	Back	Down	0.471	0.046	0	0.101	0	0.228		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	18	52	86	120	10		
LTE Band 12	10M-QPSK	CSI-4F(a)	23885	707.5	1	25	Back	Down	0.625	0.045	0.067	0.12	0.07	0.172		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	19	53	87	121	11		
LTE Band 13	10M-QPSK	CSI-4F(a)	23230	752	1	25	Back	Down	0.928	0	0.022	0.084	0.047	0.179		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	20	54	88	122	12		
LTE Band 14	10M-QPSK	CSI-4F(a)	23330	753	1	25	Back	Down	0.73	0.048	0.075	0.084	0.163	0.248		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	21	55	89	123	13		
LTE Band 26	10M-QPSK	CSI-4F(a)	26765	807.5	1	74	Back	Down	0.965	0.068	0.078	0.07	0.085	0.42		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	22	56	90	124	14		
LTE Band 66	20M-QPSK	CSI-3(Synchronous)	133072	1739	50	24	Bottom Side	Down	0.633	0.287	0.241	0.362	0.464	0.204		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	23	57	91	125	15		
LTE Band 25	20M-QPSK	CSI-3(Synchronous)	20260	690	25	24	Back	Down	0.96	0.048	0.058	0.053	0.362	0.079		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	24	58	92	126	16		
LTE Band 30	10M-QPSK	CSI-3(Synchronous)	27710	2316	1	0	Back	Down	0.688	0.485	0.056	0.016	0.017	0.476		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	25	59	93	127	17		
LTE Band 7	20M-QPSK	CSI-3(Synchronous)	27160	2290	25	24	Back	Down	0.953	0.791	0.745	0.646	0.671	0.814		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	26	60	94	128	18		
LTE Band 41	20M-QPSK	CSI-4F(a)	46185	2543.5	1	99	Back	Down	0.867	0.858	0.814	0.727	0.715	0.868		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	27	61	95	129	19		
LTE Band 410P(L)	20M-QPSK	CSI-3(Synchronous)	46020	2593.5	1	99	Bottom Side	Down	0.948	0.89	0.829	0.846	0.888	0.912		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	28	62	96	130	20		
N71	20M-BPSK-QF-TS	CSI-4F(a)	158100	690.5	50	28	Back	Down	0.284	0.078	0.101	0.212	0.12	0.167		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	29	63	97	131	21		
N6	20M-BPSK-QF-TS	CSI-4F(a)	67230	326.5	1	1	Back	Down	0.983	0.185	0.315	0.34	0.253	0.053		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	30	64	98	132	22		
N66	40M-BPSK-QF-TS	CSI-3(Synchronous)	348000	1745	108	54	Bottom Side	Down	0.957	0.328	0.423	0.527	0.504	0.286		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	31	65	99	133	23		
N25	40M-BPSK-QF-TS	CSI-3(Synchronous)	374830	1820	108	54	Back	Down	0.963	0.631	0.748	0.85	0.769	0.588		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	32	66	100	134	24		
N41	100M-BPSK-QF-TS	CSI-3(Synchronous)	518000	2540	1	1	Bottom Side	Down	0.97	0.814	0.916	0.791	0.909	0.802		
Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Size	RS Offset	Test Position	Spacing	Measured to SAE (W/kg)	33	67	101	135	25		
N410P(L)	100M-BPSK-QF-TS	CSI-3(Synchronous)	518038	2540	1	1	Bottom Side	Down	0.97	0.868	0.968	0.833	0.861	0.86		

RF exposure position											Average Value of Time Sweep (dBm)									
WMM_Ant 1 Head	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	0	22	44	66	88	110	132			
	LTE Band 71	25M-QPSK	DS-SS(4Fsk)	103022	803	1	0	Left Cheek	0mm	0.763	0	0.363	0.12	0.485	0.379	0.386	0.234			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	1	23	45	67	89	111	133			
	LTE Band 12	15M-QPSK	DS-SS(4Fsk)	23095	707.5	1	25	Left Cheek	0mm	0.908	0.131	0.137	0.105	0.439	0.151	0.894	0.27			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	2	24	46	68	90	112	134			
	LTE Band 13	15M-QPSK	DS-SS(Standalone)	23030	702	25	12	Left Cheek	0mm	0.785	0.207	0.108	0.345	0.683	0.056	0.457	0.589			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	3	25	47	69	91	113	135			
	LTE Band 14	15M-QPSK	DS-SS(Standalone)	23030	703	25	12	Left Cheek	0mm	0.817	0.207	0.117	0.478	0.813	0.061	0.459	0.538			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	4	26	48	70	92	114	136			
	LTE Band 26	15M-QPSK	DS-SS(Standalone)	20705	821.5	36	39	Left Cheek	0mm	1.01	0.78	0.2	0.833	0.482	0.086	0.312	0.156			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	5	27	49	71	93	115	137			
	LTE Band 66	25M-QPSK	DS-SS(Standalone)	102072	1730	1	0	Left Throat	0mm	0.958	0.24	0.235	0.308	0.189	0.168	0.289	0.207			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	6	28	50	72	94	116	138			
	LTE Band 25	25M-QPSK	DS-SS(Standalone)	20090	1995	39	24	Left Throat	0mm	1.04	0.31	0.494	0.213	0.031	0.269	0.021	0.538			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	7	29	51	73	95	117	139			
	N71	25M-6PSS-QP-T15	DS-SS(4Fsk)	108100	883.5	1	1	Left Cheek	0mm	0.738	0.715	0	0.113	0	0	0.119	0.082			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	8	30	52	74	96	118	140			
	N6	25M-6PSS-QP-T15	DS-SS(Standalone)	167360	836.5	1	1	Left Cheek	0mm	1.02	0.335	0.462	0.244	0.10	0.459	0.463	0.689			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	9	31	53	75	97	119	141			
	N65	45M-6PSS-QP-T15	DS-SS(Standalone)	346030	1730	1	1	Left Throat	0mm	1.01	0.271	0.402	0.175	0.044	0.462	0.304	0.415			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	10	32	54	76	98	120	142			
	N25	45M-6PSS-QP-T15	DS-SS(Standalone)	378850	1995	102	24	Left Throat	0mm	0.980	0.410	0.24	0.277	0.24	0.462	0.76	0.001			
WMM_Ant 1 Body	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	11	33	55	77	99	121	143			
	LTE Band 71	25M-QPSK	DS-SS(4Fsk)	103022	803	1	0	Back	0mm	0.961	0.15	0.046	0.335	0	0	0.045	0.061			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	12	34	56	78	100	122	144			
	LTE Band 12	15M-QPSK	DS-SS(4Fsk)	23095	707.5	1	25	Back	0mm	0.836	0.165	0.057	0.266	0	0	0.062	0			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	13	35	57	79	101	123	145			
	LTE Band 13	15M-QPSK	DS-SS(4Fsk)	23030	702	1	25	Top Side	0mm	0.746	0.2	0.13	0.323	0.181	0.175	0.46	0.105			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	14	36	58	80	102	124	146			
	LTE Band 14	15M-QPSK	DS-SS(Standalone)	23030	703	1	25	Top Side	0mm	0.761	0.263	0.168	0.458	0.262	0.464	0.763	0.237			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	15	37	59	81	103	125	147			
	LTE Band 26	15M-QPSK	DS-SS(4Fsk)	20665	841.5	1	74	Back	0mm	0.889	0.446	0.346	0.388	0.125	0.372	0.586	0.473			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	16	38	60	82	104	126	148			
	LTE Band 66	25M-QPSK	DS-SS(Standalone)	102072	1730	50	24	Back	0mm	0.93	0.028	0.067	0.737	0.488	0.016	0.768	0.711			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	17	39	61	83	105	127	149			
	LTE Band 25	25M-QPSK	DS-SS(Standalone)	20090	1995	1	0	Back	0mm	0.835	0.459	0.639	0.618	0.685	0.086	0.264	0.278			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	18	40	62	84	106	128	150			
	N71	25M-6PSS-QP-T15	DS-SS(4Fsk)	108100	883.5	50	26	Back	0mm	0.384	0.108	0.108	0	0.108	0.086	0.263	0.276			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	19	41	63	85	107	129	151			
	N6	25M-6PSS-QP-T15	DS-SS(4Fsk)	167360	836.5	1	1	Back	0mm	0.822	0.024	0.713	0.216	0.262	0.067	0.772	0.174			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	20	42	64	86	108	130	152			
	N65	45M-6PSS-QP-T15	DS-SS(Standalone)	346030	1730	104	54	Back	0mm	0.882	0.268	0.271	0.212	0.181	0.155	0.289	0.214			
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	RS Slew	RS Offset	Test Position	Spacing	Measured To SAR (dBm)	21	43	65	87	109	131	153			
	N25	45M-6PSS-QP-T15	DS-SS(Standalone)	378850	1995	104	54	Back	0mm	0.988	0.862	0.774	0.753	0.685	0.261	0.271	0.481			

RF exposure position										Average Value of This Sweep (V/m)																													
WIRMAN, Age 55 Head	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
	WCDMA V	RRC 12.28Ghz	DSS (F4)	4233	846.0	NA	NA	Right Cheek	Stem	0.175	0.108	0	0.104	0.11	0	0.091	0.142	0.17	0.158	0	0.089	0.133	0.115	0.12	0.090	0	0.080	0	0	0.044	0.088	0.058	0.086	0					
	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
	WCDMA V	RRC 12.28Ghz	DSS (F4)	1312	1712.0	NA	NA	Right Cheek	Stem	0.105	0.077	0	0	0.038	0	0.069	0	0	0.023	0.032	0	0	0	0	0.064	0	0	0.075	0.036	0.013	0	0	0	0	0				
	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28		
	WCDMA V	RRC 12.28Ghz	DSS (F4)	9538	1957.0	NA	NA	Right Cheek	Stem	0.112	0.085	0	0.095	0	0	0.032	0.044	0	0	0.058	0	0	0.023	0	0	0	0	0	0.054	0.071	0.046	0	0	0.033	0				
WIRMAN, Age 55 Body	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
	WCDMA V	RRC 12.28Ghz	DSS (F4)	4182	838.0	NA	NA	Back	Stem	0.01	0.008	0.008	0.005	0.11	0.30	0.808	0.780	0.84	0.45	0.307	0.538	0.488	0.564	0.483	0.053	0.235	0	0.525	0.983	0.36	0.173	0.358	0.559	0.208					
	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28				
	WCDMA V	RRC 12.28Ghz	DSS (Simulation)	1413	1732.0	NA	NA	Back	Stem	0.074	0.105	0.203	0.204	0.189	0.21	0.215	0.221	0.25	0.252	0.239	0.249	0.189	0.251	0.276	0.2	0.281	0.727	0.87	0.372	0.322	0.286	0.207	0.196	0.26					
	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
	WCDMA V	RRC 12.28Ghz	DSS (Simulation)	9538	1957.0	NA	NA	Bottom Side	Stem	0.005	0.007	0.076	0.747	0.633	0.757	0.778	0.837	0.987	0.581	0.821	0.86	0.854	0.866	0.789	0.81	0.788	0.918	0.787	0.918	0.824	0.741	0.788	0.808	0.783					

RF exposure position										Average Value of This Sweep (V/m)																											
										0	6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138				
WOMAN, Age 1 Head	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	0.876	0.228	0.585	0.362	0.379	0.375	0.662	0.228	0.363	0.168	0	0.284	0.737	0	0.075	0.264	0.896	0.585	0.311	0.084	0.222	0.2	0.114	0	0.162		
	WCDMA V	RNAC 12.2825s	DS1.2(Standalone)	4182	836.4	NA	NA	Left Cheek	Stem	0.876	0.228	0.585	0.362	0.379	0.375	0.662	0.228	0.363	0.168	0	0.284	0.737	0	0.075	0.264	0.896	0.585	0.311	0.084	0.222	0.2	0.114	0	0.162			
	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	1	7	13	19	25	31	37	43	49	55	61	67	73	79	85	91	97	103	109	115	121	127	133	139			
	WCDMA V	RNAC 12.2825s	DS1.2(Standalone)	1312	1712.4	NA	NA	Left Throat	Stem	1.04	0.28	0.212	0.45	0.528	0.554	0.448	0.621	0.707	0.627	0.372	0.637	0.760	0.363	0.6	0.88	0.81	0.222	0.589	0.206	0.116	0.075	0.281	0.271	0.471			
	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	2	8	14	20	26	32	38	44	50	56	62	68	74	80	86	92	98	104	110	116	122	128	134	140			
WOMAN, Age 1 Body	WCDMA V	RNAC 12.2825s	DS1.2(Standalone)	8082	1682.4	NA	NA	Left Throat	Stem	0.584	0.122	0.325	0.389	0.448	0.317	0.511	0.552	0.578	0.178	0.4	0.515	0.573	0.458	0.209	0.323	0.544	0.427	0.501	0.382	0.529	0.144	0.288	0.453	0.502			
	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	3	9	15	21	27	33	39	45	51	57	63	69	75	81	87	93	99	105	111	117	123	129	135	141			
	WCDMA V	RNAC 12.2825s	DS1.4F4s	4232	846.6	NA	NA	Back	Stem	0.021	0	0.142	0.204	0.204	0	0.138	0.207	0.28	0	0.085	0.456	0	0	0.154	0.365	0	0	0	0.208	0	0	0.208	0.07	0.174			
	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	4	16	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96	100			
	WCDMA V	RNAC 12.2825s	DS1.2(Standalone)	1312	1712.4	NA	NA	Back	Stem	1.03	0.188	0.325	0.445	0.506	0.261	0.455	0.616	0.687	0.163	0.237	0.688	0.143	0.461	0.623	0.713	0.172	0.47	0.096	0.606	0.601	0.176	0.639	0.371	0.487			
WOMAN, Age 1 Body	Band	Male	Power Reduction	Channel	Frequency (MHz)	RF Size	RF Offset	Test Position	Spacing	Measured to SAR (V/m)	5	11	17	23	29	35	41	47	53	59	65	71	77	83	89	95	101	107	113	119	125	131	137	143			
	WCDMA V	RNAC 12.2825s	DS1.2(Standalone)	8082	1682.4	NA	NA	Back	Stem	0.812	0.285	0.377	0.436	0.476	0.511	0.555	0.576	0.611	0.312	0.463	0.544	0.421	0.478	0.462	0.468	0.408	0.48	0.186	0.308	0.58	0.237	0.453	0.516	0.523			