

Appendix Test Data


Report No.:	1812C40154612501	Test Sample No.:	1-2-2
Start Test Date:	2024.11.26	Finish Test Date:	2024.12.25
Test Engineer:	<i>Foker Wang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	22°C	Relative Humidity:	50%
Pressure:	101kPa		

Appendix A: Duty Cycle


Condition	Antenna	Rate	Frequency (MHz)	Dutycycle(%)	Duty_factor
NVNT	ANT1	1-DH5	2402.00	77.54	1.10
NVNT	ANT1	1-DH5	2441.00	77.54	1.10
NVNT	ANT1	1-DH5	2480.00	77.13	1.13
NVNT	ANT1	2-DH5	2402.00	77.66	1.10
NVNT	ANT1	2-DH5	2441.00	78.07	1.07
NVNT	ANT1	2-DH5	2480.00	77.66	1.10
NVNT	ANT1	3-DH5	2402.00	78.07	1.07
NVNT	ANT1	3-DH5	2441.00	77.66	1.10
NVNT	ANT1	3-DH5	2480.00	77.13	1.13

Duty_Cycle_NVNT_ANT1_1-DH5_2402






Duty_Cycle_NVNT_ANT1_1-DH5_2441




Duty_Cycle_NVNT_ANT1_1-DH5_2480






Duty_Cycle_NVNT_ANT1_2-DH5_2402




Duty_Cycle_NVNT_ANT1_2-DH5_2441






Duty_Cycle_NVNT_ANT1_2-DH5_2480




Duty_Cycle_NVNT_ANT1_3-DH5_2402






Duty_Cycle_NVNT_ANT1_3-DH5_2441



Duty_Cycle_NVNT_ANT1_3-DH5_2480





Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com






Hotline
400-003-0500
www.anbotech.com




Appendix B: -20dB Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	-20dB BW(MHz)	if larger than CFS
NVNT	ANT1	1-DH5	2402.00	1.008	Yes
NVNT	ANT1	1-DH5	2441.00	1.027	Yes
NVNT	ANT1	1-DH5	2480.00	1.011	Yes
NVNT	ANT1	2-DH5	2402.00	1.291	Yes
NVNT	ANT1	2-DH5	2441.00	1.317	Yes
NVNT	ANT1	2-DH5	2480.00	1.322	Yes
NVNT	ANT1	3-DH5	2402.00	1.309	Yes
NVNT	ANT1	3-DH5	2441.00	1.307	Yes
NVNT	ANT1	3-DH5	2480.00	1.306	Yes







-20dB_Bandwidth_NVNT_ANT1_1-DH5_2480_00




-20dB_Bandwidth_NVNT_ANT1_2-DH5_2402_00






-20dB_Bandwidth_NVNT_ANT1_2-DH5_2480_00






-20dB_Bandwidth_NVNT_ANT1_3-DH5_2402_00




-20dB_Bandwidth_NVNT_ANT1_3-DH5_2441_00






-20dB_Bandwidth_NVNT_ANT1_3-DH5_2480_00





Appendix C: 99% Occupied Bandwidth


Condition	Antenna	Modulation	Frequency (MHz)	99%BW(MHz)
NVNT	ANT1	1-DH5	2402.00	0.882
NVNT	ANT1	1-DH5	2441.00	0.890
NVNT	ANT1	1-DH5	2480.00	0.902
NVNT	ANT1	2-DH5	2402.00	1.186
NVNT	ANT1	2-DH5	2441.00	1.193
NVNT	ANT1	2-DH5	2480.00	1.200
NVNT	ANT1	3-DH5	2402.00	1.190
NVNT	ANT1	3-DH5	2441.00	1.200
NVNT	ANT1	3-DH5	2480.00	1.203




99%_Occupied_Bandwidth_NVNT_ANT1_1-DH5_2441_00









99%_Occupied_Bandwidth_NVNT_ANT1_2-DH5_2441_00




99%_Occupied_Bandwidth_NVNT_ANT1_2-DH5_2480_00






99%_Occupied_Bandwidth_NVNT_ANT1_3-DH5_2441_00





99%_Occupied_Bandwidth_NVNT_ANT1_3-DH5_2480_00



Appendix D: Peak Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Max. Conducted Power(dBm)	Max. Conducted Power(mW)	Limit(mW)	Result
NVNT	ANT1	1-DH5	2402.00	2.21	1.66	125	Pass
NVNT	ANT1	1-DH5	2441.00	1.73	1.49	125	Pass
NVNT	ANT1	1-DH5	2480.00	1.70	1.48	125	Pass
NVNT	ANT1	2-DH5	2402.00	2.91	1.95	125	Pass
NVNT	ANT1	2-DH5	2441.00	2.34	1.71	125	Pass
NVNT	ANT1	2-DH5	2480.00	2.51	1.78	125	Pass
NVNT	ANT1	3-DH5	2402.00	2.73	1.87	125	Pass
NVNT	ANT1	3-DH5	2441.00	2.46	1.76	125	Pass
NVNT	ANT1	3-DH5	2480.00	2.68	1.85	125	Pass

Peak_Output_Power_NVNT_ANT1_1-DH5_2402_00




Peak_Output_Power_NVNT_ANT1_1-DH5_2441_00






Peak_Output_Power_NVNT_ANT1_1-DH5_2480_00




Peak_Output_Power_NVNT_ANT1_2-DH5_2402_00





Peak_Output_Power_NVNT_ANT1_2-DH5_2441_00




Peak_Output_Power_NVNT_ANT1_2-DH5_2480_00






Peak_Output_Power_NVNT_ANT1_3-DH5_2402_00




Peak_Output_Power_NVNT_ANT1_3-DH5_2441_00





Peak_Output_Power_NVNT_ANT1_3-DH5_2480_00



Appendix E: Spurious Emissions


Condition	Antenna	Modulation	TX Mode	Spurious MAX.Value(dBm)	Limit	Result
NVNT	ANT1	1-DH5	2402.00	-47.461	-18.668	Pass
NVNT	ANT1	1-DH5	2441.00	-47.863	-19.218	Pass
NVNT	ANT1	1-DH5	2480.00	-46.542	-19.741	Pass
NVNT	ANT1	2-DH5	2402.00	-47.439	-18.621	Pass
NVNT	ANT1	2-DH5	2441.00	-48.062	-19.275	Pass
NVNT	ANT1	2-DH5	2480.00	-46.289	-19.766	Pass
NVNT	ANT1	3-DH5	2402.00	-47.418	-18.787	Pass
NVNT	ANT1	3-DH5	2441.00	-46.963	-19.232	Pass
NVNT	ANT1	3-DH5	2480.00	-46.956	-19.823	Pass

1_Reference_Level_NVNT_ANT1_1-DH5_2402_00




2_Spurious_Emissions_NVNT_ANT1_1-DH5_2402_00





1_Reference_Level_NVNT_ANT1_1-DH5_2441_00




2_Spurious_Emissions_NVNT_ANT1_1-DH5_2441_00





1_Reference_Level_NVNT_ANT1_1-DH5_2480_00




2_Spurious_Emissions_NVNT_ANT1_1-DH5_2480_00






1_Reference_Level_NVNT_ANT1_2-DH5_2402_00




2_Spurious_Emissions_NVNT_ANT1_2-DH5_2402_00






1_Reference_Level_NVNT_ANT1_2-DH5_2441_00




2_Spurious_Emissions_NVNT_ANT1_2-DH5_2441_00






1_Reference_Level_NVNT_ANT1_2-DH5_2480_00




2_Spurious_Emissions_NVNT_ANT1_2-DH5_2480_00





1_Reference_Level_NVNT_ANT1_3-DH5_2402_00




2_Spurious_Emissions_NVNT_ANT1_3-DH5_2402_00





1_Reference_Level_NVNT_ANT1_3-DH5_2441_00




2_Spurious_Emissions_NVNT_ANT1_3-DH5_2441_00





1_Reference_Level_NVNT_ANT1_3-DH5_2480_00



2_Spurious_Emissions_NVNT_ANT1_3-DH5_2480_00

