

T80

Professional HIFI Silent Disco Transmitter With Multiple Channels

-----Manual-----



Please read the manual carefully before using!

Description

- 1) T80 Transmitter is a BRAND NEW HIFI silent disco transmitter, professional design with LED display which can indicate the multiple channels, 5dBi Omni antenna, and embedded 3.7V/1000mAh lithium battery, enabling 5 hours continuous battery operation time.
- 2) The frequency of transmitter is 902-928Mhz, with 10 channels preset.
- 3) Both 3.5mm MIC input jack and RCA audio input jacks are available.

Transmitter Outline & Appearance



Function Description



Specifications

- I Voltage: 9VDC/3.7V lithium
- I Electronic Current: 200mA (TYP)
- I Antenna gain: 5dBi
- I Modulation: FM
- I Frequency response: 30hz-15KHz
- I Modulation Frequency offset: 50KHZ/600m Vrms
- I Power-on Sensitivity: 60m Vp-p (TYP)
- I Automatic level control sensitivity: typical 700m Vp-p
- I Automatically power off when no signal is received for 10 minutes (TYP)
- I Embedded lithium battery capacity: 1000mAh
- I Charge current: 350mA
- I Charge time: Less than 4H
- I lithium battery work time: 5H (TYP)
- I Effective work distance in open space: 50 Meters

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.