


U-NII-3 IEEE 802.11ac VHT20 5785MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth



U-NII-3 IEEE 802.11ac VHT20 5825MHz_Ant 0

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11ac VHT20 5825MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth



U-NII-1 IEEE 802.11a 5180MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-1 IEEE 802.11a 5200MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-1 IEEE 802.11a 5240MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-1 IEEE 802.11n HT20 5180MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-1 IEEE 802.11n HT20 5200MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-1 IEEE 802.11n HT20 5240MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-1 IEEE 802.11ac VHT20 5180MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-1 IEEE 802.11ac VHT20 5200MHz_Ant 2

26dB Bandwidth



99% Occupied Bandwidth




U-NII-1 IEEE 802.11ac VHT20 5240MHz_Ant 2

26dB Bandwidth



99% Occupied Bandwidth



U-NII-2A IEEE 802.11a 5260MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2A IEEE 802.11a 5300MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2A IEEE 802.11a 5320MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2A IEEE 802.11n HT20 5260MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2A IEEE 802.11n HT20 5300MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2A IEEE 802.11n HT20 5320MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2A IEEE 802.11ac VHT20 5260MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2A IEEE 802.11ac VHT20 5300MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2A IEEE 802.11ac VHT20 5320MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11a 5500MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11a 5580MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11a 5700MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT20 5500MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11n HT20 5580MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT20 5700MHz_Ant 2

26dB Bandwidth



99% Occupied Bandwidth



U-NII-2C IEEE 802.11ac VHT20 5500MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11ac VHT20 5580MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11ac VHT20 5700MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11a 5745MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11a 5785MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth










U-NII-3 IEEE 802.11a 5825MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11n HT20 5745MHz_Ant 2**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT20 5785MHz_Ant 2****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT20 5825MHz_Ant 2****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11ac VHT20 5745MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth



U-NII-3 IEEE 802.11ac VHT20 5785MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11ac VHT20 5825MHz_Ant 2

6dB Bandwidth



99% Occupied Bandwidth



4. MAXIMUM CONDUCTED OUTPUT POWER


4.1. Limit

Band	EUT Type	Limit
U-NII-1	Outdoor Access Point	1W(30dBm) (Max. e.i.r.p $\leq 125\text{mW}$ at any elevation angle above 30 degrees as measured from the horizon)
	Indoor Access Point	1W(30dBm)
	Fixed point-to-point Access Point	1W(30dBm)
	Mobile and Portable Client Device	250mW(23.98dBm)
U-NII-2A	All Device	250mW(23.98dBm) or $11\text{dBm} + 10 \log B$, Which is lesser. (B is 26dB Bandwidth in MHz)
U-NII-2C	All Device	250mW(23.98dBm) or $11\text{dBm} + 10 \log B$, Which is lesser. (B is 26dB Bandwidth in MHz)
U-NII-3	All Device	1W(30dBm)

Note:

For the Band U-NII-2A and U-NII-2C, the maximum conducted output power limit calculate result refer to section 3.5.

4.2. Test Setup



4.3. Test Procedure

- Connect EUT antenna terminal to the OSP-B157WB with RF cable.
- Set the EUT transmit continuously with maximum output power.
- Through the test software in TS8897 to control a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Because the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.
- Repeat above procedures until all modes and channels were measured.
- Record the results in the test report.

4.4. Test Result

Temperature	22.5℃	Relative Humidity			53%	Test Voltage	AC 120V/60Hz	
BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)		Total Conducted Output Power (W)	Total Conducted Output Power (dBm)	Limit (dBm)	Result
			Ant 0	Ant 1				
U-NII-1	IEEE 802.11a	5180	13.18	13.12			22.32	PASS
		5200	13.60	13.50			22.32	PASS
		5240	13.29	13.77			22.32	PASS
	IEEE 802.11n HT20	5180	12.08	12.08	0.03228	15.09	22.32	PASS
		5200	12.48	12.46	0.03529	15.48	22.32	PASS
		5240	12.17	12.77	0.03543	15.49	22.32	PASS
	IEEE 802.11ac VHT20	5180	12.15	12.23	0.03311	15.20	22.32	PASS
		5200	12.47	12.58	0.03580	15.54	22.32	PASS
		5240	12.18	12.74	0.03531	15.48	22.32	PASS
U-NII-2A	IEEE 802.11a	5260	12.33	12.68	0.01852	12.68	22.32	PASS
		5300	12.17	15.11	0.03246	15.11	22.32	PASS
		5320	11.38	14.69	0.02946	14.69	22.32	PASS
	IEEE 802.11n HT20	5260	11.32	10.70	0.02530	14.03	22.32	PASS
		5300	11.02	13.36	0.03435	15.36	22.32	PASS
		5320	10.11	13.06	0.03048	14.84	22.32	PASS
	IEEE 802.11ac VHT20	5260	11.31	10.81	0.02557	14.08	22.32	PASS
		5300	11.06	12.43	0.03026	14.81	22.32	PASS
		5320	10.31	12.14	0.02710	14.33	22.32	PASS

BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)		Total Conducted Output Power (W)	Total Conducted Output Power (dBm)	Limit (dBm)	Result
			Ant 0	Ant 1				
U-NII-2C	IEEE 802.11a	5500	11.33	11.95			22.32	PASS
		5580	11.64	13.09			22.32	PASS
		5700	11.34	13.05			22.32	PASS
	IEEE 802.11n HT20	5500	11.35	10.16	0.02401	13.80	22.32	PASS
		5580	11.45	11.34	0.02760	14.41	22.32	PASS
		5700	11.27	11.61	0.02785	14.45	22.32	PASS
	IEEE 802.11ac VHT20	5500	10.20	10.11	0.02071	13.16	22.32	PASS
		5580	10.58	11.27	0.02481	13.95	22.32	PASS
		5700	10.35	11.57	0.02520	14.01	22.32	PASS
U-NII-3	IEEE 802.11a	5745	13.48	12.96	0.02226	13.48	28.34	PASS
		5785	12.59	13.01	0.01998	13.01	28.34	PASS
		5825	12.37	13.26	0.02120	13.26	28.34	PASS
	IEEE 802.11n HT20	5745	13.22	12.79	0.04002	16.02	28.34	PASS
		5785	12.44	12.88	0.03695	15.68	28.34	PASS
		5825	12.05	13.18	0.03680	15.66	28.34	PASS
	IEEE 802.11ac VHT20	5745	13.36	12.84	0.04087	16.11	28.34	PASS
		5785	12.45	12.89	0.03705	15.69	28.34	PASS
		5825	12.09	13.05	0.03637	15.61	28.34	PASS

BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)	Conducted AVG Output Power (W)	Limit (dBm)	Limit (W)	Result
			Ant 2				
U-NII-1	IEEE 802.11a	5180	14.88	0.0307	23.98	0.2500	PASS
		5200	14.78	0.0301	23.98	0.2500	PASS
		5240	13.75	0.0237	23.98	0.2500	PASS
	IEEE 802.11n HT20	5180	14.86	0.0306	23.98	0.2500	PASS
		5200	14.59	0.0288	23.98	0.2500	PASS
		5240	13.56	0.0227	23.98	0.2500	PASS
	IEEE 802.11ac VHT20	5180	14.93	0.0311	23.98	0.2500	PASS
		5200	14.53	0.0284	23.98	0.2500	PASS
		5240	13.57	0.0227	23.98	0.2500	PASS
U-NII-2A	IEEE 802.11a	5260	13.72	0.0235	23.98	0.2500	PASS
		5300	14.27	0.0267	23.97	0.2492	PASS
		5320	13.23	0.0210	23.98	0.2500	PASS
	IEEE 802.11n HT20	5260	13.54	0.0226	23.98	0.2500	PASS
		5300	13.16	0.0207	23.98	0.2500	PASS
		5320	13.46	0.0222	23.98	0.2500	PASS
	IEEE 802.11ac VHT20	5260	13.43	0.0220	23.98	0.2500	PASS
		5300	13.64	0.0231	23.98	0.2500	PASS
		5320	13.00	0.0200	23.98	0.2500	PASS


BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)	Conducted AVG Output Power (W)	Limit (dBm)	Limit (W)	Result
			Ant 2				
U-NII-2C	IEEE 802.11a	5500	13.75	0.0237	23.95	0.2485	PASS
		5580	12.41	0.0174	23.98	0.2500	PASS
		5700	13.62	0.0230	23.98	0.2500	PASS
	IEEE 802.11n HT20	5500	13.31	0.0214	23.98	0.2500	PASS
		5580	12.12	0.0163	23.98	0.2500	PASS
		5700	12.19	0.0166	23.98	0.2500	PASS
	IEEE 802.11ac VHT20	5500	13.52	0.0225	23.98	0.2500	PASS
		5580	12.09	0.0162	23.98	0.2500	PASS
		5700	12.16	0.0164	23.98	0.2500	PASS
U-NII-3	IEEE 802.11a	5745	12.43	0.0175	30.00	1.0000	PASS
		5785	11.91	0.0155	30.00	1.0000	PASS
		5825	11.83	0.0152	30.00	1.0000	PASS
	IEEE 802.11n HT20	5745	13.49	0.0223	30.00	1.0000	PASS
		5785	12.18	0.0165	30.00	1.0000	PASS
		5825	11.69	0.0148	30.00	1.0000	PASS
	IEEE 802.11ac VHT20	5745	13.48	0.0223	30.00	1.0000	PASS
		5785	12.14	0.0164	30.00	1.0000	PASS
		5825	11.61	0.0145	30.00	1.0000	PASS

5. POWER SPECTRAL DENSITY

5.1. Limit

Band	EUT Type	Limit
U-NII-1	Outdoor Access Point	17dBm/MHz
	Indoor Access Point	17dBm/MHz
	Fixed point-to-point Access Point	17dBm/MHz
	Mobile and Portable Client Device	11dBm/MHz
U-NII-2A	All Device	11dBm/MHz
U-NII-2C	All Device	11dBm/MHz
U-NII-3	All Device	30dBm/500KHz

5.2. Test Setup



5.3. Spectrum Analyzer Setting

Spectrum Parameters	Setting
RBW	1MHz(For U-NII-1&U-NII-2A&U-NII-2C) 500KHz(For U-NII-3)
VBW	3MHz(For U-NII-1&U-NII-2A&U-NII-2C) 2MHz(For U-NII-3)
Span	encompass the entire 26 dB EBW or 99% OBW of the signal
Sweep Time	Auto
Number of Sweep Point	$\geq 2 \times \text{SPAN/RBW}$
Detector	RMS(power averaging)
Trace Average	≥ 100 traces

5.4. Test Procedure

- Connect EUT antenna terminal to the spectrum analyzer with RF cable.
- Spectrum analyzer setting parameters in accordance with section 5.3.
- Set the EUT transmit continuously with maximum output power.
- Allow trace to stabilize, use the marker-to-peak function to set the marker to the average of the emission.
- If the duty cycle of test signal $< 98\%$, the result = max measured value + $10 \times \log(1/\text{duty cycle})$;
If the duty cycle of test signal $\geq 98\%$, the result = max measured value.
- Repeat above procedures until all modes and channels were measured.
- Record the results in the test report.

5.5. Test Result

Temperature		22.5℃	Relative Humidity		53%	Test Voltage	AC 120V/60Hz	
BAND	Test Mode	Fre (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Total Power Density (dBm/MHz)	Limit (dBm/MHz)	Result
			Ant 0	Ant 1				
U-NII-1	IEEE 802.11a	5180	6.93	7.50	0.00		9.34	PASS
		5200	6.87	7.80	0.00		9.34	PASS
		5240	8.51	8.66	0.00		9.34	PASS
	IEEE 802.11n HT20	5180	4.28	5.11	0.00	7.73	9.34	PASS
		5200	4.63	5.39	0.00	8.04	9.34	PASS
		5240	6.25	6.14	0.00	9.21	9.34	PASS
	IEEE 802.11ac VHT20	5180	4.73	4.64	0.00	7.70	9.34	PASS
		5200	4.78	4.87	0.00	7.84	9.34	PASS
		5240	5.91	5.93	0.00	8.93	9.34	PASS
U-NII-2A	IEEE 802.11a	5260	7.41	5.10	0.00	7.41	9.34	PASS
		5300	8.64	8.34	0.00	8.64	9.34	PASS
		5320	8.48	8.69	0.00	8.69	9.34	PASS
	IEEE 802.11n HT20	5260	5.38	1.75	0.00	6.94	9.34	PASS
		5300	6.23	5.13	0.00	8.73	9.34	PASS
		5320	6.17	6.02	0.00	9.11	9.34	PASS
	IEEE 802.11ac VHT20	5260	5.32	1.88	0.00	6.94	9.34	PASS
		5300	6.10	5.97	0.00	9.05	9.34	PASS
		5320	6.36	6.22	0.00	9.30	9.34	PASS

BAND	Test Mode	Fre (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Total Power Density (dBm/MHz)	Limit (dBm/MHz)	Result
			Ant 0	Ant 1				
U-NII-3C	IEEE 802.11a	5500	8.16	7.86	0.00		9.34	PASS
		5580	7.29	7.92	0.00		9.34	PASS
		5700	6.53	8.47	0.00		9.34	PASS
	IEEE 802.11n HT20	5500	5.49	4.68	0.00	8.11	9.34	PASS
		5580	5.31	4.68	0.00	8.02	9.34	PASS
		5700	5.21	5.84	0.00	8.55	9.34	PASS
	IEEE 802.11ac VHT20	5500	5.52	5.61	0.00	8.58	9.34	PASS
		5580	5.49	5.51	0.00	8.51	9.34	PASS
		5700	5.10	6.25	0.00	8.72	9.34	PASS

BAND	Test Mode	Fre (MHz)	Power Density (dBm/500KHz)		Duty Factor (dB)	Total Power Density (dBm/500KHz)	Limit (dBm/500KHz)	Result
			Ant 0	Ant 1				
U-NII-3	IEEE 802.11a	5745	6.07	6.50	0.00		28.34	PASS
		5785	7.00	6.98	0.00		28.34	PASS
		5825	4.99	6.26	0.00		28.34	PASS
	IEEE 802.11n HT20	5745	6.29	6.66	0.00	9.49	28.34	PASS
		5785	6.29	6.70	0.00	9.51	28.34	PASS
		5825	5.11	5.80	0.00	8.48	28.34	PASS
	IEEE 802.11ac VHT20	5745	6.79	7.94	0.00	10.41	28.34	PASS
		5785	6.48	7.87	0.00	10.24	28.34	PASS
		5825	4.76	6.24	0.00	8.57	28.34	PASS

Temperature		22.5℃	Relative Humidity	53%	Test Voltage	AC 120V/60Hz	
BAND	Test Mode	Fre (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Total Power Density (dBm/MHz)	Limit (dBm/MHz)	Result
			Ant 2				
U-NII-1	IEEE 802.11a	5180	10.32	0.21	10.53	11.00	PASS
		5200	9.69	0.21	9.90	11.00	PASS
		5240	7.61	0.21	7.82	11.00	PASS
	IEEE 802.11n HT20	5180	10.63	0.19	10.82	11.00	PASS
		5200	9.72	0.19	9.91	11.00	PASS
		5240	7.70	0.19	7.89	11.00	PASS
	IEEE 802.11ac VHT20	5180	10.42	0.21	10.63	11.00	PASS
		5200	9.01	0.21	9.22	11.00	PASS
		5240	7.50	0.21	7.71	11.00	PASS
U-NII-2A	IEEE 802.11a	5260	10.60	0.21	10.81	11.00	PASS
		5300	9.93	0.21	10.14	11.00	PASS
		5320	9.35	0.21	9.56	11.00	PASS
	IEEE 802.11n HT20	5260	9.37	0.19	9.56	11.00	PASS
		5300	9.48	0.19	9.67	11.00	PASS
		5320	9.56	0.19	9.75	11.00	PASS
	IEEE 802.11ac VHT20	5260	10.01	0.21	10.22	11.00	PASS
		5300	9.94	0.21	10.15	11.00	PASS
		5320	9.53	0.21	9.74	11.00	PASS
U-NII-3C	IEEE 802.11a	5500	10.71	0.21	10.92	11.00	PASS
		5580	7.44	0.21	7.65	11.00	PASS
		5700	8.44	0.21	8.65	11.00	PASS
	IEEE 802.11n HT20	5500	10.63	0.19	10.82	11.00	PASS
		5580	8.20	0.19	8.39	11.00	PASS
		5700	8.39	0.19	8.58	11.00	PASS
	IEEE 802.11ac VHT20	5500	10.76	0.21	10.97	11.00	PASS
		5580	7.96	0.21	8.17	11.00	PASS
		5700	8.75	0.21	8.96	11.00	PASS

BAND	Test Mode	Fre (MHz)	Power Density (dBm/500KHz)	Duty Factor (dB)	Total Power Density (dBm/500KHz)	Limit (dBm/500KHz)	Result
			Ant 2				
U-NII-3	IEEE 802.11a	5745	8.82	0.21	9.03	30.00	PASS
		5785	7.66	0.21	7.87	30.00	PASS
		5825	8.04	0.21	8.25	30.00	PASS
	IEEE 802.11n HT20	5745	10.25	0.19	10.44	30.00	PASS
		5785	8.53	0.19	8.72	30.00	PASS
		5825	7.98	0.19	8.17	30.00	PASS
	IEEE 802.11ac VHT20	5745	9.10	0.21	9.31	30.00	PASS
		5785	8.38	0.21	8.59	30.00	PASS
		5825	7.59	0.21	7.80	30.00	PASS

U-NII-1 IEEE 802.11a 5180MHz

ANT 0



ANT 1



U-NII-1 IEEE 802.11a 5200MHz

ANT 0




ANT 1




U-NII-1 IEEE 802.11a 5240MHz

ANT 0



ANT 1




U-NII-1 IEEE 802.11n HT20 5180MHz

ANT 0



ANT 1




U-NII-1 IEEE 802.11n HT20 5200MHz

ANT 0



ANT 1




U-NII-1 IEEE 802.11n HT20 5240MHz

ANT 0



ANT 1




U-NII-1 IEEE 802.11ac VHT20 5180MHz

ANT 0



ANT 1



U-NII-1 IEEE 802.11ac VHT20 5200MHz

ANT 0




ANT 1



U-NII-1 IEEE 802.11ac VHT20 5240MHz

ANT 0



ANT 1



U-NII-2A IEEE 802.11a 5260MHz

ANT 0



ANT 1



U-NII-2A IEEE 802.11a 5300MHz

ANT 0



ANT 1




U-NII-2A IEEE 802.11a 5320MHz

ANT 0




ANT 1



U-NII-2A IEEE 802.11n HT20 5260MHz

ANT 0



ANT 1




U-NII-2A IEEE 802.11n HT20 5300MHz

ANT 0



ANT 1



U-NII-2A IEEE 802.11n HT20 5320MHz

ANT 0



ANT 1



U-NII-2A IEEE 802.11ac VHT20 5260MHz

ANT 0



ANT 1



U-NII-2A IEEE 802.11ac VHT20 5300MHz

ANT 0



ANT 1




U-NII-2A IEEE 802.11ac VHT20 5320MHz

ANT 0



ANT 1





U-NII-2C IEEE 802.11n HT20 5500MHz

ANT 0




ANT 1




U-NII-2C IEEE 802.11n HT20 5580MHz

ANT 0




ANT 1



U-NII-2C IEEE 802.11n HT20 5700MHz

ANT 0



ANT 1



U-NII-2C IEEE 802.11ac VHT20 5500MHz

ANT 0



ANT 1



U-NII-2C IEEE 802.11ac VHT20 5580MHz

ANT 0




ANT 1



U-NII-2C IEEE 802.11ac VHT20 5700MHz

ANT 0



ANT 1



U-NII-3 IEEE 802.11a 5745MHz

ANT 0




ANT 1




U-NII-3 IEEE 802.11a 5785MHz

ANT 0




ANT 1



U-NII-3 IEEE 802.11a 5825MHz

ANT 0



ANT 1



U-NII-3 IEEE 802.11n HT20 5745MHz

ANT 0



ANT 1



U-NII-3 IEEE 802.11n HT20 5785MHz

ANT 0



ANT 1



U-NII-3 IEEE 802.11n HT20 5825MHz

ANT 0



ANT 1



U-NII-3 IEEE 802.11ac VHT20 5745MHz

ANT 0



ANT 1



U-NII-3 IEEE 802.11ac VHT20 5785MHz

ANT 0



ANT 1





U-NII-3 IEEE 802.11ac VHT20 5825MHz

ANT 0



ANT 1



U-NII-1 IEEE 802.11a 5180MHz _ANT 2**U-NII-1 IEEE 802.11a 5200MHz _ANT 2****U-NII-1 IEEE 802.11a 5240MHz _ANT 2****U-NII-1 IEEE 802.11n HT20 5180MHz _ANT 2****U-NII-1 IEEE 802.11n HT20 5200MHz _ANT 2****U-NII-1 IEEE 802.11n HT20 5240MHz _ANT 2**