


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	100MHz	Channel:	Mid(3450-3550MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


### Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33783.0666	41.55	-96.39	-54.84	-13.00	41.84	RMS	Vertical	PASS
2	36817.8	41.83	-94.16	-52.33	-13.00	39.33	RMS	Vertical	PASS
3	39715.3333	41.79	-91.51	-49.72	-13.00	36.72	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

### Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

### Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


### Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3700.775	115.46	-87.33	28.13	-	-	RMS	Horizontal	NA
2	6282.2	41.42	-78.78	-37.36	-13.00	24.36	RMS	Horizontal	PASS
3	7401.6	41.39	-95.58	-54.19	-13.00	41.19	RMS	Horizontal	PASS
4	17860.0833	32.64	-81.40	-48.76	-13.00	35.76	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


### Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3700.775	113.43	-87.33	26.10	-	-	RMS	Vertical	NA
2	6215.1	41.50	-79.05	-37.55	-13.00	24.55	RMS	Vertical	PASS
3	7401.6	40.45	-95.58	-55.13	-13.00	42.13	RMS	Vertical	PASS
4	17922.5666	34.10	-82.04	-47.94	-13.00	34.94	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


### Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33781.6666	42.11	-96.39	-54.28	-13.00	41.28	RMS	Horizontal	PASS
2	37117.8666	41.46	-93.67	-52.21	-13.00	39.21	RMS	Horizontal	PASS
3	39778.3333	42.06	-91.39	-49.33	-13.00	36.33	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Low(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

### Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	35062.2	44.17	-96.81	-52.64	-13.00	39.64	RMS	Vertical	PASS
2	37400.2	40.49	-92.49	-52.00	-13.00	39.00	RMS	Vertical	PASS
3	39468.4666	41.77	-91.36	-49.59	-13.00	36.59	RMS	Vertical	PASS




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

### Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

### Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

### Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3835.8	113.93	-86.60	27.33	-	-	RMS	Horizontal	NA
2	6357.55	41.54	-78.88	-37.34	-13.00	24.34	RMS	Horizontal	PASS
3	13675.6166	34.91	-86.01	-51.10	-13.00	38.10	RMS	Horizontal	PASS
4	17990.4166	32.79	-81.61	-48.82	-13.00	35.82	RMS	Horizontal	PASS



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


### Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3836.075	112.07	-86.60	25.47	-	-	RMS	Vertical	NA
2	6275.6	41.25	-78.87	-37.62	-13.00	24.62	RMS	Vertical	PASS
3	10781.0666	38.41	-90.91	-52.50	-13.00	39.50	RMS	Vertical	PASS
4	13697.4666	34.23	-85.86	-51.63	-13.00	38.63	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


### Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	32388.6666	42.78	-98.03	-55.25	-13.00	42.25	RMS	Horizontal	PASS
2	36129.4666	41.85	-94.72	-52.87	-13.00	39.87	RMS	Horizontal	PASS
3	39463.3333	41.45	-91.37	-49.92	-13.00	36.92	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	Mid(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


### Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33806.4	42.29	-96.36	-54.07	-13.00	41.07	RMS	Vertical	PASS
2	36164.9333	41.52	-94.62	-53.10	-13.00	40.10	RMS	Vertical	PASS
3	39409.6666	41.76	-91.49	-49.73	-13.00	36.73	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

### Test Graph




Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

### Test Graph



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			


### Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3970.825	113.92	-86.53	27.39	-	-	RMS	Horizontal	NA
2	6282.475	41.33	-78.78	-37.45	-13.00	24.45	RMS	Horizontal	PASS
3	13699	34.18	-85.85	-51.67	-13.00	38.67	RMS	Horizontal	PASS
4	17857.7833	32.51	-81.37	-48.86	-13.00	35.86	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

### Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3970.825	111.47	-86.53	24.94	-	-	RMS	Vertical	NA
2	6312.175	41.10	-78.61	-37.51	-13.00	24.51	RMS	Vertical	PASS
3	15076.3166	34.86	-86.14	-51.28	-13.00	38.28	RMS	Vertical	PASS
4	17968.1833	33.02	-81.93	-48.91	-13.00	35.91	RMS	Vertical	PASS



Project Information			
Mode:	NR	Band:	n77 MIMO
Bandwidth:	10MHz	Channel:	High(3700-3980MHz)
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 27			

### Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	33630.4666	42.55	-96.78	-54.23	-13.00	41.23	RMS	Horizontal	PASS
2	36740.8	41.65	-93.96	-52.31	-13.00	39.31	RMS	Horizontal	PASS
3	38690.0666	42.21	-92.26	-50.05	-13.00	37.05	RMS	Horizontal	PASS