





11AX20MIMO_Ant5_5220_106Tone_RU53



Date: 4 JUN.2024 03:20:44


11AX20MIMO_Ant7_5220_26Tone_RU0



Date: 4 JUN.2024 03:18:54




11AX20MIMO_Ant7_5220_52Tone_RU37



Date: 4 JUN.2024 03:20:09


11AX20MIMO_Ant7_5220_106Tone_RU53



Date: 4 JUN.2024 03:20:53




11AX20MIMO_Ant5_5240_26Tone_RU8



Date: 4 JUN 2024 03:22:27


11AX20MIMO_Ant5_5240_52Tone_RU40



Date: 4 JUN 2024 03:23:54




11AX20MIMO_Ant5_5240_106Tone_RU54



Date: 4 JUN.2024 03:25:23


11AX20MIMO_Ant7_5240_26Tone_RU8



Date: 4 JUN.2024 03:22:51




11AX20MIMO_Ant7_5240_52Tone_RU40



Date: 4 JUN.2024 03:24:20


11AX20MIMO_Ant7_5240_106Tone_RU54



Date: 4 JUN.2024 03:25:47




11AX20MIMO_Ant5_5260_26Tone_RU0



Date: 4 JUN.2024 03:26:32


11AX20MIMO_Ant5_5260_52Tone_RU37



Date: 4 JUN.2024 03:28:22




11AX20MIMO_Ant5_5260_106Tone_RU53



Date: 4 JUN.2024 03:29:09


11AX20MIMO_Ant7_5260_26Tone_RU0



Date: 4 JUN.2024 03:26:42




11AX20MIMO_Ant7_5260_52Tone_RU37



Date: 4 JUN.2024 03:28:31


11AX20MIMO_Ant7_5260_106Tone_RU53



Date: 4 JUN.2024 03:29:19




11AX20MIMO_Ant5_5300_26Tone_RU0



Date: 4 JUN.2024 03:29:58


11AX20MIMO_Ant5_5300_52Tone_RU37



Date: 4 JUN.2024 03:30:57




11AX20MIMO_Ant5_5300_106Tone_RU53



Date: 4 JUN.2024 03:31:35


11AX20MIMO_Ant7_5300_26Tone_RU0



Date: 4 JUN.2024 03:30:09




11AX20MIMO_Ant7_5300_52Tone_RU37



Date: 4 JUN.2024 03:31:07


11AX20MIMO_Ant7_5300_106Tone_RU53




Date: 4 JUN.2024 03:31:45



11AX20MIMO_Ant5_5320_26Tone_RU8




11AX20MIMO_Ant5_5320_52Tone_RU40






11AX20MIMO_Ant5_5320_106Tone_RU54



Date: 22.JUN.2024 14:51:29


11AX20MIMO_Ant7_5320_26Tone_RU8




Date: 22.JUN.2024 14:48:25



11AX20MIMO_Ant7_5320_52Tone_RU40




11AX20MIMO_Ant7_5320_106Tone_RU54






11AX20MIMO_Ant5_5500_26Tone_RU0



Date: 22.JUN.2024 14:55:26


11AX20MIMO_Ant5_5500_52Tone_RU37



Date: 22.JUN.2024 14:57:25




11AX20MIMO_Ant5_5500_106Tone_RU53



Date: 22.JUN.2024 14:58:08


11AX20MIMO_Ant7_5500_26Tone_RU0



Date: 22.JUN.2024 14:55:37




11AX20MIMO_Ant7_5500_52Tone_RU37



Date: 22.JUN.2024 14:57:36


11AX20MIMO_Ant7_5500_106Tone_RU53



Date: 22.JUN.2024 14:58:18




11AX20MIMO_Ant5_5580_26Tone_RU0



Date: 4 JUN.2024 03:39:34


11AX20MIMO_Ant5_5580_52Tone_RU37



Date: 4 JUN.2024 03:40:45




11AX20MIMO_Ant5_5580_106Tone_RU53



Date: 4 JUN.2024 03:41:27


11AX20MIMO_Ant7_5580_26Tone_RU0



Date: 4 JUN.2024 03:39:43




11AX20MIMO_Ant7_5580_52Tone_RU37



Date: 4 JUN.2024 03:40:56


11AX20MIMO_Ant7_5580_106Tone_RU53




Date: 4 JUN.2024 03:41:37



11AX20MIMO_Ant5_5700_26Tone_RU8




11AX20MIMO_Ant5_5700_52Tone_RU40






11AX20MIMO_Ant5_5700_106Tone_RU54



Date: 22.JUN.2024 15:01:05


11AX20MIMO_Ant7_5700_26Tone_RU8




Date: 22.JUN.2024 14:59:59



11AX20MIMO_Ant7_5700_52Tone_RU40




11AX20MIMO_Ant7_5700_106Tone_RU54






11AX20MIMO_Ant5_5720_26Tone_RU8



Date: 4 JUN.2024 03:46:11


11AX20MIMO_Ant5_5720_52Tone_RU40



Date: 4 JUN.2024 03:49:17




11AX20MIMO_Ant5_5720_106Tone_RU54



Date: 4 JUN.2024 03:50:11


11AX20MIMO_Ant7_5720_26Tone_RU8



Date: 4 JUN.2024 03:46:21




11AX20MIMO_Ant7_5720_52Tone_RU40



Date: 4 JUN.2024 03:49:27


11AX20MIMO_Ant7_5720_106Tone_RU54



Date: 4 JUN.2024 03:50:21




11AX20MIMO_Ant5_5745_26Tone_RU0



Date: 4 JUN.2024 03:51:33


11AX20MIMO_Ant5_5745_52Tone_RU37



Date: 4 JUN.2024 03:52:32




11AX20MIMO_Ant5_5745_106Tone_RU53



Date: 4 JUN.2024 03:53:29

11AX20MIMO_Ant7_5745_26Tone_RU0




Date: 4 JUN.2024 03:51:42



11AX20MIMO_Ant7_5745_52Tone_RU37




11AX20MIMO_Ant7_5745_106Tone_RU53






11AX20MIMO_Ant5_5785_26Tone_RU0



Date: 4 JUN.2024 03:54:38


11AX20MIMO_Ant5_5785_52Tone_RU37



Date: 4 JUN.2024 03:55:30




11AX20MIMO_Ant5_5785_106Tone_RU53



Date: 4 JUN.2024 03:56:46


11AX20MIMO_Ant7_5785_26Tone_RU0



Date: 4 JUN.2024 03:54:48




11AX20MIMO_Ant7_5785_52Tone_RU37



Date: 4 JUN.2024 03:55:39


11AX20MIMO_Ant7_5785_106Tone_RU53



Date: 4 JUN.2024 03:56:56




11AX20MIMO_Ant5_5825_26Tone_RU8



Date: 4 JUN.2024 03:57:50


11AX20MIMO_Ant5_5825_52Tone_RU40



Date: 4 JUN.2024 03:58:43




11AX20MIMO_Ant5_5825_106Tone_RU54



Date: 4 JUN.2024 03:59:20


11AX20MIMO_Ant7_5825_26Tone_RU8



Date: 4 JUN.2024 03:57:59




11AX20MIMO_Ant7_5825_52Tone_RU40



Date: 4 JUN.2024 03:58:53


11AX20MIMO_Ant7_5825_106Tone_RU54



Date: 4 JUN.2024 03:59:29




Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.180	45.74	-18.76	64.50	35.20	0.13	10.41	QP
2	0.180	35.44	-19.06	54.50	24.90	0.13	10.41	Average
3	0.248	42.96	-18.86	61.82	32.59	0.00	10.37	QP
4	0.248	35.86	-15.96	51.82	25.49	0.00	10.37	Average
5	0.497	41.57	-14.48	56.05	31.50	-0.15	10.22	QP
6 *	0.497	34.27	-11.78	46.05	24.20	-0.15	10.22	Average
7	0.641	42.20	-13.80	56.00	32.20	-0.16	10.16	QP
8	0.641	27.80	-18.20	46.00	17.80	-0.16	10.16	Average
9	0.763	41.45	-14.55	56.00	31.50	-0.17	10.12	QP
10	0.763	32.25	-13.75	46.00	22.30	-0.17	10.12	Average
11	0.876	39.43	-16.57	56.00	29.50	-0.17	10.10	QP
12	0.876	29.53	-16.47	46.00	19.60	-0.17	10.10	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Levi zhao	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 5+7	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 5+7	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 5+7	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 5+7	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 5+7	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 5+7	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 5+7	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 5+7	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 5+7	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 20	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 21	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 22	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 23	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 24	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 27	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 28	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 31	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE40	38	5190	MCS0	Full	-
Mode 32	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE40	46	5230	MCS0	Full	-
Mode 33	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE40	54	5270	MCS0	Full	-
Mode 34	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE40	62	5310	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 35	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE40	102	5510	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE40	110	5550	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE40	134	5670	MCS0	Full	-
Mode 38	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE80	42	5210	MCS0	Full	-
Mode 39	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE80	58	5290	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE80	106	5530	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE80	122	5610	MCS0	Full	-
Mode 42	U-NII-3	5.725-5.85	CDD 5+7	802.11a	149	5745	6Mbps	-	-
Mode 43	U-NII-3	5.725-5.85	CDD 5+7	802.11a	157	5785	6Mbps	-	-
Mode 44	U-NII-3	5.725-5.85	CDD 5+7	802.11a	165	5825	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	149	5745	MCS0	Full	-
Mode 46	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	157	5785	MCS0	Full	-
Mode 47	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	165	5825	MCS0	Full	-
Mode 48	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE40	151	5755	MCS0	Full	-
Mode 49	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE40	159	5795	MCS0	Full	-
Mode 50	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE80	155	5775	MCS0	Full	-
Mode 51	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 52	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 53	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 54	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 55	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 56	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 57	U-NII-2C	5.47-5.85	CDD 5+7	802.11a	144	5720	6Mbps	-	-
Mode 58	U-NII-2C	5.47-5.85	CDD 5+7	802.11ax HE20	144	5720	MCS0	-	-
Mode 59	U-NII-2C	5.47-5.85	CDD 5+7	802.11ax HE40	142	5710	MCS0	-	-
Mode 60	U-NII-2C	5.47-5.85	CDD 5+7	802.11ax HE80	138	5690	MCS0	-	-
Mode 61	U-NII-1	5.15-5.25	CDD 5+7	802.11a	40	5200	6Mbps	-	-
Mode 62	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	40	5200	MCS0	-	-
Mode 63	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	64	5320	MCS0	Full	-
	2400-2483.5	2400-2483.5	6	Bluetooth-LE_GSFK	38	2478	2Mbps	-	-
	Part 27F LTE Band 13 - BW 5M								
Mode 64	U-NII-2A	5.25-5.35	7	802.11ax HE20	64	5320	MCS0	Full	-
	2400-2483.5	2400-2483.5	8	802.11ax HE40	09	2452	MCS0	Full	-
	Part 27F LTE Band 13 - BW 5M								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5148.00	50.36	54.00	-3.64	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	49.80	68.20	-18.40	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	53.06	68.20	-15.14	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	52.39	68.20	-15.81	H	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	48.44	68.20	-19.76	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	44.11	54.00	-9.89	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.10	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	37.50	54.00	-16.50	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5458.75	49.90	54.00	-4.10	H	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	43.36	54.00	-10.64	V	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	44.29	54.00	-9.71	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5728.73	64.39	68.20	-3.81	H	Peak	Pass	Band Edge
9	802.11a	140	11400.00	43.55	54.00	-10.45	V	AVERAGE	Pass	Harmonic
10	802.11ax HE20	36	5149.92	50.04	54.00	-3.96	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	10360.00	48.55	68.20	-19.65	V	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	10440.00	50.62	68.20	-17.58	V	PEAK	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	10480.00	51.42	68.20	-16.78	V	PEAK	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	10520.00	51.60	68.20	-16.60	V	PEAK	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	10600.00	41.66	54.00	-12.34	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5351.78	50.75	54.00	-3.25	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	10640.00	40.82	54.00	-13.18	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5459.05	50.66	54.00	-3.34	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	100	11000.00	41.98	54.00	-12.02	V	AVERAGE	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	11160.00	42.14	54.00	-11.86	V	AVERAGE	Pass	Harmonic
18	802.11ax HE20	140	5727.43	64.21	68.20	-3.99	H	Peak	Pass	Band Edge
18	802.11ax HE20	140	11400.00	42.04	54.00	-11.96	V	AVERAGE	Pass	Harmonic
19	802.11ax HE20	36	5147.36	47.72	54.00	-6.28	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
20	802.11ax HE20	64	5362.84	45.18	54.00	-8.82	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5456.20	45.20	54.00	-8.80	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	140	5725.16	57.74	68.20	-10.46	H	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	36	5143.52	45.39	54.00	-8.61	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5350.10	43.76	54.00	-10.24	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5468.50	57.83	68.20	-10.37	H	PEAK	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5727.11	59.54	68.20	-8.66	H	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5149.76	48.44	54.00	-5.56	H	AVERAGE	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5350.38	48.35	54.00	-5.65	H	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5468.35	62.46	68.20	-5.74	H	PEAK	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5728.41	64.65	68.20	-3.55	V	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5150.00	50.24	54.00	-3.76	H	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	10380.00	46.97	68.20	-21.23	H	PEAK	Pass	Harmonic
32	802.11ax HE40	46	5147.66	46.91	54.00	-7.09	H	AVERAGE	Pass	Band Edge
32	802.11ax HE40	46	10460.00	48.46	68.20	-19.74	V	PEAK	Pass	Harmonic
33	802.11ax HE40	54	5144.45	45.50	54.00	-8.50	H	AVERAGE	Pass	Band Edge
33	802.11ax HE40	54	10540.00	47.21	68.20	-20.99	V	PEAK	Pass	Harmonic
34	802.11ax HE40	62	5350.05	50.30	54.00	-3.70	H	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	10620.00	37.71	54.00	-16.29	V	AVERAGE	Pass	Harmonic
35	802.11ax HE40	102	5458.96	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
35	802.11ax HE40	102	11020.00	37.19	54.00	-16.81	V	AVERAGE	Pass	Harmonic
36	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	110	11100.00	38.03	54.00	-15.97	V	AVERAGE	Pass	Harmonic
37	802.11ax HE40	134	5725.48	60.35	68.20	-7.85	H	PEAK	Pass	Band Edge
37	802.11ax HE40	134	11337.30	47.43	74.00	-26.57	V	Peak	Pass	Harmonic
38	802.11ax HE80	42	5149.10	50.48	54.00	-3.52	H	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	10420.00	46.46	68.20	-21.74	H	PEAK	Pass	Harmonic
39	802.11ax HE80	58	5350.01	50.50	54.00	-3.50	H	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	10580.00	46.22	68.20	-21.98	V	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
40	802.11ax HE80	106	5459.80	50.42	54.00	-3.58	H	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	11060.00	36.79	54.00	-17.21	V	AVERAGE	Pass	Harmonic
41	802.11ax HE80	122	5459.80	46.80	54.00	-7.20	H	AVERAGE	Pass	Band Edge
41	802.11ax HE80	122	11220.00	36.87	54.00	-17.13	V	AVERAGE	Pass	Harmonic
42	802.11a	149	5619.72	55.70	68.20	-12.50	V	PEAK	Pass	Band Edge
42	802.11a	149	11490.00	44.32	54.00	-9.68	V	AVERAGE	Pass	Harmonic
43	802.11a	157	-	-	-	-	-	-	-	Band Edge
43	802.11a	157	11570.00	43.47	54.00	-10.53	V	AVERAGE	Pass	Harmonic
44	802.11a	165	5939.50	56.20	68.20	-12.00	H	PEAK	Pass	Band Edge
44	802.11a	165	11650.00	45.30	54.00	-8.70	V	AVERAGE	Pass	Harmonic
45	802.11ax HE20	149	5646.69	55.34	68.20	-12.86	H	PEAK	Pass	Band Edge
45	802.11ax HE20	149	11490.00	44.33	54.00	-9.67	V	AVERAGE	Pass	Harmonic
46	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE20	157	11570.00	42.91	54.00	-11.09	V	AVERAGE	Pass	Harmonic
47	802.11ax HE20	165	5945.13	56.04	68.20	-12.16	H	PEAK	Pass	Band Edge
47	802.11ax HE20	165	11650.00	43.94	54.00	-10.06	V	AVERAGE	Pass	Harmonic
48	802.11ax HE40	151	5628.68	56.23	68.20	-11.97	H	PEAK	Pass	Band Edge
48	802.11ax HE40	151	11510.00	38.66	54.00	-15.34	V	AVERAGE	Pass	Harmonic
49	802.11ax HE40	159	5944.27	55.86	68.20	-12.34	H	PEAK	Pass	Band Edge
49	802.11ax HE40	159	11590.00	38.27	54.00	-15.73	V	AVERAGE	Pass	Harmonic
50	802.11ax HE80	155	5633.08	57.07	68.20	-11.13	V	PEAK	Pass	Band Edge
50	802.11ax HE80	155	11550.00	37.06	54.00	-16.94	V	AVERAGE	Pass	Harmonic
51	802.11ax HE20	149	5638.72	55.11	68.20	-13.09	H	PEAK	Pass	Band Edge
51	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE20	165	5930.13	55.22	68.20	-12.98	V	PEAK	Pass	Band Edge
52	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	149	5645.82	54.59	68.20	-13.61	H	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5935.88	55.56	68.20	-12.64	H	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5611.17	55.44	68.20	-12.76	H	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5940.88	54.95	68.20	-13.25	H	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
57	802.11a	144	-	-	-	-	-	-	-	Band Edge
57	802.11a	144	11440.00	43.78	54.00	-10.22	V	AVERAGE	Pass	Harmonic
58	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE20	144	11440.00	43.68	54.00	-10.32	V	AVERAGE	Pass	Harmonic





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
59	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE40	142	11420.00	39.10	54.00	-14.90	V	AVERAGE	Pass	Harmonic
60	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE80	138	11380.00	45.68	74.00	-28.32	V	PEAK	Pass	Harmonic
61	802.11a	40	5148.28	49.81	54.00	-4.19	H	AVERAGE	Pass	Band Edge
61	802.11a	40	10400.00	56.60	68.20	-11.60	V	PEAK	Pass	Harmonic
62	802.11ax HE20	40	5149.82	50.42	54.00	-3.58	H	AVERAGE	Pass	Band Edge
62	802.11ax HE20	40	10400.00	54.00	68.20	-14.20	V	PEAK	Pass	Harmonic
63	802.11ax HE20	64	5350.66	50.90	54.00	-3.10	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	10640.00	46.53	74.00	-27.47	V	PEAK	Pass	Harmonic
	Bluetooth-LE_GSKF	38	2487.52	44.90	54.00	-9.10	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	38	7434.00	44.11	74.00	-29.89	V	PEAK	Pass	Harmonic
64	802.11ax HE20	64	5350.10	50.7	54.00	-3.30	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	10640.00	37.91	54.00	-16.09	V	AVERAGE	Pass	Harmonic
	802.11ax HE40	09	2483.97	50.98	54.00	-3.02	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	43.84	74.00	-30.16	V	PEAK	Pass	Harmonic



Mode	1																																																																																														
	Band Edge																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																														
ANT	CDD 5+7																																																																																														
Pol.	Horizontal					Fundamental																																																																																									
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.12</td><td>62.11</td><td>74.00</td><td>-11.89</td><td>50.03</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>106</td><td>279 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.12	62.11	74.00	-11.89	50.03	34.19	9.78	31.89	0.00	106	279 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>110.43</td><td>-----</td><td>-----</td><td>98.30</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>106</td><td>279 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	110.43	-----	-----	98.30	34.20	9.81	31.88	0.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5145.12	62.11	74.00	-11.89	50.03	34.19	9.78	31.89	0.00	106	279 PEAK																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5180.00	110.43	-----	-----	98.30	34.20	9.81	31.88	0.00	106	279 PEAK																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.00</td><td>50.36</td><td>54.00</td><td>-3.64</td><td>38.27</td><td>34.20</td><td>9.78</td><td>31.89</td><td>0.00</td><td>106</td><td>279 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.00	50.36	54.00	-3.64	38.27	34.20	9.78	31.89	0.00	106	279 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>102.27</td><td>-----</td><td>-----</td><td>90.14</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>106</td><td>279 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	102.27	-----	-----	90.14	34.20	9.81	31.88	0.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5148.00	50.36	54.00	-3.64	38.27	34.20	9.78	31.89	0.00	106	279 AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5180.00	102.27	-----	-----	90.14	34.20	9.81	31.88	0.00	106	279 AVERAGE																																																																																				





Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	CDD 5+7																																																						
Pol.	Vertical																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.24</td><td>-----</td><td>-----</td><td>93.11</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>343 46 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.24	-----	-----	93.11	34.20	9.81	31.88	0.00	343 46 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	105.24	-----	-----	93.11	34.20	9.81	31.88	0.00	343 46 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.61</td><td>-----</td><td>-----</td><td>86.48</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>343 46 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.61	-----	-----	86.48	34.20	9.81	31.88	0.00	343 46 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	98.61	-----	-----	86.48	34.20	9.81	31.88	0.00	343 46 AVERAGE																																													





Mode	1											
	Harmonic											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz											
ANT	CDD 5+7											
Pol.	Horizontal						Vertical					
Peak Avg												





Mode	2																																																										
	Harmonic																																																										
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																										
ANT	CDD 5+7																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																		
<table><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10440.00</td><td>46.88</td><td>68.20</td><td>-21.32</td><td>56.30</td><td>37.67</td><td>14.18</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.88	68.20	-21.32	56.30	37.67	14.18	61.27	0.00	---	---	PEAK	<table><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10440.00</td><td>53.06</td><td>68.20</td><td>-15.14</td><td>62.48</td><td>37.67</td><td>14.18</td><td>61.27</td><td>0.00</td><td>100</td><td>37</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	53.06	68.20	-15.14	62.48	37.67	14.18	61.27	0.00	100	37	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	10440.00	46.88	68.20	-21.32	56.30	37.67	14.18	61.27	0.00	---	---	PEAK																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	10440.00	53.06	68.20	-15.14	62.48	37.67	14.18	61.27	0.00	100	37	PEAK																																															





Mode	3																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																		
ANT	CDD 5+7																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>52.39</td><td>68.20</td><td>-15.81</td><td>61.69</td><td>37.76</td><td>14.21</td><td>61.27</td><td>0.00</td><td>242 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	52.39	68.20	-15.81	61.69	37.76	14.21	61.27	0.00	242 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>48.65</td><td>68.20</td><td>-19.55</td><td>57.95</td><td>37.76</td><td>14.21</td><td>61.27</td><td>0.00</td><td>--- --- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	48.65	68.20	-19.55	57.95	37.76	14.21	61.27	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10480.00	52.39	68.20	-15.81	61.69	37.76	14.21	61.27	0.00	242 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10480.00	48.65	68.20	-19.55	57.95	37.76	14.21	61.27	0.00	--- --- PEAK																																																																																									







Mode	4																																																							
	Harmonic																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																							
ANT	CDD 5+7																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>46.42</td><td>68.20</td><td>-21.78</td><td>55.65</td><td>37.81</td><td>14.23</td><td>61.27</td><td>0.00</td><td>--- --- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	46.42	68.20	-21.78	55.65	37.81	14.23	61.27	0.00	--- --- PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10520.00	46.42	68.20	-21.78	55.65	37.81	14.23	61.27	0.00	--- --- PEAK																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>48.44</td><td>68.20</td><td>-19.76</td><td>57.66</td><td>37.82</td><td>14.23</td><td>61.27</td><td>0.00</td><td>--- --- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	48.44	68.20	-19.76	57.66	37.82	14.23	61.27	0.00	--- --- PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10520.00	48.44	68.20	-19.76	57.66	37.82	14.23	61.27	0.00	--- --- PEAK																																														







Mode	5																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																	
ANT	CDD 5+7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>50.41</td><td>74.00</td><td>-23.59</td><td>59.48</td><td>37.90</td><td>14.29</td><td>61.26</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>40.73</td><td>54.00</td><td>-13.27</td><td>49.80</td><td>37.90</td><td>14.29</td><td>61.26</td><td>0.00</td><td>100</td><td>239 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10600.00	50.41	74.00	-23.59	59.48	37.90	14.29	61.26	0.00	100	239 PEAK	2	10600.00	40.73	54.00	-13.27	49.80	37.90	14.29	61.26	0.00	100	239 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>62.27</td><td>37.90</td><td>14.29</td><td>61.26</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>53.18</td><td>37.90</td><td>14.29</td><td>61.26</td><td>0.00</td><td>100</td><td>33 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10600.00	53.20	74.00	-20.80	62.27	37.90	14.29	61.26	0.00	100	33 PEAK	2	10600.00	44.11	54.00	-9.89	53.18	37.90	14.29	61.26	0.00	100	33 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	10600.00	50.41	74.00	-23.59	59.48	37.90	14.29	61.26	0.00	100	239 PEAK																																																																																																																							
2	10600.00	40.73	54.00	-13.27	49.80	37.90	14.29	61.26	0.00	100	239 AVERAGE																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	10600.00	53.20	74.00	-20.80	62.27	37.90	14.29	61.26	0.00	100	33 PEAK																																																																																																																							
2	10600.00	44.11	54.00	-9.89	53.18	37.90	14.29	61.26	0.00	100	33 AVERAGE																																																																																																																							





Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																			
ANT	CDD 5+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.24</td><td>59.65</td><td>74.00</td><td>-14.35</td><td>47.02</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.24	59.65	74.00	-14.35	47.02	34.50	9.91	31.78	0.00	100	278 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>110.23</td><td>-----</td><td>-----</td><td>97.63</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.23	-----	-----	97.63	34.50	9.90	31.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.24	59.65	74.00	-14.35	47.02	34.50	9.91	31.78	0.00	100	278 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	110.23	-----	-----	97.63	34.50	9.90	31.80	0.00	100	278 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>50.70</td><td>54.00</td><td>-3.30</td><td>38.07</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>278 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	50.70	54.00	-3.30	38.07	34.50	9.91	31.78	0.00	100	278 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>102.90</td><td>-----</td><td>-----</td><td>90.38</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>100</td><td>278 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.90	-----	-----	90.38	34.50	9.90	31.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.10	50.70	54.00	-3.30	38.07	34.50	9.91	31.78	0.00	100	278 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	102.90	-----	-----	90.38	34.50	9.90	31.80	0.00	100	278 AVERAGE																																																																																									







Mode	6																																																					
	Band Edge																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																					
ANT	CDD 5+7																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.80</td><td>58.19</td><td>74.00</td><td>-15.81</td><td>45.56</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>343 47 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.80	58.19	74.00	-15.81	45.56	34.50	9.91	31.78	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.80	58.19	74.00	-15.81	45.56	34.50	9.91	31.78	0.00	343 47 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.79</td><td>-----</td><td>-----</td><td>93.19</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>343 47 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.79	-----	-----	93.19	34.50	9.90	31.80	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	105.79	-----	-----	93.19	34.50	9.90	31.80	0.00	343 47 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>47.82</td><td>54.00</td><td>-6.18</td><td>35.19</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>343 47 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	47.82	54.00	-6.18	35.19	34.50	9.91	31.78	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.10	47.82	54.00	-6.18	35.19	34.50	9.91	31.78	0.00	343 47 AVERAGE																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.75</td><td>-----</td><td>-----</td><td>87.15</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>343 47 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.75	-----	-----	87.15	34.50	9.90	31.80	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	99.75	-----	-----	87.15	34.50	9.90	31.80	0.00	343 47 AVERAGE																																												







Mode	6																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																					
ANT	CDD 5+7																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>55.85</td><td>37.94</td><td>14.32</td><td>61.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	46.86	74.00	-27.14	55.85	37.94	14.32	61.25	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>56.48</td><td>37.94</td><td>14.32</td><td>61.25</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>37.50</td><td>54.00</td><td>-16.50</td><td>46.49</td><td>37.94</td><td>14.32</td><td>61.25</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	47.49	74.00	-26.51	56.48	37.94	14.32	61.25	0.00	300	360	PEAK	2	10640.00	37.50	54.00	-16.50	46.49	37.94	14.32	61.25	0.00	300	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	10640.00	46.86	74.00	-27.14	55.85	37.94	14.32	61.25	0.00	---	---	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	10640.00	47.49	74.00	-26.51	56.48	37.94	14.32	61.25	0.00	300	360	PEAK																																																																																																										
2	10640.00	37.50	54.00	-16.50	46.49	37.94	14.32	61.25	0.00	300	360	AVERAGE																																																																																																										





Mode	7																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																			
ANT	CDD 5+7																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.15</td><td>58.79</td><td>74.00</td><td>-15.21</td><td>45.72</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>103</td><td>119 PEAK</td></tr><tr><td>2</td><td>5469.85</td><td>63.75</td><td>68.20</td><td>-4.45</td><td>50.67</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>103</td><td>119 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.15	58.79	74.00	-15.21	45.72	34.78	10.02	31.73	0.00	103	119 PEAK	2	5469.85	63.75	68.20	-4.45	50.67	34.76	10.04	31.72	0.00	103	119 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.15	58.79	74.00	-15.21	45.72	34.78	10.02	31.73	0.00	103	119 PEAK																																																									
2	5469.85	63.75	68.20	-4.45	50.67	34.76	10.04	31.72	0.00	103	119 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.37</td><td>-----</td><td>99.28</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>103</td><td>119 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.37	-----	99.28	34.70	10.09	31.70	0.00	103	119 PEAK													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	112.37	-----	99.28	34.70	10.09	31.70	0.00	103	119 PEAK																																																										
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.75</td><td>49.90</td><td>54.00</td><td>-4.10</td><td>36.83</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>103</td><td>119 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.75	49.90	54.00	-4.10	36.83	34.78	10.02	31.73	0.00	103	119 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.75	49.90	54.00	-4.10	36.83	34.78	10.02	31.73	0.00	103	119 AVERAGE																																																									
AVERAGE																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.27</td><td>-----</td><td>91.18</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>103</td><td>119 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.27	-----	91.18	34.70	10.09	31.70	0.00	103	119 AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	104.27	-----	91.18	34.70	10.09	31.70	0.00	103	119 AVERAGE																																																										





Mode	7																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																			
ANT	CDD 5+7																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.95</td><td>55.60</td><td>74.00</td><td>-18.40</td><td>42.52</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>274</td><td>45 PEAK</td></tr><tr><td>2</td><td>5469.70</td><td>57.66</td><td>68.20</td><td>-10.54</td><td>44.58</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>274</td><td>45 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.95	55.60	74.00	-18.40	42.52	34.78	10.03	31.73	0.00	274	45 PEAK	2	5469.70	57.66	68.20	-10.54	44.58	34.76	10.04	31.72	0.00	274	45 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.95	55.60	74.00	-18.40	42.52	34.78	10.03	31.73	0.00	274	45 PEAK																																																									
2	5469.70	57.66	68.20	-10.54	44.58	34.76	10.04	31.72	0.00	274	45 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.35</td><td>-----</td><td>-----</td><td>94.26</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>274</td><td>45 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.35	-----	-----	94.26	34.70	10.09	31.70	0.00	274	45 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	107.35	-----	-----	94.26	34.70	10.09	31.70	0.00	274	45 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.05</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>33.59</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>274</td><td>45 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	46.67	54.00	-7.33	33.59	34.78	10.03	31.73	0.00	274	45 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.05	46.67	54.00	-7.33	33.59	34.78	10.03	31.73	0.00	274	45 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.73</td><td>-----</td><td>-----</td><td>86.64</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>274</td><td>45 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.73	-----	-----	86.64	34.70	10.09	31.70	0.00	274	45 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	99.73	-----	-----	86.64	34.70	10.09	31.70	0.00	274	45 AVERAGE																																																									





Mode	7																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																
ANT	CDD 5+7																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>56.11</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>37.80</td><td>54.00</td><td>-16.20</td><td>46.44</td><td>38.01</td><td>14.57</td><td>61.22</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	47.45	74.00	-26.55	56.11	38.00	14.56	61.22	0.00	100	360	PEAK	2	11000.00	37.80	54.00	-16.20	46.44	38.01	14.57	61.22	0.00	100	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>52.29</td><td>74.00</td><td>-21.71</td><td>60.95</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>43.36</td><td>54.00</td><td>-10.64</td><td>52.02</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	52.29	74.00	-21.71	60.95	38.00	14.56	61.22	0.00	100	43	PEAK	2	11000.00	43.36	54.00	-10.64	52.02	38.00	14.56	61.22	0.00	100	43
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11000.00	47.45	74.00	-26.55	56.11	38.00	14.56	61.22	0.00	100	360	PEAK																																																																																																																					
2	11000.00	37.80	54.00	-16.20	46.44	38.01	14.57	61.22	0.00	100	360	AVERAGE																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11000.00	52.29	74.00	-21.71	60.95	38.00	14.56	61.22	0.00	100	43	PEAK																																																																																																																					
2	11000.00	43.36	54.00	-10.64	52.02	38.00	14.56	61.22	0.00	100	43	AVERAGE																																																																																																																					







Mode	8																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																												
ANT	CDD 5+7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>55.47</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>37.81</td><td>54.00</td><td>-16.19</td><td>46.20</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	47.08	74.00	-26.92	55.47	38.14	14.68	61.21	0.00	300	0 PEAK	2	11160.00	37.81	54.00	-16.19	46.20	38.14	14.68	61.21	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>61.92</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>44.29</td><td>54.00</td><td>-9.71</td><td>52.68</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	53.53	74.00	-20.47	61.92	38.14	14.68	61.21	0.00	100	241 PEAK	2	11160.00	44.29	54.00	-9.71	52.68	38.14	14.68	61.21	0.00	100	241 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11160.00	47.08	74.00	-26.92	55.47	38.14	14.68	61.21	0.00	300	0 PEAK																																																																																																																		
2	11160.00	37.81	54.00	-16.19	46.20	38.14	14.68	61.21	0.00	300	0 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11160.00	53.53	74.00	-20.47	61.92	38.14	14.68	61.21	0.00	100	241 PEAK																																																																																																																		
2	11160.00	44.29	54.00	-9.71	52.68	38.14	14.68	61.21	0.00	100	241 AVERAGE																																																																																																																		





Mode	9																																																								
	Band Edge																																																								
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																								
ANT	CDD 5+7																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.73</td><td>64.39</td><td>68.20</td><td>-3.81</td><td>51.29</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>100</td><td>208 Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.73	64.39	68.20	-3.81	51.29	34.60	10.35	31.85	0.00	100	208 Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5728.73	64.39	68.20	-3.81	51.29	34.60	10.35	31.85	0.00	100	208 Peak																																														
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>103.88</td><td>-----</td><td>-----</td><td>90.74</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>208 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.88	-----	-----	90.74	34.60	10.33	31.79	0.00	100	208 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5700.00	103.88	-----	-----	90.74	34.60	10.33	31.79	0.00	100	208 AVERAGE																																														







		9																																																																																												
Mode		Band Edge																																																																																												
		U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																												
ANT		CDD 5+7																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.01	60.88	68.20	-7.32	47.80	34.60	10.35	31.87	0.00	316	50 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.48	-----	-----	95.33	34.60	10.32	31.77	0.00	316	50 PEAK				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5736.01	60.88	68.20	-7.32	47.80	34.60	10.35	31.87	0.00	316	50 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5700.00	108.48	-----	-----	95.33	34.60	10.32	31.77	0.00	316	50 PEAK																																																																																			
Avg																																																																																														







		9																																																																					
Mode		Harmonic																																																																					
		U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																					
ANT		CDD 5+7																																																																					
Pol.		Horizontal																																																																					
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>51.70</td><td>74.00</td><td>-22.30</td><td>59.94</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>100</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>42.70</td><td>54.00</td><td>-11.30</td><td>50.94</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>100</td><td>343</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	51.70	74.00	-22.30	59.94	38.10	14.85	61.19	0.00	100	343	PEAK	2	11400.00	42.70	54.00	-11.30	50.94	38.10	14.85	61.19	0.00	100	343	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11400.00	51.70	74.00	-22.30	59.94	38.10	14.85	61.19	0.00	100	343	PEAK																																																											
2	11400.00	42.70	54.00	-11.30	50.94	38.10	14.85	61.19	0.00	100	343	AVERAGE																																																											
		Vertical																																																																					
																																																																							
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>53.50</td><td>74.00</td><td>-20.50</td><td>61.74</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>106</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>51.79</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>106</td><td>358</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	53.50	74.00	-20.50	61.74	38.10	14.85	61.19	0.00	106	358	PEAK	2	11400.00	43.55	54.00	-10.45	51.79	38.10	14.85	61.19	0.00	106	358	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11400.00	53.50	74.00	-20.50	61.74	38.10	14.85	61.19	0.00	106	358	PEAK																																																											
2	11400.00	43.55	54.00	-10.45	51.79	38.10	14.85	61.19	0.00	106	358	AVERAGE																																																											





Mode	10																																																							
	Band Edge																																																							
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																							
ANT	CDD 5+7																																																							
Pol.	Horizontal																																																							
Peak	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.96</td><td>59.08</td><td>74.00</td><td>-14.92</td><td>46.98</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>106</td><td>278 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.96	59.08	74.00	-14.92	46.98	34.20	9.79	31.89	0.00	106	278 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5148.96	59.08	74.00	-14.92	46.98	34.20	9.79	31.89	0.00	106	278 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.57</td><td>-----</td><td>-----</td><td>96.43</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>106</td><td>278 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.57	-----	-----	96.43	34.20	9.81	31.87	0.00	106	278 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5180.00	108.57	-----	-----	96.43	34.20	9.81	31.87	0.00	106	278 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>50.04</td><td>54.00</td><td>-3.96</td><td>37.94</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>106</td><td>278 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	50.04	54.00	-3.96	37.94	34.20	9.79	31.89	0.00	106	278 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5149.92	50.04	54.00	-3.96	37.94	34.20	9.79	31.89	0.00	106	278 AVERAGE																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.39</td><td>-----</td><td>-----</td><td>88.26</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>106</td><td>278 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.39	-----	-----	88.26	34.20	9.81	31.88	0.00	106	278 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5180.00	100.39	-----	-----	88.26	34.20	9.81	31.88	0.00	106	278 AVERAGE																																													





Mode	10																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																	
ANT	CDD 5+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>56.32</td><td>74.00</td><td>-17.68</td><td>44.22</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>344 59 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	56.32	74.00	-17.68	44.22	34.20	9.79	31.89	0.00	344 59 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.68</td><td>-----</td><td>-----</td><td>94.54</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>344 59 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.68	-----	-----	94.54	34.20	9.81	31.87	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.92	56.32	74.00	-17.68	44.22	34.20	9.79	31.89	0.00	344 59 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	106.68	-----	-----	94.54	34.20	9.81	31.87	0.00	344 59 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>46.81</td><td>54.00</td><td>-7.19</td><td>34.71</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>344 59 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	46.81	54.00	-7.19	34.71	34.20	9.79	31.89	0.00	344 59 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.23</td><td>-----</td><td>-----</td><td>85.10</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>344 59 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.23	-----	-----	85.10	34.20	9.81	31.88	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.76	46.81	54.00	-7.19	34.71	34.20	9.79	31.89	0.00	344 59 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	97.23	-----	-----	85.10	34.20	9.81	31.88	0.00	344 59 AVERAGE																																																																																								





Mode	10																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																	
ANT	CDD 5+7																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 10360.00</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>55.27</td><td>37.56</td><td>14.13</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	45.68	68.20	-22.52	55.27	37.56	14.13	61.28	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 10360.00</td><td>48.55</td><td>68.20</td><td>-19.65</td><td>58.14</td><td>37.56</td><td>14.13</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	48.55	68.20	-19.65	58.14	37.56	14.13	61.28	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 10360.00	45.68	68.20	-22.52	55.27	37.56	14.13	61.28	0.00	---	---	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 10360.00	48.55	68.20	-19.65	58.14	37.56	14.13	61.28	0.00	---	---	PEAK																																																																																							





Mode	11																																																																																																				
	Harmonic																																																																																																				
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																																																																				
ANT	CDD 5+7																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>46.52</td><td>68.20</td><td>-21.68</td><td>55.95</td><td>37.66</td><td>14.18</td><td>61.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.52	68.20	-21.68	55.95	37.66	14.18	61.27	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>50.62</td><td>68.20</td><td>-17.58</td><td>60.04</td><td>37.67</td><td>14.18</td><td>61.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	50.62	68.20	-17.58	60.04	37.67	14.18	61.27	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10440.00	46.52	68.20	-21.68	55.95	37.66	14.18	61.27	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10440.00	50.62	68.20	-17.58	60.04	37.67	14.18	61.27	0.00	---	PEAK																																																																																										





Mode	12																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																																																			
ANT	CDD 5+7																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10480.00</td><td>46.11</td><td>68.20</td><td>-22.09</td><td>55.40</td><td>37.77</td><td>14.21</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	46.11	68.20	-22.09	55.40	37.77	14.21	61.27	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10480.00</td><td>51.42</td><td>68.20</td><td>-16.78</td><td>60.72</td><td>37.76</td><td>14.21</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	51.42	68.20	-16.78	60.72	37.76	14.21	61.27	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10480.00	46.11	68.20	-22.09	55.40	37.77	14.21	61.27	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10480.00	51.42	68.20	-16.78	60.72	37.76	14.21	61.27	0.00	---	---	PEAK																																																																																								







Mode	13																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																																																																									
ANT	CDD 5+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10520.00</td><td>47.04</td><td>68.20</td><td>-21.16</td><td>56.25</td><td>37.82</td><td>14.24</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	47.04	68.20	-21.16	56.25	37.82	14.24	61.27	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10520.00</td><td>51.60</td><td>68.20</td><td>-16.60</td><td>60.80</td><td>37.82</td><td>14.24</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	51.60	68.20	-16.60	60.80	37.82	14.24	61.26	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10520.00	47.04	68.20	-21.16	56.25	37.82	14.24	61.27	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10520.00	51.60	68.20	-16.60	60.80	37.82	14.24	61.26	0.00	---	---	PEAK																																																																																														







Mode	14																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																																																																				
ANT	CDD 5+7																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10600.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>55.73</td><td>37.90</td><td>14.29</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.66	74.00	-27.34	55.73	37.90	14.29	61.26	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10600.00</td><td>50.62</td><td>74.00</td><td>-23.38</td><td>59.69</td><td>37.90</td><td>14.29</td><td>61.26</td><td>0.00</td><td>100</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>41.66</td><td>54.00</td><td>-12.34</td><td>50.73</td><td>37.90</td><td>14.29</td><td>61.26</td><td>0.00</td><td>100</td><td>271</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	50.62	74.00	-23.38	59.69	37.90	14.29	61.26	0.00	100	271	PEAK	2	10600.00	41.66	54.00	-12.34	50.73	37.90	14.29	61.26	0.00	100	271	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10600.00	46.66	74.00	-27.34	55.73	37.90	14.29	61.26	0.00	---	---	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10600.00	50.62	74.00	-23.38	59.69	37.90	14.29	61.26	0.00	100	271	PEAK																																																																																																									
2	10600.00	41.66	54.00	-12.34	50.73	37.90	14.29	61.26	0.00	100	271	AVERAGE																																																																																																									





Mode	15																																																																																																				
	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																				
ANT	CDD 5+7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.76</td><td>59.86</td><td>74.00</td><td>-14.14</td><td>47.12</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.76	59.86	74.00	-14.14	47.12	34.61	9.91	31.78	0.00	100	274 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.83</td><td>-----</td><td>-----</td><td>99.19</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.83	-----	-----	99.19	34.54	9.90	31.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5352.76	59.86	74.00	-14.14	47.12	34.61	9.91	31.78	0.00	100	274 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	111.83	-----	-----	99.19	34.54	9.90	31.80	0.00	100	274 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.78</td><td>50.75</td><td>54.00</td><td>-3.25</td><td>38.02</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>274 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.78	50.75	54.00	-3.25	38.02	34.60	9.91	31.78	0.00	100	274 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.21</td><td>-----</td><td>-----</td><td>90.57</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>100</td><td>274 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.21	-----	-----	90.57	34.54	9.90	31.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5351.78	50.75	54.00	-3.25	38.02	34.60	9.91	31.78	0.00	100	274 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	103.21	-----	-----	90.57	34.54	9.90	31.80	0.00	100	274 AVERAGE																																																																																										



Mode	15																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																			
ANT	CDD 5+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.20</td><td>56.36</td><td>74.00</td><td>-17.64</td><td>43.63</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>319</td><td>46 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.20	56.36	74.00	-17.64	43.63	34.60	9.91	31.78	0.00	319	46 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>108.18</td><td>-----</td><td>-----</td><td>95.53</td><td>34.55</td><td>9.90</td><td>31.80</td><td>0.00</td><td>319</td><td>46 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.18	-----	-----	95.53	34.55	9.90	31.80	0.00	319
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5352.20	56.36	74.00	-17.64	43.63	34.60	9.91	31.78	0.00	319	46 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	108.18	-----	-----	95.53	34.55	9.90	31.80	0.00	319	46 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>48.17</td><td>54.00</td><td>-5.83</td><td>35.44</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>319</td><td>46 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	48.17	54.00	-5.83	35.44	34.60	9.91	31.78	0.00	319	46 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>99.45</td><td>-----</td><td>-----</td><td>86.81</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>319</td><td>46 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.45	-----	-----	86.81	34.54	9.90	31.80	0.00	319
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.10	48.17	54.00	-5.83	35.44	34.60	9.91	31.78	0.00	319	46 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	99.45	-----	-----	86.81	34.54	9.90	31.80	0.00	319	46 AVERAGE																																																																																									





		15																																																																				
Mode		Harmonic																																																																				
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																				
ANT		CDD 5+7																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>54.90</td><td>37.94</td><td>14.32</td><td>61.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	45.91	74.00	-28.09	54.90	37.94	14.32	61.25	0.00	---	---	PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	10640.00	45.91	74.00	-28.09	54.90	37.94	14.32	61.25	0.00	---	---	PEAK																																																										
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>51.10</td><td>74.00</td><td>-22.90</td><td>60.09</td><td>37.94</td><td>14.32</td><td>61.25</td><td>0.00</td><td>109</td><td>27</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>40.82</td><td>54.00</td><td>-13.18</td><td>49.81</td><td>37.94</td><td>14.32</td><td>61.25</td><td>0.00</td><td>109</td><td>27</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	51.10	74.00	-22.90	60.09	37.94	14.32	61.25	0.00	109	27	PEAK	2	10640.00	40.82	54.00	-13.18	49.81	37.94	14.32	61.25	0.00	109	27	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	10640.00	51.10	74.00	-22.90	60.09	37.94	14.32	61.25	0.00	109	27	PEAK																																																										
2	10640.00	40.82	54.00	-13.18	49.81	37.94	14.32	61.25	0.00	109	27	AVERAGE																																																										







Mode	-	
	18G-40G	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz	
ANT	CDD 5+7	
Pol.	Horizontal	Vertical
Peak Avg		

Note: Only the worst case has assessed 18G ~40GHz to test.







Mode	-																																																																																																																																																																																										
	LF																																																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																																																																																																										
ANT	CDD 5+7																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
Peak Avg																																																																																																																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>93.05</td><td>18.38</td><td>-25.12</td><td>43.50</td><td>34.82</td><td>15.16</td><td>1.26</td><td>32.86</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>176.47</td><td>26.70</td><td>-16.80</td><td>43.50</td><td>42.57</td><td>15.19</td><td>1.78</td><td>32.84</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>281.23</td><td>24.54</td><td>-21.46</td><td>46.00</td><td>36.14</td><td>18.93</td><td>2.26</td><td>32.79</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>409.27</td><td>22.55</td><td>-23.45</td><td>46.00</td><td>30.50</td><td>22.19</td><td>2.73</td><td>32.87</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>605.21</td><td>25.23</td><td>-20.77</td><td>46.00</td><td>29.28</td><td>25.70</td><td>3.32</td><td>33.07</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>766.23</td><td>28.46</td><td>-17.54</td><td>46.00</td><td>29.33</td><td>28.16</td><td>3.74</td><td>32.77</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark		MHz	dBuV/m	Limit	Line	Level	Loss	Factor	dB	dB		1	93.05	18.38	-25.12	43.50	34.82	15.16	1.26	32.86	---	Peak	2	176.47	26.70	-16.80	43.50	42.57	15.19	1.78	32.84	---	Peak	3	281.23	24.54	-21.46	46.00	36.14	18.93	2.26	32.79	---	Peak	4	409.27	22.55	-23.45	46.00	30.50	22.19	2.73	32.87	---	Peak	5	605.21	25.23	-20.77	46.00	29.28	25.70	3.32	33.07	---	Peak	6	766.23	28.46	-17.54	46.00	29.33	28.16	3.74	32.77	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>48.43</td><td>28.67</td><td>-11.33</td><td>40.00</td><td>45.51</td><td>15.39</td><td>0.70</td><td>32.93</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>174.53</td><td>24.98</td><td>-18.52</td><td>43.50</td><td>40.80</td><td>15.24</td><td>1.77</td><td>32.83</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>316.15</td><td>19.29</td><td>-26.71</td><td>46.00</td><td>30.19</td><td>19.54</td><td>2.40</td><td>32.84</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>445.16</td><td>23.32</td><td>-22.68</td><td>46.00</td><td>30.52</td><td>22.99</td><td>2.85</td><td>33.04</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>541.19</td><td>24.70</td><td>-21.30</td><td>46.00</td><td>30.35</td><td>24.29</td><td>3.14</td><td>33.08</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>944.71</td><td>31.04</td><td>-14.96</td><td>46.00</td><td>27.80</td><td>30.77</td><td>4.14</td><td>31.67</td><td>---</td><td>Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark		MHz	dBuV/m	Limit	Line	Level	Loss	Factor	dB	dB		1	48.43	28.67	-11.33	40.00	45.51	15.39	0.70	32.93	---	Peak	2	174.53	24.98	-18.52	43.50	40.80	15.24	1.77	32.83	---	Peak	3	316.15	19.29	-26.71	46.00	30.19	19.54	2.40	32.84	---	Peak	4	445.16	23.32	-22.68	46.00	30.52	22.99	2.85	33.04	---	Peak	5	541.19	24.70	-21.30	46.00	30.35	24.29	3.14	33.08	---	Peak	6	944.71	31.04	-14.96	46.00	27.80	30.77	4.14	31.67	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																																																																																																																
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	dB	dB																																																																																																																																																																																		
1	93.05	18.38	-25.12	43.50	34.82	15.16	1.26	32.86	---	Peak																																																																																																																																																																																	
2	176.47	26.70	-16.80	43.50	42.57	15.19	1.78	32.84	---	Peak																																																																																																																																																																																	
3	281.23	24.54	-21.46	46.00	36.14	18.93	2.26	32.79	---	Peak																																																																																																																																																																																	
4	409.27	22.55	-23.45	46.00	30.50	22.19	2.73	32.87	---	Peak																																																																																																																																																																																	
5	605.21	25.23	-20.77	46.00	29.28	25.70	3.32	33.07	---	Peak																																																																																																																																																																																	
6	766.23	28.46	-17.54	46.00	29.33	28.16	3.74	32.77	---	Peak																																																																																																																																																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																																																																																																																	
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	dB	dB																																																																																																																																																																																		
1	48.43	28.67	-11.33	40.00	45.51	15.39	0.70	32.93	---	Peak																																																																																																																																																																																	
2	174.53	24.98	-18.52	43.50	40.80	15.24	1.77	32.83	---	Peak																																																																																																																																																																																	
3	316.15	19.29	-26.71	46.00	30.19	19.54	2.40	32.84	---	Peak																																																																																																																																																																																	
4	445.16	23.32	-22.68	46.00	30.52	22.99	2.85	33.04	---	Peak																																																																																																																																																																																	
5	541.19	24.70	-21.30	46.00	30.35	24.29	3.14	33.08	---	Peak																																																																																																																																																																																	
6	944.71	31.04	-14.96	46.00	27.80	30.77	4.14	31.67	---	Peak																																																																																																																																																																																	





Mode	16																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																																			
ANT	CDD 5+7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.65</td><td>59.56</td><td>74.00</td><td>-14.44</td><td>46.48</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>62.18</td><td>68.20</td><td>-6.02</td><td>49.10</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5459.65	59.56	74.00	-14.44	46.48	34.78	10.03	31.73	0.00	100	233 PEAK	2	5470.00	62.18	68.20	-6.02	49.10	34.76	10.04	31.72	0.00	100	233 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.91</td><td>-----</td><td>-----</td><td>97.82</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5500.00	110.91	-----	-----	97.82	34.70	10.09	31.70	0.00	100	233 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																											
1	5459.65	59.56	74.00	-14.44	46.48	34.78	10.03	31.73	0.00	100	233 PEAK																																																																																																																									
2	5470.00	62.18	68.20	-6.02	49.10	34.76	10.04	31.72	0.00	100	233 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																											
1	5500.00	110.91	-----	-----	97.82	34.70	10.09	31.70	0.00	100	233 PEAK																																																																																																																									
Avg																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.05</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>37.58</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100</td><td>233 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5459.05	50.66	54.00	-3.34	37.58	34.78	10.03	31.73	0.00	100	233 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.17</td><td>-----</td><td>-----</td><td>90.08</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>233 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5500.00	103.17	-----	-----	90.08	34.70	10.09	31.70	0.00	100	233 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																											
1	5459.05	50.66	54.00	-3.34	37.58	34.78	10.03	31.73	0.00	100	233 AVERAGE																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																											
1	5500.00	103.17	-----	-----	90.08	34.70	10.09	31.70	0.00	100	233 AVERAGE																																																																																																																									





Mode	16																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																		
ANT	CDD 5+7																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>56.42</td><td>74.00</td><td>-17.58</td><td>43.35</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>336</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>5469.25</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>44.48</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>336</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	56.42	74.00	-17.58	43.35	34.78	10.02	31.73	0.00	336	48	PEAK	2	5469.25	57.56	68.20	-10.64	44.48	34.76	10.04	31.72	0.00	336	48	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.40</td><td>-----</td><td>-----</td><td>95.31</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>336</td><td>48</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.40	-----	-----	95.31	34.70	10.09	31.70	0.00	336	48
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5458.00	56.42	74.00	-17.58	43.35	34.78	10.02	31.73	0.00	336	48	PEAK																																																																																																							
2	5469.25	57.56	68.20	-10.64	44.48	34.76	10.04	31.72	0.00	336	48	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5500.00	108.40	-----	-----	95.31	34.70	10.09	31.70	0.00	336	48	PEAK																																																																																																							
Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.50</td><td>47.58</td><td>54.00</td><td>-6.42</td><td>34.50</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>336</td><td>48</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	47.58	54.00	-6.42	34.50	34.78	10.03	31.73	0.00	336	48	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.49</td><td>-----</td><td>-----</td><td>87.40</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>336</td><td>48</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.49	-----	-----	87.40	34.70	10.09	31.70	0.00	336	48	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5459.50	47.58	54.00	-6.42	34.50	34.78	10.03	31.73	0.00	336	48	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5500.00	100.49	-----	-----	87.40	34.70	10.09	31.70	0.00	336	48	AVERAGE																																																																																																							



Mode	16																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																																	
ANT	CDD 5+7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>57.60</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>103</td><td>267</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>48.67</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>103</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	48.94	74.00	-25.06	57.60	38.00	14.56	61.22	0.00	103	267	PEAK	2	11000.00	40.01	54.00	-13.99	48.67	38.00	14.56	61.22	0.00	103	267	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>59.99</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>50.64</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	51.33	74.00	-22.67	59.99	38.00	14.56	61.22	0.00	100	43	PEAK	2	11000.00	41.98	54.00	-12.02	50.64	38.00	14.56	61.22	0.00	100	43	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11000.00	48.94	74.00	-25.06	57.60	38.00	14.56	61.22	0.00	103	267	PEAK																																																																																																																						
2	11000.00	40.01	54.00	-13.99	48.67	38.00	14.56	61.22	0.00	103	267	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11000.00	51.33	74.00	-22.67	59.99	38.00	14.56	61.22	0.00	100	43	PEAK																																																																																																																						
2	11000.00	41.98	54.00	-12.02	50.64	38.00	14.56	61.22	0.00	100	43	AVERAGE																																																																																																																						






Mode	17																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																													
ANT	CDD 5+7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>50.62</td><td>74.00</td><td>-23.38</td><td>59.01</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>117</td><td>347 PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>41.77</td><td>54.00</td><td>-12.23</td><td>50.16</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>117</td><td>347 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	50.62	74.00	-23.38	59.01	38.14	14.68	61.21	0.00	117	347 PEAK	2	11160.00	41.77	54.00	-12.23	50.16	38.14	14.68	61.21	0.00	117	347 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>51.44</td><td>74.00</td><td>-22.56</td><td>59.83</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>100</td><td>39 PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>42.14</td><td>54.00</td><td>-11.86</td><td>50.54</td><td>38.14</td><td>14.67</td><td>61.21</td><td>0.00</td><td>100</td><td>39 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	51.44	74.00	-22.56	59.83	38.14	14.68	61.21	0.00	100	39 PEAK	2	11160.00	42.14	54.00	-11.86	50.54	38.14	14.67	61.21	0.00	100	39 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11160.00	50.62	74.00	-23.38	59.01	38.14	14.68	61.21	0.00	117	347 PEAK																																																																																																																			
2	11160.00	41.77	54.00	-12.23	50.16	38.14	14.68	61.21	0.00	117	347 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11160.00	51.44	74.00	-22.56	59.83	38.14	14.68	61.21	0.00	100	39 PEAK																																																																																																																			
2	11160.00	42.14	54.00	-11.86	50.54	38.14	14.67	61.21	0.00	100	39 AVERAGE																																																																																																																			





		18																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																			
ANT	CDD 5+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.43</td><td>64.21</td><td>68.20</td><td>-3.99</td><td>51.11</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>100</td><td>118</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.43	64.21	68.20	-3.99	51.11	34.60	10.35	31.85	0.00	100	118	Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.97</td><td>-----</td><td>-----</td><td>96.81</td><td>34.60</td><td>10.32</td><td>31.76</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.97	-----	-----	96.81	34.60	10.32	31.76	0.00	100	118	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5727.43	64.21	68.20	-3.99	51.11	34.60	10.35	31.85	0.00	100	118	Peak																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	109.97	-----	-----	96.81	34.60	10.32	31.76	0.00	100	118	PEAK																																																																																								
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.73</td><td>-----</td><td>-----</td><td>90.58</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.73	-----	-----	90.58	34.60	10.32	31.77	0.00	100	118	AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	103.73	-----	-----	90.58	34.60	10.32	31.77	0.00	100	118	AVERAGE																																																																																								







		18																																																																																								
Mode	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																									
ANT	CDD 5+7																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.29	63.14	68.20	-5.06	50.04	34.60	10.34	31.84	0.00	300	47 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.56</td><td>-----</td><td>-----</td><td>93.41</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>300</td><td>47 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.56	-----	-----	93.41	34.60	10.32	31.77	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5725.29	63.14	68.20	-5.06	50.04	34.60	10.34	31.84	0.00	300	47 PEAK																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	106.56	-----	-----	93.41	34.60	10.32	31.77	0.00	300	47 PEAK																																																																															
Avg	Blank																																																																																									
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.87</td><td>-----</td><td>-----</td><td>84.72</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>300</td><td>47 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.87	-----	-----	84.72	34.60	10.32	31.77	0.00	300	47 AVERAGE																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	97.87	-----	-----	84.72	34.60	10.32	31.77	0.00	300	47 AVERAGE																																																																															







Mode	18																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																						
ANT	CDD 5+7																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>54.53</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	46.29	74.00	-27.71	54.53	38.10	14.85	61.19	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>60.66</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>42.04</td><td>54.00</td><td>-11.96</td><td>50.28</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	52.42	74.00	-21.58	60.66	38.10	14.85	61.19	0.00	100	360	PEAK	2	11400.00	42.04	54.00	-11.96	50.28	38.10	14.85	61.19	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11400.00	46.29	74.00	-27.71	54.53	38.10	14.85	61.19	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11400.00	52.42	74.00	-21.58	60.66	38.10	14.85	61.19	0.00	100	360	PEAK																																																																																																											
2	11400.00	42.04	54.00	-11.96	50.28	38.10	14.85	61.19	0.00	100	360	AVERAGE																																																																																																											







Mode	19																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																																																																																		
ANT	CDD 5+7																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.36</td><td>56.81</td><td>74.00</td><td>-17.19</td><td>44.19</td><td>34.74</td><td>9.78</td><td>31.90</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.36	56.81	74.00	-17.19	44.19	34.74	9.78	31.90	0.00	100	280	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>114.53</td><td>-----</td><td>-----</td><td>101.99</td><td>34.62</td><td>9.80</td><td>31.88</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	114.53	-----	-----	101.99	34.62	9.80	31.88	0.00	100	280
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5139.36	56.81	74.00	-17.19	44.19	34.74	9.78	31.90	0.00	100	280	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5180.00	114.53	-----	-----	101.99	34.62	9.80	31.88	0.00	100	280	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.36</td><td>47.72</td><td>54.00</td><td>-6.28</td><td>35.12</td><td>34.71</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.36	47.72	54.00	-6.28	35.12	34.71	9.78	31.89	0.00	100	280	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.81</td><td>-----</td><td>-----</td><td>96.27</td><td>34.62</td><td>9.80</td><td>31.88</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.81	-----	-----	96.27	34.62	9.80	31.88	0.00	100	280
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5147.36	47.72	54.00	-6.28	35.12	34.71	9.78	31.89	0.00	100	280	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5180.00	108.81	-----	-----	96.27	34.62	9.80	31.88	0.00	100	280	AVERAGE																																																																																																							







Mode	19																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																						
ANT	CDD 5+7																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.16</td><td>55.48</td><td>74.00</td><td>-18.52</td><td>42.85</td><td>34.76</td><td>9.77</td><td>31.90</td><td>0.00</td><td>389 49 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.16	55.48	74.00	-18.52	42.85	34.76	9.77	31.90	0.00	389 49 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5136.16	55.48	74.00	-18.52	42.85	34.76	9.77	31.90	0.00	389 49 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>113.33</td><td>-----</td><td>-----</td><td>100.79</td><td>34.62</td><td>9.80</td><td>31.88</td><td>0.00</td><td>389 49 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	113.33	-----	-----	100.79	34.62	9.80	31.88	0.00	389 49 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	113.33	-----	-----	100.79	34.62	9.80	31.88	0.00	389 49 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.48</td><td>46.06</td><td>54.00</td><td>-7.94</td><td>33.44</td><td>34.75</td><td>9.77</td><td>31.90</td><td>0.00</td><td>389 49 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.48	46.06	54.00	-7.94	33.44	34.75	9.77	31.90	0.00	389 49 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5136.48	46.06	54.00	-7.94	33.44	34.75	9.77	31.90	0.00	389 49 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.92</td><td>-----</td><td>-----</td><td>93.38</td><td>34.62</td><td>9.80</td><td>31.88</td><td>0.00</td><td>389 49 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.92	-----	-----	93.38	34.62	9.80	31.88	0.00	389 49 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	105.92	-----	-----	93.38	34.62	9.80	31.88	0.00	389 49 AVERAGE																																													







Mode	20																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																			
ANT	CDD 5+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.20</td><td>54.79</td><td>74.00</td><td>-19.21</td><td>42.15</td><td>34.50</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.20	54.79	74.00	-19.21	42.15	34.50	9.92	31.78	0.00	100	279 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>113.24</td><td>-----</td><td>-----</td><td>100.64</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.24	-----	-----	100.64	34.50	9.90	31.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5359.20	54.79	74.00	-19.21	42.15	34.50	9.92	31.78	0.00	100	279 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	113.24	-----	-----	100.64	34.50	9.90	31.80	0.00	100	279 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.84</td><td>45.18</td><td>54.00</td><td>-8.82</td><td>32.54</td><td>34.50</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.84	45.18	54.00	-8.82	32.54	34.50	9.92	31.78	0.00	100	279 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.80</td><td>-----</td><td>-----</td><td>95.20</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.80	-----	-----	95.20	34.50	9.90	31.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5362.84	45.18	54.00	-8.82	32.54	34.50	9.92	31.78	0.00	100	279 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	107.80	-----	-----	95.20	34.50	9.90	31.80	0.00	100	279 AVERAGE																																																																																									



Mode	20																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																			
ANT	CDD 5+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5362.84</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>41.79</td><td>34.50</td><td>9.92</td><td>31.78</td><td>0.00</td><td>346</td><td>54 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.84	54.43	74.00	-19.57	41.79	34.50	9.92	31.78	0.00	346	54 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>112.57</td><td>-----</td><td>-----</td><td>99.97</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>346</td><td>54 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.57	-----	-----	99.97	34.50	9.90	31.80	0.00	346
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5362.84	54.43	74.00	-19.57	41.79	34.50	9.92	31.78	0.00	346	54 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	112.57	-----	-----	99.97	34.50	9.90	31.80	0.00	346	54 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5360.46</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>31.80</td><td>34.50</td><td>9.92</td><td>31.78</td><td>0.00</td><td>346</td><td>54 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.46	44.44	54.00	-9.56	31.80	34.50	9.92	31.78	0.00	346	54 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>105.17</td><td>-----</td><td>-----</td><td>92.57</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>346</td><td>54 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.17	-----	-----	92.57	34.50	9.90	31.80	0.00	346
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5360.46	44.44	54.00	-9.56	31.80	34.50	9.92	31.78	0.00	346	54 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	105.17	-----	-----	92.57	34.50	9.90	31.80	0.00	346	54 AVERAGE																																																																																									



Mode	21																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																																
ANT	CDD 5+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.75</td><td>56.44</td><td>74.00</td><td>-17.56</td><td>43.63</td><td>34.52</td><td>10.02</td><td>31.73</td><td>0.00</td><td>113</td><td>115 PEAK</td></tr><tr><td>2</td><td>5462.80</td><td>53.36</td><td>68.20</td><td>-14.84</td><td>40.52</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>113</td><td>115 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.75	56.44	74.00	-17.56	43.63	34.52	10.02	31.73	0.00	113	115 PEAK	2	5462.80	53.36	68.20	-14.84	40.52	34.53	10.03	31.72	0.00	113	115 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>115.63</td><td>-----</td><td>-----</td><td>102.67</td><td>34.59</td><td>10.08</td><td>31.71</td><td>0.00</td><td>113</td><td>115 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	115.63	-----	-----	102.67	34.59	10.08	31.71	0.00	113	115 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.75	56.44	74.00	-17.56	43.63	34.52	10.02	31.73	0.00	113	115 PEAK																																																																																																						
2	5462.80	53.36	68.20	-14.84	40.52	34.53	10.03	31.72	0.00	113	115 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	115.63	-----	-----	102.67	34.59	10.08	31.71	0.00	113	115 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.20</td><td>45.20</td><td>54.00</td><td>-8.80</td><td>32.40</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>113</td><td>115 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.20	45.20	54.00	-8.80	32.40	34.51	10.02	31.73	0.00	113	115 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.49</td><td>-----</td><td>-----</td><td>94.53</td><td>34.59</td><td>10.08</td><td>31.71</td><td>0.00</td><td>113</td><td>115 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.49	-----	-----	94.53	34.59	10.08	31.71	0.00	113	115 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.20	45.20	54.00	-8.80	32.40	34.51	10.02	31.73	0.00	113	115 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	107.49	-----	-----	94.53	34.59	10.08	31.71	0.00	113	115 AVERAGE																																																																																																						