



LTE Band 2_20MHz					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)	
		QPSK	16QAM	QPSK	16QAM
18700	1860	17.818	17.870	19.34	19.36
18900	1880	17.902	17.849	19.27	19.40
19100	1900	17.874	17.893	19.42	19.43




APPENDIX C - CONDUCTED SPURIOUS EMISSIONS


PCS1900_GSM_CH661 Spectrum Plot



Dates: 6/JAN/2022 13:16:43




Dates: 6/JAN/2022 13:15:52




Dates: 6/JAN/2022 13:14:26


PCS1900_EDGE_CH661 Spectrum Plot



Dates: 27/DEC/2021 08:49:56




Dates: 23/DEC/2021 15:18:07




Dates: 23/DEC/2021 15:41:23


WCDMA Band II_WCDMA_CH9400 Spectrum Plot



Date: 23 DEC 2021 15:03:43




Date: 23 DEC 2021 15:03:47




Date: 23 DEC 2021 15:03:49


LTE Band 2_1.4MHz_CH18900 Spectrum Plot



Dates: 23_DEC_2021 10:40:05




Dates: 23_DEC_2021 10:44:31




Dates: 23_DEC_2021 10:47:17


LTE Band 2_5MHz_CH18900 Spectrum Plot



Dates: 23_DEC_2021 10:46:23




Dates: 23_DEC_2021 10:46:39




Dates: 23_DEC_2021 10:46:57


LTE Band 2_20MHz_CH18900 Spectrum Plot



Dates: 23_DEC_2021 10:46:51



Dates: 23_DEC_2021 10:46:58




Dates: 23_DEC_2021 10:49:30

APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBμV/m	dB	dBμV/m	dBμV/m	dB		
1	*	0.0186	50.84	14.73	65.57	122.21	-56.64	AVG	
2		0.0268	43.62	14.13	57.75	119.04	-61.29	AVG	
3		0.0386	41.66	13.86	55.52	115.87	-60.35	AVG	

Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBμV/m	dB	dBμV/m	dBμV/m	dB		
1		0.4485	32.54	13.40	45.94	94.57	-48.63	AVG	
2	*	2.1798	22.54	12.02	34.56	69.54	-34.98	QP	
3		4.2693	20.94	11.73	32.67	69.54	-36.87	QP	

Test Mode : TX Mode

Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBμV/m	dB	dBμV/m	dBμV/m	dB		
1	*	0.0194	48.52	14.48	63.00	121.85	-58.85	AVG	
2		0.0273	42.66	14.12	56.78	118.88	-62.10	AVG	
3		0.0368	40.96	13.90	54.86	116.29	-61.43	AVG	

Test Mode : TX Mode

Ant 90°




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBμV/m	dB	dBμV/m	dBμV/m	dB		
1		0.4237	31.85	13.43	45.28	95.06	-49.78	AVG	
2		1.7620	20.41	12.27	32.68	69.54	-36.86	QP	
3	*	2.2992	21.66	11.97	33.63	69.54	-35.91	QP	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)

Test Mode : PCS1900_TX CH661_GSM


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.1900	-68.55	-2.23	-70.78	-13.00	-57.78	peak	
2		137.6700	-70.08	-2.81	-72.89	-13.00	-59.89	peak	
3		313.7250	-72.00	-1.33	-73.33	-13.00	-60.33	peak	
4		474.2600	-71.93	2.32	-69.61	-13.00	-56.61	peak	
5		656.6200	-72.83	5.83	-67.00	-13.00	-54.00	peak	
6	*	884.5700	-71.91	8.60	-63.31	-13.00	-50.31	peak	

Test Mode : PCS1900_TX CH661_GSM


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		49.4000	-74.08	-1.95	-76.03	-13.00	-63.03	peak	
2		138.1550	-73.21	-2.76	-75.97	-13.00	-62.97	peak	
3		303.0550	-71.63	-1.66	-73.29	-13.00	-60.29	peak	
4		502.8750	-72.47	2.72	-69.75	-13.00	-56.75	peak	
5		769.6250	-72.47	7.63	-64.84	-13.00	-51.84	peak	
6	*	969.4450	-70.34	9.58	-60.76	-13.00	-47.76	peak	

Test Mode : WCDMA Band II_TX CH9800


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		52.3100	-60.20	-11.61	-71.81	-13.00	-58.81	peak	
2		139.1250	-60.10	-12.26	-72.36	-13.00	-59.36	peak	
3		303.5400	-62.84	-11.23	-74.07	-13.00	-61.07	peak	
4		500.4500	-63.36	-6.91	-70.27	-13.00	-57.27	peak	
5		700.2700	-61.61	-2.87	-64.48	-13.00	-51.48	peak	
6	*	882.1450	-60.76	-0.98	-61.74	-13.00	-48.74	peak	

Test Mode : WCDMA Band II_TX CH9800


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		62.0100	-63.42	-12.44	-75.86	-13.00	-62.86	peak	
2		151.7350	-61.69	-11.69	-73.38	-13.00	-60.38	peak	
3		286.0800	-59.54	-11.68	-71.22	-13.00	-58.22	peak	
4		453.8900	-60.87	-7.56	-68.43	-13.00	-55.43	peak	
5		634.3100	-63.33	-4.05	-67.38	-13.00	-54.38	peak	
6	*	880.2050	-60.97	-0.98	-61.95	-13.00	-48.95	peak	

Test Mode : LTE Band 2_TX CH18900_1.4MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		56.1900	-56.08	-11.82	-67.90	-13.00	-54.90	peak	
2		172.5900	-60.39	-12.33	-72.72	-13.00	-59.72	peak	
3		322.9400	-63.33	-10.66	-73.99	-13.00	-60.99	peak	
4		597.9350	-62.89	-4.42	-67.31	-13.00	-54.31	peak	
5		788.0550	-62.04	-1.81	-63.85	-13.00	-50.85	peak	
6	*	985.4500	-62.51	0.12	-62.39	-13.00	-49.39	peak	

Test Mode : LTE Band 2_TX CH18900_1.4MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		48.4300	-64.09	-11.58	-75.67	-13.00	-62.67	peak	
2		191.9900	-57.88	-14.39	-72.27	-13.00	-59.27	peak	
3		398.1150	-62.37	-9.16	-71.53	-13.00	-58.53	peak	
4		631.4000	-62.84	-4.07	-66.91	-13.00	-53.91	peak	
5		813.7600	-61.34	-1.51	-62.85	-13.00	-49.85	peak	
6	*	975.7500	-62.65	0.04	-62.61	-13.00	-49.61	peak	

Test Mode : LTE Band 2_TX CH18900_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		56.6750	-56.93	-11.86	-68.79	-13.00	-55.79	peak	
2		172.1050	-60.08	-12.28	-72.36	-13.00	-59.36	peak	
3		371.4400	-65.18	-9.78	-74.96	-13.00	-61.96	peak	
4		600.8450	-63.24	-4.35	-67.59	-13.00	-54.59	peak	
5		726.4600	-61.31	-2.48	-63.79	-13.00	-50.79	peak	
6	*	938.4050	-61.76	-0.38	-62.14	-13.00	-49.14	peak	

Test Mode : LTE Band 2_TX CH18900_5MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		57.1600	-63.77	-11.91	-75.68	-13.00	-62.68	peak	
2		191.9900	-58.55	-14.39	-72.94	-13.00	-59.94	peak	
3		276.8650	-61.77	-11.96	-73.73	-13.00	-60.73	peak	
4		423.8200	-62.46	-8.40	-70.86	-13.00	-57.86	peak	
5		721.1250	-62.24	-2.56	-64.80	-13.00	-51.80	peak	
6	*	875.3550	-61.67	-0.97	-62.64	-13.00	-49.64	peak	

Test Mode : LTE Band 2_TX CH18900_20MHz


Test Mode : LTE Band 2_TX CH18900_20MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.7050	-56.52	-11.77	-68.29	-13.00	-55.29	peak	
2		191.9900	-57.92	-14.39	-72.31	-13.00	-59.31	peak	
3		346.7050	-62.15	-10.24	-72.39	-13.00	-59.39	peak	
4		556.2250	-63.44	-5.81	-69.25	-13.00	-56.25	peak	
5		736.6450	-61.98	-2.32	-64.30	-13.00	-51.30	peak	
6	*	933.0700	-62.42	-0.46	-62.88	-13.00	-49.88	peak	

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		62.9800	-61.96	-12.57	-74.53	-13.00	-61.53	peak	
2		191.5050	-58.40	-14.36	-72.76	-13.00	-59.76	peak	
3		367.4450	-61.98	-9.38	-71.36	-13.00	-58.36	peak	
4		531.4900	-61.82	-6.36	-68.18	-13.00	-55.18	peak	
5		720.6400	-63.02	-2.56	-65.58	-13.00	-52.58	peak	
6	*	862.7450	-61.59	-0.97	-62.56	-13.00	-49.56	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)

Test Mode : PCS1900_TX CH661_GSM


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	6584.500	-69.26	18.63	-50.63	-13.00	-37.63	peak	

Test Mode : PCS1900_TX CH661_GSM


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	6584.500	-69.26	18.63	-50.63	-13.00	-37.63	peak	

Test Mode : WCDMA Band II_TX CH9800


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3754.000	-40.22	-0.93	-41.15	-13.00	-28.15	peak	

Test Mode : WCDMA Band II_TX CH9800


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3754.000	-40.22	-0.93	-41.15	-13.00	-28.15	peak	

Test Mode : LTE Band 2_TX CH18900_1.4MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3754.000	-37.24	-0.93	-38.17	-13.00	-25.17	peak	

Test Mode : LTE Band 2_TX CH18900_1.4MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3766.750	-40.70	-0.88	-41.58	-13.00	-28.58	peak	

Test Mode : LTE Band 2_TX CH18900_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3766.750	-37.87	-0.88	-38.75	-13.00	-25.75	peak	

Test Mode : LTE Band 2_TX CH18900_5MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3766.750	-39.20	-0.88	-40.08	-13.00	-27.08	peak	

Test Mode : LTE Band 2_TX CH18900_20MHz


Test Mode : LTE Band 2_TX CH18900_20MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3741.250	-36.06	-0.98	-37.04	-13.00	-24.04	peak	
2		9351.250	-47.02	7.74	-39.28	-13.00	-26.28	peak	


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3741.250	-37.59	-0.98	-38.57	-13.00	-25.57	peak	

APPENDIX G - BAND EDGE

PCS1900_GSM Spectrum Plot



EDGE




WCDMA Band II_WCDMA Spectrum Plot

Channel

9262

Channel

9538



LTE Band 2_1.4MHz Spectrum Plot

1RB#0



1RB#5

Channel

18607

Channel

19193





6RB#0

Channel

18607

Channel

19193



LTE Band 2_3MHz Spectrum Plot

1RB#0



1RB#14

Channel

18615

Channel

19185





15RB#0

Channel

18615

Channel

19185



LTE Band 2_5MHz Spectrum Plot

1RB#0



1RB#24

Channel

18625

Channel

19175





25RB#0

Channel

18625

Channel

19175



LTE Band 2_10MHz Spectrum Plot

1RB#0



1RB#49

Channel

18650

Channel

19150





50RB#0

Channel

18650

Channel

19150



LTE Band 2_15MHz Spectrum Plot

1RB#0



1RB#74

Channel

18675

Channel

19125





75RB#0

Channel

18675

Channel

19125



LTE Band 2_20MHz Spectrum Plot

1RB#0



1RB#99

Channel

18700

Channel

19100





100RB#0

Channel

18700


Channel

19100




APPENDIX H - PEAK TO AVERAGE RATIO


PCS1900_GSM				
Channel	Frequency (MHz)	Peak To Average Ratio (dB)	Max. Limit (dB)	Result
		QPSK		
512	1850.2	2.89	13	Pass
661	1880	3.10	13	Pass
810	1909.8	3.22	13	Pass




PCS1900_EDGE				
Channel	Frequency (MHz)	Peak To Average Ratio (dB)	Max. Limit (dB)	Result
		QPSK		
512	1850.2	6.33	13	Pass
661	1880	6.16	13	Pass
810	1909.8	6.23	13	Pass




WCDMA Band II_WCDMA				
Channel	Frequency (MHz)	Peak To Average Ratio (dB)	Max. Limit (dB)	Result
		QPSK		
9262	1852.4	3.19	13	Pass
9400	1880	3.20	13	Pass
9538	1907.6	3.11	13	Pass




LTE Band 2_1.4MHz					
Channel	Frequency (MHz)	Peak To Average Ratio (dB)		Max. Limit (dB)	Result
		QPSK	16QAM		
18607	1850.7	3.18	4.02	13	Pass
18900	1880	3.19	3.98	13	Pass
19193	1909.3	3.16	3.95	13	Pass



LTE Band 2_3MHz					
Channel	Frequency (MHz)	Peak To Average Ratio (dB)		Max. Limit (dB)	Result
		QPSK	16QAM		
18615	1851.5	3.19	4.02	13	Pass
18900	1880	3.18	4.00	13	Pass
19185	1908.5	3.19	4.02	13	Pass



LTE Band 2_5MHz					
Channel	Frequency (MHz)	Peak To Average Ratio (dB)		Max. Limit (dB)	Result
		QPSK	16QAM		
18625	1852.5	3.08	3.92	13	Pass
18900	1880	3.05	3.73	13	Pass
19175	1907.5	3.15	3.97	13	Pass



LTE Band 2_10MHz					
Channel	Frequency (MHz)	Peak To Average Ratio (dB)		Max. Limit (dB)	Result
		QPSK	16QAM		
18650	1855	3.21	3.96	13	Pass
18900	1880	3.23	3.92	13	Pass
19150	1905	3.38	4.03	13	Pass

