


## FCC ID LABEL & LOCATION


### LABELING REQUIREMENTS PER §2.925

The label shall be permanently affixed at a conspicuous location on the device.



**SEE NEXT PAGE(S) FOR  
PART 15(B) FCC DoC LABEL**

**SEE NEXT PAGE(S) FOR  
PART 15(C) FCC ID LABEL**



This product contains an FCC  
and Industry Canada transmitter.  
FCC ID: KBCIXI00XA750WLB T  
IC: 1943A-IXI00Xa

SCALE 1.000

NOTES:(UNLESS OTHERWISE SPECIFIED).

- 1. MATERIAL: 3M 7818 MATTE SILVER POLYESTER W/#310 ACRYLIC ADHESIVE OR EQUIVALENT.
- 2. PRINTING: INK, SONY #4072 OR EQUIVALENT.
- 3. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

C6	2	MH	JMD	IXI00Xa WAS IXI00A			
-	1	MH	JMD	PROTOTYPE RELEASE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER J.DERTING		DATE 2-12-04		DESCRIPTION  LBL, IXI00X,BT,WLAN,AC750			
CHECKER		DATE					
ELEC. ENG		DATE					
MECH. ENG		DATE					
MFG. ENG		DATE					
				SIZE B	DWG. NO 26-0573-001		
				SCALE 4.000		SHEET 1 OF 1	
						REV 2	


UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS  
DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION  
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND  
IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED  
WITH A PROPOSAL, THE RECIPIENT SHALL USE IT  
SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED  
TO A CUSTOMER IT SHALL BE USED SOLELY FOR  
PURPOSES OF INSPECTION INSTALLATION, OR  
MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT  
SHALL BE USED SOLELY IN THE PERFORMANCE OF THE  
WORK CONTRACTED FOR BY THIS COMPANY. THE  
INFORMATION SHALL NOT BE USED OR DISCLOSED BY  
THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED  
X ± 0.5 MM  
X.X ± 0.25 MM  
X.XX ± 0.125 MM  
ANG. = 1.0°


THIRD ANGLE  
PROJECTION

**ITRONIX**  
S.801 STEVENS, P.O. BOX 179  
SPOKANE, WA 99210





NOTES:(UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: .007" THK. 8B35 POLYCARBONATE W/.005" THK. 3M 468 ADHESIVE.
2. MATERIAL TO BE UL AND CSA APPROVED.
3. PRINTING: SILVER BACKGROUND W/BLACK TEXT.
4. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



SCALE 1.000

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS DO NOT SCALE DRAWING		.TOL. EXCEPT AS NOTED X ± 0.5 MM X.X ± 0.25 MM X.XX ± 0.125 MM ANG. = 1.0°		DRAFTER J.DERTING		DATE 09-06-02		DESCRIPTION LABEL,FCC,PRT 15,IX100					
NOTICE OF PROPRIETARY INFORMATION INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.		THIRD ANGLE PROJECTION				ELEC. ENG		DATE		SIZE		DWG. NO	
		 S.801 STEVENS, P.O. BOX 179 SPOKANE, WA 99210		MECH. ENG		DATE		B		26-0404-001			
				BE		09-06-02							
				MFG. ENG		DATE							
				J.VOCATURE		10/2/02		SCALE		SHEET		REV	
								2.000		1 OF 1		A	

-	A	2798	JMD	RELEASE	BE	7/10/03
-	I	BE	JMD	PROTOTYPE RELEASE	BE	9/25/02
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE	APP.	DATE