




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	3.67	30	Pass
NVNT	BLE	2442	Ant1	5.385	30	Pass
NVNT	BLE	2480	Ant1	4.299	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.682	0.5	Pass
NVNT	BLE	2442	Ant1	0.687	0.5	Pass
NVNT	BLE	2480	Ant1	0.687	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.037	
NVNT	BLE	2442	Ant1	1.036	
NVNT	BLE	2480	Ant1	1.033	

Project No.: JYTSZR2402008









Tel: +86-755-23118282, Fax: +86-755-23116366







Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-11.123	8	Pass
NVNT	BLE	2442	Ant1	-9.451	8	Pass
NVNT	BLE	2480	Ant1	-10.51	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-59.44	-20	Pass
NVNT	BLE	2480	Ant1	-60.78	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.8	-20	Pass
NVNT	BLE	2442	Ant1	-55.31	-20	Pass
NVNT	BLE	2480	Ant1	-52.37	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

4.696 dBm

-53.12 dBm -56.19 dBm -55.45 dBm

-50.58 dBm

Function

Function Width

5 Marker Table

Mode

N N Trace

Scale

Function Value

4.749 GHz 7.296 GHz 9.569 GHz

23.926 GHz

Mar 07, 2024 9:04:45 AM



