



P101 MAIN PCB


[YXA]



YAESU MUSEN CO., LTD.
FCC ID: K66GX2350S
EXHIBIT #: 10-1

1 MAIN PCB






IF IC


2SC2714 (Y)

FIA




FCC ID: K66GX2350S

EXHIBIT #: 10-5




F YAESU MUSEN CO., LTD.
FCC ID: K66GX2350S
EXHIBIT #: 10-6




NOTES:

1. REFER TO PARTS LIST FOR COMPONENT VALUES.
2. UNLESS OTHERWISE NOTED RESISTOR VALUES ARE IN OHMS.
3. VOLTAGE




VOLTAGE NOTATIONS ARE AS FOLLOWS. (UNIT:V)
MARKING - RX << >> - UNLOCK
) - TX

4. * PARTS IS NOT USE.
(NO MOUNT PARTS)
RF21, RF22, RF30



YAESU MUSEN CO., LTD.
FCC ID: K66GX2350S
EXHIBIT #: 10-9



YAESU MUSEN CO., LTD.
FCC ID: K66GX2350S
EXHIBIT #: 10-10

ORDER: 4388

DRAWN BY		SCHEMATIC DIAGRAM OF GX2350S MAIN				
K.ATSUTA						
DESIGNED BY		DATE:		438B493A0	0	1/3
S.KAWAKUBO		'99- 5-14				