



|                                   |                                          |                  |      |
|-----------------------------------|------------------------------------------|------------------|------|
| Test specification:               | Body_Low_802.11n-HT40_2452_Rightside_0mm |                  |      |
| Environ Conditions:               | Temp(oC): 23                             | Result:          | Pass |
|                                   | Humidity (%): 44                         |                  |      |
|                                   | Atmospheric(mPa): 1015                   |                  |      |
| Mains Power:                      | N/A                                      |                  |      |
| Test Date:                        | 09/10/2019-09/29/2019                    |                  |      |
| Tested by:                        | Deon Dai                                 |                  |      |
| Remarks:                          | -                                        |                  |      |
| Frequency (MHz)                   |                                          | 2452 (Channel 9) |      |
| Relative Permittivity (real part) |                                          | 53.1             |      |
| Conductivity (S/m)                |                                          | 2.02             |      |
| Probe SN                          |                                          | EX3DV4 - SN7525  |      |
| DAE SN                            |                                          | DAE4 Sn1522      |      |
| Conversion Factor (dB)            |                                          | 8.5              |      |
| Area Scan Resolution (mm)         |                                          | 14x14            |      |
| Zoom Scan Resolution (mm)         |                                          | 6x6x6            |      |
| Zoom Scan Size (mm)               |                                          | 30x30x30         |      |
| Power Drift (dB)                  |                                          | 0                |      |
| SAR 1g (W/Kg)                     |                                          | 0.01             |      |




Area and Zoom Scan Plot


# 802.11a-5G:

|                                                                                                |                                     |         |      |
|------------------------------------------------------------------------------------------------|-------------------------------------|---------|------|
| Test specification:                                                                            | Body_Low_802.11a-5180_Left side_0mm |         |      |
| Environ Conditions:                                                                            | Temp(oC): 23                        | Result: | Pass |
|                                                                                                | Humidity (%): 44                    |         |      |
|                                                                                                | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                                                                                   | N/A                                 |         |      |
| Test Date:                                                                                     | 09/10/2019-09/29/2019               |         |      |
| Tested by:                                                                                     | Deon Dai                            |         |      |
| Remarks:                                                                                       | -                                   |         |      |
| Frequency (MHz)                                                                                | 5180 (Channel 36)                   |         |      |
| Relative permittivity (real part)                                                              | 48.3                                |         |      |
| Conductivity (S/m)                                                                             | 5.29                                |         |      |
| Probe SN                                                                                       | EX3DV4 - SN7525                     |         |      |
| DAE SN                                                                                         | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)                                                                         | 5.41                                |         |      |
| Area Scan Resolution (mm)                                                                      | 14x14                               |         |      |
| Zoom Scan Resolution (mm)                                                                      | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)                                                                            | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                                                                               | 0                                   |         |      |
| SAR 1g (W/Kg)                                                                                  | 0.089                               |         |      |
| <div></div> |                                     |         |      |
| Area and Zoom Scan Plot                                                                        |                                     |         |      |


|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Mid_802.11a-5200_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5200 (Channel 40)                   |         |      |
| Relative permittivity (real part) | 48.2                                |         |      |
| Conductivity (S/m)                | 5.40                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 5.41                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.09                                |         |      |



Area and Zoom Scan Plot


|                                                                                                |                                      |         |      |
|------------------------------------------------------------------------------------------------|--------------------------------------|---------|------|
| Test specification:                                                                            | Body_High_802.11a-5240_Left side_0mm |         |      |
| Environ Conditions:                                                                            | Temp(oC): 23                         | Result: | Pass |
|                                                                                                | Humidity (%): 44                     |         |      |
|                                                                                                | Atmospheric(mPa): 1015               |         |      |
| Mains Power:                                                                                   | N/A                                  |         |      |
| Test Date:                                                                                     | 09/10/2019-09/29/2019                |         |      |
| Tested by:                                                                                     | Deon Dai                             |         |      |
| Remarks:                                                                                       | -                                    |         |      |
| Frequency (MHz)                                                                                | 5240 (Channel 48)                    |         |      |
| Relative permittivity (real part)                                                              | 48.2                                 |         |      |
| Conductivity (S/m)                                                                             | 5.40                                 |         |      |
| Probe SN                                                                                       | EX3DV4 - SN7525                      |         |      |
| DAE SN                                                                                         | DAE4 Sn1522                          |         |      |
| Conversion Factor (dB)                                                                         | 5.41                                 |         |      |
| Area Scan Resolution (mm)                                                                      | 14x14                                |         |      |
| Zoom Scan Resolution (mm)                                                                      | 4.0x4.0x1.4                          |         |      |
| Zoom Scan Size (mm)                                                                            | 22.0x22.0x22.0                       |         |      |
| Power Drift (dB)                                                                               | 0                                    |         |      |
| SAR 1g (W/Kg)                                                                                  | 0.094                                |         |      |
| <div></div> |                                      |         |      |
| Area and Zoom Scan Plot                                                                        |                                      |         |      |

|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Low_802.11a-5260_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5260 (Channel 52)                   |         |      |
| Relative permittivity (real part) | 48.2                                |         |      |
| Conductivity (S/m)                | 5.40                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 5.41                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.083                               |         |      |




Area and Zoom Scan Plot

|                                   |                                     |                   |      |
|-----------------------------------|-------------------------------------|-------------------|------|
| Test specification:               | Body_Mid_802.11a-5280_Left side_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                        | Result:           | Pass |
|                                   | Humidity (%): 44                    |                   |      |
|                                   | Atmospheric(mPa): 1015              |                   |      |
| Mains Power:                      | N/A                                 |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019               |                   |      |
| Tested by:                        | Deon Dai                            |                   |      |
| Remarks:                          | -                                   |                   |      |
| Frequency (MHz)                   |                                     | 5280 (Channel 56) |      |
| Relative permittivity (real part) |                                     | 48.1              |      |
| Conductivity (S/m)                |                                     | 5.42              |      |
| Probe SN                          |                                     | EX3DV4 - SN7525   |      |
| DAE SN                            |                                     | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                     | 5.41              |      |
| Area Scan Resolution (mm)         |                                     | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                     | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                     | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                     | 0                 |      |
| SAR 1g (W/Kg)                     |                                     | 0.087             |      |




Area and Zoom Scan Plot

|                                   |                                      |         |      |
|-----------------------------------|--------------------------------------|---------|------|
| Test specification:               | Body_High_802.11a-5320_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                         | Result: | Pass |
|                                   | Humidity (%): 44                     |         |      |
|                                   | Atmospheric(mPa): 1015               |         |      |
| Mains Power:                      | N/A                                  |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                |         |      |
| Tested by:                        | Deon Dai                             |         |      |
| Remarks:                          | -                                    |         |      |
| Frequency (MHz)                   | 5320 (Channel 64)                    |         |      |
| Relative permittivity (real part) | 48.1                                 |         |      |
| Conductivity (S/m)                | 5.47                                 |         |      |
| Probe SN                          | EX3DV4 - SN7525                      |         |      |
| DAE SN                            | DAE4 Sn1522                          |         |      |
| Conversion Factor (dB)            | 5.41                                 |         |      |
| Area Scan Resolution (mm)         | 14x14                                |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                          |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                       |         |      |
| Power Drift (dB)                  | 0                                    |         |      |
| SAR 1g (W/Kg)                     | 0.099                                |         |      |




Area and Zoom Scan Plot

|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Low_802.11a-5500_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5500 (Channel 100)                  |         |      |
| Relative permittivity (real part) | 47.7                                |         |      |
| Conductivity (S/m)                | 5.74                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 4.65                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.144                               |         |      |




Area and Zoom Scan Plot

|                                   |                                     |                    |      |
|-----------------------------------|-------------------------------------|--------------------|------|
| Test specification:               | Body_Mid_802.11a-5580_Left side_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                        | Result:            | Pass |
|                                   | Humidity (%): 44                    |                    |      |
|                                   | Atmospheric(mPa): 1015              |                    |      |
| Mains Power:                      | N/A                                 |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019               |                    |      |
| Tested by:                        | Deon Dai                            |                    |      |
| Remarks:                          | -                                   |                    |      |
| Frequency (MHz)                   |                                     | 5580 (Channel 116) |      |
| Relative permittivity (real part) |                                     | 47.6               |      |
| Conductivity (S/m)                |                                     | 5.84               |      |
| Probe SN                          |                                     | EX3DV4 - SN7525    |      |
| DAE SN                            |                                     | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                     | 4.65               |      |
| Area Scan Resolution (mm)         |                                     | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                     | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                     | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                     | 0                  |      |
| SAR 1g (W/Kg)                     |                                     | 0.119              |      |




Area and Zoom Scan Plot


|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Mid_802.11a-5700_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5580 (Channel 140)                  |         |      |
| Relative permittivity (real part) | 47.6                                |         |      |
| Conductivity (S/m)                | 5.84                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 4.65                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.018                               |         |      |



Area and Zoom Scan Plot


|                                                                                                |                                     |         |      |
|------------------------------------------------------------------------------------------------|-------------------------------------|---------|------|
| Test specification:                                                                            | Body_Low_802.11a-5745_Left side_0mm |         |      |
| Environ Conditions:                                                                            | Temp(oC): 23                        | Result: | Pass |
|                                                                                                | Humidity (%): 44                    |         |      |
|                                                                                                | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                                                                                   | N/A                                 |         |      |
| Test Date:                                                                                     | 09/10/2019-09/29/2019               |         |      |
| Tested by:                                                                                     | Deon Dai                            |         |      |
| Remarks:                                                                                       | -                                   |         |      |
| Frequency (MHz)                                                                                | 5745 (Channel 149)                  |         |      |
| Relative permittivity (real part)                                                              | 47.2                                |         |      |
| Conductivity (S/m)                                                                             | 6.11                                |         |      |
| Probe SN                                                                                       | EX3DV4 - SN7525                     |         |      |
| DAE SN                                                                                         | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)                                                                         | 4.90                                |         |      |
| Area Scan Resolution (mm)                                                                      | 14x14                               |         |      |
| Zoom Scan Resolution (mm)                                                                      | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)                                                                            | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                                                                               | 0                                   |         |      |
| SAR 1g (W/Kg)                                                                                  | 0.122                               |         |      |
| <div></div> |                                     |         |      |
| Area and Zoom Scan Plot                                                                        |                                     |         |      |

|                                   |                                     |                    |      |
|-----------------------------------|-------------------------------------|--------------------|------|
| Test specification:               | Body_Mid_802.11a-5785_Left side_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                        | Result:            | Pass |
|                                   | Humidity (%): 44                    |                    |      |
|                                   | Atmospheric(mPa): 1015              |                    |      |
| Mains Power:                      | N/A                                 |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019               |                    |      |
| Tested by:                        | Deon Dai                            |                    |      |
| Remarks:                          | -                                   |                    |      |
| Frequency (MHz)                   |                                     | 5785 (Channel 157) |      |
| Relative permittivity (real part) |                                     | 47.1               |      |
| Conductivity (S/m)                |                                     | 6.16               |      |
| Probe SN                          |                                     | EX3DV4 - SN7525    |      |
| DAE SN                            |                                     | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                     | 4.90               |      |
| Area Scan Resolution (mm)         |                                     | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                     | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                     | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                     | 0                  |      |
| SAR 1g (W/Kg)                     |                                     | 0.126              |      |



Area and Zoom Scan Plot


|                                   |                                      |         |      |
|-----------------------------------|--------------------------------------|---------|------|
| Test specification:               | Body_High_802.11a-5825_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                         | Result: | Pass |
|                                   | Humidity (%): 44                     |         |      |
|                                   | Atmospheric(mPa): 1015               |         |      |
| Mains Power:                      | N/A                                  |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                |         |      |
| Tested by:                        | Deon Dai                             |         |      |
| Remarks:                          | -                                    |         |      |
| Frequency (MHz)                   | 5825 (Channel 165)                   |         |      |
| Relative permittivity (real part) | 47.1                                 |         |      |
| Conductivity (S/m)                | 6.16                                 |         |      |
| Probe SN                          | EX3DV4 - SN7525                      |         |      |
| DAE SN                            | DAE4 Sn1522                          |         |      |
| Conversion Factor (dB)            | 4.90                                 |         |      |
| Area Scan Resolution (mm)         | 14x14                                |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                          |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                       |         |      |
| Power Drift (dB)                  | 0                                    |         |      |
| SAR 1g (W/Kg)                     | 0.144                                |         |      |



Area and Zoom Scan Plot


# 802.11n -5G

|                                   |                                     |                   |      |
|-----------------------------------|-------------------------------------|-------------------|------|
| Test specification:               | Body_Low_802.11n-5180_Left side_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                        | Result:           | Pass |
|                                   | Humidity (%): 44                    |                   |      |
|                                   | Atmospheric(mPa): 1015              |                   |      |
| Mains Power:                      | N/A                                 |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019               |                   |      |
| Tested by:                        | Deon Dai                            |                   |      |
| Remarks:                          | -                                   |                   |      |
| Frequency (MHz)                   |                                     | 5180 (Channel 36) |      |
| Relative permittivity (real part) |                                     | 48.3              |      |
| Conductivity (S/m)                |                                     | 5.29              |      |
| Probe SN                          |                                     | EX3DV4 - SN7525   |      |
| DAE SN                            |                                     | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                     | 5.41              |      |
| Area Scan Resolution (mm)         |                                     | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                     | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                     | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                     | 0                 |      |
| SAR 1g (W/Kg)                     |                                     | 0.102             |      |




Area and Zoom Scan Plot

|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Mid_802.11n-5200_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5200 (Channel 40)                   |         |      |
| Relative permittivity (real part) | 48.2                                |         |      |
| Conductivity (S/m)                | 5.40                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 5.41                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.109                               |         |      |




Area and Zoom Scan Plot

|                                   |                                      |                   |      |
|-----------------------------------|--------------------------------------|-------------------|------|
| Test specification:               | Body_High_802.11n-5240_Left side_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                         | Result:           | Pass |
|                                   | Humidity (%): 44                     |                   |      |
|                                   | Atmospheric(mPa): 1015               |                   |      |
| Mains Power:                      | N/A                                  |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                |                   |      |
| Tested by:                        | Deon Dai                             |                   |      |
| Remarks:                          | -                                    |                   |      |
| Frequency (MHz)                   |                                      | 5240 (Channel 48) |      |
| Relative permittivity (real part) |                                      | 48.2              |      |
| Conductivity (S/m)                |                                      | 5.40              |      |
| Probe SN                          |                                      | EX3DV4 - SN7525   |      |
| DAE SN                            |                                      | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                      | 5.41              |      |
| Area Scan Resolution (mm)         |                                      | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                      | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                      | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                      | 0                 |      |
| SAR 1g (W/Kg)                     |                                      | 0.099             |      |




Area and Zoom Scan Plot


|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Low_802.11n-5260_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5260 (Channel 52)                   |         |      |
| Relative permittivity (real part) | 48.2                                |         |      |
| Conductivity (S/m)                | 5.40                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 5.41                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.089                               |         |      |



Area and Zoom Scan Plot


|                                                                                                |                                     |         |      |
|------------------------------------------------------------------------------------------------|-------------------------------------|---------|------|
| Test specification:                                                                            | Body_Mid_802.11n-5280_Left side_0mm |         |      |
| Environ Conditions:                                                                            | Temp(oC): 23                        | Result: | Pass |
|                                                                                                | Humidity (%): 44                    |         |      |
|                                                                                                | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                                                                                   | N/A                                 |         |      |
| Test Date:                                                                                     | 09/10/2019-09/29/2019               |         |      |
| Tested by:                                                                                     | Deon Dai                            |         |      |
| Remarks:                                                                                       | -                                   |         |      |
| Frequency (MHz)                                                                                | 5280 (Channel 56)                   |         |      |
| Relative permittivity (real part)                                                              | 48.1                                |         |      |
| Conductivity (S/m)                                                                             | 5.42                                |         |      |
| Probe SN                                                                                       | EX3DV4 - SN7525                     |         |      |
| DAE SN                                                                                         | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)                                                                         | 5.41                                |         |      |
| Area Scan Resolution (mm)                                                                      | 14x14                               |         |      |
| Zoom Scan Resolution (mm)                                                                      | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)                                                                            | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                                                                               | 0                                   |         |      |
| SAR 1g (W/Kg)                                                                                  | 0.0892                              |         |      |
| <div></div> |                                     |         |      |
| Area and Zoom Scan Plot                                                                        |                                     |         |      |

|                                   |                                      |         |      |
|-----------------------------------|--------------------------------------|---------|------|
| Test specification:               | Body_High_802.11n-5320_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                         | Result: | Pass |
|                                   | Humidity (%): 44                     |         |      |
|                                   | Atmospheric(mPa): 1015               |         |      |
| Mains Power:                      | N/A                                  |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                |         |      |
| Tested by:                        | Deon Dai                             |         |      |
| Remarks:                          | -                                    |         |      |
| Frequency (MHz)                   | 5320 (Channel 64)                    |         |      |
| Relative permittivity (real part) | 48.1                                 |         |      |
| Conductivity (S/m)                | 5.47                                 |         |      |
| Probe SN                          | EX3DV4 - SN7525                      |         |      |
| DAE SN                            | DAE4 Sn1522                          |         |      |
| Conversion Factor (dB)            | 5.41                                 |         |      |
| Area Scan Resolution (mm)         | 14x14                                |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                          |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                       |         |      |
| Power Drift (dB)                  | 0                                    |         |      |
| SAR 1g (W/Kg)                     | 0.102                                |         |      |




Area and Zoom Scan Plot

|                                   |                                     |                    |      |
|-----------------------------------|-------------------------------------|--------------------|------|
| Test specification:               | Body_Low_802.11n-5500_Left side_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                        | Result:            | Pass |
|                                   | Humidity (%): 44                    |                    |      |
|                                   | Atmospheric(mPa): 1015              |                    |      |
| Mains Power:                      | N/A                                 |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019               |                    |      |
| Tested by:                        | Deon Dai                            |                    |      |
| Remarks:                          | -                                   |                    |      |
| Frequency (MHz)                   |                                     | 5500 (Channel 100) |      |
| Relative permittivity (real part) |                                     | 47.7               |      |
| Conductivity (S/m)                |                                     | 5.74               |      |
| Probe SN                          |                                     | EX3DV4 - SN7525    |      |
| DAE SN                            |                                     | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                     | 4.65               |      |
| Area Scan Resolution (mm)         |                                     | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                     | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                     | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                     | 0                  |      |
| SAR 1g (W/Kg)                     |                                     | 0.121              |      |




Area and Zoom Scan Plot

|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Mid_802.11n-5580_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5580 (Channel 116)                  |         |      |
| Relative permittivity (real part) | 47.6                                |         |      |
| Conductivity (S/m)                | 5.84                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 4.65                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.119                               |         |      |




Area and Zoom Scan Plot


|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Mid_802.11n-5700_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5700 (Channel 140)                  |         |      |
| Relative permittivity (real part) | 47.6                                |         |      |
| Conductivity (S/m)                | 5.84                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 4.65                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.102                               |         |      |



Area and Zoom Scan Plot


|                                                                                                |                                     |         |      |
|------------------------------------------------------------------------------------------------|-------------------------------------|---------|------|
| Test specification:                                                                            | Body_Low_802.11n-5745_Left side_0mm |         |      |
| Environ Conditions:                                                                            | Temp(oC): 23                        | Result: | Pass |
|                                                                                                | Humidity (%): 44                    |         |      |
|                                                                                                | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                                                                                   | N/A                                 |         |      |
| Test Date:                                                                                     | 09/10/2019-09/29/2019               |         |      |
| Tested by:                                                                                     | Deon Dai                            |         |      |
| Remarks:                                                                                       | -                                   |         |      |
| Frequency (MHz)                                                                                | 5745 (Channel 149)                  |         |      |
| Relative permittivity (real part)                                                              | 47.2                                |         |      |
| Conductivity (S/m)                                                                             | 6.11                                |         |      |
| Probe SN                                                                                       | EX3DV4 - SN7525                     |         |      |
| DAE SN                                                                                         | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)                                                                         | 4.90                                |         |      |
| Area Scan Resolution (mm)                                                                      | 14x14                               |         |      |
| Zoom Scan Resolution (mm)                                                                      | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)                                                                            | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                                                                               | 0                                   |         |      |
| SAR 1g (W/Kg)                                                                                  | 0.121                               |         |      |
| <div></div> |                                     |         |      |
| Area and Zoom Scan Plot                                                                        |                                     |         |      |

|                                   |                                     |                    |      |
|-----------------------------------|-------------------------------------|--------------------|------|
| Test specification:               | Body_Mid_802.11n-5785_Left side_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                        | Result:            | Pass |
|                                   | Humidity (%): 44                    |                    |      |
|                                   | Atmospheric(mPa): 1015              |                    |      |
| Mains Power:                      | N/A                                 |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019               |                    |      |
| Tested by:                        | Deon Dai                            |                    |      |
| Remarks:                          | -                                   |                    |      |
| Frequency (MHz)                   |                                     | 5785 (Channel 157) |      |
| Relative permittivity (real part) |                                     | 47.1               |      |
| Conductivity (S/m)                |                                     | 6.16               |      |
| Probe SN                          |                                     | EX3DV4 - SN7525    |      |
| DAE SN                            |                                     | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                     | 4.90               |      |
| Area Scan Resolution (mm)         |                                     | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                     | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                     | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                     | 0                  |      |
| SAR 1g (W/Kg)                     |                                     | 0.112              |      |




Area and Zoom Scan Plot

|                                   |                                      |         |      |
|-----------------------------------|--------------------------------------|---------|------|
| Test specification:               | Body_High_802.11n-5825_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                         | Result: | Pass |
|                                   | Humidity (%): 44                     |         |      |
|                                   | Atmospheric(mPa): 1015               |         |      |
| Mains Power:                      | N/A                                  |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                |         |      |
| Tested by:                        | Deon Dai                             |         |      |
| Remarks:                          | -                                    |         |      |
| Frequency (MHz)                   | 5825 (Channel 165)                   |         |      |
| Relative permittivity (real part) | 47.1                                 |         |      |
| Conductivity (S/m)                | 6.16                                 |         |      |
| Probe SN                          | EX3DV4 - SN7525                      |         |      |
| DAE SN                            | DAE4 Sn1522                          |         |      |
| Conversion Factor (dB)            | 4.90                                 |         |      |
| Area Scan Resolution (mm)         | 14x14                                |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                          |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                       |         |      |
| Power Drift (dB)                  | 0                                    |         |      |
| SAR 1g (W/Kg)                     | 0.123                                |         |      |




Area and Zoom Scan Plot

**802.11HT-40**


|                                                                                                |                                         |         |      |
|------------------------------------------------------------------------------------------------|-----------------------------------------|---------|------|
| Test specification:                                                                            | FBody_Low_802.11HT40-5190_Left side_0mm |         |      |
| Environ Conditions:                                                                            | Temp(oC): 23                            | Result: | Pass |
|                                                                                                | Humidity (%): 44                        |         |      |
|                                                                                                | Atmospheric(mPa): 1015                  |         |      |
| Mains Power:                                                                                   | N/A                                     |         |      |
| Test Date:                                                                                     | 09/10/2019-09/29/2019                   |         |      |
| Tested by:                                                                                     | Deon Dai                                |         |      |
| Remarks:                                                                                       | -                                       |         |      |
| Frequency (MHz)                                                                                | 5190 (Channel 38)                       |         |      |
| Relative permittivity (real part)                                                              | 48.3                                    |         |      |
| Conductivity (S/m)                                                                             | 5.30                                    |         |      |
| Probe SN                                                                                       | EX3DV4 - SN7525                         |         |      |
| DAE SN                                                                                         | DAE4 Sn1522                             |         |      |
| Conversion Factor (dB)                                                                         | 5.41                                    |         |      |
| Area Scan Resolution (mm)                                                                      | 14x14                                   |         |      |
| Zoom Scan Resolution (mm)                                                                      | 4.0x4.0x1.4                             |         |      |
| Zoom Scan Size (mm)                                                                            | 22.0x22.0x22.0                          |         |      |
| Power Drift (dB)                                                                               | 0                                       |         |      |
| SAR 1g (W/Kg)                                                                                  | 0.09                                    |         |      |
| <div></div> |                                         |         |      |
| Area and Zoom Scan Plot                                                                        |                                         |         |      |

|                                   |                                         |         |      |
|-----------------------------------|-----------------------------------------|---------|------|
| Test specification:               | Body_High_802.11HT40-5230_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                            | Result: | Pass |
|                                   | Humidity (%): 44                        |         |      |
|                                   | Atmospheric(mPa): 1015                  |         |      |
| Mains Power:                      | N/A                                     |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |         |      |
| Tested by:                        | Deon Dai                                |         |      |
| Remarks:                          | -                                       |         |      |
| Frequency (MHz)                   | 5230 (Channel 46)                       |         |      |
| Relative permittivity (real part) | 48.3                                    |         |      |
| Conductivity (S/m)                | 5.30                                    |         |      |
| Probe SN                          | EX3DV4 - SN7525                         |         |      |
| DAE SN                            | DAE4 Sn1522                             |         |      |
| Conversion Factor (dB)            | 5.41                                    |         |      |
| Area Scan Resolution (mm)         | 14x14                                   |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                             |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                          |         |      |
| Power Drift (dB)                  | 0                                       |         |      |
| SAR 1g (W/Kg)                     | 0.092                                   |         |      |




Area and Zoom Scan Plot

|                                   |                                        |                   |      |
|-----------------------------------|----------------------------------------|-------------------|------|
| Test specification:               | Body_Low_802.11HT40-5270_Left side_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                           | Result:           | Pass |
|                                   | Humidity (%): 44                       |                   |      |
|                                   | Atmospheric(mPa): 1015                 |                   |      |
| Mains Power:                      | N/A                                    |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                  |                   |      |
| Tested by:                        | Deon Dai                               |                   |      |
| Remarks:                          | -                                      |                   |      |
| Frequency (MHz)                   |                                        | 5270 (Channel 54) |      |
| Relative permittivity (real part) |                                        | 48.1              |      |
| Conductivity (S/m)                |                                        | 5.42              |      |
| Probe SN                          |                                        | EX3DV4 - SN7525   |      |
| DAE SN                            |                                        | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                        | 5.41              |      |
| Area Scan Resolution (mm)         |                                        | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                        | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                        | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                        | 0                 |      |
| SAR 1g (W/Kg)                     |                                        | 0.112             |      |



Area and Zoom Scan Plot


|                                   |                                         |                   |      |
|-----------------------------------|-----------------------------------------|-------------------|------|
| Test specification:               | Body_High_802.11HT40-5310_Left side_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                            | Result:           | Pass |
|                                   | Humidity (%): 44                        |                   |      |
|                                   | Atmospheric(mPa): 1015                  |                   |      |
| Mains Power:                      | N/A                                     |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |                   |      |
| Tested by:                        | Deon Dai                                |                   |      |
| Remarks:                          | -                                       |                   |      |
| Frequency (MHz)                   |                                         | 5310 (Channel 62) |      |
| Relative permittivity (real part) |                                         | 48.1              |      |
| Conductivity (S/m)                |                                         | 5.47              |      |
| Probe SN                          |                                         | EX3DV4 - SN7525   |      |
| DAE SN                            |                                         | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                         | 5.41              |      |
| Area Scan Resolution (mm)         |                                         | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                         | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                         | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                         | 0                 |      |
| SAR 1g (W/Kg)                     |                                         | 0.186             |      |



Area and Zoom Scan Plot


|                     |                                        |         |      |
|---------------------|----------------------------------------|---------|------|
| Test specification: | Body_Low_802.11HT40-5510_Left side_0mm |         |      |
| Environ Conditions: | Temp(oC): 23                           | Result: | Pass |
|                     | Humidity (%): 44                       |         |      |
|                     | Atmospheric(mPa): 1015                 |         |      |
| Mains Power:        | N/A                                    |         |      |
| Test Date:          | 09/10/2019-09/29/2019                  |         |      |
| Tested by:          | Deon Dai                               |         |      |
| Remarks:            | -                                      |         |      |

|                                   |                    |
|-----------------------------------|--------------------|
| Frequency (MHz)                   | 5510 (Channel 102) |
| Relative permittivity (real part) | 47.7               |
| Conductivity (S/m)                | 5.76               |
| Probe SN                          | EX3DV4 - SN7525    |
| DAE SN                            | DAE4 Sn1522        |
| Conversion Factor (dB)            | 4.65               |
| Area Scan Resolution (mm)         | 14x14              |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4        |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0     |
| Power Drift (dB)                  | 0                  |
| SAR 1g (W/Kg)                     | 0.188              |




Area and Zoom Scan Plot

|                                   |                                        |         |      |
|-----------------------------------|----------------------------------------|---------|------|
| Test specification:               | Body_Mid_802.11HT40-5550_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                           | Result: | Pass |
|                                   | Humidity (%): 44                       |         |      |
|                                   | Atmospheric(mPa): 1015                 |         |      |
| Mains Power:                      | N/A                                    |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                  |         |      |
| Tested by:                        | Deon Dai                               |         |      |
| Remarks:                          | -                                      |         |      |
| Frequency (MHz)                   | 5550 (Channel 110)                     |         |      |
| Relative permittivity (real part) | 47.5                                   |         |      |
| Conductivity (S/m)                | 5.87                                   |         |      |
| Probe SN                          | EX3DV4 - SN7525                        |         |      |
| DAE SN                            | DAE4 Sn1522                            |         |      |
| Conversion Factor (dB)            | 4.65                                   |         |      |
| Area Scan Resolution (mm)         | 14x14                                  |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                            |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                         |         |      |
| Power Drift (dB)                  | 0                                      |         |      |
| SAR 1g (W/Kg)                     | 0.197                                  |         |      |




Area and Zoom Scan Plot

|                                   |                                         |                    |      |
|-----------------------------------|-----------------------------------------|--------------------|------|
| Test specification:               | Body_High_802.11HT40-5670_Left side_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                            | Result:            | Pass |
|                                   | Humidity (%): 44                        |                    |      |
|                                   | Atmospheric(mPa): 1015                  |                    |      |
| Mains Power:                      | N/A                                     |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |                    |      |
| Tested by:                        | Deon Dai                                |                    |      |
| Remarks:                          | -                                       |                    |      |
| Frequency (MHz)                   |                                         | 5670 (Channel 142) |      |
| Relative permittivity (real part) |                                         | 47.4               |      |
| Conductivity (S/m)                |                                         | 5.99               |      |
| Probe SN                          |                                         | EX3DV4 - SN7525    |      |
| DAE SN                            |                                         | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                         | 4.65               |      |
| Area Scan Resolution (mm)         |                                         | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                         | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                         | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                         | 0                  |      |
| SAR 1g (W/Kg)                     |                                         | 0.213              |      |




Area and Zoom Scan Plot

|                                   |                                        |         |      |
|-----------------------------------|----------------------------------------|---------|------|
| Test specification:               | Body_Low_802.11HT40-5755_Left side_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                           | Result: | Pass |
|                                   | Humidity (%): 44                       |         |      |
|                                   | Atmospheric(mPa): 1015                 |         |      |
| Mains Power:                      | N/A                                    |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                  |         |      |
| Tested by:                        | Deon Dai                               |         |      |
| Remarks:                          | -                                      |         |      |
| Frequency (MHz)                   | 5775 (Channel 151)                     |         |      |
| Relative permittivity (real part) | 47.2                                   |         |      |
| Conductivity (S/m)                | 6.12                                   |         |      |
| Probe SN                          | EX3DV4 - SN7525                        |         |      |
| DAE SN                            | DAE4 Sn1522                            |         |      |
| Conversion Factor (dB)            | 4.9                                    |         |      |
| Area Scan Resolution (mm)         | 14x14                                  |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                            |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                         |         |      |
| Power Drift (dB)                  | 0                                      |         |      |
| SAR 1g (W/Kg)                     | 0.078                                  |         |      |




Area and Zoom Scan Plot

|                                   |                                         |                    |      |
|-----------------------------------|-----------------------------------------|--------------------|------|
| Test specification:               | Body_High_802.11HT40-5795_Left side_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                            | Result:            | Pass |
|                                   | Humidity (%): 44                        |                    |      |
|                                   | Atmospheric(mPa): 1015                  |                    |      |
| Mains Power:                      | N/A                                     |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |                    |      |
| Tested by:                        | Deon Dai                                |                    |      |
| Remarks:                          | -                                       |                    |      |
| Frequency (MHz)                   |                                         | 5795 (Channel 159) |      |
| Relative permittivity (real part) |                                         | 47.1               |      |
| Conductivity (S/m)                |                                         | 6.18               |      |
| Probe SN                          |                                         | EX3DV4 - SN7525    |      |
| DAE SN                            |                                         | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                         | 4.9                |      |
| Area Scan Resolution (mm)         |                                         | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                         | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                         | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                         | 0                  |      |
| SAR 1g (W/Kg)                     |                                         | 0.184              |      |




Area and Zoom Scan Plot

# 802.11VHT-80


|                                                                                                |                                         |         |      |
|------------------------------------------------------------------------------------------------|-----------------------------------------|---------|------|
| Test specification:                                                                            | Body_Low_802.11VHT80-5210_Left side_0mm |         |      |
| Environ Conditions:                                                                            | Temp(oC): 23                            | Result: | Pass |
|                                                                                                | Humidity (%): 44                        |         |      |
|                                                                                                | Atmospheric(mPa): 1015                  |         |      |
| Mains Power: N/A                                                                               |                                         |         |      |
| Test Date:                                                                                     | 09/10/2019-09/29/2019                   |         |      |
| Tested by:                                                                                     | Deon Dai                                |         |      |
| Remarks:                                                                                       | -                                       |         |      |
| Frequency (MHz)                                                                                | 5210 (Channel 42)                       |         |      |
| Relative permittivity (real part)                                                              | 48.3                                    |         |      |
| Conductivity (S/m)                                                                             | 5.33                                    |         |      |
| Probe SN                                                                                       | EX3DV4 - SN7525                         |         |      |
| DAE SN                                                                                         | DAE4 Sn1522                             |         |      |
| Conversion Factor (dB)                                                                         | 5.41                                    |         |      |
| Area Scan Resolution (mm)                                                                      | 14x14                                   |         |      |
| Zoom Scan Resolution (mm)                                                                      | 4.0x4.0x1.4                             |         |      |
| Zoom Scan Size (mm)                                                                            | 22.0x22.0x22.0                          |         |      |
| Power Drift (dB)                                                                               | 0                                       |         |      |
| SAR 1g (W/Kg)                                                                                  | 0.102                                   |         |      |
| <div></div> |                                         |         |      |
| Area and Zoom Scan Plot                                                                        |                                         |         |      |

|                                   |                                          |                   |      |
|-----------------------------------|------------------------------------------|-------------------|------|
| Test specification:               | Body_High_802.11VHT80-5290_Left side_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                             | Result:           | Pass |
|                                   | Humidity (%): 44                         |                   |      |
|                                   | Atmospheric(mPa): 1015                   |                   |      |
| Mains Power:                      | N/A                                      |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                    |                   |      |
| Tested by:                        | Deon Dai                                 |                   |      |
| Remarks:                          | -                                        |                   |      |
| Frequency (MHz)                   |                                          | 5290 (Channel 58) |      |
| Relative permittivity (real part) |                                          | 48.1              |      |
| Conductivity (S/m)                |                                          | 5.44              |      |
| Probe SN                          |                                          | EX3DV4 - SN7525   |      |
| DAE SN                            |                                          | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                          | 5.41              |      |
| Area Scan Resolution (mm)         |                                          | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                          | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                          | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                          | 0                 |      |
| SAR 1g (W/Kg)                     |                                          | 0.102             |      |




Area and Zoom Scan Plot


|                                   |                                         |                    |      |
|-----------------------------------|-----------------------------------------|--------------------|------|
| Test specification:               | Body_Low_802.11VHT80-5530_Left side_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                            | Result:            | Pass |
|                                   | Humidity (%): 44                        |                    |      |
|                                   | Atmospheric(mPa): 1015                  |                    |      |
| Mains Power:                      | N/A                                     |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |                    |      |
| Tested by:                        | Deon Dai                                |                    |      |
| Remarks:                          | -                                       |                    |      |
| Frequency (MHz)                   |                                         | 5530 (Channel 106) |      |
| Relative permittivity (real part) |                                         | 47.6               |      |
| Conductivity (S/m)                |                                         | 5.78               |      |
| Probe SN                          |                                         | EX3DV4 - SN7525    |      |
| DAE SN                            |                                         | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                         | 4.65               |      |
| Area Scan Resolution (mm)         |                                         | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                         | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                         | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                         | 0                  |      |
| SAR 1g (W/Kg)                     |                                         | 0.121              |      |



Area and Zoom Scan Plot


|                                                                                     |                                         |         |      |
|-------------------------------------------------------------------------------------|-----------------------------------------|---------|------|
| Test specification:                                                                 | Body_Mid_802.11VHT80-5610_Left side_0mm |         |      |
| Environ Conditions:                                                                 | Temp(oC): 23                            | Result: | Pass |
|                                                                                     | Humidity (%): 44                        |         |      |
|                                                                                     | Atmospheric(mPa): 1015                  |         |      |
| Mains Power:                                                                        | N/A                                     |         |      |
| Test Date:                                                                          | 09/10/2019-09/29/2019                   |         |      |
| Tested by:                                                                          | Deon Dai                                |         |      |
| Remarks:                                                                            | -                                       |         |      |
| Frequency (MHz)                                                                     | 5610 (Channel 122)                      |         |      |
| Relative permittivity (real part)                                                   | 47.5                                    |         |      |
| Conductivity (S/m)                                                                  | 5.91                                    |         |      |
| Probe SN                                                                            | EX3DV4 - SN7525                         |         |      |
| DAE SN                                                                              | DAE4 Sn1522                             |         |      |
| Conversion Factor (dB)                                                              | 4.65                                    |         |      |
| Area Scan Resolution (mm)                                                           | 14x14                                   |         |      |
| Zoom Scan Resolution (mm)                                                           | 4.0x4.0x1.4                             |         |      |
| Zoom Scan Size (mm)                                                                 | 22.0x22.0x22.0                          |         |      |
| Power Drift (dB)                                                                    | 0                                       |         |      |
| SAR 1g (W/Kg)                                                                       | 0.078                                   |         |      |
|  |                                         |         |      |
| Area and Zoom Scan Plot                                                             |                                         |         |      |

|                                   |                                     |                   |      |
|-----------------------------------|-------------------------------------|-------------------|------|
| Test specification:               | Body_Low_802.11a-5180_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                        | Result:           | Pass |
|                                   | Humidity (%): 44                    |                   |      |
|                                   | Atmospheric(mPa): 1015              |                   |      |
| Mains Power:                      | N/A                                 |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019               |                   |      |
| Tested by:                        | Deon Dai                            |                   |      |
| Remarks:                          | -                                   |                   |      |
| Frequency (MHz)                   |                                     | 5180 (Channel 36) |      |
| Relative Permittivity (real part) |                                     | 48.3              |      |
| Conductivity (S/m)                |                                     | 5.29              |      |
| Probe SN                          |                                     | EX3DV4 - SN7525   |      |
| DAE SN                            |                                     | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                     | 5.41              |      |
| Area Scan Resolution (mm)         |                                     | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                     | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                     | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                     | 0                 |      |
| SAR 1g (W/Kg)                     |                                     | 0.067             |      |




Area and Zoom Scan Plot

|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Mid_802.11a-5200_Rightside_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5200 (Channel 40)                   |         |      |
| Relative Permittivity (real part) | 48.2                                |         |      |
| Conductivity (S/m)                | 5.40                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 5.41                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.069                               |         |      |




Area and Zoom Scan Plot

|                                   |                                      |         |      |
|-----------------------------------|--------------------------------------|---------|------|
| Test specification:               | Body_High_802.11a-5240_Rightside_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                         | Result: | Pass |
|                                   | Humidity (%): 44                     |         |      |
|                                   | Atmospheric(mPa): 1015               |         |      |
| Mains Power:                      | N/A                                  |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                |         |      |
| Tested by:                        | Deon Dai                             |         |      |
| Remarks:                          | -                                    |         |      |
| Frequency (MHz)                   | 5240 (Channel 48)                    |         |      |
| Relative permittivity (real part) | 48.2                                 |         |      |
| Conductivity (S/m)                | 5.40                                 |         |      |
| Probe SN                          | EX3DV4 - SN7525                      |         |      |
| DAE SN                            | DAE4 Sn1522                          |         |      |
| Conversion Factor (dB)            | 5.41                                 |         |      |
| Area Scan Resolution (mm)         | 14x14                                |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                          |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                       |         |      |
| Power Drift (dB)                  | 0                                    |         |      |
| SAR 1g (W/Kg)                     | 0.069                                |         |      |




Area and Zoom Scan Plot

|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Low_802.11a-5260_Rightside_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5260 (Channel 52)                   |         |      |
| Relative permittivity (real part) | 48.2                                |         |      |
| Conductivity (S/m)                | 5.40                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 5.41                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.071                               |         |      |




Area and Zoom Scan Plot

|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Mid_802.11a-5280_Rightside_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5280 (Channel 56)                   |         |      |
| Relative Permittivity (real part) | 48.1                                |         |      |
| Conductivity (S/m)                | 5.42                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 5.41                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.071                               |         |      |




Area and Zoom Scan Plot

|                                   |                                      |                   |      |
|-----------------------------------|--------------------------------------|-------------------|------|
| Test specification:               | Body_High_802.11a-5320_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                         | Result:           | Pass |
|                                   | Humidity (%): 44                     |                   |      |
|                                   | Atmospheric(mPa): 1015               |                   |      |
| Mains Power:                      | N/A                                  |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                |                   |      |
| Tested by:                        | Deon Dai                             |                   |      |
| Remarks:                          | -                                    |                   |      |
| Frequency (MHz)                   |                                      | 5320 (Channel 64) |      |
| Relative permittivity (real part) |                                      | 48.1              |      |
| Conductivity (S/m)                |                                      | 5.47              |      |
| Probe SN                          |                                      | EX3DV4 - SN7525   |      |
| DAE SN                            |                                      | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                      | 5.41              |      |
| Area Scan Resolution (mm)         |                                      | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                      | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                      | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                      | 0                 |      |
| SAR 1g (W/Kg)                     |                                      | 0.073             |      |




Area and Zoom Scan Plot

|                                   |                                     |         |      |
|-----------------------------------|-------------------------------------|---------|------|
| Test specification:               | Body_Low_802.11a-5500_Rightside_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                        | Result: | Pass |
|                                   | Humidity (%): 44                    |         |      |
|                                   | Atmospheric(mPa): 1015              |         |      |
| Mains Power:                      | N/A                                 |         |      |
| Test Date:                        | 09/10/2019-09/29/2019               |         |      |
| Tested by:                        | Deon Dai                            |         |      |
| Remarks:                          | -                                   |         |      |
| Frequency (MHz)                   | 5500 (Channel 100)                  |         |      |
| Relative permittivity (real part) | 47.7                                |         |      |
| Conductivity (S/m)                | 5.74                                |         |      |
| Probe SN                          | EX3DV4 - SN7525                     |         |      |
| DAE SN                            | DAE4 Sn1522                         |         |      |
| Conversion Factor (dB)            | 4.65                                |         |      |
| Area Scan Resolution (mm)         | 14x14                               |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                         |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                      |         |      |
| Power Drift (dB)                  | 0                                   |         |      |
| SAR 1g (W/Kg)                     | 0.085                               |         |      |




Area and Zoom Scan Plot

|                                   |                                     |                    |      |
|-----------------------------------|-------------------------------------|--------------------|------|
| Test specification:               | Body_Mid_802.11a-5580_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                        | Result:            | Pass |
|                                   | Humidity (%): 44                    |                    |      |
|                                   | Atmospheric(mPa): 1015              |                    |      |
| Mains Power:                      | N/A                                 |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019               |                    |      |
| Tested by:                        | Deon Dai                            |                    |      |
| Remarks:                          | -                                   |                    |      |
| Frequency (MHz)                   |                                     | 5580 (Channel 116) |      |
| Relative Permittivity (real part) |                                     | 47.6               |      |
| Conductivity (S/m)                |                                     | 5.84               |      |
| Probe SN                          |                                     | EX3DV4 - SN7525    |      |
| DAE SN                            |                                     | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                     | 4.65               |      |
| Area Scan Resolution (mm)         |                                     | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                     | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                     | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                     | 0                  |      |
| SAR 1g (W/Kg)                     |                                     | 0.091              |      |




Area and Zoom Scan Plot

|                                   |                                      |                    |      |
|-----------------------------------|--------------------------------------|--------------------|------|
| Test specification:               | Body_High_802.11a-5700_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                         | Result:            | Pass |
|                                   | Humidity (%): 44                     |                    |      |
|                                   | Atmospheric(mPa): 1015               |                    |      |
| Mains Power:                      | N/A                                  |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                |                    |      |
| Tested by:                        | Deon Dai                             |                    |      |
| Remarks:                          | -                                    |                    |      |
| Frequency (MHz)                   |                                      | 5700 (Channel 140) |      |
| Relative permittivity (real part) |                                      | 47.2               |      |
| Conductivity (S/m)                |                                      | 6.11               |      |
| Probe SN                          |                                      | EX3DV4 - SN7525    |      |
| DAE SN                            |                                      | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                      | 4.90               |      |
| Area Scan Resolution (mm)         |                                      | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                      | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                      | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                      | 0                  |      |
| SAR 1g (W/Kg)                     |                                      | 0.091              |      |




Area and Zoom Scan Plot

|                                   |                                     |                    |      |
|-----------------------------------|-------------------------------------|--------------------|------|
| Test specification:               | Body_Low_802.11a-5745_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                        | Result:            | Pass |
|                                   | Humidity (%): 44                    |                    |      |
|                                   | Atmospheric(mPa): 1015              |                    |      |
| Mains Power:                      | N/A                                 |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019               |                    |      |
| Tested by:                        | Deon Dai                            |                    |      |
| Remarks:                          | -                                   |                    |      |
| Frequency (MHz)                   |                                     | 5745 (Channel 149) |      |
| Relative permittivity (real part) |                                     | 47.2               |      |
| Conductivity (S/m)                |                                     | 6.11               |      |
| Probe SN                          |                                     | EX3DV4 - SN7525    |      |
| DAE SN                            |                                     | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                     | 4.90               |      |
| Area Scan Resolution (mm)         |                                     | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                     | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                     | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                     | 0                  |      |
| SAR 1g (W/Kg)                     |                                     | 0.089              |      |




Area and Zoom Scan Plot

|                                   |                                     |                    |      |
|-----------------------------------|-------------------------------------|--------------------|------|
| Test specification:               | Body_Mid_802.11a-5785_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                        | Result:            | Pass |
|                                   | Humidity (%): 44                    |                    |      |
|                                   | Atmospheric(mPa): 1015              |                    |      |
| Mains Power:                      | N/A                                 |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019               |                    |      |
| Tested by:                        | Deon Dai                            |                    |      |
| Remarks:                          | -                                   |                    |      |
| Frequency (MHz)                   |                                     | 5785 (Channel 157) |      |
| Relative Permittivity (real part) |                                     | 47.1               |      |
| Conductivity (S/m)                |                                     | 6.16               |      |
| Probe SN                          |                                     | EX3DV4 - SN7525    |      |
| DAE SN                            |                                     | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                     | 4.90               |      |
| Area Scan Resolution (mm)         |                                     | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                     | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                     | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                     | 0                  |      |
| SAR 1g (W/Kg)                     |                                     | 0.088              |      |




Area and Zoom Scan Plot

|                                   |                                      |                    |      |
|-----------------------------------|--------------------------------------|--------------------|------|
| Test specification:               | Body_High_802.11a-5825_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                         | Result:            | Pass |
|                                   | Humidity (%): 44                     |                    |      |
|                                   | Atmospheric(mPa): 1015               |                    |      |
| Mains Power:                      | N/A                                  |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                |                    |      |
| Tested by:                        | Deon Dai                             |                    |      |
| Remarks:                          | -                                    |                    |      |
| Frequency (MHz)                   |                                      | 5825 (Channel 165) |      |
| Relative permittivity (real part) |                                      | 47.1               |      |
| Conductivity (S/m)                |                                      | 6.16               |      |
| Probe SN                          |                                      | EX3DV4 - SN7525    |      |
| DAE SN                            |                                      | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                      | 4.90               |      |
| Area Scan Resolution (mm)         |                                      | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                      | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                      | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                      | 0                  |      |
| SAR 1g (W/Kg)                     |                                      | 0.087              |      |




Area and Zoom Scan Plot

|                                   |                                         |                   |      |
|-----------------------------------|-----------------------------------------|-------------------|------|
| Test specification:               | Body_Low_802.11n-H20-5180_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                            | Result:           | Pass |
|                                   | Humidity (%): 44                        |                   |      |
|                                   | Atmospheric(mPa): 1015                  |                   |      |
| Mains Power:                      | N/A                                     |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |                   |      |
| Tested by:                        | Deon Dai                                |                   |      |
| Remarks:                          | -                                       |                   |      |
| Frequency (MHz)                   |                                         | 5180 (Channel 36) |      |
| Relative Permittivity (real part) |                                         | 48.3              |      |
| Conductivity (S/m)                |                                         | 5.29              |      |
| Probe SN                          |                                         | EX3DV4 - SN7525   |      |
| DAE SN                            |                                         | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                         | 5.41              |      |
| Area Scan Resolution (mm)         |                                         | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                         | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                         | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                         | 0                 |      |
| SAR 1g (W/Kg)                     |                                         | 0.067             |      |




Area and Zoom Scan Plot

|                                   |                                         |                   |      |
|-----------------------------------|-----------------------------------------|-------------------|------|
| Test specification:               | Body_Mid_802.11n-H20-5200_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                            | Result:           | Pass |
|                                   | Humidity (%): 44                        |                   |      |
|                                   | Atmospheric(mPa): 1015                  |                   |      |
| Mains Power:                      | N/A                                     |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |                   |      |
| Tested by:                        | Deon Dai                                |                   |      |
| Remarks:                          | -                                       |                   |      |
| Frequency (MHz)                   |                                         | 5200 (Channel 40) |      |
| Relative Permittivity (real part) |                                         | 48.2              |      |
| Conductivity (S/m)                |                                         | 5.40              |      |
| Probe SN                          |                                         | EX3DV4 - SN7525   |      |
| DAE SN                            |                                         | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                         | 5.41              |      |
| Area Scan Resolution (mm)         |                                         | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                         | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                         | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                         | 0                 |      |
| SAR 1g (W/Kg)                     |                                         | 0.069             |      |




Area and Zoom Scan Plot

|                                   |                                          |                   |      |
|-----------------------------------|------------------------------------------|-------------------|------|
| Test specification:               | Body_High_802.11n-H20-5240_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                             | Result:           | Pass |
|                                   | Humidity (%): 44                         |                   |      |
|                                   | Atmospheric(mPa): 1015                   |                   |      |
| Mains Power:                      | N/A                                      |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                    |                   |      |
| Tested by:                        | Deon Dai                                 |                   |      |
| Remarks:                          | -                                        |                   |      |
| Frequency (MHz)                   |                                          | 5240 (Channel 48) |      |
| Relative permittivity (real part) |                                          | 48.2              |      |
| Conductivity (S/m)                |                                          | 5.40              |      |
| Probe SN                          |                                          | EX3DV4 - SN7525   |      |
| DAE SN                            |                                          | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                          | 5.41              |      |
| Area Scan Resolution (mm)         |                                          | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                          | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                          | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                          | 0                 |      |
| SAR 1g (W/Kg)                     |                                          | 0.069             |      |




Area and Zoom Scan Plot

|                                   |                                         |                   |      |
|-----------------------------------|-----------------------------------------|-------------------|------|
| Test specification:               | Body_Low_802.11n-H20-5260_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                            | Result:           | Pass |
|                                   | Humidity (%): 44                        |                   |      |
|                                   | Atmospheric(mPa): 1015                  |                   |      |
| Mains Power:                      | N/A                                     |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |                   |      |
| Tested by:                        | Deon Dai                                |                   |      |
| Remarks:                          | -                                       |                   |      |
| Frequency (MHz)                   |                                         | 5260 (Channel 52) |      |
| Relative permittivity (real part) |                                         | 48.2              |      |
| Conductivity (S/m)                |                                         | 5.40              |      |
| Probe SN                          |                                         | EX3DV4 - SN7525   |      |
| DAE SN                            |                                         | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                         | 5.41              |      |
| Area Scan Resolution (mm)         |                                         | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                         | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                         | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                         | 0                 |      |
| SAR 1g (W/Kg)                     |                                         | 0.071             |      |




Area and Zoom Scan Plot

|                                   |                                         |         |      |
|-----------------------------------|-----------------------------------------|---------|------|
| Test specification:               | Body_Mid_802.11n-H20-5280_Rightside_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                            | Result: | Pass |
|                                   | Humidity (%): 44                        |         |      |
|                                   | Atmospheric(mPa): 1015                  |         |      |
| Mains Power:                      | N/A                                     |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |         |      |
| Tested by:                        | Deon Dai                                |         |      |
| Remarks:                          | -                                       |         |      |
| Frequency (MHz)                   | 5280 (Channel 56)                       |         |      |
| Relative Permittivity (real part) | 48.1                                    |         |      |
| Conductivity (S/m)                | 5.42                                    |         |      |
| Probe SN                          | EX3DV4 - SN7525                         |         |      |
| DAE SN                            | DAE4 Sn1522                             |         |      |
| Conversion Factor (dB)            | 5.41                                    |         |      |
| Area Scan Resolution (mm)         | 14x14                                   |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                             |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                          |         |      |
| Power Drift (dB)                  | 0                                       |         |      |
| SAR 1g (W/Kg)                     | 0.071                                   |         |      |




Area and Zoom Scan Plot

|                                   |                                          |                   |      |
|-----------------------------------|------------------------------------------|-------------------|------|
| Test specification:               | Body_High_802.11n-H20-5320_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                             | Result:           | Pass |
|                                   | Humidity (%): 44                         |                   |      |
|                                   | Atmospheric(mPa): 1015                   |                   |      |
| Mains Power:                      | N/A                                      |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                    |                   |      |
| Tested by:                        | Deon Dai                                 |                   |      |
| Remarks:                          | -                                        |                   |      |
| Frequency (MHz)                   |                                          | 5320 (Channel 64) |      |
| Relative permittivity (real part) |                                          | 48.1              |      |
| Conductivity (S/m)                |                                          | 5.47              |      |
| Probe SN                          |                                          | EX3DV4 - SN7525   |      |
| DAE SN                            |                                          | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                          | 5.41              |      |
| Area Scan Resolution (mm)         |                                          | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                          | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                          | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                          | 0                 |      |
| SAR 1g (W/Kg)                     |                                          | 0.073             |      |




Area and Zoom Scan Plot

|                                   |                                         |                    |      |
|-----------------------------------|-----------------------------------------|--------------------|------|
| Test specification:               | Body_Low_802.11n-H20-5500_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                            | Result:            | Pass |
|                                   | Humidity (%): 44                        |                    |      |
|                                   | Atmospheric(mPa): 1015                  |                    |      |
| Mains Power:                      | N/A                                     |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |                    |      |
| Tested by:                        | Deon Dai                                |                    |      |
| Remarks:                          | -                                       |                    |      |
| Frequency (MHz)                   |                                         | 5500 (Channel 100) |      |
| Relative permittivity (real part) |                                         | 47.7               |      |
| Conductivity (S/m)                |                                         | 5.74               |      |
| Probe SN                          |                                         | EX3DV4 - SN7525    |      |
| DAE SN                            |                                         | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                         | 4.65               |      |
| Area Scan Resolution (mm)         |                                         | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                         | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                         | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                         | 0                  |      |
| SAR 1g (W/Kg)                     |                                         | 0.085              |      |




Area and Zoom Scan Plot

|                                   |                                         |         |      |
|-----------------------------------|-----------------------------------------|---------|------|
| Test specification:               | Body_Mid_802.11n-H20-5580_Rightside_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                            | Result: | Pass |
|                                   | Humidity (%): 44                        |         |      |
|                                   | Atmospheric(mPa): 1015                  |         |      |
| Mains Power:                      | N/A                                     |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |         |      |
| Tested by:                        | Deon Dai                                |         |      |
| Remarks:                          | -                                       |         |      |
| Frequency (MHz)                   | 5580 (Channel 116)                      |         |      |
| Relative Permittivity (real part) | 47.6                                    |         |      |
| Conductivity (S/m)                | 5.84                                    |         |      |
| Probe SN                          | EX3DV4 - SN7525                         |         |      |
| DAE SN                            | DAE4 Sn1522                             |         |      |
| Conversion Factor (dB)            | 4.65                                    |         |      |
| Area Scan Resolution (mm)         | 14x14                                   |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                             |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                          |         |      |
| Power Drift (dB)                  | 0                                       |         |      |
| SAR 1g (W/Kg)                     | 0.091                                   |         |      |




Area and Zoom Scan Plot

|                                   |                                          |         |      |
|-----------------------------------|------------------------------------------|---------|------|
| Test specification:               | Body_High_802.11n-H20-5700_Rightside_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                             | Result: | Pass |
|                                   | Humidity (%): 44                         |         |      |
|                                   | Atmospheric(mPa): 1015                   |         |      |
| Mains Power:                      | N/A                                      |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                    |         |      |
| Tested by:                        | Deon Dai                                 |         |      |
| Remarks:                          | -                                        |         |      |
| Frequency (MHz)                   | 5700 (Channel 140)                       |         |      |
| Relative permittivity (real part) | 47.2                                     |         |      |
| Conductivity (S/m)                | 6.11                                     |         |      |
| Probe SN                          | EX3DV4 - SN7525                          |         |      |
| DAE SN                            | DAE4 Sn1522                              |         |      |
| Conversion Factor (dB)            | 4.90                                     |         |      |
| Area Scan Resolution (mm)         | 14x14                                    |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                              |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                           |         |      |
| Power Drift (dB)                  | 0                                        |         |      |
| SAR 1g (W/Kg)                     | 0.091                                    |         |      |




Area and Zoom Scan Plot

|                                   |                                         |                    |      |
|-----------------------------------|-----------------------------------------|--------------------|------|
| Test specification:               | Body_Low_802.11n-H20-5745_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                            | Result:            | Pass |
|                                   | Humidity (%): 44                        |                    |      |
|                                   | Atmospheric(mPa): 1015                  |                    |      |
| Mains Power:                      | N/A                                     |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |                    |      |
| Tested by:                        | Deon Dai                                |                    |      |
| Remarks:                          | -                                       |                    |      |
| Frequency (MHz)                   |                                         | 5745 (Channel 149) |      |
| Relative permittivity (real part) |                                         | 47.2               |      |
| Conductivity (S/m)                |                                         | 6.11               |      |
| Probe SN                          |                                         | EX3DV4 - SN7525    |      |
| DAE SN                            |                                         | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                         | 4.90               |      |
| Area Scan Resolution (mm)         |                                         | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                         | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                         | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                         | 0                  |      |
| SAR 1g (W/Kg)                     |                                         | 0.089              |      |




Area and Zoom Scan Plot

|                                   |                                         |                    |      |
|-----------------------------------|-----------------------------------------|--------------------|------|
| Test specification:               | Body_Mid_802.11n-H20-5785_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                            | Result:            | Pass |
|                                   | Humidity (%): 44                        |                    |      |
|                                   | Atmospheric(mPa): 1015                  |                    |      |
| Mains Power:                      | N/A                                     |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                   |                    |      |
| Tested by:                        | Deon Dai                                |                    |      |
| Remarks:                          | -                                       |                    |      |
| Frequency (MHz)                   |                                         | 5785 (Channel 157) |      |
| Relative Permittivity (real part) |                                         | 47.1               |      |
| Conductivity (S/m)                |                                         | 6.16               |      |
| Probe SN                          |                                         | EX3DV4 - SN7525    |      |
| DAE SN                            |                                         | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                         | 4.90               |      |
| Area Scan Resolution (mm)         |                                         | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                         | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                         | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                         | 0                  |      |
| SAR 1g (W/Kg)                     |                                         | 0.088              |      |




Area and Zoom Scan Plot

|                                   |                                          |                    |      |
|-----------------------------------|------------------------------------------|--------------------|------|
| Test specification:               | Body_High_802.11n-H20-5825_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                             | Result:            | Pass |
|                                   | Humidity (%): 44                         |                    |      |
|                                   | Atmospheric(mPa): 1015                   |                    |      |
| Mains Power:                      | N/A                                      |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                    |                    |      |
| Tested by:                        | Deon Dai                                 |                    |      |
| Remarks:                          | -                                        |                    |      |
| Frequency (MHz)                   |                                          | 5825 (Channel 165) |      |
| Relative permittivity (real part) |                                          | 47.1               |      |
| Conductivity (S/m)                |                                          | 6.16               |      |
| Probe SN                          |                                          | EX3DV4 - SN7525    |      |
| DAE SN                            |                                          | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                          | 4.90               |      |
| Area Scan Resolution (mm)         |                                          | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                          | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                          | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                          | 0                  |      |
| SAR 1g (W/Kg)                     |                                          | 0.087              |      |




Area and Zoom Scan Plot

|                                   |                                          |                   |      |
|-----------------------------------|------------------------------------------|-------------------|------|
| Test specification:               | Body_Low_802.11n-HT40-5190_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                             | Result:           | Pass |
|                                   | Humidity (%): 44                         |                   |      |
|                                   | Atmospheric(mPa): 1015                   |                   |      |
| Mains Power:                      | N/A                                      |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                    |                   |      |
| Tested by:                        | Deon Dai                                 |                   |      |
| Remarks:                          | -                                        |                   |      |
| Frequency (MHz)                   |                                          | 5190 (Channel 38) |      |
| Relative Permittivity (real part) |                                          | 48.3              |      |
| Conductivity (S/m)                |                                          | 5.30              |      |
| Probe SN                          |                                          | EX3DV4 - SN7525   |      |
| DAE SN                            |                                          | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                          | 5.41              |      |
| Area Scan Resolution (mm)         |                                          | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                          | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                          | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                          | 0                 |      |
| SAR 1g (W/Kg)                     |                                          | 0.072             |      |




Area and Zoom Scan Plot

|                                   |                                           |         |      |
|-----------------------------------|-------------------------------------------|---------|------|
| Test specification:               | Body_High_802.11n-HT40-5230_Rightside_0mm |         |      |
| Environ Conditions:               | Temp(oC): 23                              | Result: | Pass |
|                                   | Humidity (%): 44                          |         |      |
|                                   | Atmospheric(mPa): 1015                    |         |      |
| Mains Power:                      | N/A                                       |         |      |
| Test Date:                        | 09/10/2019-09/29/2019                     |         |      |
| Tested by:                        | Deon Dai                                  |         |      |
| Remarks:                          | -                                         |         |      |
| Frequency (MHz)                   | 5230 (Channel 46)                         |         |      |
| Relative permittivity (real part) | 48.3                                      |         |      |
| Conductivity (S/m)                | 5.30                                      |         |      |
| Probe SN                          | EX3DV4 - SN7525                           |         |      |
| DAE SN                            | DAE4 Sn1522                               |         |      |
| Conversion Factor (dB)            | 5.41                                      |         |      |
| Area Scan Resolution (mm)         | 14x14                                     |         |      |
| Zoom Scan Resolution (mm)         | 4.0x4.0x1.4                               |         |      |
| Zoom Scan Size (mm)               | 22.0x22.0x22.0                            |         |      |
| Power Drift (dB)                  | 0                                         |         |      |
| SAR 1g (W/Kg)                     | 0.075                                     |         |      |




Area and Zoom Scan Plot


|                                   |                                          |                   |      |
|-----------------------------------|------------------------------------------|-------------------|------|
| Test specification:               | Body_Low_802.11n-HT40-5270_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                             | Result:           | Pass |
|                                   | Humidity (%): 44                         |                   |      |
|                                   | Atmospheric(mPa): 1015                   |                   |      |
| Mains Power:                      | N/A                                      |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                    |                   |      |
| Tested by:                        | Deon Dai                                 |                   |      |
| Remarks:                          | -                                        |                   |      |
| Frequency (MHz)                   |                                          | 5270 (Channel 54) |      |
| Relative permittivity (real part) |                                          | 48.1              |      |
| Conductivity (S/m)                |                                          | 5.42              |      |
| Probe SN                          |                                          | EX3DV4 - SN7525   |      |
| DAE SN                            |                                          | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                          | 5.41              |      |
| Area Scan Resolution (mm)         |                                          | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                          | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                          | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                          | 0                 |      |
| SAR 1g (W/Kg)                     |                                          | 0.072             |      |



Area and Zoom Scan Plot


|                                                                                                |                                           |         |      |
|------------------------------------------------------------------------------------------------|-------------------------------------------|---------|------|
| Test specification:                                                                            | Body_High_802.11n-HT40-5310_Rightside_0mm |         |      |
| Environ Conditions:                                                                            | Temp(oC): 23                              | Result: | Pass |
|                                                                                                | Humidity (%): 44                          |         |      |
|                                                                                                | Atmospheric(mPa): 1015                    |         |      |
| Mains Power:                                                                                   | N/A                                       |         |      |
| Test Date:                                                                                     | 09/10/2019-09/29/2019                     |         |      |
| Tested by:                                                                                     | Deon Dai                                  |         |      |
| Remarks:                                                                                       | -                                         |         |      |
| Frequency (MHz)                                                                                | 5310 (Channel 62)                         |         |      |
| Relative Permittivity (real part)                                                              | 48.1                                      |         |      |
| Conductivity (S/m)                                                                             | 5.47                                      |         |      |
| Probe SN                                                                                       | EX3DV4 - SN7525                           |         |      |
| DAE SN                                                                                         | DAE4 Sn1522                               |         |      |
| Conversion Factor (dB)                                                                         | 5.41                                      |         |      |
| Area Scan Resolution (mm)                                                                      | 14x14                                     |         |      |
| Zoom Scan Resolution (mm)                                                                      | 4.0x4.0x1.4                               |         |      |
| Zoom Scan Size (mm)                                                                            | 22.0x22.0x22.0                            |         |      |
| Power Drift (dB)                                                                               | 0                                         |         |      |
| SAR 1g (W/Kg)                                                                                  | 0.074                                     |         |      |
| <div></div> |                                           |         |      |
| Area and Zoom Scan Plot                                                                        |                                           |         |      |

|                                   |                                          |                   |      |
|-----------------------------------|------------------------------------------|-------------------|------|
| Test specification:               | Body_Low_802.11n-HT40-5270_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                             | Result:           | Pass |
|                                   | Humidity (%): 44                         |                   |      |
|                                   | Atmospheric(mPa): 1015                   |                   |      |
| Mains Power:                      | N/A                                      |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                    |                   |      |
| Tested by:                        | Deon Dai                                 |                   |      |
| Remarks:                          | -                                        |                   |      |
| Frequency (MHz)                   |                                          | 5270 (Channel 54) |      |
| Relative permittivity (real part) |                                          | 48.1              |      |
| Conductivity (S/m)                |                                          | 5.42              |      |
| Probe SN                          |                                          | EX3DV4 - SN7525   |      |
| DAE SN                            |                                          | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                          | 5.41              |      |
| Area Scan Resolution (mm)         |                                          | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                          | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                          | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                          | 0                 |      |
| SAR 1g (W/Kg)                     |                                          | 0.073             |      |




Area and Zoom Scan Plot


|                                   |                                          |                    |      |
|-----------------------------------|------------------------------------------|--------------------|------|
| Test specification:               | Body_Low_802.11n-HT40-5510_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                             | Result:            | Pass |
|                                   | Humidity (%): 44                         |                    |      |
|                                   | Atmospheric(mPa): 1015                   |                    |      |
| Mains Power:                      | N/A                                      |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                    |                    |      |
| Tested by:                        | Deon Dai                                 |                    |      |
| Remarks:                          | -                                        |                    |      |
| Frequency (MHz)                   |                                          | 5510 (Channel 102) |      |
| Relative Permittivity (real part) |                                          | 47.7               |      |
| Conductivity (S/m)                |                                          | 5.76               |      |
| Probe SN                          |                                          | EX3DV4 - SN7525    |      |
| DAE SN                            |                                          | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                          | 4.65               |      |
| Area Scan Resolution (mm)         |                                          | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                          | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                          | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                          | 0                  |      |
| SAR 1g (W/Kg)                     |                                          | 0.070              |      |




Area and Zoom Scan Plot

|                                                                                                |                                          |         |      |
|------------------------------------------------------------------------------------------------|------------------------------------------|---------|------|
| Test specification:                                                                            | Body_Mid_802.11n-HT40-5550_Rightside_0mm |         |      |
| Environ Conditions:                                                                            | Temp(oC): 23                             | Result: | Pass |
|                                                                                                | Humidity (%): 44                         |         |      |
|                                                                                                | Atmospheric(mPa): 1015                   |         |      |
| Mains Power:                                                                                   | N/A                                      |         |      |
| Test Date:                                                                                     | 09/10/2019-09/29/2019                    |         |      |
| Tested by:                                                                                     | Deon Dai                                 |         |      |
| Remarks:                                                                                       | -                                        |         |      |
| Frequency (MHz)                                                                                | 5550 (Channel 110)                       |         |      |
| Relative Permittivity (real part)                                                              | 47.5                                     |         |      |
| Conductivity (S/m)                                                                             | 5.87                                     |         |      |
| Probe SN                                                                                       | EX3DV4 - SN7525                          |         |      |
| DAE SN                                                                                         | DAE4 Sn1522                              |         |      |
| Conversion Factor (dB)                                                                         | 4.65                                     |         |      |
| Area Scan Resolution (mm)                                                                      | 14x14                                    |         |      |
| Zoom Scan Resolution (mm)                                                                      | 4.0x4.0x1.4                              |         |      |
| Zoom Scan Size (mm)                                                                            | 22.0x22.0x22.0                           |         |      |
| Power Drift (dB)                                                                               | 0                                        |         |      |
| SAR 1g (W/Kg)                                                                                  | 0.073                                    |         |      |
| <div></div> |                                          |         |      |
| Area and Zoom Scan Plot                                                                        |                                          |         |      |


|                                   |                                           |                    |      |
|-----------------------------------|-------------------------------------------|--------------------|------|
| Test specification:               | Body_High_802.11n-HT40-5670_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                              | Result:            | Pass |
|                                   | Humidity (%): 44                          |                    |      |
|                                   | Atmospheric(mPa): 1015                    |                    |      |
| Mains Power:                      | N/A                                       |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                     |                    |      |
| Tested by:                        | Deon Dai                                  |                    |      |
| Remarks:                          | -                                         |                    |      |
| Frequency (MHz)                   |                                           | 5670 (Channel 142) |      |
| Relative Permittivity (real part) |                                           | 47.4               |      |
| Conductivity (S/m)                |                                           | 5.99               |      |
| Probe SN                          |                                           | EX3DV4 - SN7525    |      |
| DAE SN                            |                                           | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                           | 4.65               |      |
| Area Scan Resolution (mm)         |                                           | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                           | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                           | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                           | 0                  |      |
| SAR 1g (W/Kg)                     |                                           | 0.069              |      |



Area and Zoom Scan Plot


|                                                                                                |                                          |         |      |
|------------------------------------------------------------------------------------------------|------------------------------------------|---------|------|
| Test specification:                                                                            | Body_Low_802.11n-HT40-5755_Rightside_0mm |         |      |
| Environ Conditions:                                                                            | Temp(oC): 23                             | Result: | Pass |
|                                                                                                | Humidity (%): 44                         |         |      |
|                                                                                                | Atmospheric(mPa): 1015                   |         |      |
| Mains Power:                                                                                   | N/A                                      |         |      |
| Test Date:                                                                                     | 09/10/2019-09/29/2019                    |         |      |
| Tested by:                                                                                     | Deon Dai                                 |         |      |
| Remarks:                                                                                       | -                                        |         |      |
| Frequency (MHz)                                                                                | 5755 (Channel 151)                       |         |      |
| Relative Permittivity (real part)                                                              | 47.2                                     |         |      |
| Conductivity (S/m)                                                                             | 6.12                                     |         |      |
| Probe SN                                                                                       | EX3DV4 - SN7525                          |         |      |
| DAE SN                                                                                         | DAE4 Sn1522                              |         |      |
| Conversion Factor (dB)                                                                         | 4.9                                      |         |      |
| Area Scan Resolution (mm)                                                                      | 14x14                                    |         |      |
| Zoom Scan Resolution (mm)                                                                      | 4.0x4.0x1.4                              |         |      |
| Zoom Scan Size (mm)                                                                            | 22.0x22.0x22.0                           |         |      |
| Power Drift (dB)                                                                               | 0                                        |         |      |
| SAR 1g (W/Kg)                                                                                  | 0.074                                    |         |      |
| <div></div> |                                          |         |      |
| Area and Zoom Scan Plot                                                                        |                                          |         |      |

|                                   |                                           |                    |      |
|-----------------------------------|-------------------------------------------|--------------------|------|
| Test specification:               | Body_High_802.11n-HT40-5795_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                              | Result:            | Pass |
|                                   | Humidity (%): 44                          |                    |      |
|                                   | Atmospheric(mPa): 1015                    |                    |      |
| Mains Power:                      | N/A                                       |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                     |                    |      |
| Tested by:                        | Deon Dai                                  |                    |      |
| Remarks:                          | -                                         |                    |      |
| Frequency (MHz)                   |                                           | 5795 (Channel 159) |      |
| Relative Permittivity (real part) |                                           | 47.1               |      |
| Conductivity (S/m)                |                                           | 6.18               |      |
| Probe SN                          |                                           | EX3DV4 - SN7525    |      |
| DAE SN                            |                                           | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                           | 4.9                |      |
| Area Scan Resolution (mm)         |                                           | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                           | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                           | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                           | 0                  |      |
| SAR 1g (W/Kg)                     |                                           | 0.072              |      |




Area and Zoom Scan Plot

|                                   |                                            |                   |      |
|-----------------------------------|--------------------------------------------|-------------------|------|
| Test specification:               | Body_Low_802.11ac-VHT80-5210_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                               | Result:           | Pass |
|                                   | Humidity (%): 44                           |                   |      |
|                                   | Atmospheric(mPa): 1015                     |                   |      |
| Mains Power:                      | N/A                                        |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                      |                   |      |
| Tested by:                        | Deon Dai                                   |                   |      |
| Remarks:                          | -                                          |                   |      |
| Frequency (MHz)                   |                                            | 5210 (Channel 42) |      |
| Relative Permittivity (real part) |                                            | 48.3              |      |
| Conductivity (S/m)                |                                            | 5.33              |      |
| Probe SN                          |                                            | EX3DV4 - SN7525   |      |
| DAE SN                            |                                            | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                            | 5.41              |      |
| Area Scan Resolution (mm)         |                                            | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                            | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                            | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                            | 0                 |      |
| SAR 1g (W/Kg)                     |                                            | 0.072             |      |




Area and Zoom Scan Plot

|                                   |                                             |                   |      |
|-----------------------------------|---------------------------------------------|-------------------|------|
| Test specification:               | Body_High_802.11ac-VHT80-5290_Rightside_0mm |                   |      |
| Environ Conditions:               | Temp(oC): 23                                | Result:           | Pass |
|                                   | Humidity (%): 44                            |                   |      |
|                                   | Atmospheric(mPa): 1015                      |                   |      |
| Mains Power:                      | N/A                                         |                   |      |
| Test Date:                        | 09/10/2019-09/29/2019                       |                   |      |
| Tested by:                        | Deon Dai                                    |                   |      |
| Remarks:                          | -                                           |                   |      |
| Frequency (MHz)                   |                                             | 5290 (Channel 58) |      |
| Relative permittivity (real part) |                                             | 48.1              |      |
| Conductivity (S/m)                |                                             | 5.44              |      |
| Probe SN                          |                                             | EX3DV4 - SN7525   |      |
| DAE SN                            |                                             | DAE4 Sn1522       |      |
| Conversion Factor (dB)            |                                             | 5.41              |      |
| Area Scan Resolution (mm)         |                                             | 14x14             |      |
| Zoom Scan Resolution (mm)         |                                             | 4.0x4.0x1.4       |      |
| Zoom Scan Size (mm)               |                                             | 22.0x22.0x22.0    |      |
| Power Drift (dB)                  |                                             | 0                 |      |
| SAR 1g (W/Kg)                     |                                             | 0.070             |      |




Area and Zoom Scan Plot

|                                   |                                            |                    |      |
|-----------------------------------|--------------------------------------------|--------------------|------|
| Test specification:               | Body_Low_802.11ac-VHT80-5530_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                               | Result:            | Pass |
|                                   | Humidity (%): 44                           |                    |      |
|                                   | Atmospheric(mPa): 1015                     |                    |      |
| Mains Power:                      | N/A                                        |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                      |                    |      |
| Tested by:                        | Deon Dai                                   |                    |      |
| Remarks:                          | -                                          |                    |      |
| Frequency (MHz)                   |                                            | 5530 (Channel 106) |      |
| Relative permittivity (real part) |                                            | 47.6               |      |
| Conductivity (S/m)                |                                            | 5.78               |      |
| Probe SN                          |                                            | EX3DV4 - SN7525    |      |
| DAE SN                            |                                            | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                            | 4.65               |      |
| Area Scan Resolution (mm)         |                                            | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                            | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                            | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                            | 0                  |      |
| SAR 1g (W/Kg)                     |                                            | 0.072              |      |




Area and Zoom Scan Plot

|                                   |                                             |                    |      |
|-----------------------------------|---------------------------------------------|--------------------|------|
| Test specification:               | Body_High_802.11ac-VHT80-5610_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                                | Result:            | Pass |
|                                   | Humidity (%): 44                            |                    |      |
|                                   | Atmospheric(mPa): 1015                      |                    |      |
| Mains Power:                      | N/A                                         |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                       |                    |      |
| Tested by:                        | Deon Dai                                    |                    |      |
| Remarks:                          | -                                           |                    |      |
| Frequency (MHz)                   |                                             | 5610 (Channel 122) |      |
| Relative Permittivity (real part) |                                             | 47.5               |      |
| Conductivity (S/m)                |                                             | 5.91               |      |
| Probe SN                          |                                             | EX3DV4 - SN7525    |      |
| DAE SN                            |                                             | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                             | 4.65               |      |
| Area Scan Resolution (mm)         |                                             | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                             | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                             | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                             | 0                  |      |
| SAR 1g (W/Kg)                     |                                             | 0.073              |      |



Area and Zoom Scan Plot

|                                   |                                            |                    |      |
|-----------------------------------|--------------------------------------------|--------------------|------|
| Test specification:               | Body_Low_802.11ac-VHT80-5775_Rightside_0mm |                    |      |
| Environ Conditions:               | Temp(oC): 23                               | Result:            | Pass |
|                                   | Humidity (%): 44                           |                    |      |
|                                   | Atmospheric(mPa): 1015                     |                    |      |
| Mains Power:                      | N/A                                        |                    |      |
| Test Date:                        | 09/10/2019-09/29/2019                      |                    |      |
| Tested by:                        | Deon Dai                                   |                    |      |
| Remarks:                          | -                                          |                    |      |
| Frequency (MHz)                   |                                            | 5775 (Channel 155) |      |
| Relative permittivity (real part) |                                            | 47.2               |      |
| Conductivity (S/m)                |                                            | 6.15               |      |
| Probe SN                          |                                            | EX3DV4 - SN7525    |      |
| DAE SN                            |                                            | DAE4 Sn1522        |      |
| Conversion Factor (dB)            |                                            | 4.9                |      |
| Area Scan Resolution (mm)         |                                            | 14x14              |      |
| Zoom Scan Resolution (mm)         |                                            | 4.0x4.0x1.4        |      |
| Zoom Scan Size (mm)               |                                            | 22.0x22.0x22.0     |      |
| Power Drift (dB)                  |                                            | 0                  |      |
| SAR 1g (W/Kg)                     |                                            | 0.073              |      |



Area and Zoom Scan Plot

## Appendix C. Calibration Certificate for Probe and Dipole

The SPEAG calibration certificates are shown as follows.