

Antenna SPEC

河源市迅维通讯技术有限公司

Heyuan Xunwei Communication Technology Co., Ltd

深圳市南山区沙河西路 3011 号白沙物流园 1 栋 8 层 M 区

M area, 8th floor, Building 1, Baisha Logistics Park, No. 3011 Shahe West Road, Nanshan District, Shenzhen

Antenna Type: PIFA antenna

Main ANT Model: XW-WT106D-MAIN

GWB ANT Model: XW-WT106-G/W/B

DIV ANT Model: XW-WT106-DIV

WiFi 5G: 5100MHz~5800MHz

2. Antenna Max. Peak Gain:

EGSM900:-1.0dBi

GSM850: -1.2dBi

DCS1800: 0.4dBi

PCS1900:0.6dBi

WCDMA-B2: 0.6dBi

WCDMA-B4: 0.4dBi

WCDMA-B5: -1.2dBi

LTE-B2: 0.6dBi

LTE-B4: 0.4dBi

LTE-B5: -1.2dBi

LTE-B7: 0.7dBi

LTE-B12: -1.5dBi

LTE-B17: -1.5dBi

LTE-B25: 0.6dBi

LTE-B26: -1.2dBi

LTE-B66: 0.4dBi

LTE-B71: -1.6dBi

LTE-B41: 0.9dBi



2.4G-WIFI/BT: -0.53dBi

5G-WIFI: -0.86dBi



GPS: -0.64dBi

3.天线苹果图



700MHZ~960MHZ





1710MHZ~2170MHZ





2500MHZ~2700MHZ



1550MHZ~1600MHZ(GPS)



2400MHZ~2500MHZ(BT/WIFI 2.4G) GWB-ANT



5100MHZ~5800MHZ(WIFI 5G)

