

东莞市金赞智能科技有限公司

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED



DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

SPECIFICATION FOR APPROVAL

Shenzhen Powerqi Technology Co., Ltd

CUSTOMER: _____

CUST P/N: _____

K C P/N: _____

20.5*38*0.08*24P*2P*10TS*19mm

D E S E : _____

4th June 204

D A T E : _____

A. 0

VERSION : _____

ACCEPTANCE STAMP

PREPARED BY	MERCHANDISER	ENGINEER CHECKED BY	PRODUCTION CHECKDED BY	APPROVED BY
Huilin Yan				

Address: No2 Xisha Road Shijie Guangdong 523290 Guangdong China

FiI No: KC-JZ-12-070

东莞市金赞智能科技有限公司


DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification

CUST P/N

Des. ,

20.5*38*0.08*24P*2P*10TS*19



A	B	C	D	E	F	G	H	I	J
6±1	3±1	19±1.5	20.5±0.5	38±1	5.3±0.5	40±1	0.6±0.1	0.8±0.15	1.6±0.1

Remark: J as total thickness ,release paper excluded.

Turns	Wire Diameter	Winding Direction	Lead wire Intersect Yes/Not	Coil front/reverse Paste
10	0.08*24Strand*2 Litz Wire	CCW	YES	reverse Paste

2. ELECTRICAL CHARACTERISTICS :

TEMPERATURE: 25±10℃, RELATIVE HUMIDITY: 65±10%

PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKED BY
Huilin Yan	胡志军	高海峰

Address: No2 Xisha Road Shijie Guangdong 523290 Guangdong China

FilNo: KC-JZ-12-070

东莞市金赞智能科技有限公司

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification

CUST P/N

Des. ,

20. 5*38*0. 08*24P*2P*10TS*19

NO.	ITEM	TERMINAL	VALUE	TEST FREQUENCY	TEST EQUIPMENTS
1	IND	S-F	Coil+ferrite: 6.3 uH $\pm$ 10%	1kHz/V	LCZ METER 1062

3. BILL OF MATERIALS :

NO.	Material name	Description	Material Code
1	Copper Wire	0.08*24 Strand Litz Wire	JX-2U-F-0009
2	Ferrite Core	40*5.3*0.8H(U groove)	
3	3M Tape	38.5*5.3*0.15H	
4	Kapton Tape	5mm	

PREPARED BY

ENGINEER CHECKED BY

PRODUCTION CHECKED BY

Huilin Yan

胡志军

陈海华

Address: No2 Xisha Road Shijie Guangdong 523290 Guangdong China

FilNo: KC-JZ-12-070