

RF EXPOSURE REPORT

OF		\sim	
----	--	--------	--

FCC Applicant:	QUANTA COMPUTER INC NO.188, WENHWA 2ND RD., GUISHAN DIST., TAOYUAN CITY 33377, TAIWAN
Product Name:	Intel Dual-Band Wireless-AC 7265
Brand Name:	INTEL
Model No.:	7265NGW
Model Difference:	N/A
Report Number:	E2/2019/C0054
FCC ID:	HFSGQE100
IC:	1787B-GQE100
FCC Rule Part	Part 2.1091
IC Rule:	RSS-102 issue 5 Mar. 19, 2015

Issue Date:

We hereby certify that:

The above equipment was verified by SGS Taiwan Ltd. The evaluation in this report is in compliance with the above rule(s).

The results of this report relate only to the sample identified in this report.

Approved By:

Yeh John / Asst. Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and conditions.htm</u> and, for jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Revision History								
Report Number	Report Number Revision Description Issue Date Remark							
E2/2019/C0054	Rev.00	Original.	Apr. 01, 2020	Revised By: Stefanie Yu				

Note:

1 · Host Multiple Model numbers or Trademarks

The variant model numbers are assessed as identical in hardware and software to each other, hence all variants are fully covered by the test results in this test report without further verification test.

2 · Disclaimer

Variant information among host model numbers is provided by the applicant, test results of this report are applicable to the sample EUT received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and conditions.htm</u> and, for jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No: E2/2019/C0054 Page: 3 of 9

Table of Contents

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	. 4
2	FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)	. 7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information <u>contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.</u>

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



DESCRIPTION OF EQUIPMENT UNDER TEST (EUT) 1

1.1 **Product Description**

General Information of Host:

Product Name:	Meeting Computer System		
Brand Name:	N/A		
Model No. of Host:	GQE10A, GQE10C		
Model Difference:	For the marketing purpose		
Hardware Version:	N/A		
Software Version:	N/A		
Model No. of BT/WLAN Module:	7265NGW		
Class II & Class IV Permissive change:	Intel Dual-Band Wireless-AC 7265 installed in Meeting Computer System		
	19V from AC/DC Adapter		
Power Supply:	Adapter: Model No.: PA-1900-92, Supplier: ASUS		

1.2 Maximum Output power

The Max. output power value is derived from below test report under the original FCC ID: PD97265NG, Grant date: 03-21-2014 and ISED Certification number: 1000M-7265NG, Approval date: 03-24-2014.

	Report Number:	41273RRF.001		
Bluetooth	Issue date:	2014-03-12		
	Test Lab:	AT4 wireless, S.A.		
	Report Number:	41273RRF.002		
BLE / WLAN 2.4GHz	Issue date:	2014-03-12		
	Test Lab:	AT4 wireless, S.A.		
	Report Number:	41273RRF.003		
WLAN 5GHz	Issue date:	2014-03-13		
	Test Lab:	AT4 wireless, S.A.		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/tems and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/tems and conditions.htm</u> and, for jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.3 **Antenna Information:**

1.3.1 BT / WLAN 2.4GHz

	enna /pe	Supplier	Main / Aux	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)
Mata	L Trans		Main	0WD	2 404-	-1.07
ivieta	I Туре	WNC	Aux	0WD	2.4GHz	-1.30

1.3.2 WLAN 5GHz

Antenna Type	Supplier	Antenna Part No.	Main / Aux	Note
Metal		0WD	Main	Ant 1
Туре	WNC	0WD	Aux	Ant 2

	Ant 1 Peak Gain (dBi)	Ant 2 Peak Gain (dBi)		
5150.0	~	5250.0	2.41	2.20
5250.0	~	5350.0	1.98	2.09
5470.0	~	5725.0	1.60	2.31
5725.0	~	5850.0	1.51	2.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information <u>contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.</u>



1.4 **Rated Power**

1.4.1 Bluetooth / WLAN 2.4GHz

Mode	Freq. Range (MHz)	Channels	Modulation Technology	Max Output Power (dBm)	Antenna Gain (dBi)	EIRP	Worst Case
BR+EDR	2402-2480	79	GFSK + π/4DQPSK + 8DPSK	5.37	-1.3	4.07	V
BLE	2402-2480	40	GFSK	3.51	-1.5	2.21	
802.11b/g/n_HT20	2412-2462	11	DSSS &	20.18	-1.07	19.11	V
802.11 n_HT40	2412-2402		OFDM	16.5	-1.07	15.43	

1.4.2 WLAN 5GHz:

802.11	Freq. Range (MHz)	Modulation Technology	Module	Max. Output Power (dBm)	Antenna Gain (dBi)	EIRP	Worst Case	
	5150~5250			14.47	2.41	16.88		
	5250~5350			15.90	2.09	17.99		
а	5470~5725			15.71	2.31	18.02		
	5725~5850			15.67	2.31	17.98		
	5150~5250				14.54	2.41	16.95	
n HT20	5250~5350			16.70	2.09	18.79		
ac VHT20	5470~5725 ≥		5	\geq	17.66	2.31	19.97	
	5725~5850	OFDM	7265NGW	16.56	2.31	18.87		
	5150~5250		265	16.95	2.41	19.36		
n HT40	5250~5350		.7	19.64	2.09	21.73		
ac VHT40	5470~5725			19.51	2.31	21.82		
_	5725~5850			19.52	2.31	21.83		
	5150~5250				14.65	2.41	17.06	
ac VHT80	5250~5350			14.69	2.09	16.78		
	5470~5725			19.58	2.31	21.89		
	5725~5850			28.14	2.31	30.45	V	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information <u>contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.</u>



FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE) 2

2.1 FCC Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time		
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm ²)	(minute)		
Limits for General Population/Uncontrolled Exposure						
0.3-1.34	614	1.63	*(100)	30		
1.34-30	824/f	2.19/f	*(180/f ²)	30		
30-300	27.5	0.073	0.2	30		
300-1500	/	/	f/1500	30		
1500-15000	/	/	1.0	30		

f = frequency in MHz

- * = Plane-wave equipment power density
 - Prediction of MPE limit at a given distance S=PG/4πR²

Where: S = Power density

- P = Power input to antenna
- G = Power gain of the antenna in the direction of interest relative to an isotropic radiator
- R = Distance to the center of radiation of the antenna

This document is issued by the Company subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and conditions.htm</u> and, for jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



2.2 **ISED Standard Applicable**

This submittal(s) (test report) is intended to comply with RSS-102 issue 5 Radio frequency Radiation Exposure requirement.

This is a Mobile device, the MPE is required.

Limits for Maximum Permissive Exposure (MPE)

RF Field Strength Limits for Devices Used by the General Public (Uncontrolled Environment)							
Frequency Range (MHz)	Electric Field (V/m rms)	Magnetic Field Strength (A/m rms)	Power Density (W/m²)	Reference Period (minutes)			
0.003-10	83	90	-	Instantaneous*			
0.1-10	-	0.73/ f	-	6**			
1.1-10	87/ f ^{0.5}	-	-	6**			
10-20	27.46	0.0728	2	6			
20-48	58.07/ f ^{0.25}	0.1540/ f ^{0.25}	8.944/ f ^{0.5}	6			
48-300	22.06	0.05852	1.291	6			
300-6000	3.142 f ^{0.3417}	0.008335 f ^{0.3417}	0.02619 <i>f</i> ^{0.6834}	6			
6000-15000	61.4	0.163	10	6			
15000-150000	61.4	0.163	10	616000/ f ^{1.2}			
150000-300000	0.158 <i>f</i> ^{0.5}	4.21 x 10-4 f ^{0.5}	6.67 x 10-5 <i>f</i>	616000/ f ^{1.2}			

F = frequency in MHz

* = Based on nerve stimulation (NS).

** = Based on specific absorption rate (SAR)

Maximum Permissible Exposure (MPE) Evaluation

Prediction of MPE limit at a given distance

S=PG/4πR²

Where: S = Power density

- P = Power input to antenna
- G = Power gain of the antenna in the direction of interest relative to an isotropic radiator
- R = Distance to the center of radiation of the antenna

This document is issued by the Company subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and conditions.htm</u> and, for jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



2.3 Power Density Calculation (Worst Case)

FCC Standalone MPE

Operation Mode	Evaluatio n Frequenc y (MHz)	Operatio	Max. output Power (dBm)	Antenn a Gain (dBi)	Max. output Power EIRP (mW)	Power Density (PD) (mW/cm ²)	Limit (mW/cm²)	Pass / Fail	Power Density / Limit	Collocate d MPE
BT	2437.00	20	5.37	-1.30	2.55	0.001	1.000	Pass	0.001	V
WLAN 5G	5775.00	20	28.14	2.31	1109.1 7	0.221	1.000	Pass	0.221	V

ISED Standalone MPE

Operation Mode	Evaluation Frequency (MHz)			Antenna Gain (dBi)	Output Power EIRP (mW)	Power Density (PD) (W/m ²)	Limit (W/m²)	Pass / Fail	Power Density / Limit	Collocated MPE
BT	2402.00	20	5.37	-1.30	2.55	0.005	5.351	Pass	0.001	V
WLAN 5G	5775.00	20	28.14	2.31	1109.17	2.208	9.745	Pass	0.227	V

2.4 Collocated Power Density Calculation

FCC Collocated MPE

Max BT PD / Limit	Max WLAN PD / Limit	∑(Power Density / Limit) of BT+ WLAN
0.001	0.221	0.222

ISED Collocated MPE

Max BT PD / Limit	Max WLAN PD / Limit	∑(Power Density / Limit) of BT+ WLAN
0.001	0.227	0.228

Note:

- Σ(E- Field Strength / Limit): This is a summation of [(E- Field Strength for each transmitter/antenna included in the simultaneous transmission) / (corresponding MPE limit)].
- 2. Considering the collocated transmitters, the aggregated (E- Field Strength /limit) is smaller than 1, and MPE of collocated transmitters is compliant

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新きう方向成り)・U(報告告本種類)構成之体の自負 (回時)U & Game (新音が成本 20 年の日音) (回時)U & Game (新音が成本 20 年の日音) (回時)U & Game (新音が低本 20 年の日音) (回時)U & Game (新音が低本 20 年の日音) (回時)U & Game (新音が低本 20 年の日音) (回時)U & Game (The Game