



|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5510 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5458.85          | 55.74           | 1.78                      | 57.52            | 74.00           | -16.48       | PEAK   |
| 2  | 5460.00          | 54.54           | 1.79                      | 56.33            | 74.00           | -17.67       | PEAK   |
| 3  | 5495.53          | 93.37           | 1.97                      | 95.34            | 68.20           | 27.14        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5510 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5459.33          | 58.49           | 1.79                      | 60.28            | 74.00           | -13.72       | PEAK   |
| 2  | 5460.00          | 56.31           | 1.79                      | 58.10            | 74.00           | -15.90       | PEAK   |
| 3  | 5466.28          | 59.76           | 1.82                      | 61.58            | 68.20           | -6.62        | PEAK   |
| 4  | 5470.00          | 59.52           | 1.84                      | 61.36            | 68.20           | -6.84        | PEAK   |
| 5  | 5514.96          | 101.49          | 2.03                      | 103.52           | 68.20           | 35.32        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5670 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5653.47          | 97.85           | 2.52                      | 100.37           | 68.20           | 32.17        | PEAK   |
| 2  | 5725.00          | 55.53           | 2.92                      | 58.45            | 68.20           | -9.75        | PEAK   |
| 3  | 5729.52          | 60.62           | 2.98                      | 63.60            | 68.20           | -4.60        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5670 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5653.32          | 105.34          | 2.52                      | 107.86           | 68.20           | 39.66        | PEAK   |
| 2  | 5725.00          | 58.33           | 2.92                      | 61.25            | 68.20           | -6.95        | PEAK   |
| 3  | 5731.11          | 62.40           | 2.99                      | 65.39            | 68.20           | -2.81        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5710 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5425.55          | 55.04           | 1.70                      | 56.74            | 74.00           | -17.26       | PEAK   |
| 2  | 5460.00          | 52.90           | 1.79                      | 54.69            | 74.00           | -19.31       | PEAK   |
| 3  | 5463.01          | 54.17           | 1.80                      | 55.97            | 68.20           | -12.23       | PEAK   |
| 4  | 5470.00          | 53.94           | 1.84                      | 55.78            | 68.20           | -12.42       | PEAK   |
| 5  | 5703.40          | 94.84           | 2.67                      | 97.51            | 68.20           | 29.31        | PEAK   |
| 6  | 5850.00          | 54.55           | 3.31                      | 57.86            | 68.20           | -10.34       | PEAK   |
| 7  | 5872.60          | 55.99           | 3.27                      | 59.26            | 68.20           | -8.94        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5710 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5370.60          | 55.28           | 1.41                      | 56.69            | 74.00           | -17.31       | PEAK   |
| 2  | 5460.00          | 53.68           | 1.79                      | 55.47            | 74.00           | -18.53       | PEAK   |
| 3  | 5463.64          | 55.16           | 1.80                      | 56.96            | 68.20           | -11.24       | PEAK   |
| 4  | 5470.00          | 53.78           | 1.84                      | 55.62            | 68.20           | -12.58       | PEAK   |
| 5  | 5695.28          | 101.25          | 2.62                      | 103.87           | 68.20           | 35.67        | PEAK   |
| 6  | 5850.00          | 54.78           | 3.31                      | 58.09            | 68.20           | -10.11       | PEAK   |
| 7  | 5886.34          | 56.48           | 3.23                      | 59.71            | 68.20           | -8.49        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5755 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5607.12          | 55.79           | 2.40                      | 58.19            | 68.20           | -10.01       | PEAK   |
| 2  | 5650.00          | 54.30           | 2.51                      | 56.81            | 68.20           | -11.39       | PEAK   |
| 3  | 5700.00          | 55.08           | 2.63                      | 57.71            | 105.20          | -47.49       | PEAK   |
| 4  | 5720.00          | 59.96           | 2.86                      | 62.82            | 110.80          | -47.98       | PEAK   |
| 5  | 5725.00          | 59.74           | 2.92                      | 62.66            | 150.00          | -87.34       | PEAK   |
| 6  | 5760.34          | 97.15           | 3.27                      | 100.42           | 150.00          | -49.58       | PEAK   |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5755 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5605.99          | 56.18           | 2.40                      | 58.58            | 68.20           | -9.62        | PEAK   |
| 2  | 5650.00          | 54.53           | 2.51                      | 57.04            | 68.20           | -11.16       | PEAK   |
| 3  | 5700.00          | 59.20           | 2.63                      | 61.83            | 105.20          | -43.37       | PEAK   |
| 4  | 5720.00          | 65.23           | 2.86                      | 68.09            | 110.80          | -42.71       | PEAK   |
| 5  | 5725.00          | 65.51           | 2.92                      | 68.43            | 150.00          | -81.57       | PEAK   |
| 6  | 5771.58          | 103.16          | 3.34                      | 106.50           | 150.00          | -43.50       | PEAK   |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5795 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5780.19          | 101.52          | 3.39                      | 104.91           | 150.00          | -45.09       | PEAK   |
| 2  | 5850.00          | 64.33           | 3.31                      | 67.64            | 122.20          | -54.56       | PEAK   |
| 3  | 5855.00          | 64.03           | 3.30                      | 67.33            | 110.80          | -43.47       | PEAK   |
| 4  | 5875.00          | 59.59           | 3.26                      | 62.85            | 105.20          | -42.35       | PEAK   |
| 5  | 5925.00          | 55.23           | 3.15                      | 58.38            | 68.20           | -9.82        | PEAK   |
| 6  | 5942.78          | 56.27           | 3.11                      | 59.38            | 68.20           | -8.82        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5795 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5780.19          | 106.14          | 3.39                      | 109.53           | 150.00          | -40.47       | PEAK   |
| 2  | 5850.00          | 67.36           | 3.31                      | 70.67            | 122.20          | -51.53       | PEAK   |
| 3  | 5855.00          | 65.31           | 3.30                      | 68.61            | 110.80          | -42.19       | PEAK   |
| 4  | 5875.00          | 59.36           | 3.26                      | 62.62            | 105.20          | -42.58       | PEAK   |
| 5  | 5925.00          | 54.24           | 3.15                      | 57.39            | 68.20           | -10.81       | PEAK   |
| 6  | 5960.76          | 56.21           | 3.09                      | 59.30            | 68.20           | -8.90        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5210 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency MHz | Reading dBuV | Correct Factor dB/m | Result dBuV/m | Limit dBuV/m | Margin dB | ReMark |
|----|---------------|--------------|---------------------|---------------|--------------|-----------|--------|
| 1  | 5143.08       | 57.51        | 1.65                | 59.16         | 74.00        | -14.84    | PEAK   |
| 2  | 5150.00       | 55.63        | 1.64                | 57.27         | 74.00        | -16.73    | PEAK   |
| 3  | 5204.58       | 91.64        | 1.75                | 93.39         | 68.20        | 25.19     | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5210 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency MHz | Reading dBuV | Correct Factor dB/m | Result dBuV/m | Limit dBuV/m | Margin dB | ReMark |
|----|---------------|--------------|---------------------|---------------|--------------|-----------|--------|
| 1  | 5146.11       | 65.17        | 1.65                | 66.82         | 74.00        | -7.18     | PEAK   |
| 2  | 5150.00       | 65.95        | 1.64                | 67.59         | 74.00        | -6.41     | PEAK   |
| 3  | 5235.70       | 101.23       | 1.57                | 102.80        | 68.20        | 34.60     | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5290 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5280.90          | 91.96           | 1.38                      | 93.34            | 68.20           | 25.14        | PEAK   |
| 2  | 5350.00          | 57.08           | 1.23                      | 58.31            | 74.00           | -15.69       | PEAK   |
| 3  | 5355.94          | 58.31           | 1.29                      | 59.60            | 74.00           | -14.40       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5290 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5258.36          | 99.47           | 1.47                      | 100.94           | 68.20           | 32.74        | PEAK   |
| 2  | 5350.00          | 64.32           | 1.23                      | 65.55            | 74.00           | -8.45        | PEAK   |
| 3  | 5352.11          | 65.92           | 1.26                      | 67.18            | 74.00           | -6.82        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5530 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency MHz | Reading dBuV | Correct Factor dB/m | Result dBuV/m | Limit dBuV/m | Margin dB | ReMark |
|----|---------------|--------------|---------------------|---------------|--------------|-----------|--------|
| 1  | 5448.06       | 57.76        | 1.72                | 59.48         | 74.00        | -14.52    | PEAK   |
| 2  | 5460.00       | 54.82        | 1.79                | 56.61         | 74.00        | -17.39    | PEAK   |
| 3  | 5460.29       | 56.34        | 1.79                | 58.13         | 68.20        | -10.07    | PEAK   |
| 4  | 5470.00       | 54.70        | 1.84                | 56.54         | 68.20        | -11.66    | PEAK   |
| 5  | 5515.19       | 90.79        | 2.04                | 92.83         | 68.20        | 24.63     | PEAK   |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5530 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency MHz | Reading dBuV | Correct Factor dB/m | Result dBuV/m | Limit dBuV/m | Margin dB | ReMark |
|----|---------------|--------------|---------------------|---------------|--------------|-----------|--------|
| 1  | 5449.26       | 63.93        | 1.72                | 65.65         | 74.00        | -8.35     | PEAK   |
| 2  | 5460.00       | 61.69        | 1.79                | 63.48         | 74.00        | -10.52    | PEAK   |
| 3  | 5464.85       | 63.62        | 1.81                | 65.43         | 68.20        | -2.77     | PEAK   |
| 4  | 5470.00       | 61.27        | 1.84                | 63.11         | 68.20        | -5.09     | PEAK   |
| 5  | 5545.64       | 99.85        | 2.13                | 101.98        | 68.20        | 33.78     | PEAK   |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5610 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5457.42          | 55.88           | 1.77                      | 57.65            | 74.00           | -16.35       | PEAK   |
| 2  | 5460.00          | 54.16           | 1.79                      | 55.95            | 74.00           | -18.05       | PEAK   |
| 3  | 5467.61          | 55.21           | 1.82                      | 57.03            | 68.20           | -11.17       | PEAK   |
| 4  | 5470.00          | 54.42           | 1.84                      | 56.26            | 68.20           | -11.94       | PEAK   |
| 5  | 5575.03          | 93.90           | 2.26                      | 96.16            | 68.20           | 27.96        | PEAK   |
| 6  | 5725.00          | 54.59           | 2.92                      | 57.51            | 68.20           | -10.69       | PEAK   |
| 7  | 5734.24          | 55.80           | 3.03                      | 58.83            | 68.20           | -9.37        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5610 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency MHz | Reading dBuV | Correct Factor dB/m | Result dBuV/m | Limit dBuV/m | Margin dB | ReMark |
|----|---------------|--------------|---------------------|---------------|--------------|-----------|--------|
| 1  | 5457.42       | 57.94        | 1.77                | 59.71         | 74.00        | -14.29    | PEAK   |
| 2  | 5460.00       | 56.47        | 1.79                | 58.26         | 74.00        | -15.74    | PEAK   |
| 3  | 5463.79       | 59.80        | 1.81                | 61.62         | 68.20        | -6.59     | PEAK   |
| 4  | 5470.00       | 57.76        | 1.84                | 59.60         | 68.20        | -8.60     | PEAK   |
| 5  | 5575.03       | 102.58       | 2.26                | 104.84        | 68.20        | 36.64     | PEAK   |
| 6  | 5725.00       | 54.92        | 2.92                | 57.85         | 68.20        | -10.36    | PEAK   |
| 7  | 5755.89       | 55.49        | 3.25                | 58.74         | 68.20        | -9.46     | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5690 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5431.79          | 55.05           | 1.71                      | 56.76            | 74.00           | -17.24       | PEAK   |
| 2  | 5460.00          | 52.39           | 1.79                      | 54.18            | 74.00           | -19.82       | PEAK   |
| 3  | 5461.14          | 54.31           | 1.79                      | 56.10            | 68.20           | -12.10       | PEAK   |
| 4  | 5470.00          | 53.05           | 1.84                      | 54.89            | 68.20           | -13.31       | PEAK   |
| 5  | 5681.54          | 90.84           | 2.58                      | 93.42            | 68.20           | 25.22        | PEAK   |
| 6  | 5850.00          | 53.67           | 3.31                      | 56.98            | 68.20           | -11.22       | PEAK   |
| 7  | 5879.47          | 55.55           | 3.25                      | 58.80            | 68.20           | -9.40        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5690 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5379.97          | 54.99           | 1.50                      | 56.49            | 74.00           | -17.51       | PEAK   |
| 2  | 5460.00          | 52.67           | 1.79                      | 54.46            | 74.00           | -19.54       | PEAK   |
| 3  | 5466.13          | 54.61           | 1.81                      | 56.42            | 68.20           | -11.78       | PEAK   |
| 4  | 5470.00          | 53.15           | 1.84                      | 54.99            | 68.20           | -13.21       | PEAK   |
| 5  | 5705.27          | 98.86           | 2.69                      | 101.55           | 68.20           | 33.35        | PEAK   |
| 6  | 5850.00          | 54.06           | 3.31                      | 57.37            | 68.20           | -10.83       | PEAK   |
| 7  | 5871.98          | 55.54           | 3.27                      | 58.81            | 68.20           | -9.39        | PEAK   |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5775 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5775 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |

| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5600.00          | 55.05           | 2.39                      | 57.44            | 68.20           | -10.76       | PEAK   |
| 2  | 5650.00          | 53.02           | 2.51                      | 55.53            | 68.20           | -12.67       | PEAK   |
| 3  | 5700.00          | 55.24           | 2.63                      | 57.87            | 105.20          | -47.33       | PEAK   |
| 4  | 5720.00          | 55.32           | 2.86                      | 58.18            | 110.80          | -52.62       | PEAK   |
| 5  | 5725.00          | 53.90           | 2.92                      | 56.82            | 150.00          | -93.18       | PEAK   |
| 6  | 5793.68          | 86.97           | 3.46                      | 90.43            | 150.00          | -59.57       | PEAK   |
| 7  | 5850.00          | 53.22           | 3.31                      | 56.53            | 122.20          | -65.67       | PEAK   |
| 8  | 5855.00          | 54.17           | 3.30                      | 57.47            | 110.80          | -53.33       | PEAK   |
| 9  | 5875.00          | 53.08           | 3.26                      | 56.34            | 105.20          | -48.86       | PEAK   |
| 10 | 5925.00          | 52.86           | 3.15                      | 56.01            | 68.20           | -12.19       | PEAK   |
| 11 | 5946.53          | 54.71           | 3.09                      | 57.80            | 68.20           | -10.40       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5775 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5775 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |

| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5633.34          | 59.82           | 2.47                      | 62.29            | 68.20           | -5.91        | PEAK   |
| 2  | 5650.00          | 57.73           | 2.51                      | 60.24            | 68.20           | -7.96        | PEAK   |
| 3  | 5700.00          | 62.86           | 2.63                      | 65.49            | 105.20          | -39.71       | PEAK   |
| 4  | 5720.00          | 63.33           | 2.86                      | 66.19            | 110.80          | -44.61       | PEAK   |
| 5  | 5725.00          | 63.82           | 2.92                      | 66.74            | 150.00          | -83.26       | PEAK   |
| 6  | 5793.31          | 99.40           | 3.46                      | 102.86           | 150.00          | -47.14       | PEAK   |
| 7  | 5850.00          | 60.98           | 3.31                      | 64.29            | 122.20          | -57.91       | PEAK   |
| 8  | 5855.00          | 60.60           | 3.30                      | 63.90            | 110.80          | -46.90       | PEAK   |
| 9  | 5875.00          | 59.54           | 3.26                      | 62.80            | 105.20          | -42.40       | PEAK   |
| 10 | 5925.00          | 54.29           | 3.15                      | 57.44            | 68.20           | -10.76       | PEAK   |
| 11 | 5957.77          | 55.37           | 3.08                      | 58.45            | 68.20           | -9.75        | PEAK   |




Average

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5180 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5150.00          | 44.56           | 1.64                      | 46.20            | 54.00           | -7.80        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5180 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5150.00          | 48.18           | 1.64                      | 49.82            | 54.00           | -4.18        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5320 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5350.00          | 42.99           | 1.23                      | 44.22            | 54.00           | -9.78        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5320 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5350.00          | 43.46           | 1.23                      | 44.69            | 54.00           | -9.31        | AVG    |
| 2  | 5351.15          | 43.47           | 1.25                      | 44.72            | 54.00           | -9.28        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5500 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5458.37          | 42.35           | 1.77                      | 44.12            | 54.00           | -9.88        | AVG    |
| 2  | 5460.00          | 42.30           | 1.79                      | 44.09            | 54.00           | -9.91        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5500 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5454.78          | 42.53           | 1.76                      | 44.29            | 54.00           | -9.71        | AVG    |
| 2  | 5460.00          | 42.66           | 1.79                      | 44.45            | 54.00           | -9.55        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5190 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5087.65          | 45.70           | 1.71                      | 47.41            | 54.00           | -6.59        | AVG    |
| 2  | 5150.00          | 45.74           | 1.64                      | 47.38            | 54.00           | -6.62        | AVG    |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5190 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5150.00          | 49.98           | 1.64                      | 51.62            | 54.00           | -2.38        | AVG    |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5310 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5350.00          | 44.80           | 1.23                      | 46.03            | 54.00           | -7.97        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5310 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5350.00          | 50.70           | 1.23                      | 51.93            | 54.00           | -2.07        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5510 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5460.00          | 43.21           | 1.79                      | 45.00            | 54.00           | -9.00        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5510 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5460.00          | 44.77           | 1.79                      | 46.56            | 54.00           | -7.44        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5710 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5460.00          | 43.99           | 1.79                      | 45.78            | 54.00           | -8.22        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5710 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5460.00          | 44.07           | 1.79                      | 45.86            | 54.00           | -8.14        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5210 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5150.00          | 46.33           | 1.64                      | 47.97            | 54.00           | -6.03        | AVG    |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5210 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5150.00          | 49.79           | 1.64                      | 51.43            | 54.00           | -2.57        | AVG    |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5290 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5350.00          | 45.59           | 1.23                      | 46.82            | 54.00           | -7.18        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5290 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5350.00          | 50.59           | 1.23                      | 51.82            | 54.00           | -2.18        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5530 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5460.00          | 44.78           | 1.79                      | 46.57            | 54.00           | -7.43        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5530 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5460.00          | 49.62           | 1.79                      | 51.41            | 54.00           | -2.59        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5610 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5460.00          | 44.40           | 1.79                      | 46.19            | 54.00           | -7.81        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5610 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5460.00          | 45.55           | 1.79                      | 47.34            | 54.00           | -6.66        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5690 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5460.00          | 43.66           | 1.79                      | 45.45            | 54.00           | -8.55        | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5690 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5460.00          | 43.80           | 1.79                      | 45.59            | 54.00           | -8.41        | AVG    |



Antenna model number: custom


Below 1 GHz

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: Transmit mode  
Polarization: Horizontal  
Remark:



| ID | Frequency MHz | Reading dBuV | Correct Factor dB/m | Result dBuV/m | Limit dBuV/m | Margin dB | Remark |
|----|---------------|--------------|---------------------|---------------|--------------|-----------|--------|
| 1  | 51.34         | 43.85        | -12.13              | 31.72         | 40.00        | -8.28     | PEAK   |
| 2  | 124.09        | 52.23        | -14.07              | 38.16         | 43.50        | -5.34     | PEAK   |
| 3  | 372.41        | 44.08        | -9.65               | 34.43         | 46.00        | -11.57    | PEAK   |
| 4  | 672.14        | 40.15        | -3.68               | 36.47         | 46.00        | -9.53     | PEAK   |
| 5  | 935.98        | 38.37        | -0.12               | 38.25         | 46.00        | -7.75     | PEAK   |
| 6  | 984.48        | 37.18        | -0.30               | 36.88         | 54.00        | -17.12    | PEAK   |

|               |               |           |             |
|---------------|---------------|-----------|-------------|
| Test Site:    | 96603-WG      | Standard: | Part 15.407 |
| Test Mode:    | Transmit mode |           |             |
| Polarization: | Vertical      |           |             |
| Remark:       |               |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 30.97            | 48.80           | -13.57                    | 35.23            | 40.00           | -4.78        | PEAK   |
| 2  | 156.10           | 50.72           | -12.06                    | 38.66            | 43.50           | -4.85        | PEAK   |
| 3  | 364.65           | 46.86           | -10.06                    | 36.81            | 46.00           | -9.20        | PEAK   |
| 4  | 688.63           | 35.56           | -3.61                     | 31.95            | 46.00           | -14.05       | PEAK   |
| 5  | 935.98           | 36.64           | -0.12                     | 36.52            | 46.00           | -9.48        | PEAK   |
| 6  | 984.48           | 33.87           | -0.30                     | 33.57            | 54.00           | -20.43       | PEAK   |

# Harmonic


Above 1 GHz

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5180 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10360.00         | 42.43           | 7.13                      | 49.56            | 68.20           | -18.64       | PEAK   |
| 2  | 15540.00         | 43.54           | 8.98                      | 52.52            | 74.00           | -21.48       | PEAK   |
| 3  | 15540.00         | 31.55           | 8.98                      | 40.53            | 54.00           | -13.47       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5180 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10360.00         | 41.15           | 7.13                      | 48.28            | 68.20           | -19.92       | PEAK   |
| 2  | 15540.00         | 32.87           | 8.98                      | 41.85            | 54.00           | -12.15       | AVG    |
| 3  | 15540.00         | 42.25           | 8.98                      | 51.23            | 74.00           | -22.77       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5200 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10400.00         | 40.34           | 7.33                      | 47.67            | 68.20           | -20.53       | PEAK   |
| 2  | 15600.00         | 43.77           | 8.98                      | 52.75            | 74.00           | -21.25       | PEAK   |
| 3  | 15600.00         | 31.59           | 8.98                      | 40.57            | 54.00           | -13.43       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5200 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10400.00         | 42.56           | 7.33                      | 49.89            | 68.20           | -18.31       | PEAK   |
| 2  | 15600.00         | 44.30           | 8.98                      | 53.28            | 74.00           | -20.72       | PEAK   |
| 3  | 15600.00         | 32.91           | 8.98                      | 41.89            | 54.00           | -12.11       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5240 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10480.00         | 41.31           | 7.36                      | 48.67            | 68.20           | -19.53       | PEAK   |
| 2  | 15720.00         | 43.20           | 9.10                      | 52.30            | 74.00           | -21.70       | PEAK   |
| 3  | 15720.00         | 31.47           | 9.10                      | 40.57            | 54.00           | -13.43       | AVG    |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5240 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10480.00         | 41.42           | 7.36                      | 48.78            | 68.20           | -19.42       | PEAK   |
| 2  | 15720.00         | 43.35           | 9.10                      | 52.45            | 74.00           | -21.55       | PEAK   |
| 3  | 15720.00         | 32.68           | 9.10                      | 41.78            | 54.00           | -12.22       | AVG    |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5260 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10520.00         | 41.85           | 7.37                      | 49.22            | 68.20           | -18.98       | PEAK   |
| 2  | 15780.00         | 42.52           | 9.41                      | 51.93            | 74.00           | -22.07       | PEAK   |
| 3  | 15780.00         | 31.10           | 9.41                      | 40.51            | 54.00           | -13.49       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5260 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10520.00         | 40.62           | 7.37                      | 47.99            | 68.20           | -20.21       | PEAK   |
| 2  | 15780.00         | 44.35           | 9.41                      | 53.76            | 74.00           | -20.24       | PEAK   |
| 3  | 15780.00         | 32.43           | 9.41                      | 41.84            | 54.00           | -12.16       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5280 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10560.00         | 42.74           | 7.36                      | 50.10            | 68.20           | -18.10       | PEAK   |
| 2  | 15840.00         | 42.40           | 9.47                      | 51.87            | 74.00           | -22.13       | PEAK   |
| 3  | 15840.00         | 31.11           | 9.47                      | 40.58            | 54.00           | -13.42       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5280 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10560.00         | 41.86           | 7.36                      | 49.22            | 68.20           | -18.98       | PEAK   |
| 2  | 15840.00         | 43.24           | 9.47                      | 52.71            | 74.00           | -21.29       | PEAK   |
| 3  | 15840.00         | 32.30           | 9.47                      | 41.77            | 54.00           | -12.23       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5320 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10640.00         | 40.73           | 7.33                      | 48.06            | 74.00           | -25.94       | PEAK   |
| 2  | 15960.00         | 42.59           | 9.56                      | 52.15            | 74.00           | -21.85       | PEAK   |
| 3  | 15960.00         | 31.00           | 9.56                      | 40.56            | 54.00           | -13.44       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5320 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10640.00         | 42.10           | 7.33                      | 49.43            | 74.00           | -24.57       | PEAK   |
| 2  | 15960.00         | 43.87           | 9.56                      | 53.43            | 74.00           | -20.57       | PEAK   |
| 3  | 15960.00         | 32.20           | 9.56                      | 41.76            | 54.00           | -12.24       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5500 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11000.00         | 40.90           | 7.11                      | 48.01            | 74.00           | -25.99       | PEAK   |
| 2  | 16500.00         | 43.31           | 9.15                      | 52.46            | 68.20           | -15.74       | PEAK   |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5500 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11000.00         | 41.84           | 7.11                      | 48.95            | 74.00           | -25.05       | PEAK   |
| 2  | 16500.00         | 43.68           | 9.15                      | 52.83            | 68.20           | -15.37       | PEAK   |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5560 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11120.00         | 41.27           | 7.44                      | 48.71            | 74.00           | -25.29       | PEAK   |
| 2  | 16680.00         | 44.10           | 8.77                      | 52.87            | 68.20           | -15.33       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5560 MHz |           |             |
| Polarization: | 44,46,48               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11120.00         | 42.39           | 7.44                      | 49.83            | 74.00           | -24.17       | PEAK   |
| 2  | 16680.00         | 43.80           | 8.77                      | 52.57            | 68.20           | -15.63       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5700 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11400.00         | 40.91           | 7.74                      | 48.65            | 74.00           | -25.35       | PEAK   |
| 2  | 17100.00         | 43.96           | 7.36                      | 51.32            | 68.20           | -16.88       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5700 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11400.00         | 42.02           | 7.74                      | 49.76            | 74.00           | -24.24       | PEAK   |
| 2  | 17100.00         | 44.55           | 7.36                      | 51.92            | 68.20           | -16.29       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5720 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11440.00         | 41.54           | 7.66                      | 49.20            | 74.00           | -24.80       | PEAK   |
| 2  | 17160.00         | 44.50           | 7.40                      | 51.90            | 68.20           | -16.30       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5720 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11440.00         | 42.87           | 7.66                      | 50.53            | 74.00           | -23.47       | PEAK   |
| 2  | 17160.00         | 46.60           | 7.40                      | 54.00            | 68.20           | -14.20       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5745 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11490.00         | 42.80           | 7.55                      | 50.35            | 74.00           | -23.65       | PEAK   |
| 2  | 17235.00         | 45.11           | 7.39                      | 52.50            | 68.20           | -15.70       | PEAK   |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5745 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11490.00         | 42.18           | 7.55                      | 49.73            | 74.00           | -24.27       | PEAK   |
| 2  | 17235.00         | 45.34           | 7.39                      | 52.73            | 68.20           | -15.47       | PEAK   |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5785 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11570.00         | 42.45           | 7.67                      | 50.12            | 74.00           | -23.88       | PEAK   |
| 2  | 17355.00         | 46.14           | 7.22                      | 53.36            | 68.20           | -14.84       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5785 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11570.00         | 41.93           | 7.67                      | 49.61            | 74.00           | -24.40       | PEAK   |
| 2  | 17355.00         | 45.62           | 7.22                      | 52.84            | 68.20           | -15.36       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5825 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11570.00         | 42.45           | 7.67                      | 50.12            | 74.00           | -23.88       | PEAK   |
| 2  | 17355.00         | 46.14           | 7.22                      | 53.36            | 68.20           | -14.84       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5825 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11570.00         | 41.93           | 7.67                      | 49.61            | 74.00           | -24.40       | PEAK   |
| 2  | 17355.00         | 45.62           | 7.22                      | 52.84            | 68.20           | -15.36       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5190 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10380.00         | 42.02           | 7.22                      | 49.24            | 68.20           | -18.96       | PEAK   |
| 2  | 15570.00         | 43.01           | 8.98                      | 51.99            | 74.00           | -22.01       | PEAK   |
| 3  | 15570.00         | 31.56           | 8.98                      | 40.54            | 54.00           | -13.46       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5190 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10380.00         | 42.98           | 7.22                      | 50.20            | 68.20           | -18.00       | PEAK   |
| 2  | 15570.00         | 32.81           | 8.98                      | 41.79            | 54.00           | -12.21       | AVG    |
| 3  | 15570.00         | 45.07           | 8.98                      | 54.05            | 74.00           | -19.95       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5230 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10460.00         | 40.14           | 7.35                      | 47.49            | 68.20           | -20.71       | PEAK   |
| 2  | 15690.00         | 44.22           | 9.00                      | 53.22            | 74.00           | -20.78       | PEAK   |
| 3  | 15690.00         | 31.52           | 9.00                      | 40.52            | 54.00           | -13.48       | AVG    |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5230 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10460.00         | 40.86           | 7.35                      | 48.21            | 68.20           | -19.99       | PEAK   |
| 2  | 15690.00         | 44.04           | 9.00                      | 53.04            | 74.00           | -20.96       | PEAK   |
| 3  | 15690.00         | 32.33           | 9.00                      | 41.33            | 54.00           | -12.67       | AVG    |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5270 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10540.00         | 40.60           | 7.36                      | 47.96            | 68.20           | -20.24       | PEAK   |
| 2  | 15810.00         | 42.60           | 9.50                      | 52.10            | 74.00           | -21.90       | PEAK   |
| 3  | 15810.00         | 31.01           | 9.50                      | 40.51            | 54.00           | -13.49       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5270 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10540.00         | 41.90           | 7.36                      | 49.26            | 68.20           | -18.94       | PEAK   |
| 2  | 15810.00         | 45.10           | 9.50                      | 54.60            | 74.00           | -19.40       | PEAK   |
| 3  | 15810.00         | 31.85           | 9.50                      | 41.35            | 54.00           | -12.65       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5310 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10620.00         | 42.06           | 7.34                      | 49.40            | 74.00           | -24.60       | PEAK   |
| 2  | 15930.00         | 43.56           | 9.48                      | 53.04            | 74.00           | -20.96       | PEAK   |
| 3  | 15930.00         | 31.05           | 9.48                      | 40.53            | 54.00           | -13.47       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5310 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10620.00         | 41.82           | 7.34                      | 49.16            | 74.00           | -24.84       | PEAK   |
| 2  | 15930.00         | 31.88           | 9.48                      | 41.36            | 54.00           | -12.64       | AVG    |
| 3  | 15930.00         | 43.83           | 9.48                      | 53.31            | 74.00           | -20.69       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5510 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11020.00         | 41.38           | 7.16                      | 48.54            | 74.00           | -25.46       | PEAK   |
| 2  | 16530.00         | 41.96           | 9.12                      | 51.08            | 68.20           | -17.12       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5510 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11020.00         | 41.73           | 7.16                      | 48.89            | 74.00           | -25.11       | PEAK   |
| 2  | 16530.00         | 43.83           | 9.12                      | 52.95            | 68.20           | -15.25       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5550 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11100.00         | 41.27           | 7.35                      | 48.62            | 74.00           | -25.38       | PEAK   |
| 2  | 16650.00         | 43.45           | 8.87                      | 52.32            | 68.20           | -15.88       | PEAK   |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5550 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11100.00         | 40.29           | 7.35                      | 47.64            | 74.00           | -26.36       | PEAK   |
| 2  | 16650.00         | 44.51           | 8.87                      | 53.38            | 68.20           | -14.82       | PEAK   |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5670 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11340.00         | 41.39           | 7.60                      | 48.99            | 74.00           | -25.01       | PEAK   |
| 2  | 17010.00         | 42.79           | 7.31                      | 50.10            | 68.20           | -18.10       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5670 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11340.00         | 41.20           | 7.60                      | 48.80            | 74.00           | -25.20       | PEAK   |
| 2  | 17010.00         | 43.87           | 7.31                      | 51.18            | 68.20           | -17.02       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5710 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11420.00         | 41.69           | 7.71                      | 49.40            | 74.00           | -24.60       | PEAK   |
| 2  | 17130.00         | 44.58           | 7.39                      | 51.97            | 68.20           | -16.23       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5710 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11420.00         | 40.89           | 7.71                      | 48.60            | 74.00           | -25.40       | PEAK   |
| 2  | 17130.00         | 44.63           | 7.39                      | 52.02            | 68.20           | -16.18       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5755 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11510.00         | 41.39           | 7.55                      | 48.94            | 74.00           | -25.06       | PEAK   |
| 2  | 17265.00         | 44.20           | 7.36                      | 51.56            | 68.20           | -16.64       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5755 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11510.00         | 40.97           | 7.55                      | 48.52            | 74.00           | -25.48       | PEAK   |
| 2  | 17265.00         | 45.22           | 7.36                      | 52.58            | 68.20           | -15.62       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5795 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11590.00         | 41.83           | 7.70                      | 49.53            | 74.00           | -24.47       | PEAK   |
| 2  | 17385.00         | 47.08           | 7.18                      | 54.26            | 68.20           | -13.94       | PEAK   |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE40 5795 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11590.00         | 41.83           | 7.70                      | 49.53            | 74.00           | -24.47       | PEAK   |
| 2  | 17385.00         | 47.08           | 7.18                      | 54.26            | 68.20           | -13.94       | PEAK   |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5210 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10420.00         | 41.98           | 7.34                      | 49.32            | 68.20           | -18.88       | PEAK   |
| 2  | 15630.00         | 45.33           | 8.99                      | 54.32            | 74.00           | -19.68       | PEAK   |
| 3  | 15630.00         | 31.60           | 8.99                      | 40.59            | 54.00           | -13.41       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5210 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10420.00         | 42.06           | 7.34                      | 49.40            | 68.20           | -18.80       | PEAK   |
| 2  | 15630.00         | 44.08           | 8.99                      | 53.07            | 74.00           | -20.93       | PEAK   |
| 3  | 15630.00         | 31.94           | 8.99                      | 40.93            | 54.00           | -13.07       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5290 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10580.00         | 41.42           | 7.35                      | 48.77            | 68.20           | -19.43       | PEAK   |
| 2  | 15870.00         | 44.02           | 9.43                      | 53.45            | 74.00           | -20.55       | PEAK   |
| 3  | 15870.00         | 31.11           | 9.43                      | 40.54            | 54.00           | -13.46       | AVG    |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5290 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 10580.00         | 41.80           | 7.35                      | 49.15            | 68.20           | -19.05       | PEAK   |
| 2  | 15870.00         | 31.42           | 9.43                      | 40.85            | 54.00           | -13.15       | AVG    |
| 3  | 15870.00         | 44.46           | 9.43                      | 53.89            | 74.00           | -20.11       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5530 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11060.00         | 41.91           | 7.25                      | 49.16            | 74.00           | -24.84       | PEAK   |
| 2  | 16590.00         | 42.66           | 9.06                      | 51.72            | 68.20           | -16.48       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5530 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11060.00         | 42.39           | 7.25                      | 49.64            | 74.00           | -24.36       | PEAK   |
| 2  | 16590.00         | 43.73           | 9.06                      | 52.79            | 68.20           | -15.41       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5610 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11220.00         | 42.23           | 7.73                      | 49.96            | 74.00           | -24.04       | PEAK   |
| 2  | 16830.00         | 44.86           | 8.22                      | 53.08            | 68.20           | -15.12       | PEAK   |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5610 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11220.00         | 42.06           | 7.73                      | 49.79            | 74.00           | -24.21       | PEAK   |
| 2  | 16830.00         | 44.95           | 8.22                      | 53.17            | 68.20           | -15.03       | PEAK   |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5690 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11380.00         | 41.09           | 7.69                      | 48.78            | 74.00           | -25.22       | PEAK   |
| 2  | 17070.00         | 43.23           | 7.34                      | 50.57            | 68.20           | -17.63       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5690 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11380.00         | 41.45           | 7.69                      | 49.14            | 74.00           | -24.86       | PEAK   |
| 2  | 17070.00         | 44.53           | 7.34                      | 51.87            | 68.20           | -16.33       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5775 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11550.00         | 43.13           | 7.63                      | 50.76            | 74.00           | -23.24       | PEAK   |
| 2  | 17325.00         | 45.25           | 7.29                      | 52.54            | 68.20           | -15.66       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE80 5775 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11550.00         | 41.35           | 7.63                      | 48.98            | 74.00           | -25.02       | PEAK   |
| 2  | 17325.00         | 45.71           | 7.29                      | 53.00            | 68.20           | -15.20       | PEAK   |

## Band Edge


Peak

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-wg               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5180 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5146.87          | 66.00           | 1.65                      | 67.65            | 74.00           | -6.35        | PEAK   |
| 2  | 5150.00          | 63.55           | 1.64                      | 65.19            | 74.00           | -8.81        | PEAK   |
| 3  | 5180.00          | 104.96          | 1.73                      | 106.69           | 68.20           | 38.49        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-wg               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5180 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5149.15          | 59.44           | 1.64                      | 61.08            | 74.00           | -12.92       | PEAK   |
| 2  | 5150.00          | 58.20           | 1.64                      | 59.84            | 74.00           | -14.16       | PEAK   |
| 3  | 5178.00          | 102.43          | 1.73                      | 104.16           | 68.20           | 35.96        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-wg               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5320 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5317.10          | 109.52          | 1.28                      | 110.80           | 68.20           | 42.60        | PEAK   |
| 2  | 5350.00          | 64.90           | 1.23                      | 66.13            | 74.00           | -7.87        | PEAK   |
| 3  | 5354.75          | 64.64           | 1.28                      | 65.92            | 74.00           | -8.08        | PEAK   |


|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-wg               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5320 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5321.90          | 106.10          | 1.27                      | 107.37           | 68.20           | 39.17        | PEAK   |
| 2  | 5350.00          | 61.44           | 1.23                      | 62.67            | 74.00           | -11.33       | PEAK   |
| 3  | 5353.07          | 61.27           | 1.26                      | 62.53            | 74.00           | -11.47       | PEAK   |




|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-wg               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5500 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5458.37          | 59.80           | 1.77                      | 61.57            | 74.00           | -12.43       | PEAK   |
| 2  | 5460.00          | 59.11           | 1.79                      | 60.90            | 74.00           | -13.10       | PEAK   |
| 3  | 5467.24          | 62.33           | 1.82                      | 64.15            | 68.20           | -4.05        | PEAK   |
| 4  | 5470.00          | 60.31           | 1.84                      | 62.15            | 68.20           | -6.05        | PEAK   |
| 5  | 5496.73          | 109.64          | 1.98                      | 111.62           | 68.20           | 43.42        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-wg               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5500 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5459.09          | 58.52           | 1.78                      | 60.30            | 74.00           | -13.70       | PEAK   |
| 2  | 5460.00          | 55.83           | 1.79                      | 57.62            | 74.00           | -16.38       | PEAK   |
| 3  | 5467.72          | 61.43           | 1.82                      | 63.25            | 68.20           | -4.95        | PEAK   |
| 4  | 5470.00          | 56.26           | 1.84                      | 58.10            | 68.20           | -10.10       | PEAK   |
| 5  | 5492.66          | 105.75          | 1.95                      | 107.70           | 68.20           | 39.50        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5700 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5692.00          | 103.79          | 2.61                      | 106.40           | 68.20           | 38.20        | PEAK   |
| 2  | 5725.00          | 51.72           | 2.92                      | 54.64            | 68.20           | -13.56       | PEAK   |
| 3  | 5760.80          | 55.64           | 3.27                      | 58.91            | 68.20           | -9.29        | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5700 MHz |           |             |
| Polarization: | Vertical               |           |             |
| ReMark:       |                        |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5702.72          | 97.81           | 2.66                      | 100.47           | 68.20           | 32.27        | PEAK   |
| 2  | 5725.00          | 51.80           | 2.92                      | 54.72            | 68.20           | -13.48       | PEAK   |
| 3  | 5727.78          | 54.78           | 2.96                      | 57.74            | 68.20           | -10.46       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5720 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       |                        |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5401.20          | 51.88           | 1.67                      | 53.55            | 74.00           | -20.45       | PEAK   |
| 2  | 5460.00          | 48.89           | 1.79                      | 50.68            | 74.00           | -23.32       | PEAK   |
| 3  | 5464.89          | 51.99           | 1.81                      | 53.80            | 68.20           | -14.40       | PEAK   |
| 4  | 5470.00          | 49.72           | 1.84                      | 51.56            | 68.20           | -16.64       | PEAK   |
| 5  | 5727.75          | 92.93           | 2.96                      | 95.89            | 68.20           | 27.69        | PEAK   |
| 6  | 5850.00          | 49.07           | 3.31                      | 52.38            | 68.20           | -15.82       | PEAK   |
| 7  | 5942.53          | 51.57           | 3.11                      | 54.68            | 68.20           | -13.52       | PEAK   |

|               |                        |           |             |
|---------------|------------------------|-----------|-------------|
| Test Site:    | 96603-WG               | Standard: | Part 15.407 |
| Test Mode:    | 802.11ax HE20 5720 MHz |           |             |
| Polarization: | Horizontal             |           |             |
| ReMark:       | Vertical               |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | ReMark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5435.54          | 51.52           | 1.71                      | 53.23            | 74.00           | -20.77       | PEAK   |
| 2  | 5460.00          | 48.17           | 1.79                      | 49.96            | 74.00           | -24.04       | PEAK   |
| 3  | 5463.01          | 50.40           | 1.80                      | 52.20            | 68.20           | -16.00       | PEAK   |
| 4  | 5470.00          | 48.77           | 1.84                      | 50.61            | 68.20           | -17.59       | PEAK   |
| 5  | 5728.37          | 90.74           | 2.96                      | 93.70            | 68.20           | 25.50        | PEAK   |
| 6  | 5850.00          | 48.71           | 3.31                      | 52.02            | 68.20           | -16.18       | PEAK   |
| 7  | 5873.85          | 51.44           | 3.26                      | 54.70            | 68.20           | -13.50       | PEAK   |