



Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 26 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.5800MHz	-76.21	-13.00	-63.21	PK	Hor
2*	65.1625MHz	-78.71	-13.00	-65.71	PK	Hor
3*	144.9450MHz	-77.08	-13.00	-64.08	PK	Hor
4*	392.2950MHz	-72.50	-13.00	-59.50	PK	Hor
5*	670.8063MHz	-65.69	-13.00	-52.69	PK	Hor
6*	991.9975MHz	-59.99	-13.00	-46.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.3063MHz	-77.48	-13.00	-64.48	PK	Ver
2*	53.4013MHz	-78.25	-13.00	-65.25	PK	Ver
3*	69.0425MHz	-78.48	-13.00	-65.48	PK	Ver
4*	412.7863MHz	-73.90	-13.00	-60.90	PK	Ver
5*	555.1338MHz	-70.17	-13.00	-57.17	PK	Ver
6*	980.4788MHz	-60.27	-13.00	-47.27	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 26 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.4313MHz	-78.16	-13.00	-65.16	PK	Hor
2*	146.6425MHz	-76.86	-13.00	-63.86	PK	Hor
3*	262.6788MHz	-76.96	-13.00	-63.96	PK	Hor
4*	496.3275MHz	-71.48	-13.00	-58.48	PK	Hor
5*	693.4800MHz	-64.76	-13.00	-51.76	PK	Hor
6*	975.9925MHz	-60.86	-13.00	-47.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.4588MHz	-77.92	-13.00	-64.92	PK	Ver
2*	141.9138MHz	-78.33	-13.00	-65.33	PK	Ver
3*	163.4963MHz	-77.48	-13.00	-64.48	PK	Ver
4*	442.1288MHz	-73.99	-13.00	-60.99	PK	Ver
5*	834.7363MHz	-63.04	-13.00	-50.04	PK	Ver
6*	993.2100MHz	-60.52	-13.00	-47.52	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 26 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	53.1588MHz	-77.14	-13.00	-64.14	PK	Hor
2*	131.9713MHz	-78.44	-13.00	-65.44	PK	Hor
3*	165.0725MHz	-76.85	-13.00	-63.85	PK	Hor
4*	482.8688MHz	-72.50	-13.00	-59.50	PK	Hor
5*	682.8100MHz	-64.91	-13.00	-51.91	PK	Hor
6*	998.5450MHz	-60.44	-13.00	-47.44	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.5188MHz	-77.09	-13.00	-64.09	PK	Ver
2*	65.2838MHz	-79.44	-13.00	-66.44	PK	Ver
3*	150.4013MHz	-76.92	-13.00	-63.92	PK	Ver
4*	361.3763MHz	-76.01	-13.00	-63.01	PK	Ver
5*	754.7113MHz	-65.44	-13.00	-52.44	PK	Ver
6*	974.6588MHz	-60.93	-13.00	-47.93	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 38 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.1575MHz	-77.02	-13.00	-64.02	PK	Hor
2*	138.7613MHz	-78.31	-13.00	-65.31	PK	Hor
3*	163.7388MHz	-76.38	-13.00	-63.38	PK	Hor
4*	489.5375MHz	-71.95	-13.00	-58.95	PK	Hor
5*	806.9700MHz	-63.25	-13.00	-50.25	PK	Hor
6*	970.5363MHz	-60.56	-13.00	-47.56	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.5513MHz	-77.90	-13.00	-64.90	PK	Ver
2*	70.4975MHz	-80.66	-13.00	-67.66	PK	Ver
3*	149.4313MHz	-77.47	-13.00	-64.47	PK	Ver
4*	310.9363MHz	-75.01	-13.00	-62.01	PK	Ver
5*	632.9763MHz	-66.71	-13.00	-53.71	PK	Ver
6*	998.5450MHz	-60.54	-13.00	-47.54	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 38 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.9438MHz	-77.77	-13.00	-64.77	PK	Hor
2*	67.4663MHz	-78.31	-13.00	-65.31	PK	Hor
3*	149.4313MHz	-77.53	-13.00	-64.53	PK	Hor
4*	406.3600MHz	-74.38	-13.00	-61.38	PK	Hor
5*	587.9925MHz	-69.68	-13.00	-56.68	PK	Hor
6*	971.6275MHz	-60.86	-13.00	-47.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.3363MHz	-77.74	-13.00	-64.74	PK	Ver
2*	52.0675MHz	-78.65	-13.00	-65.65	PK	Ver
3*	159.8588MHz	-77.01	-13.00	-64.01	PK	Ver
4*	467.5913MHz	-73.64	-13.00	-60.64	PK	Ver
5*	680.5063MHz	-66.04	-13.00	-53.04	PK	Ver
6*	954.4100MHz	-60.81	-13.00	-47.81	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 38 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.0625MHz	-78.67	-13.00	-65.67	PK	Hor
2*	51.3400MHz	-77.97	-13.00	-64.97	PK	Hor
3*	157.6763MHz	-75.91	-13.00	-62.91	PK	Hor
4*	484.8088MHz	-72.63	-13.00	-59.63	PK	Hor
5*	733.2500MHz	-64.95	-13.00	-51.95	PK	Hor
6*	982.5400MHz	-60.36	-13.00	-47.36	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	33.6375MHz	-78.76	-13.00	-65.76	PK	Ver
2*	57.4025MHz	-77.39	-13.00	-64.39	PK	Ver
3*	155.9788MHz	-76.70	-13.00	-63.70	PK	Ver
4*	304.1463MHz	-77.53	-13.00	-64.53	PK	Ver
5*	647.7688MHz	-66.67	-13.00	-53.67	PK	Ver
6*	959.1388MHz	-61.26	-13.00	-48.26	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 40 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	67.8300MHz	-77.48	-13.00	-64.48	PK	Hor
2*	112.9350MHz	-80.65	-13.00	-67.65	PK	Hor
3*	174.7725MHz	-76.81	-13.00	-63.81	PK	Hor
4*	328.6388MHz	-75.13	-13.00	-62.13	PK	Hor
5*	694.8138MHz	-65.29	-13.00	-52.29	PK	Hor
6*	948.4688MHz	-60.52	-13.00	-47.52	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	34.7288MHz	-77.43	-13.00	-64.43	PK	Ver
2*	51.2188MHz	-77.30	-13.00	-64.30	PK	Ver
3*	157.0700MHz	-74.98	-13.00	-61.98	PK	Ver
4*	462.7413MHz	-71.35	-13.00	-58.35	PK	Ver
5*	710.9400MHz	-64.46	-13.00	-51.46	PK	Ver
6*	979.8725MHz	-59.72	-13.00	-46.72	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.7638MHz	-77.86	-13.00	-64.86	PK	Hor
2*	67.7088MHz	-78.88	-13.00	-65.88	PK	Hor
3*	151.1288MHz	-76.78	-13.00	-63.78	PK	Hor
4*	401.1463MHz	-73.47	-13.00	-60.47	PK	Hor
5*	632.6125MHz	-66.59	-13.00	-53.59	PK	Hor
6*	943.4975MHz	-60.98	-13.00	-47.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.6388MHz	-78.42	-13.00	-65.42	PK	Ver
2*	58.9788MHz	-78.78	-13.00	-65.78	PK	Ver
3*	118.8763MHz	-79.60	-13.00	-66.60	PK	Ver
4*	150.1588MHz	-77.36	-13.00	-64.36	PK	Ver
5*	439.2188MHz	-74.08	-13.00	-61.08	PK	Ver
6*	969.2025MHz	-60.73	-13.00	-47.73	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 40 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.0363MHz	-77.83	-13.00	-64.83	PK	Hor
2*	154.1600MHz	-77.17	-13.00	-64.17	PK	Hor
3*	279.6538MHz	-76.83	-13.00	-63.83	PK	Hor
4*	484.2025MHz	-72.10	-13.00	-59.10	PK	Hor
5*	647.4050MHz	-65.08	-13.00	-52.08	PK	Hor
6*	982.9038MHz	-60.92	-13.00	-47.92	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	54.6138MHz	-77.16	-13.00	-64.16	PK	Ver
2*	165.9213MHz	-76.39	-13.00	-63.39	PK	Ver
3*	293.1125MHz	-75.53	-13.00	-62.53	PK	Ver
4*	464.6813MHz	-73.04	-13.00	-60.04	PK	Ver
5*	664.7438MHz	-65.77	-13.00	-52.77	PK	Ver
6*	959.7450MHz	-60.49	-13.00	-47.49	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.0675MHz	-77.17	-13.00	-64.17	PK	Hor
2*	159.8588MHz	-77.48	-13.00	-64.48	PK	Hor
3*	292.8700MHz	-77.16	-13.00	-64.16	PK	Hor
4*	526.5188MHz	-71.04	-13.00	-58.04	PK	Hor
5*	746.1025MHz	-63.85	-13.00	-50.85	PK	Hor
6*	979.1450MHz	-60.01	-13.00	-47.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	56.1900MHz	-78.01	-13.00	-65.01	PK	Ver
2*	151.0075MHz	-77.01	-13.00	-64.01	PK	Ver
3*	287.5350MHz	-77.29	-13.00	-64.29	PK	Ver
4*	508.6950MHz	-72.32	-13.00	-59.32	PK	Ver
5*	664.3800MHz	-65.00	-13.00	-52.00	PK	Ver
6*	941.6788MHz	-60.10	-13.00	-47.10	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.7038MHz	-78.77	-13.00	-65.77	PK	Hor
2*	140.7013MHz	-77.05	-13.00	-64.05	PK	Hor
3*	166.5275MHz	-77.24	-13.00	-64.24	PK	Hor
4*	380.4125MHz	-74.07	-13.00	-61.07	PK	Hor
5*	708.7575MHz	-64.19	-13.00	-51.19	PK	Hor
6*	994.7863MHz	-60.03	-13.00	-47.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.7925MHz	-77.37	-13.00	-64.37	PK	Ver
2*	66.1325MHz	-78.16	-13.00	-65.16	PK	Ver
3*	166.7700MHz	-76.56	-13.00	-63.56	PK	Ver
4*	274.5613MHz	-78.51	-13.00	-65.51	PK	Ver
5*	314.3313MHz	-76.64	-13.00	-63.64	PK	Ver
6*	971.7488MHz	-60.76	-13.00	-47.76	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.5813MHz	-77.63	-13.00	-64.63	PK	Hor
2*	156.4638MHz	-76.98	-13.00	-63.98	PK	Hor
3*	276.5013MHz	-77.76	-13.00	-64.76	PK	Hor
4*	473.7750MHz	-73.70	-13.00	-60.70	PK	Hor
5*	656.7413MHz	-63.79	-13.00	-50.79	PK	Hor
6*	993.6950MHz	-61.22	-13.00	-48.22	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.2188MHz	-76.88	-13.00	-63.88	PK	Ver
2*	63.8288MHz	-78.01	-13.00	-65.01	PK	Ver
3*	164.1025MHz	-76.45	-13.00	-63.45	PK	Ver
4*	397.8725MHz	-74.71	-13.00	-61.71	PK	Ver
5*	698.6938MHz	-65.48	-13.00	-52.48	PK	Ver
6*	978.4175MHz	-61.27	-13.00	-48.27	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.8250MHz	-77.70	-13.00	-64.70	PK	Hor
2*	67.2238MHz	-79.19	-13.00	-66.19	PK	Hor
3*	156.3425MHz	-77.01	-13.00	-64.01	PK	Hor
4*	306.9350MHz	-77.05	-13.00	-64.05	PK	Hor
5*	565.6825MHz	-70.13	-13.00	-57.13	PK	Hor
6*	925.6738MHz	-60.35	-13.00	-47.35	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.5200MHz	-77.86	-13.00	-64.86	PK	Ver
2*	131.2438MHz	-78.70	-13.00	-65.70	PK	Ver
3*	149.7950MHz	-76.53	-13.00	-63.53	PK	Ver
4*	357.3750MHz	-76.39	-13.00	-63.39	PK	Ver
5*	608.2413MHz	-67.77	-13.00	-54.77	PK	Ver
6*	997.8175MHz	-61.17	-13.00	-48.17	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.8838MHz	-78.07	-13.00	-65.07	PK	Hor
2*	62.9800MHz	-79.38	-13.00	-66.38	PK	Hor
3*	157.9188MHz	-76.24	-13.00	-63.24	PK	Hor
4*	425.3963MHz	-74.08	-13.00	-61.08	PK	Hor
5*	741.6163MHz	-64.17	-13.00	-51.17	PK	Hor
6*	998.0600MHz	-61.17	-13.00	-48.17	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.5500MHz	-77.79	-13.00	-64.79	PK	Ver
2*	59.3425MHz	-79.35	-13.00	-66.35	PK	Ver
3*	161.6775MHz	-76.60	-13.00	-63.60	PK	Ver
4*	403.5713MHz	-72.76	-13.00	-59.76	PK	Ver
5*	703.4225MHz	-64.71	-13.00	-51.71	PK	Ver
6*	972.9613MHz	-60.07	-13.00	-47.07	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.1°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.1875MHz	-77.86	-13.00	-64.86	PK	Hor
2*	138.3975MHz	-77.24	-13.00	-64.24	PK	Hor
3*	149.5525MHz	-76.94	-13.00	-63.94	PK	Hor
4*	280.3813MHz	-76.73	-13.00	-63.73	PK	Hor
5*	655.8925MHz	-66.64	-13.00	-53.64	PK	Hor
6*	977.4475MHz	-60.50	-13.00	-47.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.8825MHz	-77.79	-13.00	-64.79	PK	Ver
2*	128.8188MHz	-78.64	-13.00	-65.64	PK	Ver
3*	150.5225MHz	-75.86	-13.00	-62.86	PK	Ver
4*	391.6888MHz	-74.90	-13.00	-61.90	PK	Ver
5*	612.6063MHz	-65.92	-13.00	-52.92	PK	Ver
6*	989.4513MHz	-60.35	-13.00	-47.35	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.386GHz	-52.83	-13.00	-39.83	PK	Hor
2*	2.866GHz	-50.78	-13.00	-37.78	PK	Hor
3*	5.259GHz	-46.12	-13.00	-33.12	PK	Hor
4*	8.421GHz	-42.58	-13.00	-29.58	PK	Hor
5*	11.867GHz	-39.33	-13.00	-26.33	PK	Hor
6*	17.781GHz	-35.90	-13.00	-22.90	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.194GHz	-53.54	-13.00	-40.54	PK	Ver
2*	3.242GHz	-49.60	-13.00	-36.60	PK	Ver
3*	5.259GHz	-46.04	-13.00	-33.04	PK	Ver
4*	8.871GHz	-41.48	-13.00	-28.48	PK	Ver
5*	11.134GHz	-39.81	-13.00	-26.81	PK	Ver
6*	17.941GHz	-36.43	-13.00	-23.43	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.485GHz	-55.12	-13.00	-42.12	PK	Hor
2*	2.694GHz	-51.76	-13.00	-38.76	PK	Hor
3*	4.916GHz	-46.16	-13.00	-33.16	PK	Hor
4*	7.564GHz	-42.91	-13.00	-29.91	PK	Hor
5*	11.145GHz	-40.24	-13.00	-27.24	PK	Hor
6*	17.996GHz	-37.45	-13.00	-24.45	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.461GHz	-55.63	-13.00	-42.63	PK	Ver
2*	2.541GHz	-51.48	-13.00	-38.48	PK	Ver
3*	4.821GHz	-45.90	-13.00	-32.90	PK	Ver
4*	7.913GHz	-42.70	-13.00	-29.70	PK	Ver
5*	11.910GHz	-40.40	-13.00	-27.40	PK	Ver
6*	17.879GHz	-36.38	-13.00	-23.38	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.820GHz	-54.06	-13.00	-41.06	PK	Hor
2*	2.796GHz	-49.08	-13.00	-36.08	PK	Hor
3*	4.844GHz	-45.35	-13.00	-32.35	PK	Hor
4*	8.106GHz	-42.61	-13.00	-29.61	PK	Hor
5*	11.032GHz	-40.85	-13.00	-27.85	PK	Hor
6*	17.900GHz	-37.05	-13.00	-24.05	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.514GHz	-55.81	-13.00	-42.81	PK	Ver
2*	2.743GHz	-51.34	-13.00	-38.34	PK	Ver
3*	4.863GHz	-45.37	-13.00	-32.37	PK	Ver
4*	8.081GHz	-42.80	-13.00	-29.80	PK	Ver
5*	10.813GHz	-40.46	-13.00	-27.46	PK	Ver
6*	16.387GHz	-36.77	-13.00	-23.77	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.240GHz	-56.29	-13.00	-43.29	PK	Hor
2*	1.918GHz	-52.72	-13.00	-39.72	PK	Hor
3*	3.102GHz	-48.49	-13.00	-35.49	PK	Hor
4*	6.646GHz	-44.90	-13.00	-31.90	PK	Hor
5*	7.704GHz	-42.75	-13.00	-29.75	PK	Hor
6*	14.440GHz	-37.07	-13.00	-24.07	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.196GHz	-57.50	-13.00	-44.50	PK	Ver
2*	2.738GHz	-51.14	-13.00	-38.14	PK	Ver
3*	4.766GHz	-46.80	-13.00	-33.80	PK	Ver
4*	6.598GHz	-45.58	-13.00	-32.58	PK	Ver
5*	11.362GHz	-40.50	-13.00	-27.50	PK	Ver
6*	15.856GHz	-37.74	-13.00	-24.74	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.842GHz	-52.65	-13.00	-39.65	PK	Hor
2*	3.794GHz	-48.91	-13.00	-35.91	PK	Hor
3*	4.752GHz	-45.96	-13.00	-32.96	PK	Hor
4*	8.034GHz	-41.89	-13.00	-28.89	PK	Hor
5*	13.806GHz	-39.44	-13.00	-26.44	PK	Hor
6*	14.762GHz	-38.07	-13.00	-25.07	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.496GHz	-56.24	-13.00	-43.24	PK	Ver
2*	1.974GHz	-54.91	-13.00	-41.91	PK	Ver
3*	3.150GHz	-49.77	-13.00	-36.77	PK	Ver
4*	6.602GHz	-44.29	-13.00	-31.29	PK	Ver
5*	8.474GHz	-41.71	-13.00	-28.71	PK	Ver
6*	14.278GHz	-37.53	-13.00	-24.53	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.134GHz	-56.64	-13.00	-43.64	PK	Hor
2*	2.678GHz	-51.34	-13.00	-38.34	PK	Hor
3*	4.846GHz	-46.29	-13.00	-33.29	PK	Hor
4*	8.994GHz	-42.38	-13.00	-29.38	PK	Hor
5*	10.804GHz	-40.37	-13.00	-27.37	PK	Hor
6*	14.926GHz	-38.20	-13.00	-25.20	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.466GHz	-56.10	-13.00	-43.10	PK	Ver
2*	1.668GHz	-55.70	-13.00	-42.70	PK	Ver
3*	3.638GHz	-49.89	-13.00	-36.89	PK	Ver
4*	5.696GHz	-45.19	-13.00	-32.19	PK	Ver
5*	9.452GHz	-41.18	-13.00	-28.18	PK	Ver
6*	15.902GHz	-37.73	-13.00	-24.73	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.208GHz	-57.02	-13.00	-44.02	PK	Hor
2*	2.052GHz	-52.33	-13.00	-39.33	PK	Hor
3*	2.400GHz	-51.19	-13.00	-38.19	PK	Hor
4*	3.712GHz	-49.15	-13.00	-36.15	PK	Hor
5*	6.722GHz	-44.95	-13.00	-31.95	PK	Hor
6*	8.975GHz	-41.01	-13.00	-28.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.843GHz	-54.61	-13.00	-41.61	PK	Ver
2*	2.218GHz	-52.63	-13.00	-39.63	PK	Ver
3*	2.756GHz	-49.55	-13.00	-36.55	PK	Ver
4*	4.913GHz	-45.70	-13.00	-32.70	PK	Ver
5*	6.151GHz	-46.12	-13.00	-33.12	PK	Ver
6*	8.927GHz	-41.40	-13.00	-28.40	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.361GHz	-55.08	-13.00	-42.08	PK	Hor
2*	2.239GHz	-53.28	-13.00	-40.28	PK	Hor
3*	3.241GHz	-49.79	-13.00	-36.79	PK	Hor
4*	4.630GHz	-47.52	-13.00	-34.52	PK	Hor
5*	7.078GHz	-44.87	-13.00	-31.87	PK	Hor
6*	8.997GHz	-41.07	-13.00	-28.07	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.356GHz	-55.27	-13.00	-42.27	PK	Ver
2*	1.849GHz	-54.28	-13.00	-41.28	PK	Ver
3*	2.704GHz	-50.31	-13.00	-37.31	PK	Ver
4*	4.329GHz	-48.23	-13.00	-35.23	PK	Ver
5*	6.674GHz	-45.40	-13.00	-32.40	PK	Ver
6*	8.977GHz	-41.66	-13.00	-28.66	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.412GHz	-54.15	-13.00	-41.15	PK	Hor
2*	2.259GHz	-52.00	-13.00	-39.00	PK	Hor
3*	3.027GHz	-50.23	-13.00	-37.23	PK	Hor
4*	4.716GHz	-44.95	-13.00	-31.95	PK	Hor
5*	7.178GHz	-43.10	-13.00	-30.10	PK	Hor
6*	8.980GHz	-41.31	-13.00	-28.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.133GHz	-57.75	-13.00	-44.75	PK	Ver
2*	1.446GHz	-54.21	-13.00	-41.21	PK	Ver
3*	2.654GHz	-50.61	-13.00	-37.61	PK	Ver
4*	4.278GHz	-47.54	-13.00	-34.54	PK	Ver
5*	7.183GHz	-43.88	-13.00	-30.88	PK	Ver
6*	8.870GHz	-40.26	-13.00	-27.26	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 7 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.332GHz	-52.73	-13.00	-39.73	PK	Hor
2*	4.863GHz	-45.56	-13.00	-32.56	PK	Hor
3*	5.762GHz	-44.76	-13.00	-31.76	PK	Hor
4*	9.383GHz	-40.83	-13.00	-27.83	PK	Hor
5*	14.976GHz	-37.70	-13.00	-24.70	PK	Hor
6*	17.779GHz	-36.17	-13.00	-23.17	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.778GHz	-55.27	-13.00	-42.27	PK	Ver
2*	2.373GHz	-52.48	-13.00	-39.48	PK	Ver
3*	5.259GHz	-45.24	-13.00	-32.24	PK	Ver
4*	7.647GHz	-42.00	-13.00	-29.00	PK	Ver
5*	11.931GHz	-39.84	-13.00	-26.84	PK	Ver
6*	17.887GHz	-36.32	-13.00	-23.32	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.425GHz	-52.91	-13.00	-39.91	PK	Hor
2*	3.097GHz	-49.60	-13.00	-36.60	PK	Hor
3*	4.810GHz	-46.73	-13.00	-33.73	PK	Hor
4*	8.931GHz	-40.70	-13.00	-27.70	PK	Hor
5*	13.975GHz	-39.49	-13.00	-26.49	PK	Hor
6*	17.885GHz	-36.84	-13.00	-23.84	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.754GHz	-54.41	-13.00	-41.41	PK	Ver
2*	2.915GHz	-49.97	-13.00	-36.97	PK	Ver
3*	4.689GHz	-46.42	-13.00	-33.42	PK	Ver
4*	7.636GHz	-41.77	-13.00	-28.77	PK	Ver
5*	15.892GHz	-37.99	-13.00	-24.99	PK	Ver
6*	17.951GHz	-36.86	-13.00	-23.86	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 7 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.209GHz	-53.36	-13.00	-40.36	PK	Hor
2*	4.236GHz	-48.26	-13.00	-35.26	PK	Hor
3*	6.672GHz	-44.04	-13.00	-31.04	PK	Hor
4*	9.434GHz	-41.85	-13.00	-28.85	PK	Hor
5*	13.971GHz	-38.70	-13.00	-25.70	PK	Hor
6*	17.947GHz	-37.04	-13.00	-24.04	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.014GHz	-53.95	-13.00	-40.95	PK	Ver
2*	3.015GHz	-50.30	-13.00	-37.30	PK	Ver
3*	4.708GHz	-46.26	-13.00	-33.26	PK	Ver
4*	7.734GHz	-43.34	-13.00	-30.34	PK	Ver
5*	11.370GHz	-40.15	-13.00	-27.15	PK	Ver
6*	17.747GHz	-36.63	-13.00	-23.63	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.432GHz	-54.85	-13.00	-41.85	PK	Hor
2*	1.797GHz	-54.26	-13.00	-41.26	PK	Hor
3*	2.624GHz	-50.96	-13.00	-37.96	PK	Hor
4*	3.276GHz	-49.54	-13.00	-36.54	PK	Hor
5*	4.803GHz	-45.58	-13.00	-32.58	PK	Hor
6*	6.755GHz	-44.58	-13.00	-31.58	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.411GHz	-53.94	-13.00	-40.94	PK	Ver
2*	1.854GHz	-52.76	-13.00	-39.76	PK	Ver
3*	2.868GHz	-49.80	-13.00	-36.80	PK	Ver
4*	4.214GHz	-47.34	-13.00	-34.34	PK	Ver
5*	4.627GHz	-45.27	-13.00	-32.27	PK	Ver
6*	6.684GHz	-44.14	-13.00	-31.14	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.399GHz	-55.50	-13.00	-42.50	PK	Hor
2*	1.750GHz	-54.52	-13.00	-41.52	PK	Hor
3*	2.430GHz	-51.74	-13.00	-38.74	PK	Hor
4*	3.691GHz	-48.92	-13.00	-35.92	PK	Hor
5*	5.256GHz	-46.07	-13.00	-33.07	PK	Hor
6*	6.728GHz	-44.80	-13.00	-31.80	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.426GHz	-55.71	-13.00	-42.71	PK	Ver
2*	1.992GHz	-52.84	-13.00	-39.84	PK	Ver
3*	2.621GHz	-50.39	-13.00	-37.39	PK	Ver
4*	3.006GHz	-49.17	-13.00	-36.17	PK	Ver
5*	4.860GHz	-46.24	-13.00	-33.24	PK	Ver
6*	6.676GHz	-44.88	-13.00	-31.88	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.368GHz	-54.39	-13.00	-41.39	PK	Hor
2*	1.969GHz	-53.95	-13.00	-40.95	PK	Hor
3*	2.881GHz	-49.48	-13.00	-36.48	PK	Hor
4*	4.414GHz	-46.84	-13.00	-33.84	PK	Hor
5*	4.619GHz	-45.59	-13.00	-32.59	PK	Hor
6*	6.933GHz	-45.01	-13.00	-32.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.749GHz	-54.81	-13.00	-41.81	PK	Ver
2*	2.301GHz	-52.09	-13.00	-39.09	PK	Ver
3*	2.680GHz	-50.30	-13.00	-37.30	PK	Ver
4*	3.813GHz	-49.53	-13.00	-36.53	PK	Ver
5*	5.245GHz	-45.89	-13.00	-32.89	PK	Ver
6*	6.669GHz	-44.20	-13.00	-31.20	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 13 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.655GHz	-53.31	-13.00	-40.31	PK	Hor
2*	2.135GHz	-52.92	-13.00	-39.92	PK	Hor
3*	3.195GHz	-49.21	-13.00	-36.21	PK	Hor
4*	4.299GHz	-46.82	-13.00	-33.82	PK	Hor
5*	5.197GHz	-44.95	-13.00	-31.95	PK	Hor
6*	6.661GHz	-44.48	-13.00	-31.48	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.271GHz	-56.30	-13.00	-43.30	PK	Ver
2*	1.461GHz	-55.21	-13.00	-42.21	PK	Ver
3*	2.541GHz	-50.55	-13.00	-37.55	PK	Ver
4*	3.195GHz	-49.07	-13.00	-36.07	PK	Ver
5*	5.241GHz	-45.90	-13.00	-32.90	PK	Ver
6*	6.654GHz	-44.74	-13.00	-31.74	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.743GHz	-54.56	-13.00	-41.56	PK	Hor
2*	2.256GHz	-52.02	-13.00	-39.02	PK	Hor
3*	2.712GHz	-50.69	-13.00	-37.69	PK	Hor
4*	2.995GHz	-49.14	-13.00	-36.14	PK	Hor
5*	4.694GHz	-45.36	-13.00	-32.36	PK	Hor
6*	5.702GHz	-44.00	-13.00	-31.00	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.167GHz	-56.28	-13.00	-43.28	PK	Ver
2*	1.604GHz	-55.31	-13.00	-42.31	PK	Ver
3*	2.459GHz	-52.85	-13.00	-39.85	PK	Ver
4*	4.261GHz	-48.23	-13.00	-35.23	PK	Ver
5*	5.736GHz	-45.79	-13.00	-32.79	PK	Ver
6*	6.660GHz	-45.22	-13.00	-32.22	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 13 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.158GHz	-57.01	-13.00	-44.01	PK	Hor
2*	1.908GHz	-53.76	-13.00	-40.76	PK	Hor
3*	2.924GHz	-49.36	-13.00	-36.36	PK	Hor
4*	4.233GHz	-47.23	-13.00	-34.23	PK	Hor
5*	5.706GHz	-46.04	-13.00	-33.04	PK	Hor
6*	6.544GHz	-44.43	-13.00	-31.43	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.437GHz	-54.79	-13.00	-41.79	PK	Ver
2*	2.055GHz	-52.90	-13.00	-39.90	PK	Ver
3*	3.156GHz	-49.56	-13.00	-36.56	PK	Ver
4*	3.791GHz	-48.88	-13.00	-35.88	PK	Ver
5*	4.692GHz	-45.44	-13.00	-32.44	PK	Ver
6*	6.768GHz	-44.26	-13.00	-31.26	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.425GHz	-53.87	-13.00	-40.87	PK	Hor
2*	2.250GHz	-52.74	-13.00	-39.74	PK	Hor
3*	2.821GHz	-50.48	-13.00	-37.48	PK	Hor
4*	4.289GHz	-47.54	-13.00	-34.54	PK	Hor
5*	4.693GHz	-44.26	-13.00	-31.26	PK	Hor
6*	6.642GHz	-44.63	-13.00	-31.63	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.424GHz	-53.70	-13.00	-40.70	PK	Ver
2*	1.855GHz	-53.30	-13.00	-40.30	PK	Ver
3*	2.481GHz	-51.00	-13.00	-38.00	PK	Ver
4*	3.287GHz	-48.60	-13.00	-35.60	PK	Ver
5*	4.683GHz	-45.58	-13.00	-32.58	PK	Ver
6*	6.602GHz	-44.58	-13.00	-31.58	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.145GHz	-56.46	-13.00	-43.46	PK	Hor
2*	1.424GHz	-53.34	-13.00	-40.34	PK	Hor
3*	2.790GHz	-50.88	-13.00	-37.88	PK	Hor
4*	4.119GHz	-48.47	-13.00	-35.47	PK	Hor
5*	4.685GHz	-46.21	-13.00	-33.21	PK	Hor
6*	6.624GHz	-44.29	-13.00	-31.29	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.252GHz	-56.75	-13.00	-43.75	PK	Ver
2*	1.473GHz	-55.12	-13.00	-42.12	PK	Ver
3*	2.058GHz	-53.55	-13.00	-40.55	PK	Ver
4*	2.913GHz	-49.30	-13.00	-36.30	PK	Ver
5*	4.520GHz	-47.64	-13.00	-34.64	PK	Ver
6*	6.603GHz	-44.69	-13.00	-31.69	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.480GHz	-55.82	-13.00	-42.82	PK	Hor
2*	2.286GHz	-51.74	-13.00	-38.74	PK	Hor
3*	3.359GHz	-49.91	-13.00	-36.91	PK	Hor
4*	4.297GHz	-47.50	-13.00	-34.50	PK	Hor
5*	4.616GHz	-45.74	-13.00	-32.74	PK	Hor
6*	6.611GHz	-44.79	-13.00	-31.79	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.318GHz	-55.85	-13.00	-42.85	PK	Ver
2*	1.854GHz	-53.84	-13.00	-40.84	PK	Ver
3*	2.386GHz	-50.99	-13.00	-37.99	PK	Ver
4*	3.730GHz	-48.61	-13.00	-35.61	PK	Ver
5*	4.641GHz	-46.09	-13.00	-33.09	PK	Ver
6*	6.624GHz	-43.97	-13.00	-30.97	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 25 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.695GHz	-55.46	-13.00	-42.46	PK	Hor
2*	3.125GHz	-48.41	-13.00	-35.41	PK	Hor
3*	4.702GHz	-45.61	-13.00	-32.61	PK	Hor
4*	8.537GHz	-41.92	-13.00	-28.92	PK	Hor
5*	14.283GHz	-37.77	-13.00	-24.77	PK	Hor
6*	17.798GHz	-36.98	-13.00	-23.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.325GHz	-55.65	-13.00	-42.65	PK	Ver
2*	2.105GHz	-53.96	-13.00	-40.96	PK	Ver
3*	5.171GHz	-45.06	-13.00	-32.06	PK	Ver
4*	7.118GHz	-44.79	-13.00	-31.79	PK	Ver
5*	9.426GHz	-40.65	-13.00	-27.65	PK	Ver
6*	17.724GHz	-36.30	-13.00	-23.30	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 25 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.423GHz	-54.18	-13.00	-41.18	PK	Hor
2*	2.354GHz	-51.77	-13.00	-38.77	PK	Hor
3*	4.723GHz	-45.45	-13.00	-32.45	PK	Hor
4*	8.705GHz	-41.77	-13.00	-28.77	PK	Hor
5*	11.381GHz	-40.23	-13.00	-27.23	PK	Hor
6*	17.926GHz	-36.47	-13.00	-23.47	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.924GHz	-53.76	-13.00	-40.76	PK	Ver
2*	2.530GHz	-52.24	-13.00	-39.24	PK	Ver
3*	4.732GHz	-46.12	-13.00	-33.12	PK	Ver
4*	7.122GHz	-43.46	-13.00	-30.46	PK	Ver
5*	11.931GHz	-39.85	-13.00	-26.85	PK	Ver
6*	17.949GHz	-36.68	-13.00	-23.68	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 25 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.374GHz	-55.62	-13.00	-42.62	PK	Hor
2*	2.124GHz	-53.56	-13.00	-40.56	PK	Hor
3*	3.792GHz	-48.32	-13.00	-35.32	PK	Hor
4*	5.694GHz	-45.19	-13.00	-32.19	PK	Hor
5*	8.992GHz	-40.99	-13.00	-27.99	PK	Hor
6*	14.326GHz	-37.58	-13.00	-24.58	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.361GHz	-55.56	-13.00	-42.56	PK	Ver
2*	2.660GHz	-50.76	-13.00	-37.76	PK	Ver
3*	4.173GHz	-48.80	-13.00	-35.80	PK	Ver
4*	4.710GHz	-45.15	-13.00	-32.15	PK	Ver
5*	14.762GHz	-37.43	-13.00	-24.43	PK	Ver
6*	17.943GHz	-36.56	-13.00	-23.56	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 26 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.228GHz	-56.08	-13.00	-43.08	PK	Hor
2*	1.728GHz	-55.10	-13.00	-42.10	PK	Hor
3*	2.403GHz	-51.51	-13.00	-38.51	PK	Hor
4*	3.004GHz	-48.85	-13.00	-35.85	PK	Hor
5*	5.252GHz	-46.21	-13.00	-33.21	PK	Hor
6*	8.477GHz	-39.96	-13.00	-26.96	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.155GHz	-57.12	-13.00	-44.12	PK	Ver
2*	1.278GHz	-55.67	-13.00	-42.67	PK	Ver
3*	2.328GHz	-51.45	-13.00	-38.45	PK	Ver
4*	3.706GHz	-49.09	-13.00	-36.09	PK	Ver
5*	5.701GHz	-44.65	-13.00	-31.65	PK	Ver
6*	8.988GHz	-41.49	-13.00	-28.49	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 26 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.280GHz	-56.14	-13.00	-43.14	PK	Hor
2*	2.497GHz	-50.88	-13.00	-37.88	PK	Hor
3*	3.301GHz	-49.38	-13.00	-36.38	PK	Hor
4*	5.364GHz	-45.29	-13.00	-32.29	PK	Hor
5*	7.128GHz	-44.49	-13.00	-31.49	PK	Hor
6*	8.929GHz	-40.66	-13.00	-27.66	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.385GHz	-55.00	-13.00	-42.00	PK	Ver
2*	2.170GHz	-53.36	-13.00	-40.36	PK	Ver
3*	3.222GHz	-49.75	-13.00	-36.75	PK	Ver
4*	4.718GHz	-45.93	-13.00	-32.93	PK	Ver
5*	7.641GHz	-43.19	-13.00	-30.19	PK	Ver
6*	8.531GHz	-42.25	-13.00	-29.25	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 26 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.221GHz	-56.27	-13.00	-43.27	PK	Hor
2*	1.970GHz	-52.94	-13.00	-39.94	PK	Hor
3*	2.906GHz	-50.09	-13.00	-37.09	PK	Hor
4*	4.213GHz	-47.00	-13.00	-34.00	PK	Hor
5*	7.165GHz	-44.05	-13.00	-31.05	PK	Hor
6*	8.983GHz	-40.70	-13.00	-27.70	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.199GHz	-55.58	-13.00	-42.58	PK	Ver
2*	1.786GHz	-55.09	-13.00	-42.09	PK	Ver
3*	2.800GHz	-50.01	-13.00	-37.01	PK	Ver
4*	4.800GHz	-46.70	-13.00	-33.70	PK	Ver
5*	7.571GHz	-43.69	-13.00	-30.69	PK	Ver
6*	8.868GHz	-40.94	-13.00	-27.94	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 38 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.391GHz	-55.54	-13.00	-42.54	PK	Hor
2*	2.611GHz	-51.20	-13.00	-38.20	PK	Hor
3*	4.685GHz	-45.97	-13.00	-32.97	PK	Hor
4*	8.935GHz	-40.03	-13.00	-27.03	PK	Hor
5*	11.933GHz	-39.82	-13.00	-26.82	PK	Hor
6*	17.932GHz	-36.48	-13.00	-23.48	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.421GHz	-55.28	-13.00	-42.28	PK	Ver
2*	1.844GHz	-54.83	-13.00	-41.83	PK	Ver
3*	2.989GHz	-49.37	-13.00	-36.37	PK	Ver
4*	5.747GHz	-45.10	-13.00	-32.10	PK	Ver
5*	11.844GHz	-39.47	-13.00	-26.47	PK	Ver
6*	17.926GHz	-37.14	-13.00	-24.14	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 38 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.064GHz	-57.69	-13.00	-44.69	PK	Hor
2*	1.353GHz	-56.46	-13.00	-43.46	PK	Hor
3*	2.796GHz	-50.23	-13.00	-37.23	PK	Hor
4*	4.793GHz	-46.39	-13.00	-33.39	PK	Hor
5*	9.092GHz	-41.72	-13.00	-28.72	PK	Hor
6*	17.858GHz	-37.22	-13.00	-24.22	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.202GHz	-56.69	-13.00	-43.69	PK	Ver
2*	1.767GHz	-54.23	-13.00	-41.23	PK	Ver
3*	3.093GHz	-49.33	-13.00	-36.33	PK	Ver
4*	4.808GHz	-45.77	-13.00	-32.77	PK	Ver
5*	11.249GHz	-38.73	-13.00	-25.73	PK	Ver
6*	17.936GHz	-36.16	-13.00	-23.16	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 38 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.478GHz	-56.15	-13.00	-43.15	PK	Hor
2*	1.854GHz	-53.20	-13.00	-40.20	PK	Hor
3*	3.775GHz	-49.60	-13.00	-36.60	PK	Hor
4*	6.721GHz	-44.51	-13.00	-31.51	PK	Hor
5*	8.591GHz	-41.95	-13.00	-28.95	PK	Hor
6*	17.781GHz	-36.08	-13.00	-23.08	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.272GHz	-56.83	-13.00	-43.83	PK	Ver
2*	1.463GHz	-55.85	-13.00	-42.85	PK	Ver
3*	3.182GHz	-49.46	-13.00	-36.46	PK	Ver
4*	4.870GHz	-45.20	-13.00	-32.20	PK	Ver
5*	11.368GHz	-40.69	-13.00	-27.69	PK	Ver
6*	17.866GHz	-35.92	-13.00	-22.92	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 40 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.228GHz	-52.05	-13.00	-39.05	PK	Hor
2*	2.991GHz	-50.04	-13.00	-37.04	PK	Hor
3*	4.749GHz	-45.39	-13.00	-32.39	PK	Hor
4*	9.322GHz	-40.72	-13.00	-27.72	PK	Hor
5*	14.417GHz	-38.56	-13.00	-25.56	PK	Hor
6*	17.883GHz	-36.50	-13.00	-23.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.191GHz	-57.71	-13.00	-44.71	PK	Ver
2*	1.795GHz	-54.15	-13.00	-41.15	PK	Ver
3*	3.476GHz	-49.31	-13.00	-36.31	PK	Ver
4*	4.719GHz	-46.03	-13.00	-33.03	PK	Ver
5*	10.384GHz	-41.20	-13.00	-28.20	PK	Ver
6*	17.960GHz	-36.77	-13.00	-23.77	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.521GHz	-55.41	-13.00	-42.41	PK	Hor
2*	2.942GHz	-50.13	-13.00	-37.13	PK	Hor
3*	4.693GHz	-46.09	-13.00	-33.09	PK	Hor
4*	7.180GHz	-44.23	-13.00	-31.23	PK	Hor
5*	8.922GHz	-40.49	-13.00	-27.49	PK	Hor
6*	17.945GHz	-36.91	-13.00	-23.91	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.618GHz	-55.92	-13.00	-42.92	PK	Ver
2*	2.360GHz	-52.59	-13.00	-39.59	PK	Ver
3*	3.151GHz	-49.76	-13.00	-36.76	PK	Ver
4*	5.267GHz	-45.59	-13.00	-32.59	PK	Ver
5*	11.918GHz	-39.72	-13.00	-26.72	PK	Ver
6*	17.968GHz	-37.34	-13.00	-24.34	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 40 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.801GHz	-54.52	-13.00	-41.52	PK	Hor
2*	2.732GHz	-50.30	-13.00	-37.30	PK	Hor
3*	4.910GHz	-46.42	-13.00	-33.42	PK	Hor
4*	7.466GHz	-43.78	-13.00	-30.78	PK	Hor
5*	11.376GHz	-39.45	-13.00	-26.45	PK	Hor
6*	18.000GHz	-37.81	-13.00	-24.81	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.421GHz	-55.11	-13.00	-42.11	PK	Ver
2*	2.779GHz	-49.81	-13.00	-36.81	PK	Ver
3*	3.801GHz	-49.10	-13.00	-36.10	PK	Ver
4*	4.789GHz	-45.41	-13.00	-32.41	PK	Ver
5*	8.873GHz	-41.75	-13.00	-28.75	PK	Ver
6*	17.758GHz	-37.66	-13.00	-24.66	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.360GHz	-51.72	-13.00	-38.72	PK	Hor
2*	4.219GHz	-47.11	-13.00	-34.11	PK	Hor
3*	6.189GHz	-45.12	-13.00	-32.12	PK	Hor
4*	8.988GHz	-40.84	-13.00	-27.84	PK	Hor
5*	11.927GHz	-39.23	-13.00	-26.23	PK	Hor
6*	17.941GHz	-36.37	-13.00	-23.37	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.408GHz	-55.75	-13.00	-42.75	PK	Ver
2*	1.873GHz	-54.21	-13.00	-41.21	PK	Ver
3*	3.287GHz	-49.47	-13.00	-36.47	PK	Ver
4*	5.756GHz	-46.72	-13.00	-33.72	PK	Ver
5*	8.979GHz	-41.84	-13.00	-28.84	PK	Ver
6*	16.765GHz	-37.56	-13.00	-24.56	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.601GHz	-54.88	-13.00	-41.88	PK	Hor
2*	2.802GHz	-50.11	-13.00	-37.11	PK	Hor
3*	4.808GHz	-46.27	-13.00	-33.27	PK	Hor
4*	7.577GHz	-43.25	-13.00	-30.25	PK	Hor
5*	13.858GHz	-38.34	-13.00	-25.34	PK	Hor
6*	17.936GHz	-36.43	-13.00	-23.43	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.400GHz	-55.78	-13.00	-42.78	PK	Ver
2*	2.798GHz	-49.59	-13.00	-36.59	PK	Ver
3*	5.303GHz	-45.88	-13.00	-32.88	PK	Ver
4*	5.709GHz	-45.81	-13.00	-32.81	PK	Ver
5*	11.427GHz	-40.24	-13.00	-27.24	PK	Ver
6*	17.917GHz	-36.36	-13.00	-23.36	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.321GHz	-55.16	-13.00	-42.16	PK	Hor
2*	2.477GHz	-51.59	-13.00	-38.59	PK	Hor
3*	3.089GHz	-49.80	-13.00	-36.80	PK	Hor
4*	6.614GHz	-44.87	-13.00	-31.87	PK	Hor
5*	11.200GHz	-39.75	-13.00	-26.75	PK	Hor
6*	16.360GHz	-37.41	-13.00	-24.41	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.251GHz	-55.11	-13.00	-42.11	PK	Ver
2*	3.189GHz	-49.79	-13.00	-36.79	PK	Ver
3*	4.848GHz	-45.80	-13.00	-32.80	PK	Ver
4*	9.069GHz	-41.76	-13.00	-28.76	PK	Ver
5*	14.341GHz	-37.55	-13.00	-24.55	PK	Ver
6*	17.826GHz	-37.42	-13.00	-24.42	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.586GHz	-54.62	-13.00	-41.62	PK	Hor
2*	3.110GHz	-50.77	-13.00	-37.77	PK	Hor
3*	4.726GHz	-46.44	-13.00	-33.44	PK	Hor
4*	7.122GHz	-44.17	-13.00	-31.17	PK	Hor
5*	10.414GHz	-41.77	-13.00	-28.77	PK	Hor
6*	16.328GHz	-37.62	-13.00	-24.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.464GHz	-56.31	-13.00	-43.31	PK	Ver
2*	2.360GHz	-52.44	-13.00	-39.44	PK	Ver
3*	4.438GHz	-47.75	-13.00	-34.75	PK	Ver
4*	7.644GHz	-42.98	-13.00	-29.98	PK	Ver
5*	8.998GHz	-41.38	-13.00	-28.38	PK	Ver
6*	15.906GHz	-37.79	-13.00	-24.79	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.854GHz	-54.03	-13.00	-41.03	PK	Hor
2*	2.742GHz	-51.92	-13.00	-38.92	PK	Hor
3*	3.764GHz	-48.87	-13.00	-35.87	PK	Hor
4*	5.240GHz	-45.93	-13.00	-32.93	PK	Hor
5*	8.998GHz	-40.12	-13.00	-27.12	PK	Hor
6*	16.370GHz	-37.42	-13.00	-24.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.130GHz	-55.95	-13.00	-42.95	PK	Ver
2*	2.762GHz	-50.04	-13.00	-37.04	PK	Ver
3*	3.832GHz	-49.28	-13.00	-36.28	PK	Ver
4*	6.658GHz	-44.61	-13.00	-31.61	PK	Ver
5*	8.984GHz	-41.05	-13.00	-28.05	PK	Ver
6*	14.344GHz	-38.00	-13.00	-25.00	PK	Ver

Project: LGT23E024	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.8°C
M/N: TANK 2	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-20
Test Mode: LTE Band 66 Upper	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.370GHz	-56.31	-13.00	-43.31	PK	Hor
2*	2.666GHz	-50.28	-13.00	-37.28	PK	Hor
3*	5.250GHz	-45.61	-13.00	-32.61	PK	Hor
4*	8.972GHz	-41.85	-13.00	-28.85	PK	Hor
5*	11.358GHz	-40.14	-13.00	-27.14	PK	Hor
6*	16.390GHz	-37.70	-13.00	-24.70	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.536GHz	-55.84	-13.00	-42.84	PK	Ver
2*	1.776GHz	-54.36	-13.00	-41.36	PK	Ver
3*	3.788GHz	-48.76	-13.00	-35.76	PK	Ver
4*	5.730GHz	-45.13	-13.00	-32.13	PK	Ver
5*	11.526GHz	-40.14	-13.00	-27.14	PK	Ver
6*	16.370GHz	-37.85	-13.00	-24.85	PK	Ver

※※※※END OF THE REPORT※※※※