









Mode	21																																																																
	Harmonic																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																
ANT	1																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 10540.00</td><td>45.02</td><td>68.20</td><td>-23.18</td><td>58.47</td><td>37.58</td><td>15.63</td><td>66.66</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 10540.00	45.02	68.20	-23.18	58.47	37.58	15.63	66.66	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 10540.00</td><td>44.44</td><td>68.20</td><td>-23.76</td><td>57.95</td><td>37.56</td><td>15.60</td><td>66.67</td><td>0.00</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 10540.00	44.44	68.20	-23.76	57.95	37.56	15.60	66.67	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
1 10540.00	45.02	68.20	-23.18	58.47	37.58	15.63	66.66	0.00																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
1 10540.00	44.44	68.20	-23.76	57.95	37.56	15.60	66.67	0.00																																																									
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10540.00</td><td>45.02</td><td>68.20</td><td>-23.18</td><td>58.47</td><td>37.58</td><td>15.63</td><td>66.66</td><td>0.00</td><td>--</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	45.02	68.20	-23.18	58.47	37.58	15.63	66.66	0.00	--	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10540.00</td><td>44.44</td><td>68.20</td><td>-23.76</td><td>57.95</td><td>37.56</td><td>15.60</td><td>66.67</td><td>0.00</td><td>--</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	44.44	68.20	-23.76	57.95	37.56	15.60	66.67	0.00	--											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	10540.00	45.02	68.20	-23.18	58.47	37.58	15.63	66.66	0.00	--																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	10540.00	44.44	68.20	-23.76	57.95	37.56	15.60	66.67	0.00	--																																																							

Mode	22																																																																	
	Band Edge - L																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																	
ANT	1																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5127.36</td><td>49.69</td><td>74.00</td><td>-24.31</td><td>41.50</td><td>34.08</td><td>10.58</td><td>36.47</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5127.36	49.69	74.00	-24.31	41.50	34.08	10.58	36.47	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5310.00</td><td>102.93</td><td>-----</td><td>-----</td><td>94.20</td><td>34.50</td><td>10.73</td><td>36.50</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5310.00	102.93	-----	-----	94.20	34.50	10.73	36.50
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5127.36	49.69	74.00	-24.31	41.50	34.08	10.58	36.47																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5310.00	102.93	-----	-----	94.20	34.50	10.73	36.50																																																											
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5145.60</td><td>39.90</td><td>54.00</td><td>-14.10</td><td>31.64</td><td>34.14</td><td>10.60</td><td>36.48</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5145.60	39.90	54.00	-14.10	31.64	34.14	10.60	36.48	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5310.00</td><td>94.23</td><td>-----</td><td>-----</td><td>85.50</td><td>34.50</td><td>10.73</td><td>36.50</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5310.00	94.23	-----	-----	85.50	34.50	10.73	36.50
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5145.60	39.90	54.00	-14.10	31.64	34.14	10.60	36.48																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5310.00	94.23	-----	-----	85.50	34.50	10.73	36.50																																																											

Mode	22																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																				
ANT	1																																																				
Pol.	Horizontal						Fundamental																																														
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5355.00</td><td>60.48</td><td>74.00</td><td>-13.52</td><td>51.63</td><td>34.50</td><td>10.75</td><td>36.40</td><td>0.00</td><td>174</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5355.00	60.48	74.00	-13.52	51.63	34.50	10.75	36.40	0.00	174	0 PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1 5355.00	60.48	74.00	-13.52	51.63	34.50	10.75	36.40	0.00	174	0 PEAK																																											
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.10</td><td>50.56</td><td>54.00</td><td>-3.44</td><td>41.75</td><td>34.50</td><td>10.75</td><td>36.44</td><td>0.00</td><td>174</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.10	50.56	54.00	-3.44	41.75	34.50	10.75	36.44	0.00	174	0 AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1 5350.10	50.56	54.00	-3.44	41.75	34.50	10.75	36.44	0.00	174	0 AVERAGE																																											

Mode

ANT

Pol.

Peak

Avg

22

Band Edge - L

U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz

1

Vertical

Fundamental

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5100

5132

5164

5196

5228

5260

U-NII-1-U-NII-2A-U-NII-2C

1

Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1 5102.40	50.14	74.00	-23.86	42.02	34.01	10.56	36.45	0.00	336 93 PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

U-NII-1-U-NII-2A-U-NII-2C

1

Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1 5310.00	97.34	-----	-----	88.61	34.50	10.73	36.50	0.00	336 93 PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5100

5132

5164

5196

5228

5260

U-NII-1-U-NII-2A-U-NII-2C(AVG)

1

Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1 5139.20	39.45	54.00	-14.55	31.21	34.12	10.60	36.48	0.00	336 93 AVERAGE

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600



5800



7000





U-NII-1-U-NII-2A-U-NII-2C(AVG)


1





Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1 5310.00	89.02	-----	-----	80.29	34.50	10.73	36.50	0.00	336 93 AVERAGE


Mode	22																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																									
ANT	1																																									
Pol.	Vertical						Fundamental																																			
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.00</td><td>55.04</td><td>74.00</td><td>-18.96</td><td>46.22</td><td>34.50</td><td>10.75</td><td>36.43</td><td>0.00</td><td>336</td><td>93 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5350.00	55.04	74.00	-18.96	46.22	34.50	10.75	36.43	0.00	336	93 PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																
1 5350.00	55.04	74.00	-18.96	46.22	34.50	10.75	36.43	0.00	336	93 PEAK																																
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.00</td><td>43.91</td><td>54.00</td><td>-10.09</td><td>35.10</td><td>34.50</td><td>10.75</td><td>36.44</td><td>0.00</td><td>336</td><td>93 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5350.00	43.91	54.00	-10.09	35.10	34.50	10.75	36.44	0.00	336	93 AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																
1 5350.00	43.91	54.00	-10.09	35.10	34.50	10.75	36.44	0.00	336	93 AVERAGE																																



Mode	22																																																																							
	Harmonic																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 10620.00</td><td>43.75</td><td>74.00</td><td>-30.25</td><td>57.06</td><td>37.63</td><td>15.69</td><td>66.63</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1 10620.00	43.75	74.00	-30.25	57.06	37.63	15.69	66.63	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 10620.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>57.63</td><td>37.63</td><td>15.69</td><td>66.63</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1 10620.00	44.32	74.00	-29.68	57.63	37.63	15.69	66.63	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
1 10620.00	43.75	74.00	-30.25	57.06	37.63	15.69	66.63	0.00	-- -- PEAK																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
1 10620.00	44.32	74.00	-29.68	57.63	37.63	15.69	66.63	0.00	-- -- PEAK																																																															
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>43.75</td><td>74.00</td><td>-30.25</td><td>57.06</td><td>37.63</td><td>15.69</td><td>66.63</td><td>0.00</td><td>--</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	43.75	74.00	-30.25	57.06	37.63	15.69	66.63	0.00	--	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>57.63</td><td>37.63</td><td>15.69</td><td>66.63</td><td>0.00</td><td>--</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	44.32	74.00	-29.68	57.63	37.63	15.69	66.63	0.00	--																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	10620.00	43.75	74.00	-30.25	57.06	37.63	15.69	66.63	0.00	--																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	10620.00	44.32	74.00	-29.68	57.63	37.63	15.69	66.63	0.00	--																																																														





		23																																																																																																											
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5387.12</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>40.41</td><td>34.50</td><td>10.77</td><td>36.22</td><td>0.00</td><td>288</td><td>7 PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>54.38</td><td>68.20</td><td>-13.82</td><td>45.01</td><td>34.57</td><td>10.85</td><td>36.05</td><td>0.00</td><td>288</td><td>7 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5387.12	49.46	74.00	-24.54	40.41	34.50	10.77	36.22	0.00	288	7 PEAK	2	5468.08	54.38	68.20	-13.82	45.01	34.57	10.85	36.05	0.00	288	7 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>96.60</td><td>-----</td><td>-----</td><td>87.13</td><td>34.60</td><td>10.89</td><td>36.02</td><td>0.00</td><td>288</td><td>7 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.60	-----	-----	87.13	34.60	10.89	36.02	0.00	288
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5387.12	49.46	74.00	-24.54	40.41	34.50	10.77	36.22	0.00	288	7 PEAK																																																																																																		
2	5468.08	54.38	68.20	-13.82	45.01	34.57	10.85	36.05	0.00	288	7 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	96.60	-----	-----	87.13	34.60	10.89	36.02	0.00	288	7 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>39.59</td><td>54.00</td><td>-14.41</td><td>30.25</td><td>34.56</td><td>10.84</td><td>36.06</td><td>0.00</td><td>288</td><td>7 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	39.59	54.00	-14.41	30.25	34.56	10.84	36.06	0.00	288	7 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>88.61</td><td>-----</td><td>-----</td><td>79.15</td><td>34.60</td><td>10.90</td><td>36.04</td><td>0.00</td><td>288</td><td>7 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	88.61	-----	-----	79.15	34.60	10.90	36.04	0.00	288	7 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.76	39.59	54.00	-14.41	30.25	34.56	10.84	36.06	0.00	288	7 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	88.61	-----	-----	79.15	34.60	10.90	36.04	0.00	288	7 AVERAGE																																																																																																		


Mode	23																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5737.88</td><td>50.63</td><td>68.20</td><td>-17.57</td><td>40.72</td><td>34.71</td><td>11.19</td><td>35.99</td><td>0.00</td><td>288</td><td>7 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.88	50.63	68.20	-17.57	40.72	34.71	11.19	35.99	0.00	288	7 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5737.88	50.63	68.20	-17.57	40.72	34.71	11.19	35.99	0.00	288	7 PEAK																																											

Mode	23																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>60.14</td><td>74.00</td><td>-13.86</td><td>50.80</td><td>34.56</td><td>10.84</td><td>36.06</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>62.62</td><td>68.20</td><td>-5.58</td><td>53.25</td><td>34.57</td><td>10.85</td><td>36.05</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	60.14	74.00	-13.86	50.80	34.56	10.84	36.06	0.00	100	280	PEAK	2	5468.08	62.62	68.20	-5.58	53.25	34.57	10.85	36.05	0.00	100	280	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>107.19</td><td>-----</td><td>-----</td><td>97.73</td><td>34.60</td><td>10.89</td><td>36.03</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.19	-----	-----	97.73	34.60	10.89	36.03	0.00	100	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.76	60.14	74.00	-13.86	50.80	34.56	10.84	36.06	0.00	100	280	PEAK																																																																																																				
2	5468.08	62.62	68.20	-5.58	53.25	34.57	10.85	36.05	0.00	100	280	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	107.19	-----	-----	97.73	34.60	10.89	36.03	0.00	100	280	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>47.81</td><td>54.00</td><td>-6.19</td><td>38.47</td><td>34.56</td><td>10.84</td><td>36.06</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	47.81	54.00	-6.19	38.47	34.56	10.84	36.06	0.00	100	280	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>98.47</td><td>-----</td><td>-----</td><td>89.01</td><td>34.60</td><td>10.90</td><td>36.04</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.47	-----	-----	89.01	34.60	10.90	36.04	0.00	100	280	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.76	47.81	54.00	-6.19	38.47	34.56	10.84	36.06	0.00	100	280	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	98.47	-----	-----	89.01	34.60	10.90	36.04	0.00	100	280	AVERAGE																																																																																																				

Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5752.76</td><td>50.45</td><td>68.20</td><td>-17.75</td><td>40.46</td><td>34.76</td><td>11.21</td><td>35.98</td><td>0.00</td><td>100</td><td>200</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.76	50.45	68.20	-17.75	40.46	34.76	11.21	35.98	0.00	100	200	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5752.76	50.45	68.20	-17.75	40.46	34.76	11.21	35.98	0.00	100	200	PEAK																																												

Mode	23																																																																
	Harmonic																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																
ANT	1																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 11020.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>56.57</td><td>37.92</td><td>16.06</td><td>66.46</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 11020.00	44.09	74.00	-29.91	56.57	37.92	16.06	66.46	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 11020.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>56.35</td><td>37.92</td><td>16.06</td><td>66.46</td><td>0.00</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 11020.00	43.87	74.00	-30.13	56.35	37.92	16.06	66.46	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
1 11020.00	44.09	74.00	-29.91	56.57	37.92	16.06	66.46	0.00																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
1 11020.00	43.87	74.00	-30.13	56.35	37.92	16.06	66.46	0.00																																																									
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11020.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>56.57</td><td>37.92</td><td>16.06</td><td>66.46</td><td>0.00</td><td>--</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.09	74.00	-29.91	56.57	37.92	16.06	66.46	0.00	--	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11020.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>56.35</td><td>37.92</td><td>16.06</td><td>66.46</td><td>0.00</td><td>--</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	43.87	74.00	-30.13	56.35	37.92	16.06	66.46	0.00	--											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	11020.00	44.09	74.00	-29.91	56.57	37.92	16.06	66.46	0.00	--																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	11020.00	43.87	74.00	-30.13	56.35	37.92	16.06	66.46	0.00	--																																																							

Mode	24																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5431.60</td><td>48.03</td><td>74.00</td><td>-25.97</td><td>38.79</td><td>34.53</td><td>10.81</td><td>36.10</td><td>0.00</td><td>324</td><td>223</td><td>PEAK</td></tr><tr><td>2</td><td>5463.20</td><td>47.90</td><td>68.20</td><td>-20.30</td><td>38.56</td><td>34.56</td><td>10.84</td><td>36.06</td><td>0.00</td><td>324</td><td>223</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5431.60	48.03	74.00	-25.97	38.79	34.53	10.81	36.10	0.00	324	223	PEAK	2	5463.20	47.90	68.20	-20.30	38.56	34.56	10.84	36.06	0.00	324	223	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>96.48</td><td>-----</td><td>-----</td><td>87.07</td><td>34.60</td><td>10.96</td><td>36.15</td><td>0.00</td><td>324</td><td>223</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	96.48	-----	-----	87.07	34.60	10.96	36.15	0.00	324	223
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5431.60	48.03	74.00	-25.97	38.79	34.53	10.81	36.10	0.00	324	223	PEAK																																																																																																								
2	5463.20	47.90	68.20	-20.30	38.56	34.56	10.84	36.06	0.00	324	223	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5550.00	96.48	-----	-----	87.07	34.60	10.96	36.15	0.00	324	223	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.40</td><td>38.38</td><td>54.00</td><td>-15.62</td><td>29.05</td><td>34.56</td><td>10.84</td><td>36.07</td><td>0.00</td><td>324</td><td>223</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.40	38.38	54.00	-15.62	29.05	34.56	10.84	36.07	0.00	324	223	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>88.38</td><td>-----</td><td>-----</td><td>78.96</td><td>34.60</td><td>10.95</td><td>36.13</td><td>0.00</td><td>324</td><td>223</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	88.38	-----	-----	78.96	34.60	10.95	36.13	0.00	324	223	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5458.40	38.38	54.00	-15.62	29.05	34.56	10.84	36.07	0.00	324	223	AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5550.00	88.38	-----	-----	78.96	34.60	10.95	36.13	0.00	324	223	AVERAGE																																																																																																								

Mode	24																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5763.07</td><td>49.58</td><td>68.20</td><td>-18.62</td><td>39.58</td><td>34.79</td><td>11.23</td><td>36.02</td><td>0.00</td><td>324</td><td>223</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.07	49.58	68.20	-18.62	39.58	34.79	11.23	36.02	0.00	324	223	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5763.07	49.58	68.20	-18.62	39.58	34.79	11.23	36.02	0.00	324	223	PEAK																																												

Mode

24

Band Edge - L

U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz

ANT

1

Pol.

Vertical

Fundamental

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5390

5430

5470

5510

5550

1

2

U-NII-1-U-NII-2A-U-NII-2C

Freq

Level

Limit

Line

Margin

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5457.00

50.24

74.00

-23.76

40.91

34.56

10.84

36.07

0.00

199

284

PEAK

2

5462.40

52.22

68.20

-15.98

42.88

34.56

10.84

36.06

0.00

199

284

PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

1

U-NII-1-U-NII-2A-U-NII-2C

Freq

Level

Limit

Line

Margin

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5550.00

108.19

98.77

34.60

10.95

36.13

0.00

199

284

PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5390

5430

5470

5510

5550

1

U-NII-1-U-NII-2A-U-NII-2C(AVG)

Freq

Level

Limit

Line

Margin

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5459.00

41.65

54.00

-12.35

32.31

34.56

10.84

36.06

0.00

199

284

AVERAGE

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

1

U-NII-1-U-NII-2A-U-NII-2C(AVG)

Freq

Level

Limit

Line

Margin

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5550.00

98.93

89.51

34.60

10.95


36.13



0.00





199


284





AVERAGE


Mode	24																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5731.25</td><td>49.59</td><td>68.20</td><td>-18.61</td><td>39.73</td><td>34.69</td><td>11.18</td><td>36.01</td><td>0.00</td><td>199</td><td>284</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.25	49.59	68.20	-18.61	39.73	34.69	11.18	36.01	0.00	199	284	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5731.25	49.59	68.20	-18.61	39.73	34.69	11.18	36.01	0.00	199	284	PEAK																																		



Mode	24																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11100.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>57.59</td><td>37.98</td><td>16.11</td><td>66.42</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11100.00	45.26	74.00	-28.74	57.59	37.98	16.11	66.42	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11100.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>58.22</td><td>37.98</td><td>16.11</td><td>66.42</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11100.00	45.89	74.00	-28.11	58.22	37.98	16.11	66.42	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 11100.00	45.26	74.00	-28.74	57.59	37.98	16.11	66.42	0.00	--	-- PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 11100.00	45.89	74.00	-28.11	58.22	37.98	16.11	66.42	0.00	--	-- PEAK																																																																																					





Mode	25																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5436.56</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>38.40</td><td>34.54</td><td>10.81</td><td>36.09</td><td>0.00</td><td>364</td><td>223</td><td>PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>47.98</td><td>68.20</td><td>-20.22</td><td>38.61</td><td>34.57</td><td>10.85</td><td>36.05</td><td>0.00</td><td>364</td><td>223</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5436.56	47.66	74.00	-26.34	38.40	34.54	10.81	36.09	0.00	364	223	PEAK	2	5468.72	47.98	68.20	-20.22	38.61	34.57	10.85	36.05	0.00	364	223	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>97.82</td><td>-----</td><td>-----</td><td>88.30</td><td>34.60</td><td>11.11</td><td>36.19</td><td>0.00</td><td>364</td><td>223</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	97.82	-----	-----	88.30	34.60	11.11	36.19	0.00	364	223
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5436.56	47.66	74.00	-26.34	38.40	34.54	10.81	36.09	0.00	364	223	PEAK																																																																																																								
2	5468.72	47.98	68.20	-20.22	38.61	34.57	10.85	36.05	0.00	364	223	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5670.00	97.82	-----	-----	88.30	34.60	11.11	36.19	0.00	364	223	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.56</td><td>38.08</td><td>54.00</td><td>-15.92</td><td>28.75</td><td>34.56</td><td>10.84</td><td>36.07</td><td>0.00</td><td>364</td><td>223</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.56	38.08	54.00	-15.92	28.75	34.56	10.84	36.07	0.00	364	223	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>87.83</td><td>-----</td><td>-----</td><td>78.31</td><td>34.60</td><td>11.11</td><td>36.19</td><td>0.00</td><td>364</td><td>223</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	87.83	-----	-----	78.31	34.60	11.11	36.19	0.00	364	223	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5456.56	38.08	54.00	-15.92	28.75	34.56	10.84	36.07	0.00	364	223	AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5670.00	87.83	-----	-----	78.31	34.60	11.11	36.19	0.00	364	223	AVERAGE																																																																																																								



Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5741.24</td><td>51.12</td><td>68.20</td><td>-17.08</td><td>41.19</td><td>34.72</td><td>11.20</td><td>35.99</td><td>0.00</td><td>364</td><td>223</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.24	51.12	68.20	-17.08	41.19	34.72	11.20	35.99	0.00	364	223	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5741.24	51.12	68.20	-17.08	41.19	34.72	11.20	35.99	0.00	364	223	PEAK																																												





Mode	25																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>40.09</td><td>34.56</td><td>10.84</td><td>36.07</td><td>0.00</td><td>271</td><td>326</td><td>PEAK</td></tr><tr><td>2</td><td>5460.56</td><td>48.88</td><td>68.20</td><td>-19.32</td><td>39.54</td><td>34.56</td><td>10.84</td><td>36.06</td><td>0.00</td><td>271</td><td>326</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.52	49.42	74.00	-24.58	40.09	34.56	10.84	36.07	0.00	271	326	PEAK	2	5460.56	48.88	68.20	-19.32	39.54	34.56	10.84	36.06	0.00	271	326	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.30</td><td>-----</td><td>-----</td><td>95.78</td><td>34.60</td><td>11.11</td><td>36.19</td><td>0.00</td><td>271</td><td>326</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	105.30	-----	-----	95.78	34.60	11.11	36.19	0.00	271	326	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5457.52	49.42	74.00	-24.58	40.09	34.56	10.84	36.07	0.00	271	326	PEAK																																																																																																									
2	5460.56	48.88	68.20	-19.32	39.54	34.56	10.84	36.06	0.00	271	326	PEAK																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5670.00	105.30	-----	-----	95.78	34.60	11.11	36.19	0.00	271	326	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.72</td><td>38.84</td><td>54.00</td><td>-15.16</td><td>29.53</td><td>34.55</td><td>10.83</td><td>36.07</td><td>0.00</td><td>271</td><td>326</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.72	38.84	54.00	-15.16	29.53	34.55	10.83	36.07	0.00	271	326	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>95.84</td><td>-----</td><td>-----</td><td>86.36</td><td>34.60</td><td>11.10</td><td>36.22</td><td>0.00</td><td>271</td><td>326</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	95.84	-----	-----	86.36	34.60	11.10	36.22	0.00	271	326	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5452.72	38.84	54.00	-15.16	29.53	34.55	10.83	36.07	0.00	271	326	AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5670.00	95.84	-----	-----	86.36	34.60	11.10	36.22	0.00	271	326	AVERAGE																																																																																																									



Mode	25																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																									
ANT	1																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5729.56</td><td>54.86</td><td>68.20</td><td>-13.34</td><td>45.00</td><td>34.69</td><td>11.18</td><td>36.01</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>271</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>326</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5729.56	54.86	68.20	-13.34	45.00	34.69	11.18	36.01							0.00									271								326	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5729.56	54.86	68.20	-13.34	45.00	34.69	11.18	36.01																																																			
						0.00																																																				
							271																																																			
							326																																																			



Mode	25																																																	
	Harmonic																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																	
ANT	1																																																	
Pol.	Horizontal					Vertical																																												
Peak Avg																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr></thead></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr></thead></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																									
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1 11340.00 43.98 74.00 -30.02 55.87 38.17 16.26 66.32 0.00 -- -- PEAK					1 11340.00 43.92 74.00 -30.08 55.81 38.17 16.26 66.32 0.00 -- -- PEAK																																													



Mode	26																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5142.88</td><td>60.47</td><td>74.00</td><td>-13.53</td><td>52.22</td><td>34.13</td><td>10.60</td><td>36.48</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>169 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5142.88	60.47	74.00	-13.53	52.22	34.13	10.60	36.48	0.00									100									169 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5210.00</td><td>98.69</td><td>-----</td><td>-----</td><td>90.37</td><td>34.31</td><td>10.66</td><td>36.65</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>169 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5210.00	98.69	-----	-----	90.37	34.31	10.66	36.65	0.00									100									169 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 5142.88	60.47	74.00	-13.53	52.22	34.13	10.60	36.48	0.00																																																																																																						
								100																																																																																																						
								169 PEAK																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 5210.00	98.69	-----	-----	90.37	34.31	10.66	36.65	0.00																																																																																																						
								100																																																																																																						
								169 PEAK																																																																																																						
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5149.60</td><td>50.72</td><td>54.00</td><td>-3.28</td><td>42.45</td><td>34.15</td><td>10.61</td><td>36.49</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>169 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5149.60	50.72	54.00	-3.28	42.45	34.15	10.61	36.49	0.00									100									169 AVERAGE	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5210.00</td><td>89.91</td><td>-----</td><td>-----</td><td>81.56</td><td>34.32</td><td>10.67</td><td>36.64</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>169 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5210.00	89.91	-----	-----	81.56	34.32	10.67	36.64	0.00									100									169 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 5149.60	50.72	54.00	-3.28	42.45	34.15	10.61	36.49	0.00																																																																																																						
								100																																																																																																						
								169 AVERAGE																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 5210.00	89.91	-----	-----	81.56	34.32	10.67	36.64	0.00																																																																																																						
								100																																																																																																						
								169 AVERAGE																																																																																																						

Mode	26																																											
	Band Edge - R																																											
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																											
ANT	1																																											
Pol.	Horizontal						Fundamental																																					
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.12</td><td>48.36</td><td>74.00</td><td>-25.64</td><td>39.54</td><td>34.50</td><td>10.75</td><td>36.43</td><td>0.00</td><td>100</td><td>169</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5352.12	48.36	74.00	-25.64	39.54	34.50	10.75	36.43	0.00	100	169	PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
1	5352.12	48.36	74.00	-25.64	39.54	34.50	10.75	36.43	0.00	100	169	PEAK																																
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.94</td><td>38.57</td><td>54.00</td><td>-15.43</td><td>29.75</td><td>34.50</td><td>10.75</td><td>36.43</td><td>0.00</td><td>100</td><td>169</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5351.94	38.57	54.00	-15.43	29.75	34.50	10.75	36.43	0.00	100	169	AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
1	5351.94	38.57	54.00	-15.43	29.75	34.50	10.75	36.43	0.00	100	169	AVERAGE																																





Mode	26																																																																									
	Band Edge - L																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5149.92</td><td>54.14</td><td>74.00</td><td>-19.86</td><td>45.87</td><td>34.15</td><td>10.61</td><td>36.49</td><td>0.00</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5149.92	54.14	74.00	-19.86	45.87	34.15	10.61	36.49	0.00	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5210.00</td><td>94.55</td><td>-----</td><td>-----</td><td>86.18</td><td>34.34</td><td>10.67</td><td>36.64</td><td>0.00</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5210.00	94.55	-----	-----	86.18	34.34	10.67	36.64	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 5149.92	54.14	74.00	-19.86	45.87	34.15	10.61	36.49	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 5210.00	94.55	-----	-----	86.18	34.34	10.67	36.64	0.00																																																																		
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5148.80</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>36.62</td><td>34.15</td><td>10.61</td><td>36.49</td><td>0.00</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5148.80	44.89	54.00	-9.11	36.62	34.15	10.61	36.49	0.00	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5210.00</td><td>86.31</td><td>-----</td><td>-----</td><td>77.96</td><td>34.32</td><td>10.67</td><td>36.64</td><td>0.00</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5210.00	86.31	-----	-----	77.96	34.32	10.67	36.64	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 5148.80	44.89	54.00	-9.11	36.62	34.15	10.61	36.49	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 5210.00	86.31	-----	-----	77.96	34.32	10.67	36.64	0.00																																																																		



Mode	26																																					
	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																					
ANT	1																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5393.70</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>38.47</td><td>34.50</td><td>10.77</td><td>36.18</td><td>0.00</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5393.70	47.56	74.00	-26.44	38.47	34.50	10.77	36.18	0.00	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5393.70	47.56	74.00	-26.44	38.47	34.50	10.77	36.18	0.00																														
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5382.72</td><td>38.18</td><td>54.00</td><td>-15.82</td><td>29.16</td><td>34.50</td><td>10.77</td><td>36.25</td><td>0.00</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5382.72	38.18	54.00	-15.82	29.16	34.50	10.77	36.25	0.00	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5382.72	38.18	54.00	-15.82	29.16	34.50	10.77	36.25	0.00																														





Mode	26																																																																
	Harmonic																																																																
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																
ANT	1																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 10420.00</td><td>45.20</td><td>68.20</td><td>-23.00</td><td>58.99</td><td>37.47</td><td>15.47</td><td>66.73</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 10420.00	45.20	68.20	-23.00	58.99	37.47	15.47	66.73	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 10420.00</td><td>45.62</td><td>68.20</td><td>-22.58</td><td>59.42</td><td>37.47</td><td>15.47</td><td>66.74</td><td>0.00</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 10420.00	45.62	68.20	-22.58	59.42	37.47	15.47	66.74	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
1 10420.00	45.20	68.20	-23.00	58.99	37.47	15.47	66.73	0.00																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
1 10420.00	45.62	68.20	-22.58	59.42	37.47	15.47	66.74	0.00																																																									
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10420.00</td><td>45.20</td><td>68.20</td><td>-23.00</td><td>58.99</td><td>37.47</td><td>15.47</td><td>66.73</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10420.00	45.20	68.20	-23.00	58.99	37.47	15.47	66.73	0.00	--	-- PEAK	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10420.00</td><td>45.62</td><td>68.20</td><td>-22.58</td><td>59.42</td><td>37.47</td><td>15.47</td><td>66.74</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10420.00	45.62	68.20	-22.58	59.42	37.47	15.47	66.74	0.00	--	-- PEAK											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1 10420.00	45.20	68.20	-23.00	58.99	37.47	15.47	66.73	0.00	--	-- PEAK																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1 10420.00	45.62	68.20	-22.58	59.42	37.47	15.47	66.74	0.00	--	-- PEAK																																																							



Mode	26	
	18G-40G	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C U-NII-1-U-NII-2A-U-NII-2C(AVG)	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C U-NII-1-U-NII-2A-U-NII-2C(AVG)
Avg		



Mode	26											
	LF											
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz											
ANT	1											
Pol.	Horizontal						Vertical					
Peak	Data: 1 Level (dBuV/m) <											





		27																																																																																											
Mode	Band Edge - L																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5115.84</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>41.41</td><td>34.05</td><td>10.57</td><td>36.46</td><td>0.00</td><td>300</td><td>189 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5115.84	49.57	74.00	-24.43	41.41	34.05	10.57	36.46	0.00	300	189 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5290.00</td><td>85.51</td><td>-----</td><td>-----</td><td>76.83</td><td>34.49</td><td>10.72</td><td>36.53</td><td>0.00</td><td>300</td><td>189 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5290.00	85.51	-----	-----	76.83	34.49	10.72	36.53	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5115.84	49.57	74.00	-24.43	41.41	34.05	10.57	36.46	0.00	300	189 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5290.00	85.51	-----	-----	76.83	34.49	10.72	36.53	0.00	300	189 PEAK																																																																																			
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5107.52</td><td>39.90</td><td>54.00</td><td>-14.10</td><td>31.78</td><td>34.02</td><td>10.56</td><td>36.46</td><td>0.00</td><td>300</td><td>189 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5107.52	39.90	54.00	-14.10	31.78	34.02	10.56	36.46	0.00	300	189 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5290.00</td><td>77.09</td><td>-----</td><td>-----</td><td>68.41</td><td>34.49</td><td>10.72</td><td>36.53</td><td>0.00</td><td>300</td><td>189 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5290.00	77.09	-----	-----	68.41	34.49	10.72	36.53	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5107.52	39.90	54.00	-14.10	31.78	34.02	10.56	36.46	0.00	300	189 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5290.00	77.09	-----	-----	68.41	34.49	10.72	36.53	0.00	300	189 AVERAGE																																																																																			


Mode	27																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5398.90</td><td>49.73</td><td>74.00</td><td>-24.27</td><td>40.61</td><td>34.50</td><td>10.77</td><td>36.15</td><td>0.00</td><td>300</td><td>189 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5398.90	49.73	74.00	-24.27	40.61	34.50	10.77	36.15	0.00	300	189 PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5398.90	49.73	74.00	-24.27	40.61	34.50	10.77	36.15	0.00	300	189 PEAK																																												
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5350.30</td><td>38.86</td><td>54.00</td><td>-15.14</td><td>30.05</td><td>34.50</td><td>10.75</td><td>36.44</td><td>0.00</td><td>300</td><td>189 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5350.30	38.86	54.00	-15.14	30.05	34.50	10.75	36.44	0.00	300	189 AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5350.30	38.86	54.00	-15.14	30.05	34.50	10.75	36.44	0.00	300	189 AVERAGE																																												





		27																																																																																											
Mode	Band Edge - L																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5145.60</td><td>51.07</td><td>74.00</td><td>-22.93</td><td>42.81</td><td>34.14</td><td>10.60</td><td>36.48</td><td>0.00</td><td>100</td><td>252 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5145.60	51.07	74.00	-22.93	42.81	34.14	10.60	36.48	0.00	100	252 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5290.00</td><td>97.29</td><td>-----</td><td>-----</td><td>88.66</td><td>34.47</td><td>10.71</td><td>36.55</td><td>0.00</td><td>100</td><td>252 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5290.00	97.29	-----	-----	88.66	34.47	10.71	36.55	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5145.60	51.07	74.00	-22.93	42.81	34.14	10.60	36.48	0.00	100	252 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5290.00	97.29	-----	-----	88.66	34.47	10.71	36.55	0.00	100	252 PEAK																																																																																			
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5145.44</td><td>40.79</td><td>54.00</td><td>-13.21</td><td>32.53</td><td>34.14</td><td>10.60</td><td>36.48</td><td>0.00</td><td>100</td><td>252 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5145.44	40.79	54.00	-13.21	32.53	34.14	10.60	36.48	0.00	100	252 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5290.00</td><td>88.79</td><td>-----</td><td>-----</td><td>80.16</td><td>34.47</td><td>10.71</td><td>36.55</td><td>0.00</td><td>100</td><td>252 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5290.00	88.79	-----	-----	80.16	34.47	10.71	36.55	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5145.44	40.79	54.00	-13.21	32.53	34.14	10.60	36.48	0.00	100	252 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5290.00	88.79	-----	-----	80.16	34.47	10.71	36.55	0.00	100	252 AVERAGE																																																																																			


Mode	27																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																												
ANT	1																																												
Pol.	Vertical						Fundamental																																						
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.60</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>42.51</td><td>34.50</td><td>10.75</td><td>36.42</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5353.60	51.34	74.00	-22.66	42.51	34.50	10.75	36.42	0.00	100	252	PEAK	Blank					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
1	5353.60	51.34	74.00	-22.66	42.51	34.50	10.75	36.42	0.00	100	252	PEAK																																	
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.30</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>34.46</td><td>34.50</td><td>10.75</td><td>36.44</td><td>0.00</td><td>100</td><td>252</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5350.30	43.27	54.00	-10.73	34.46	34.50	10.75	36.44	0.00	100	252	AVERAGE	Blank					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
1	5350.30	43.27	54.00	-10.73	34.46	34.50	10.75	36.44	0.00	100	252	AVERAGE																																	



Mode	27																																																																							
	Harmonic																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 10580.00</td><td>44.86</td><td>68.20</td><td>-23.34</td><td>58.24</td><td>37.61</td><td>15.66</td><td>66.65</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1 10580.00	44.86	68.20	-23.34	58.24	37.61	15.66	66.65	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 10580.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>56.53</td><td>37.63</td><td>15.69</td><td>66.63</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1 10580.00	43.22	74.00	-30.78	56.53	37.63	15.69	66.63	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
1 10580.00	44.86	68.20	-23.34	58.24	37.61	15.66	66.65	0.00	-- -- PEAK																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
1 10580.00	43.22	74.00	-30.78	56.53	37.63	15.69	66.63	0.00	-- -- PEAK																																																															
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>44.86</td><td>68.20</td><td>-23.34</td><td>58.24</td><td>37.61</td><td>15.66</td><td>66.65</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	44.86	68.20	-23.34	58.24	37.61	15.66	66.65	0.00	--	-- PEAK	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>56.53</td><td>37.63</td><td>15.69</td><td>66.63</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	43.22	74.00	-30.78	56.53	37.63	15.69	66.63	0.00	--	-- PEAK													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	10580.00	44.86	68.20	-23.34	58.24	37.61	15.66	66.65	0.00	--	-- PEAK																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	10580.00	43.22	74.00	-30.78	56.53	37.63	15.69	66.63	0.00	--	-- PEAK																																																													





Mode	28																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5459.28</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>45.84</td><td>34.56</td><td>10.84</td><td>36.06</td><td>0.00</td><td>166</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>57.78</td><td>68.20</td><td>-10.42</td><td>48.41</td><td>34.57</td><td>10.85</td><td>36.05</td><td>0.00</td><td>166</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5459.28	55.18	74.00	-18.82	45.84	34.56	10.84	36.06	0.00	166	360	PEAK	2	5469.84	57.78	68.20	-10.42	48.41	34.57	10.85	36.05	0.00	166	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>102.00</td><td>-----</td><td>-----</td><td>92.64</td><td>34.60</td><td>10.94</td><td>36.10</td><td>0.00</td><td>166</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5530.00	102.00	-----	-----	92.64	34.60	10.94	36.10	0.00	166	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																				
1	5459.28	55.18	74.00	-18.82	45.84	34.56	10.84	36.06	0.00	166	360	PEAK																																																																																																	
2	5469.84	57.78	68.20	-10.42	48.41	34.57	10.85	36.05	0.00	166	360	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																				
1	5530.00	102.00	-----	-----	92.64	34.60	10.94	36.10	0.00	166	360	PEAK																																																																																																	
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>37.19</td><td>34.56</td><td>10.84</td><td>36.06</td><td>0.00</td><td>166</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5459.76	46.53	54.00	-7.47	37.19	34.56	10.84	36.06	0.00	166	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>93.70</td><td>-----</td><td>-----</td><td>84.26</td><td>34.60</td><td>10.93</td><td>36.09</td><td>0.00</td><td>166</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5530.00	93.70	-----	-----	84.26	34.60	10.93	36.09	0.00	166	360	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																				
1	5459.76	46.53	54.00	-7.47	37.19	34.56	10.84	36.06	0.00	166	360	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																				
1	5530.00	93.70	-----	-----	84.26	34.60	10.93	36.09	0.00	166	360	AVERAGE																																																																																																	


Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5738.52</td><td>51.69</td><td>68.20</td><td>-16.51</td><td>41.77</td><td>34.72</td><td>11.19</td><td>35.99</td><td>0.00</td><td>166</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.52	51.69	68.20	-16.51	41.77	34.72	11.19	35.99	0.00	166	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5738.52	51.69	68.20	-16.51	41.77	34.72	11.19	35.99	0.00	166	360	PEAK																																												





Mode	28																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5410.00</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>39.79</td><td>34.51</td><td>10.78</td><td>36.13</td><td>0.00</td><td>100</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5460.56</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>40.40</td><td>34.56</td><td>10.84</td><td>36.06</td><td>0.00</td><td>100</td><td>294</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5410.00	48.95	74.00	-25.05	39.79	34.51	10.78	36.13	0.00	100	294	PEAK	2	5460.56	49.74	68.20	-18.46	40.40	34.56	10.84	36.06	0.00	100	294	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>90.82</td><td>-----</td><td>-----</td><td>81.39</td><td>34.60</td><td>10.94</td><td>36.11</td><td>0.00</td><td>100</td><td>294</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.82	-----	-----	81.39	34.60	10.94	36.11	0.00	100	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5410.00	48.95	74.00	-25.05	39.79	34.51	10.78	36.13	0.00	100	294	PEAK																																																																																																				
2	5460.56	49.74	68.20	-18.46	40.40	34.56	10.84	36.06	0.00	100	294	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	90.82	-----	-----	81.39	34.60	10.94	36.11	0.00	100	294	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>39.40</td><td>54.00</td><td>-14.60</td><td>30.07</td><td>34.56</td><td>10.84</td><td>36.07</td><td>0.00</td><td>100</td><td>294</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	39.40	54.00	-14.60	30.07	34.56	10.84	36.07	0.00	100	294	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>82.81</td><td>-----</td><td>-----</td><td>73.36</td><td>34.60</td><td>10.91</td><td>36.06</td><td>0.00</td><td>100</td><td>294</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	82.81	-----	-----	73.36	34.60	10.91	36.06	0.00	100	294	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.52	39.40	54.00	-14.60	30.07	34.56	10.84	36.07	0.00	100	294	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	82.81	-----	-----	73.36	34.60	10.91	36.06	0.00	100	294	AVERAGE																																																																																																				


Mode	28																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																
ANT	1																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5728.68</td><td>49.68</td><td>68.20</td><td>-18.52</td><td>39.82</td><td>34.69</td><td>11.18</td><td>36.01</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>294</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5728.68	49.68	68.20	-18.52	39.82	34.69	11.18	36.01								0.00	100									294									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5728.68	49.68	68.20	-18.52	39.82	34.69	11.18	36.01																																																									
							0.00	100																																																									
								294																																																									
								PEAK																																																									



Mode	28																																																																						
	Harmonic																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																						
ANT	1																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 11060.00</td><td>44.13</td><td>74.00</td><td>-29.87</td><td>56.54</td><td>37.95</td><td>16.08</td><td>66.44</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1 11060.00	44.13	74.00	-29.87	56.54	37.95	16.08	66.44	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 11060.00</td><td>44.08</td><td>74.00</td><td>-29.92</td><td>56.49</td><td>37.95</td><td>16.08</td><td>66.44</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1 11060.00	44.08	74.00	-29.92	56.49	37.95	16.08	66.44	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
1 11060.00	44.13	74.00	-29.87	56.54	37.95	16.08	66.44	0.00	-- -- PEAK																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
1 11060.00	44.08	74.00	-29.92	56.49	37.95	16.08	66.44	0.00	-- -- PEAK																																																														
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11060.00</td><td>44.13</td><td>74.00</td><td>-29.87</td><td>56.54</td><td>37.95</td><td>16.08</td><td>66.44</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	44.13	74.00	-29.87	56.54	37.95	16.08	66.44	0.00	--	-- PEAK	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11060.00</td><td>44.08</td><td>74.00</td><td>-29.92</td><td>56.49</td><td>37.95</td><td>16.08</td><td>66.44</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	44.08	74.00	-29.92	56.49	37.95	16.08	66.44	0.00	--	-- PEAK													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	11060.00	44.13	74.00	-29.87	56.54	37.95	16.08	66.44	0.00	--	-- PEAK																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	11060.00	44.08	74.00	-29.92	56.49	37.95	16.08	66.44	0.00	--	-- PEAK																																																												



Mode	29																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5378.96</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>39.44</td><td>34.50</td><td>10.76</td><td>36.27</td><td>0.00</td><td>305</td><td>220</td><td>PEAK</td></tr><tr><td>2</td><td>5462.00</td><td>47.30</td><td>68.20</td><td>-20.90</td><td>37.96</td><td>34.56</td><td>10.84</td><td>36.06</td><td>0.00</td><td>305</td><td>220</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.96	48.43	74.00	-25.57	39.44	34.50	10.76	36.27	0.00	305	220	PEAK	2	5462.00	47.30	68.20	-20.90	37.96	34.56	10.84	36.06	0.00	305	220	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>89.09</td><td>-----</td><td>-----</td><td>79.75</td><td>34.60</td><td>11.01</td><td>36.27</td><td>0.00</td><td>305</td><td>220</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.09	-----	-----	79.75	34.60	11.01	36.27	0.00	305	220
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5378.96	48.43	74.00	-25.57	39.44	34.50	10.76	36.27	0.00	305	220	PEAK																																																																																																				
2	5462.00	47.30	68.20	-20.90	37.96	34.56	10.84	36.06	0.00	305	220	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	89.09	-----	-----	79.75	34.60	11.01	36.27	0.00	305	220	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>38.73</td><td>54.00</td><td>-15.27</td><td>29.39</td><td>34.56</td><td>10.84</td><td>36.06</td><td>0.00</td><td>305</td><td>220</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	38.73	54.00	-15.27	29.39	34.56	10.84	36.06	0.00	305	220	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>80.42</td><td>-----</td><td>-----</td><td>71.08</td><td>34.60</td><td>11.02</td><td>36.28</td><td>0.00</td><td>305</td><td>220</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	80.42	-----	-----	71.08	34.60	11.02	36.28	0.00	305	220	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.44	38.73	54.00	-15.27	29.39	34.56	10.84	36.06	0.00	305	220	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	80.42	-----	-----	71.08	34.60	11.02	36.28	0.00	305	220	AVERAGE																																																																																																				


Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5748.52</td><td>49.36</td><td>68.20</td><td>-18.84</td><td>39.37</td><td>34.75</td><td>11.21</td><td>35.97</td><td>0.00</td><td>305</td><td>220</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.52	49.36	68.20	-18.84	39.37	34.75	11.21	35.97	0.00	305	220	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5748.52	49.36	68.20	-18.84	39.37	34.75	11.21	35.97	0.00	305	220	PEAK																																												




Mode	29																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5352.24</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>40.76</td><td>34.50</td><td>10.75</td><td>36.42</td><td>0.00</td><td>232</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>5464.88</td><td>48.44</td><td>68.20</td><td>-19.76</td><td>39.09</td><td>34.56</td><td>10.85</td><td>36.06</td><td>0.00</td><td>232</td><td>328</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5352.24	49.59	74.00	-24.41	40.76	34.50	10.75	36.42	0.00	232	328	PEAK	2	5464.88	48.44	68.20	-19.76	39.09	34.56	10.85	36.06	0.00	232	328	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>98.30</td><td>-----</td><td>-----</td><td>88.96</td><td>34.60</td><td>11.02</td><td>36.28</td><td>0.00</td><td>232</td><td>328</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5610.00	98.30	-----	-----	88.96	34.60	11.02	36.28	0.00	232	328	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																												
1	5352.24	49.59	74.00	-24.41	40.76	34.50	10.75	36.42	0.00	232	328	PEAK																																																																																									
2	5464.88	48.44	68.20	-19.76	39.09	34.56	10.85	36.06	0.00	232	328	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																												
1	5610.00	98.30	-----	-----	88.96	34.60	11.02	36.28	0.00	232	328	PEAK																																																																																									
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5455.12</td><td>39.34</td><td>54.00</td><td>-14.66</td><td>30.02</td><td>34.56</td><td>10.83</td><td>36.07</td><td>0.00</td><td>232</td><td>328</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5455.12	39.34	54.00	-14.66	30.02	34.56	10.83	36.07	0.00	232	328	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>89.65</td><td>-----</td><td>-----</td><td>80.31</td><td>34.60</td><td>11.02</td><td>36.28</td><td>0.00</td><td>232</td><td>328</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5610.00	89.65	-----	-----	80.31	34.60	11.02	36.28	0.00	232	328	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																												
1	5455.12	39.34	54.00	-14.66	30.02	34.56	10.83	36.07	0.00	232	328	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																												
1	5610.00	89.65	-----	-----	80.31	34.60	11.02	36.28	0.00	232	328	AVERAGE																																																																																									



Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5751.08</td><td>51.96</td><td>68.20</td><td>-16.24</td><td>41.98</td><td>34.75</td><td>11.21</td><td>35.98</td><td>0.00</td><td>232</td><td>328</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.08	51.96	68.20	-16.24	41.98	34.75	11.21	35.98	0.00	232	328	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5751.08	51.96	68.20	-16.24	41.98	34.75	11.21	35.98	0.00	232	328	PEAK																																												



Mode	29																																																							
	Harmonic																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>56.70</td><td>38.08</td><td>16.18</td><td>66.37</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	44.59	74.00	-29.41	56.70	38.08	16.18	66.37	0.00	--	-- PEAK	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>44.50</td><td>74.00</td><td>-29.50</td><td>56.61</td><td>38.08</td><td>16.18</td><td>66.37</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	44.50	74.00	-29.50	56.61	38.08	16.18	66.37	0.00	--	-- PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11220.00	44.59	74.00	-29.41	56.70	38.08	16.18	66.37	0.00	--	-- PEAK																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11220.00	44.50	74.00	-29.50	56.61	38.08	16.18	66.37	0.00	--	-- PEAK																																													




Mode	30																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5639.20</td><td>50.25</td><td>68.20</td><td>-17.95</td><td>40.90</td><td>34.60</td><td>11.06</td><td>36.31</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>47.36</td><td>68.20</td><td>-20.84</td><td>38.01</td><td>34.60</td><td>11.07</td><td>36.32</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>3 5702.00</td><td>49.07</td><td>105.86</td><td>-56.79</td><td>39.38</td><td>34.61</td><td>11.14</td><td>36.06</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>50.25</td><td>110.90</td><td>-60.65</td><td>40.45</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5639.20	50.25	68.20	-17.95	40.90	34.60	11.06	36.31	0.00	100	178	PEAK	2 5650.00	47.36	68.20	-20.84	38.01	34.60	11.07	36.32	0.00	100	178	PEAK	3 5702.00	49.07	105.86	-56.79	39.38	34.61	11.14	36.06	0.00	100	178	PEAK	4 5720.00	50.25	110.90	-60.65	40.45	34.66	11.17	36.03	0.00	100	178	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>106.01</td><td>-----</td><td>-----</td><td>96.04</td><td>34.74</td><td>11.21</td><td>35.98</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	106.01	-----	-----	96.04	34.74	11.21	35.98	0.00	100	178	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5639.20	50.25	68.20	-17.95	40.90	34.60	11.06	36.31	0.00	100	178	PEAK																																																																																																																									
2 5650.00	47.36	68.20	-20.84	38.01	34.60	11.07	36.32	0.00	100	178	PEAK																																																																																																																									
3 5702.00	49.07	105.86	-56.79	39.38	34.61	11.14	36.06	0.00	100	178	PEAK																																																																																																																									
4 5720.00	50.25	110.90	-60.65	40.45	34.66	11.17	36.03	0.00	100	178	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	106.01	-----	-----	96.04	34.74	11.21	35.98	0.00	100	178	PEAK																																																																																																																									








Mode	30																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.40</td><td>49.00</td><td>68.20</td><td>-19.20</td><td>39.66</td><td>34.60</td><td>11.04</td><td>36.30</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>5653.60</td><td>50.27</td><td>70.88</td><td>-20.61</td><td>40.89</td><td>34.60</td><td>11.08</td><td>36.30</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>50.03</td><td>105.41</td><td>-55.38</td><td>40.35</td><td>34.60</td><td>11.14</td><td>36.06</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>47.69</td><td>111.81</td><td>-64.12</td><td>37.88</td><td>34.66</td><td>11.17</td><td>36.02</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.40	49.00	68.20	-19.20	39.66	34.60	11.04	36.30	0.00	100	241	PEAK	2	5653.60	50.27	70.88	-20.61	40.89	34.60	11.08	36.30	0.00	100	241	PEAK	3	5700.40	50.03	105.41	-55.38	40.35	34.60	11.14	36.06	0.00	100	241	PEAK	4	5720.40	47.69	111.81	-64.12	37.88	34.66	11.17	36.02	0.00	100	241	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.91</td><td>-----</td><td>-----</td><td>87.94</td><td>34.74</td><td>11.21</td><td>35.98</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.91	-----	-----	87.94	34.74	11.21	35.98	0.00	100	241	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5630.40	49.00	68.20	-19.20	39.66	34.60	11.04	36.30	0.00	100	241	PEAK																																																																																																																													
2	5653.60	50.27	70.88	-20.61	40.89	34.60	11.08	36.30	0.00	100	241	PEAK																																																																																																																													
3	5700.40	50.03	105.41	-55.38	40.35	34.60	11.14	36.06	0.00	100	241	PEAK																																																																																																																													
4	5720.40	47.69	111.81	-64.12	37.88	34.66	11.17	36.02	0.00	100	241	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	97.91	-----	-----	87.94	34.74	11.21	35.98	0.00	100	241	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>88.60</td><td>-----</td><td>-----</td><td>78.63</td><td>34.74</td><td>11.21</td><td>35.98</td><td>0.00</td><td>100</td><td>241</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	88.60	-----	-----	78.63	34.74	11.21	35.98	0.00	100	241	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	88.60	-----	-----	78.63	34.74	11.21	35.98	0.00	100	241	AVERAGE																																																																																																																													



Mode	30																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																					
ANT	1																																																																					
Pol.	Horizontal								Vertical																																																													
Peak Avg																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 11490.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>58.15</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 11490.00	46.55	74.00	-27.45	58.15	38.29	16.36	66.25	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 11490.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>57.99</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 11490.00	46.39	74.00	-27.61	57.99	38.29	16.36	66.25	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
1 11490.00	46.55	74.00	-27.45	58.15	38.29	16.36	66.25	0.00																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
1 11490.00	46.39	74.00	-27.61	57.99	38.29	16.36	66.25	0.00																																																														
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>58.15</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>--</td></tr></tbody></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.55	74.00	-27.45	58.15	38.29	16.36	66.25	0.00	--	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>57.99</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>--</td></tr></tbody></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.39	74.00	-27.61	57.99	38.29	16.36	66.25	0.00	--											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11490.00	46.55	74.00	-27.45	58.15	38.29	16.36	66.25	0.00	--																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11490.00	46.39	74.00	-27.61	57.99	38.29	16.36	66.25	0.00	--																																																												

Mode	31																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																					
ANT	1																																																																					
Pol.	Horizontal								Vertical																																																													
Peak Avg																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 11570.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>56.69</td><td>38.36</td><td>16.41</td><td>66.23</td><td>0.00</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 11570.00	45.23	74.00	-28.77	56.69	38.36	16.41	66.23	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 11570.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>56.11</td><td>38.36</td><td>16.41</td><td>66.23</td><td>0.00</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 11570.00	44.65	74.00	-29.35	56.11	38.36	16.41	66.23	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
1 11570.00	45.23	74.00	-28.77	56.69	38.36	16.41	66.23	0.00																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
1 11570.00	44.65	74.00	-29.35	56.11	38.36	16.41	66.23	0.00																																																														
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11570.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>56.69</td><td>38.36</td><td>16.41</td><td>66.23</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	45.23	74.00	-28.77	56.69	38.36	16.41	66.23	0.00	--	-- PEAK	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11570.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>56.11</td><td>38.36</td><td>16.41</td><td>66.23</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 11570.00	44.65	74.00	-29.35	56.11	38.36	16.41	66.23	0.00	--	-- PEAK										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11570.00	45.23	74.00	-28.77	56.69	38.36	16.41	66.23	0.00	--	-- PEAK																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																											
1 11570.00	44.65	74.00	-29.35	56.11	38.36	16.41	66.23	0.00	--	-- PEAK																																																												




Mode	32																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>54.44</td><td>113.18</td><td>-58.74</td><td>44.27</td><td>35.01</td><td>11.33</td><td>36.17</td><td>0.00</td><td>100</td><td>144</td><td>PEAK</td></tr><tr><td>2 5874.00</td><td>52.27</td><td>105.36</td><td>-53.09</td><td>42.22</td><td>35.05</td><td>11.35</td><td>36.35</td><td>0.00</td><td>100</td><td>144</td><td>PEAK</td></tr><tr><td>3 5924.80</td><td>52.01</td><td>68.35</td><td>-16.34</td><td>42.09</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>100</td><td>144</td><td>PEAK</td></tr><tr><td>4 5925.20</td><td>52.18</td><td>68.20</td><td>-16.02</td><td>42.25</td><td>35.13</td><td>11.40</td><td>36.60</td><td>0.00</td><td>100</td><td>144</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	54.44	113.18	-58.74	44.27	35.01	11.33	36.17	0.00	100	144	PEAK	2 5874.00	52.27	105.36	-53.09	42.22	35.05	11.35	36.35	0.00	100	144	PEAK	3 5924.80	52.01	68.35	-16.34	42.09	35.12	11.40	36.60	0.00	100	144	PEAK	4 5925.20	52.18	68.20	-16.02	42.25	35.13	11.40	36.60	0.00	100	144	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.53</td><td>-----</td><td>-----</td><td>98.42</td><td>34.95</td><td>11.31</td><td>36.15</td><td>0.00</td><td>100</td><td>144</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.53	-----	-----	98.42	34.95	11.31	36.15	0.00	100	144	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5854.00	54.44	113.18	-58.74	44.27	35.01	11.33	36.17	0.00	100	144	PEAK																																																																																																																										
2 5874.00	52.27	105.36	-53.09	42.22	35.05	11.35	36.35	0.00	100	144	PEAK																																																																																																																										
3 5924.80	52.01	68.35	-16.34	42.09	35.12	11.40	36.60	0.00	100	144	PEAK																																																																																																																										
4 5925.20	52.18	68.20	-16.02	42.25	35.13	11.40	36.60	0.00	100	144	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	108.53	-----	-----	98.42	34.95	11.31	36.15	0.00	100	144	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.07</td><td>-----</td><td>-----</td><td>89.96</td><td>34.95</td><td>11.31</td><td>36.15</td><td>0.00</td><td>100</td><td>144</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.07	-----	-----	89.96	34.95	11.31	36.15	0.00	100	144	AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	100.07	-----	-----	89.96	34.95	11.31	36.15	0.00	100	144	AVERAGE																																																																																																																										




Mode	32																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>49.24</td><td>111.36</td><td>-62.12</td><td>39.07</td><td>35.01</td><td>11.34</td><td>36.18</td><td>0.00</td><td>281</td><td>78</td><td>PEAK</td></tr><tr><td>2 5873.20</td><td>50.28</td><td>105.80</td><td>-55.52</td><td>40.22</td><td>35.05</td><td>11.35</td><td>36.34</td><td>0.00</td><td>281</td><td>78</td><td>PEAK</td></tr><tr><td>3 5924.40</td><td>49.00</td><td>68.64</td><td>-19.64</td><td>39.08</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>281</td><td>78</td><td>PEAK</td></tr><tr><td>4 5978.40</td><td>50.29</td><td>68.20</td><td>-17.91</td><td>40.39</td><td>35.18</td><td>11.45</td><td>36.73</td><td>0.00</td><td>281</td><td>78</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	49.24	111.36	-62.12	39.07	35.01	11.34	36.18	0.00	281	78	PEAK	2 5873.20	50.28	105.80	-55.52	40.22	35.05	11.35	36.34	0.00	281	78	PEAK	3 5924.40	49.00	68.64	-19.64	39.08	35.12	11.40	36.60	0.00	281	78	PEAK	4 5978.40	50.29	68.20	-17.91	40.39	35.18	11.45	36.73	0.00	281	78	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.15</td><td>-----</td><td>-----</td><td>93.04</td><td>34.95</td><td>11.31</td><td>36.15</td><td>0.00</td><td>281</td><td>78</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.15	-----	-----	93.04	34.95	11.31	36.15	0.00	281	78	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5854.00	49.24	111.36	-62.12	39.07	35.01	11.34	36.18	0.00	281	78	PEAK																																																																																																																										
2 5873.20	50.28	105.80	-55.52	40.22	35.05	11.35	36.34	0.00	281	78	PEAK																																																																																																																										
3 5924.40	49.00	68.64	-19.64	39.08	35.12	11.40	36.60	0.00	281	78	PEAK																																																																																																																										
4 5978.40	50.29	68.20	-17.91	40.39	35.18	11.45	36.73	0.00	281	78	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	103.15	-----	-----	93.04	34.95	11.31	36.15	0.00	281	78	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.89</td><td>-----</td><td>-----</td><td>83.78</td><td>34.95</td><td>11.31</td><td>36.15</td><td>0.00</td><td>281</td><td>78</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	93.89	-----	-----	83.78	34.95	11.31	36.15	0.00	281	78	AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	93.89	-----	-----	83.78	34.95	11.31	36.15	0.00	281	78	AVERAGE																																																																																																																										



Mode	32																																																															
	Harmonic																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																															
ANT	1																																																															
Pol.	Horizontal												Vertical																																																			
Peak Avg																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg																																																					
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>56.85</td><td>38.42</td><td>16.46</td><td>66.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	45.53	74.00	-28.47	56.85	38.42	16.46	66.20	0.00	--	--	PEAK	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>45.02</td><td>74.00</td><td>-28.98</td><td>56.34</td><td>38.42</td><td>16.46</td><td>66.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	45.02	74.00	-28.98	56.34	38.42	16.46	66.20	0.00	--	--	PEAK	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1 11650.00	45.53	74.00	-28.47	56.85	38.42	16.46	66.20	0.00	--	--	PEAK																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1 11650.00	45.02	74.00	-28.98	56.34	38.42	16.46	66.20	0.00	--	--	PEAK																																																					



Mode	32	
	18G-40G	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Horizontal Peak and Average Spectrum Plot. The y-axis is Level (dBuV/m) from 0 to 120. The x-axis is Frequency (MHz) from 18000 to 40000. The red line (U-NII-3) shows a stepped pattern with peaks around 75 dBuV/m. The blue line (U-NII-3(AVG)) shows a noisy baseline around 45 dBuV/m.	 Vertical Peak and Average Spectrum Plot. The y-axis is Level (dBuV/m) from 0 to 120. The x-axis is Frequency (MHz) from 18000 to 40000. The red line (U-NII-3) shows a stepped pattern with peaks around 75 dBuV/m. The blue line (U-NII-3(AVG)) shows a noisy baseline around 45 dBuV/m.

Mode	32																																																																																																																																																																																																										
	LF																																																																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																																																																										
ANT	1																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																				
Peak	Data: 3 Level (dBuV/m) 80 70.0 60.0 50.0 40.0 30.0 20.0 10.0 -10.0 -20 Frequency (MHz)						Data: 4 Level (dBuV/m) 80 70.0 60.0 50.0 40.0 30.0 20.0 10.0 -10.0 -20 Frequency (MHz)																																																																																																																																																																																																				
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>99.84</td><td>28.40</td><td>-15.10</td><td>43.50</td><td>42.70</td><td>17.06</td><td>1.51</td><td>32.87</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>2</td><td>143.49</td><td>28.88</td><td>-14.62</td><td>43.50</td><td>43.40</td><td>16.51</td><td>1.80</td><td>32.83</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>3</td><td>252.13</td><td>29.75</td><td>-16.25</td><td>46.00</td><td>41.63</td><td>18.46</td><td>2.43</td><td>32.77</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>4</td><td>488.30</td><td>25.96</td><td>-20.04</td><td>46.00</td><td>33.93</td><td>21.82</td><td>3.88</td><td>32.87</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>5</td><td>789.51</td><td>27.44</td><td>-18.56</td><td>46.00</td><td>29.73</td><td>26.17</td><td>4.29</td><td>32.75</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>6</td><td>978.66</td><td>30.35</td><td>-23.65</td><td>54.00</td><td>29.36</td><td>27.43</td><td>4.79</td><td>31.23</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr></tbody></table>							Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	99.84	28.40	-15.10	43.50	42.70	17.06	1.51	32.87	---	---	Peak HORIZONTAL	2	143.49	28.88	-14.62	43.50	43.40	16.51	1.80	32.83	---	---	Peak HORIZONTAL	3	252.13	29.75	-16.25	46.00	41.63	18.46	2.43	32.77	---	---	Peak HORIZONTAL	4	488.30	25.96	-20.04	46.00	33.93	21.82	3.88	32.87	---	---	Peak HORIZONTAL	5	789.51	27.44	-18.56	46.00	29.73	26.17	4.29	32.75	---	---	Peak HORIZONTAL	6	978.66	30.35	-23.65	54.00	29.36	27.43	4.79	31.23	---	---	Peak HORIZONTAL	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>30.97</td><td>20.60</td><td>-19.40</td><td>40.00</td><td>28.79</td><td>24.07</td><td>0.73</td><td>32.99</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>99.84</td><td>22.36</td><td>-21.14</td><td>43.50</td><td>36.66</td><td>17.06</td><td>1.51</td><td>32.87</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>3</td><td>263.77</td><td>21.23</td><td>-24.77</td><td>46.00</td><td>32.86</td><td>18.67</td><td>2.48</td><td>32.78</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>4</td><td>561.56</td><td>32.32</td><td>-13.68</td><td>46.00</td><td>36.73</td><td>25.07</td><td>3.62</td><td>33.10</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>5</td><td>744.89</td><td>28.68</td><td>-17.32</td><td>46.00</td><td>31.55</td><td>25.77</td><td>4.18</td><td>32.82</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>6</td><td>982.54</td><td>31.07</td><td>-22.93</td><td>54.00</td><td>30.02</td><td>27.42</td><td>4.80</td><td>31.17</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr></tbody></table>							Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	30.97	20.60	-19.40	40.00	28.79	24.07	0.73	32.99	---	---	Peak VERTICAL	2	99.84	22.36	-21.14	43.50	36.66	17.06	1.51	32.87	---	---	Peak VERTICAL	3	263.77	21.23	-24.77	46.00	32.86	18.67	2.48	32.78	---	---	Peak VERTICAL	4	561.56	32.32	-13.68	46.00	36.73	25.07	3.62	33.10	---	---	Peak VERTICAL	5	744.89	28.68	-17.32	46.00	31.55	25.77	4.18	32.82	---	---	Peak VERTICAL	6	982.54	31.07	-22.93	54.00	30.02	27.42	4.80	31.17	---	---
	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	99.84	28.40	-15.10	43.50	42.70	17.06	1.51	32.87	---	---	Peak HORIZONTAL																																																																																																																																																																																																
2	143.49	28.88	-14.62	43.50	43.40	16.51	1.80	32.83	---	---	Peak HORIZONTAL																																																																																																																																																																																																
3	252.13	29.75	-16.25	46.00	41.63	18.46	2.43	32.77	---	---	Peak HORIZONTAL																																																																																																																																																																																																
4	488.30	25.96	-20.04	46.00	33.93	21.82	3.88	32.87	---	---	Peak HORIZONTAL																																																																																																																																																																																																
5	789.51	27.44	-18.56	46.00	29.73	26.17	4.29	32.75	---	---	Peak HORIZONTAL																																																																																																																																																																																																
6	978.66	30.35	-23.65	54.00	29.36	27.43	4.79	31.23	---	---	Peak HORIZONTAL																																																																																																																																																																																																
	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	30.97	20.60	-19.40	40.00	28.79	24.07	0.73	32.99	---	---	Peak VERTICAL																																																																																																																																																																																																
2	99.84	22.36	-21.14	43.50	36.66	17.06	1.51	32.87	---	---	Peak VERTICAL																																																																																																																																																																																																
3	263.77	21.23	-24.77	46.00	32.86	18.67	2.48	32.78	---	---	Peak VERTICAL																																																																																																																																																																																																
4	561.56	32.32	-13.68	46.00	36.73	25.07	3.62	33.10	---	---	Peak VERTICAL																																																																																																																																																																																																
5	744.89	28.68	-17.32	46.00	31.55	25.77	4.18	32.82	---	---	Peak VERTICAL																																																																																																																																																																																																
6	982.54	31.07	-22.93	54.00	30.02	27.42	4.80	31.17	---	---	Peak VERTICAL																																																																																																																																																																																																




Mode	33																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5636.40</td><td>49.51</td><td>68.20</td><td>-18.69</td><td>40.16</td><td>34.60</td><td>11.05</td><td>36.30</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr><tr><td>2 5650.40</td><td>49.38</td><td>68.50</td><td>-19.12</td><td>40.02</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr><tr><td>3 5702.00</td><td>50.03</td><td>105.86</td><td>-55.83</td><td>40.34</td><td>34.61</td><td>11.14</td><td>36.06</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr><tr><td>4 5721.20</td><td>53.88</td><td>113.64</td><td>-59.76</td><td>44.07</td><td>34.66</td><td>11.17</td><td>36.02</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5636.40	49.51	68.20	-18.69	40.16	34.60	11.05	36.30	0.00	160	360	PEAK	2 5650.40	49.38	68.50	-19.12	40.02	34.60	11.07	36.31	0.00	160	360	PEAK	3 5702.00	50.03	105.86	-55.83	40.34	34.61	11.14	36.06	0.00	160	360	PEAK	4 5721.20	53.88	113.64	-59.76	44.07	34.66	11.17	36.02	0.00	160	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>107.13</td><td>-----</td><td>-----</td><td>97.16</td><td>34.74</td><td>11.21</td><td>35.98</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	107.13	-----	-----	97.16	34.74	11.21	35.98	0.00	160	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1 5636.40	49.51	68.20	-18.69	40.16	34.60	11.05	36.30	0.00	160	360	PEAK																																																																																																																											
2 5650.40	49.38	68.50	-19.12	40.02	34.60	11.07	36.31	0.00	160	360	PEAK																																																																																																																											
3 5702.00	50.03	105.86	-55.83	40.34	34.61	11.14	36.06	0.00	160	360	PEAK																																																																																																																											
4 5721.20	53.88	113.64	-59.76	44.07	34.66	11.17	36.02	0.00	160	360	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1 5745.00	107.13	-----	-----	97.16	34.74	11.21	35.98	0.00	160	360	PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>98.41</td><td>-----</td><td>-----</td><td>88.44</td><td>34.74</td><td>11.21</td><td>35.98</td><td>0.00</td><td>160</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	98.41	-----	-----	88.44	34.74	11.21	35.98	0.00	160	360	AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1 5745.00	98.41	-----	-----	88.44	34.74	11.21	35.98	0.00	160	360	AVERAGE																																																																																																																											



Mode	33																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5635.60</td><td>49.40</td><td>68.20</td><td>-18.80</td><td>40.05</td><td>34.60</td><td>11.05</td><td>36.30</td><td>0.00</td><td>396</td><td>83</td><td>PEAK</td></tr><tr><td>2 5650.40</td><td>47.81</td><td>68.50</td><td>-20.69</td><td>38.45</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>396</td><td>83</td><td>PEAK</td></tr><tr><td>3 5705.20</td><td>48.67</td><td>106.76</td><td>-58.09</td><td>38.95</td><td>34.62</td><td>11.15</td><td>36.05</td><td>0.00</td><td>396</td><td>83</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>49.44</td><td>110.90</td><td>-61.46</td><td>39.64</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>396</td><td>83</td><td>PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5635.60	49.40	68.20	-18.80	40.05	34.60	11.05	36.30	0.00	396	83	PEAK	2 5650.40	47.81	68.50	-20.69	38.45	34.60	11.07	36.31	0.00	396	83	PEAK	3 5705.20	48.67	106.76	-58.09	38.95	34.62	11.15	36.05	0.00	396	83	PEAK	4 5720.00	49.44	110.90	-61.46	39.64	34.66	11.17	36.03	0.00	396	83	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.53</td><td>-----</td><td>-----</td><td>92.56</td><td>34.74</td><td>11.21</td><td>35.98</td><td>0.00</td><td>396</td><td>83</td><td>PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	102.53	-----	-----	92.56	34.74	11.21	35.98	0.00	396	83	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5635.60	49.40	68.20	-18.80	40.05	34.60	11.05	36.30	0.00	396	83	PEAK																																																																																																												
2 5650.40	47.81	68.50	-20.69	38.45	34.60	11.07	36.31	0.00	396	83	PEAK																																																																																																												
3 5705.20	48.67	106.76	-58.09	38.95	34.62	11.15	36.05	0.00	396	83	PEAK																																																																																																												
4 5720.00	49.44	110.90	-61.46	39.64	34.66	11.17	36.03	0.00	396	83	PEAK																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5745.00	102.53	-----	-----	92.56	34.74	11.21	35.98	0.00	396	83	PEAK																																																																																																												
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>93.30</td><td>-----</td><td>-----</td><td>83.33</td><td>34.74</td><td>11.21</td><td>35.98</td><td>0.00</td><td>396</td><td>83</td><td>AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	93.30	-----	-----	83.33	34.74	11.21	35.98	0.00	396	83	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5745.00	93.30	-----	-----	83.33	34.74	11.21	35.98	0.00	396	83	AVERAGE																																																																																																												




Mode	33																																																															
	Harmonic																																																															
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																															
ANT	1																																																															
Pol.	Horizontal												Vertical																																																			
Peak Avg																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg																																																					
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11490.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>56.63</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	45.03	74.00	-28.97	56.63	38.29	16.36	66.25	0.00	--	--	PEAK	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11490.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>56.01</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	44.41	74.00	-29.59	56.01	38.29	16.36	66.25	0.00	--	--	PEAK	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1 11490.00	45.03	74.00	-28.97	56.63	38.29	16.36	66.25	0.00	--	--	PEAK																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1 11490.00	44.41	74.00	-29.59	56.01	38.29	16.36	66.25	0.00	--	--	PEAK																																																					


Mode	34																																																																						
	Harmonic																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																						
ANT	1																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 11570.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>56.05</td><td>38.36</td><td>16.41</td><td>66.23</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1 11570.00	44.59	74.00	-29.41	56.05	38.36	16.41	66.23	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 11570.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>55.88</td><td>38.36</td><td>16.41</td><td>66.23</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1 11570.00	44.42	74.00	-29.58	55.88	38.36	16.41	66.23	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
1 11570.00	44.59	74.00	-29.41	56.05	38.36	16.41	66.23	0.00	-- -- PEAK																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
1 11570.00	44.42	74.00	-29.58	55.88	38.36	16.41	66.23	0.00	-- -- PEAK																																																														
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>56.05</td><td>38.36</td><td>16.41</td><td>66.23</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.59	74.00	-29.41	56.05	38.36	16.41	66.23	0.00	--	-- PEAK	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>55.88</td><td>38.36</td><td>16.41</td><td>66.23</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.42	74.00	-29.58	55.88	38.36	16.41	66.23	0.00	--	-- PEAK													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	11570.00	44.59	74.00	-29.41	56.05	38.36	16.41	66.23	0.00	--	-- PEAK																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	11570.00	44.42	74.00	-29.58	55.88	38.36	16.41	66.23	0.00	--	-- PEAK																																																												




Mode	35										
	Band Edge										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz										
ANT	1										
Pol.	Horizontal										
Peak	Level (dBuV/m) <										


Mode	35																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.80</td><td>48.92</td><td>111.36</td><td>-62.44</td><td>38.75</td><td>35.01</td><td>11.34</td><td>36.18</td><td>0.00</td><td>329</td><td>77 PEAK</td></tr><tr><td>2 5872.80</td><td>50.31</td><td>105.92</td><td>-55.61</td><td>40.24</td><td>35.05</td><td>11.35</td><td>36.33</td><td>0.00</td><td>329</td><td>77 PEAK</td></tr><tr><td>3 5924.80</td><td>47.88</td><td>68.35</td><td>-20.47</td><td>37.96</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>329</td><td>77 PEAK</td></tr><tr><td>4 5942.40</td><td>51.01</td><td>68.20</td><td>-17.19</td><td>41.00</td><td>35.14</td><td>11.42</td><td>36.63</td><td>0.00</td><td>329</td><td>77 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	48.92	111.36	-62.44	38.75	35.01	11.34	36.18	0.00	329	77 PEAK	2 5872.80	50.31	105.92	-55.61	40.24	35.05	11.35	36.33	0.00	329	77 PEAK	3 5924.80	47.88	68.35	-20.47	37.96	35.12	11.40	36.60	0.00	329	77 PEAK	4 5942.40	51.01	68.20	-17.19	41.00	35.14	11.42	36.63	0.00	329	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.06</td><td>-----</td><td>-----</td><td>92.94</td><td>34.96</td><td>11.31</td><td>36.15</td><td>0.00</td><td>329</td><td>77 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.06	-----	-----	92.94	34.96	11.31	36.15	0.00	329	77 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5854.80	48.92	111.36	-62.44	38.75	35.01	11.34	36.18	0.00	329	77 PEAK																																																																																																																						
2 5872.80	50.31	105.92	-55.61	40.24	35.05	11.35	36.33	0.00	329	77 PEAK																																																																																																																						
3 5924.80	47.88	68.35	-20.47	37.96	35.12	11.40	36.60	0.00	329	77 PEAK																																																																																																																						
4 5942.40	51.01	68.20	-17.19	41.00	35.14	11.42	36.63	0.00	329	77 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5825.00	103.06	-----	-----	92.94	34.96	11.31	36.15	0.00	329	77 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>94.09</td><td>-----</td><td>-----</td><td>83.98</td><td>34.95</td><td>11.31</td><td>36.15</td><td>0.00</td><td>329</td><td>77 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	94.09	-----	-----	83.98	34.95	11.31	36.15	0.00	329	77 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5825.00	94.09	-----	-----	83.98	34.95	11.31	36.15	0.00	329	77 AVERAGE																																																																																																																						



Mode	35																																																							
	Harmonic																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																							
ANT	1																																																							
Pol.	Horizontal												Vertical																																											
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 11650.00 44.83 74.00 -29.17 56.15 38.42 16.46 66.20 0.00 -- -- PEAK												1 11650.00 43.64 74.00 -30.36 54.96 38.42 16.46 66.20 0.00 -- -- PEAK																																												




Mode	36																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5634.41</td><td>49.64</td><td>68.20</td><td>-18.56</td><td>40.29</td><td>34.60</td><td>11.05</td><td>36.30</td><td>0.00</td><td>172</td><td>360</td><td>PEAK</td></tr><tr><td>2 5650.69</td><td>48.07</td><td>68.71</td><td>-20.64</td><td>38.71</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>172</td><td>360</td><td>PEAK</td></tr><tr><td>3 5707.42</td><td>54.38</td><td>107.38</td><td>-53.00</td><td>44.66</td><td>34.62</td><td>11.15</td><td>36.05</td><td>0.00</td><td>172</td><td>360</td><td>PEAK</td></tr><tr><td>4 5720.13</td><td>55.98</td><td>111.19</td><td>-55.21</td><td>46.18</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>172</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5634.41	49.64	68.20	-18.56	40.29	34.60	11.05	36.30	0.00	172	360	PEAK	2 5650.69	48.07	68.71	-20.64	38.71	34.60	11.07	36.31	0.00	172	360	PEAK	3 5707.42	54.38	107.38	-53.00	44.66	34.62	11.15	36.05	0.00	172	360	PEAK	4 5720.13	55.98	111.19	-55.21	46.18	34.66	11.17	36.03	0.00	172	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.85</td><td>-----</td><td>-----</td><td>93.86</td><td>34.77</td><td>11.22</td><td>36.00</td><td>0.00</td><td>172</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	103.85	-----	-----	93.86	34.77	11.22	36.00	0.00	172	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5634.41	49.64	68.20	-18.56	40.29	34.60	11.05	36.30	0.00	172	360	PEAK																																																																																																																										
2 5650.69	48.07	68.71	-20.64	38.71	34.60	11.07	36.31	0.00	172	360	PEAK																																																																																																																										
3 5707.42	54.38	107.38	-53.00	44.66	34.62	11.15	36.05	0.00	172	360	PEAK																																																																																																																										
4 5720.13	55.98	111.19	-55.21	46.18	34.66	11.17	36.03	0.00	172	360	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5755.00	103.85	-----	-----	93.86	34.77	11.22	36.00	0.00	172	360	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>94.68</td><td>-----</td><td>-----</td><td>84.69</td><td>34.77</td><td>11.22</td><td>36.00</td><td>0.00</td><td>172</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	94.68	-----	-----	84.69	34.77	11.22	36.00	0.00	172	360	AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5755.00	94.68	-----	-----	84.69	34.77	11.22	36.00	0.00	172	360	AVERAGE																																																																																																																										


Mode	36																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.84</td><td>49.35</td><td>111.26</td><td>-61.91</td><td>39.18</td><td>35.01</td><td>11.34</td><td>36.18</td><td>0.00</td><td>172 360 PEAK</td></tr><tr><td>2 5874.54</td><td>50.59</td><td>105.43</td><td>-54.84</td><td>40.54</td><td>35.05</td><td>11.35</td><td>36.35</td><td>0.00</td><td>172 360 PEAK</td></tr><tr><td>3 5924.46</td><td>50.60</td><td>68.60</td><td>-18.00</td><td>40.68</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>172 360 PEAK</td></tr><tr><td>4 5927.38</td><td>50.37</td><td>68.20</td><td>-17.83</td><td>40.44</td><td>35.13</td><td>11.40</td><td>36.60</td><td>0.00</td><td>172 360 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.84	49.35	111.26	-61.91	39.18	35.01	11.34	36.18	0.00	172 360 PEAK	2 5874.54	50.59	105.43	-54.84	40.54	35.05	11.35	36.35	0.00	172 360 PEAK	3 5924.46	50.60	68.60	-18.00	40.68	35.12	11.40	36.60	0.00	172 360 PEAK	4 5927.38	50.37	68.20	-17.83	40.44	35.13	11.40	36.60	0.00	172 360 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.84	49.35	111.26	-61.91	39.18	35.01	11.34	36.18	0.00	172 360 PEAK																																																															
2 5874.54	50.59	105.43	-54.84	40.54	35.05	11.35	36.35	0.00	172 360 PEAK																																																															
3 5924.46	50.60	68.60	-18.00	40.68	35.12	11.40	36.60	0.00	172 360 PEAK																																																															
4 5927.38	50.37	68.20	-17.83	40.44	35.13	11.40	36.60	0.00	172 360 PEAK																																																															




Mode	36																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5647.59</td><td>48.65</td><td>68.20</td><td>-19.55</td><td>39.29</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>393</td><td>83 PEAK</td></tr><tr><td>2 5650.53</td><td>46.22</td><td>68.59</td><td>-22.37</td><td>36.86</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>393</td><td>83 PEAK</td></tr><tr><td>3 5703.54</td><td>48.55</td><td>106.29</td><td>-57.74</td><td>38.84</td><td>34.61</td><td>11.15</td><td>36.05</td><td>0.00</td><td>393</td><td>83 PEAK</td></tr><tr><td>4 5720.28</td><td>51.12</td><td>111.54</td><td>-60.42</td><td>41.31</td><td>34.66</td><td>11.17</td><td>36.02</td><td>0.00</td><td>393</td><td>83 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5647.59	48.65	68.20	-19.55	39.29	34.60	11.07	36.31	0.00	393	83 PEAK	2 5650.53	46.22	68.59	-22.37	36.86	34.60	11.07	36.31	0.00	393	83 PEAK	3 5703.54	48.55	106.29	-57.74	38.84	34.61	11.15	36.05	0.00	393	83 PEAK	4 5720.28	51.12	111.54	-60.42	41.31	34.66	11.17	36.02	0.00	393	83 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>98.92</td><td>-----</td><td>-----</td><td>88.93</td><td>34.76</td><td>11.21</td><td>35.98</td><td>0.00</td><td>393</td><td>83 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	98.92	-----	-----	88.93	34.76	11.21	35.98	0.00	393	83 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5647.59	48.65	68.20	-19.55	39.29	34.60	11.07	36.31	0.00	393	83 PEAK																																																																																																																						
2 5650.53	46.22	68.59	-22.37	36.86	34.60	11.07	36.31	0.00	393	83 PEAK																																																																																																																						
3 5703.54	48.55	106.29	-57.74	38.84	34.61	11.15	36.05	0.00	393	83 PEAK																																																																																																																						
4 5720.28	51.12	111.54	-60.42	41.31	34.66	11.17	36.02	0.00	393	83 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5755.00	98.92	-----	-----	88.93	34.76	11.21	35.98	0.00	393	83 PEAK																																																																																																																						
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>89.72</td><td>-----</td><td>-----</td><td>79.73</td><td>34.77</td><td>11.22</td><td>36.00</td><td>0.00</td><td>393</td><td>83 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	89.72	-----	-----	79.73	34.77	11.22	36.00	0.00	393	83 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5755.00	89.72	-----	-----	79.73	34.77	11.22	36.00	0.00	393	83 AVERAGE																																																																																																																						

Mode	36																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																							
ANT	1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.84</td><td>47.28</td><td>111.26</td><td>-63.98</td><td>37.11</td><td>35.01</td><td>11.34</td><td>36.18</td><td>0.00</td><td>393 83 PEAK</td></tr><tr><td>2 5870.25</td><td>50.81</td><td>106.63</td><td>-55.82</td><td>40.73</td><td>35.04</td><td>11.35</td><td>36.31</td><td>0.00</td><td>393 83 PEAK</td></tr><tr><td>3 5923.29</td><td>49.89</td><td>69.47</td><td>-19.58</td><td>39.97</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>393 83 PEAK</td></tr><tr><td>4 5930.70</td><td>49.84</td><td>68.20</td><td>-18.36</td><td>39.91</td><td>35.13</td><td>11.41</td><td>36.61</td><td>0.00</td><td>393 83 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.84	47.28	111.26	-63.98	37.11	35.01	11.34	36.18	0.00	393 83 PEAK	2 5870.25	50.81	106.63	-55.82	40.73	35.04	11.35	36.31	0.00	393 83 PEAK	3 5923.29	49.89	69.47	-19.58	39.97	35.12	11.40	36.60	0.00	393 83 PEAK	4 5930.70	49.84	68.20	-18.36	39.91	35.13	11.41	36.61	0.00	393 83 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.84	47.28	111.26	-63.98	37.11	35.01	11.34	36.18	0.00	393 83 PEAK																																																															
2 5870.25	50.81	106.63	-55.82	40.73	35.04	11.35	36.31	0.00	393 83 PEAK																																																															
3 5923.29	49.89	69.47	-19.58	39.97	35.12	11.40	36.60	0.00	393 83 PEAK																																																															
4 5930.70	49.84	68.20	-18.36	39.91	35.13	11.41	36.61	0.00	393 83 PEAK																																																															


Mode	36																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																					
ANT	1																																																																					
Pol.	Horizontal								Vertical																																																													
Peak Avg																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 11510.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>55.98</td><td>38.31</td><td>16.37</td><td>66.25</td><td>0.00</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 11510.00	44.41	74.00	-29.59	55.98	38.31	16.37	66.25	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>1 11510.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>55.87</td><td>38.31</td><td>16.37</td><td>66.25</td><td>0.00</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1 11510.00	44.30	74.00	-29.70	55.87	38.31	16.37	66.25	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
1 11510.00	44.41	74.00	-29.59	55.98	38.31	16.37	66.25	0.00																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
1 11510.00	44.30	74.00	-29.70	55.87	38.31	16.37	66.25	0.00																																																														
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>55.98</td><td>38.31</td><td>16.37</td><td>66.25</td><td>0.00</td><td>--</td></tr></tbody></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	44.41	74.00	-29.59	55.98	38.31	16.37	66.25	0.00	--	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>55.87</td><td>38.31</td><td>16.37</td><td>66.25</td><td>0.00</td><td>--</td></tr></tbody></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	44.30	74.00	-29.70	55.87	38.31	16.37	66.25	0.00	--											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11510.00	44.41	74.00	-29.59	55.98	38.31	16.37	66.25	0.00	--																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11510.00	44.30	74.00	-29.70	55.87	38.31	16.37	66.25	0.00	--																																																												



Mode	37																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. Four peaks are marked with vertical lines and labeled 1, 2, 3, and 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5621.60</td><td>49.59</td><td>68.20</td><td>-18.61</td><td>40.25</td><td>34.60</td><td>11.03</td><td>36.29</td><td>0.00</td><td>158</td><td>360</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>47.67</td><td>68.20</td><td>-20.53</td><td>38.32</td><td>34.60</td><td>11.07</td><td>36.32</td><td>0.00</td><td>158</td><td>360</td><td>PEAK</td></tr><tr><td>3 5706.00</td><td>51.22</td><td>106.98</td><td>-55.76</td><td>41.50</td><td>34.62</td><td>11.15</td><td>36.05</td><td>0.00</td><td>158</td><td>360</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>48.40</td><td>110.90</td><td>-62.50</td><td>38.60</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>158</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5621.60	49.59	68.20	-18.61	40.25	34.60	11.03	36.29	0.00	158	360	PEAK	2 5650.00	47.67	68.20	-20.53	38.32	34.60	11.07	36.32	0.00	158	360	PEAK	3 5706.00	51.22	106.98	-55.76	41.50	34.62	11.15	36.05	0.00	158	360	PEAK	4 5720.00	48.40	110.90	-62.50	38.60	34.66	11.17	36.03	0.00	158	360	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. A single peak is marked with a vertical line and labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>104.13</td><td>-----</td><td>-----</td><td>94.13</td><td>34.86</td><td>11.26</td><td>36.12</td><td>0.00</td><td>158</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	104.13	-----	-----	94.13	34.86	11.26	36.12	0.00	158	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5621.60	49.59	68.20	-18.61	40.25	34.60	11.03	36.29	0.00	158	360	PEAK																																																																																																																										
2 5650.00	47.67	68.20	-20.53	38.32	34.60	11.07	36.32	0.00	158	360	PEAK																																																																																																																										
3 5706.00	51.22	106.98	-55.76	41.50	34.62	11.15	36.05	0.00	158	360	PEAK																																																																																																																										
4 5720.00	48.40	110.90	-62.50	38.60	34.66	11.17	36.03	0.00	158	360	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5795.00	104.13	-----	-----	94.13	34.86	11.26	36.12	0.00	158	360	PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. A single peak is marked with a vertical line and labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>94.97</td><td>-----</td><td>-----</td><td>84.96</td><td>34.88</td><td>11.27</td><td>36.14</td><td>0.00</td><td>158</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	94.97	-----	-----	84.96	34.88	11.27	36.14	0.00	158	360	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5795.00	94.97	-----	-----	84.96	34.88	11.27	36.14	0.00	158	360	AVERAGE																																																																																																																										




Mode	37																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>52.96</td><td>113.18</td><td>-60.22</td><td>42.79</td><td>35.01</td><td>11.33</td><td>36.17</td><td>0.00</td><td>158 360 PEAK</td></tr><tr><td>2 5872.40</td><td>52.10</td><td>106.03</td><td>-53.93</td><td>42.04</td><td>35.04</td><td>11.35</td><td>36.33</td><td>0.00</td><td>158 360 PEAK</td></tr><tr><td>3 5924.80</td><td>50.70</td><td>68.35</td><td>-17.65</td><td>40.78</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>158 360 PEAK</td></tr><tr><td>4 5934.00</td><td>51.70</td><td>68.20</td><td>-16.50</td><td>41.77</td><td>35.13</td><td>11.41</td><td>36.61</td><td>0.00</td><td>158 360 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.00	52.96	113.18	-60.22	42.79	35.01	11.33	36.17	0.00	158 360 PEAK	2 5872.40	52.10	106.03	-53.93	42.04	35.04	11.35	36.33	0.00	158 360 PEAK	3 5924.80	50.70	68.35	-17.65	40.78	35.12	11.40	36.60	0.00	158 360 PEAK	4 5934.00	51.70	68.20	-16.50	41.77	35.13	11.41	36.61	0.00	158 360 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.00	52.96	113.18	-60.22	42.79	35.01	11.33	36.17	0.00	158 360 PEAK																																																															
2 5872.40	52.10	106.03	-53.93	42.04	35.04	11.35	36.33	0.00	158 360 PEAK																																																															
3 5924.80	50.70	68.35	-17.65	40.78	35.12	11.40	36.60	0.00	158 360 PEAK																																																															
4 5934.00	51.70	68.20	-16.50	41.77	35.13	11.41	36.61	0.00	158 360 PEAK																																																															


Mode	37																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5613.60</td><td>48.87</td><td>68.20</td><td>-19.33</td><td>39.53</td><td>34.60</td><td>11.02</td><td>36.28</td><td>0.00</td><td>388</td><td>91 PEAK</td></tr><tr><td>2 5651.20</td><td>48.03</td><td>69.09</td><td>-21.06</td><td>38.67</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>388</td><td>91 PEAK</td></tr><tr><td>3 5781.60</td><td>48.61</td><td>105.75</td><td>-57.14</td><td>38.93</td><td>34.60</td><td>11.14</td><td>36.06</td><td>0.00</td><td>388</td><td>91 PEAK</td></tr><tr><td>4 5720.40</td><td>47.34</td><td>111.81</td><td>-64.47</td><td>37.53</td><td>34.66</td><td>11.17</td><td>36.02</td><td>0.00</td><td>388</td><td>91 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5613.60	48.87	68.20	-19.33	39.53	34.60	11.02	36.28	0.00	388	91 PEAK	2 5651.20	48.03	69.09	-21.06	38.67	34.60	11.07	36.31	0.00	388	91 PEAK	3 5781.60	48.61	105.75	-57.14	38.93	34.60	11.14	36.06	0.00	388	91 PEAK	4 5720.40	47.34	111.81	-64.47	37.53	34.66	11.17	36.02	0.00	388	91 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>98.01</td><td>-----</td><td>-----</td><td>88.00</td><td>34.88</td><td>11.27</td><td>36.14</td><td>0.00</td><td>388</td><td>91 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	98.01	-----	-----	88.00	34.88	11.27	36.14	0.00	388	91 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5613.60	48.87	68.20	-19.33	39.53	34.60	11.02	36.28	0.00	388	91 PEAK																																																																																																																						
2 5651.20	48.03	69.09	-21.06	38.67	34.60	11.07	36.31	0.00	388	91 PEAK																																																																																																																						
3 5781.60	48.61	105.75	-57.14	38.93	34.60	11.14	36.06	0.00	388	91 PEAK																																																																																																																						
4 5720.40	47.34	111.81	-64.47	37.53	34.66	11.17	36.02	0.00	388	91 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5795.00	98.01	-----	-----	88.00	34.88	11.27	36.14	0.00	388	91 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>89.85</td><td>-----</td><td>-----</td><td>79.84</td><td>34.88</td><td>11.27</td><td>36.14</td><td>0.00</td><td>388</td><td>91 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	89.85	-----	-----	79.84	34.88	11.27	36.14	0.00	388	91 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5795.00	89.85	-----	-----	79.84	34.88	11.27	36.14	0.00	388	91 AVERAGE																																																																																																																						







Mode	37																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>49.56</td><td>112.27</td><td>-62.71</td><td>39.40</td><td>35.01</td><td>11.33</td><td>36.18</td><td>0.00</td><td>308</td><td>91 PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>50.66</td><td>106.36</td><td>-55.70</td><td>40.59</td><td>35.04</td><td>11.35</td><td>36.32</td><td>0.00</td><td>308</td><td>91 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.84</td><td>68.94</td><td>-20.10</td><td>38.92</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>308</td><td>91 PEAK</td></tr><tr><td>4</td><td>5942.40</td><td>50.92</td><td>68.20</td><td>-17.28</td><td>40.99</td><td>35.14</td><td>11.42</td><td>36.63</td><td>0.00</td><td>308</td><td>91 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	49.56	112.27	-62.71	39.40	35.01	11.33	36.18	0.00	308	91 PEAK	2	5871.20	50.66	106.36	-55.70	40.59	35.04	11.35	36.32	0.00	308	91 PEAK	3	5924.00	48.84	68.94	-20.10	38.92	35.12	11.40	36.60	0.00	308	91 PEAK	4	5942.40	50.92	68.20	-17.28	40.99	35.14	11.42	36.63	0.00	308	91 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5854.40	49.56	112.27	-62.71	39.40	35.01	11.33	36.18	0.00	308	91 PEAK																																																																															
2	5871.20	50.66	106.36	-55.70	40.59	35.04	11.35	36.32	0.00	308	91 PEAK																																																																															
3	5924.00	48.84	68.94	-20.10	38.92	35.12	11.40	36.60	0.00	308	91 PEAK																																																																															
4	5942.40	50.92	68.20	-17.28	40.99	35.14	11.42	36.63	0.00	308	91 PEAK																																																																															



Mode	37																																																							
	Harmonic																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																							
ANT	1																																																							
Pol.	Horizontal												Vertical																																											
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 11590.00 45.60 74.00 -28.40 57.03 38.37 16.42 66.22 0.00 -- -- PEAK												1 11590.00 43.92 74.00 -30.08 55.35 38.37 16.42 66.22 0.00 -- -- PEAK																																												

Mode	38																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5622.40</td><td>50.52</td><td>68.20</td><td>-17.68</td><td>41.18</td><td>34.60</td><td>11.03</td><td>36.29</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr><tr><td>2 5651.20</td><td>51.62</td><td>69.09</td><td>-17.47</td><td>42.26</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr><tr><td>3 5700.80</td><td>51.76</td><td>105.52</td><td>-53.76</td><td>42.08</td><td>34.60</td><td>11.14</td><td>36.06</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>52.22</td><td>110.90</td><td>-58.68</td><td>42.42</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5622.40	50.52	68.20	-17.68	41.18	34.60	11.03	36.29	0.00	170	360	PEAK	2 5651.20	51.62	69.09	-17.47	42.26	34.60	11.07	36.31	0.00	170	360	PEAK	3 5700.80	51.76	105.52	-53.76	42.08	34.60	11.14	36.06	0.00	170	360	PEAK	4 5720.00	52.22	110.90	-58.68	42.42	34.66	11.17	36.03	0.00	170	360	PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>98.64</td><td>-----</td><td>-----</td><td>88.65</td><td>34.79</td><td>11.23</td><td>36.03</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	98.64	-----	-----	88.65	34.79	11.23	36.03	0.00	170	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5622.40	50.52	68.20	-17.68	41.18	34.60	11.03	36.29	0.00	170	360	PEAK																																																																																																																										
2 5651.20	51.62	69.09	-17.47	42.26	34.60	11.07	36.31	0.00	170	360	PEAK																																																																																																																										
3 5700.80	51.76	105.52	-53.76	42.08	34.60	11.14	36.06	0.00	170	360	PEAK																																																																																																																										
4 5720.00	52.22	110.90	-58.68	42.42	34.66	11.17	36.03	0.00	170	360	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5775.00	98.64	-----	-----	88.65	34.79	11.23	36.03	0.00	170	360	PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-3(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>89.41</td><td>-----</td><td>-----</td><td>79.41</td><td>34.81</td><td>11.24</td><td>36.05</td><td>0.00</td><td>170</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	89.41	-----	-----	79.41	34.81	11.24	36.05	0.00	170	360	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5775.00	89.41	-----	-----	79.41	34.81	11.24	36.05	0.00	170	360	AVERAGE																																																																																																																										



Mode	38																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>50.60</td><td>112.27</td><td>-61.67</td><td>40.44</td><td>35.01</td><td>11.33</td><td>36.18</td><td>0.00</td><td>170 360 PEAK</td></tr><tr><td>2 5867.60</td><td>52.44</td><td>107.37</td><td>-54.93</td><td>42.34</td><td>35.04</td><td>11.35</td><td>36.29</td><td>0.00</td><td>170 360 PEAK</td></tr><tr><td>3 5924.80</td><td>47.74</td><td>68.35</td><td>-20.61</td><td>37.82</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>170 360 PEAK</td></tr><tr><td>4 5930.40</td><td>51.84</td><td>68.20</td><td>-16.36</td><td>41.91</td><td>35.13</td><td>11.41</td><td>36.61</td><td>0.00</td><td>170 360 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.40	50.60	112.27	-61.67	40.44	35.01	11.33	36.18	0.00	170 360 PEAK	2 5867.60	52.44	107.37	-54.93	42.34	35.04	11.35	36.29	0.00	170 360 PEAK	3 5924.80	47.74	68.35	-20.61	37.82	35.12	11.40	36.60	0.00	170 360 PEAK	4 5930.40	51.84	68.20	-16.36	41.91	35.13	11.41	36.61	0.00	170 360 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.40	50.60	112.27	-61.67	40.44	35.01	11.33	36.18	0.00	170 360 PEAK																																																															
2 5867.60	52.44	107.37	-54.93	42.34	35.04	11.35	36.29	0.00	170 360 PEAK																																																															
3 5924.80	47.74	68.35	-20.61	37.82	35.12	11.40	36.60	0.00	170 360 PEAK																																																															
4 5930.40	51.84	68.20	-16.36	41.91	35.13	11.41	36.61	0.00	170 360 PEAK																																																															

Mode	38																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5624.00</td><td>48.13</td><td>68.20</td><td>-20.07</td><td>38.78</td><td>34.60</td><td>11.04</td><td>36.29</td><td>0.00</td><td>388</td><td>80 PEAK</td></tr><tr><td>2 5651.60</td><td>47.73</td><td>69.39</td><td>-21.66</td><td>38.37</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>388</td><td>80 PEAK</td></tr><tr><td>3 5700.80</td><td>48.07</td><td>105.52</td><td>-57.45</td><td>38.39</td><td>34.60</td><td>11.14</td><td>36.06</td><td>0.00</td><td>388</td><td>80 PEAK</td></tr><tr><td>4 5720.00</td><td>47.01</td><td>110.90</td><td>-63.89</td><td>37.21</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>388</td><td>80 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5624.00	48.13	68.20	-20.07	38.78	34.60	11.04	36.29	0.00	388	80 PEAK	2 5651.60	47.73	69.39	-21.66	38.37	34.60	11.07	36.31	0.00	388	80 PEAK	3 5700.80	48.07	105.52	-57.45	38.39	34.60	11.14	36.06	0.00	388	80 PEAK	4 5720.00	47.01	110.90	-63.89	37.21	34.66	11.17	36.03	0.00	388	80 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.37</td><td>-----</td><td>-----</td><td>82.36</td><td>34.85</td><td>11.26</td><td>36.10</td><td>0.00</td><td>388</td><td>80 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	92.37	-----	-----	82.36	34.85	11.26	36.10	0.00	388	80 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5624.00	48.13	68.20	-20.07	38.78	34.60	11.04	36.29	0.00	388	80 PEAK																																																																																																																						
2 5651.60	47.73	69.39	-21.66	38.37	34.60	11.07	36.31	0.00	388	80 PEAK																																																																																																																						
3 5700.80	48.07	105.52	-57.45	38.39	34.60	11.14	36.06	0.00	388	80 PEAK																																																																																																																						
4 5720.00	47.01	110.90	-63.89	37.21	34.66	11.17	36.03	0.00	388	80 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5775.00	92.37	-----	-----	82.36	34.85	11.26	36.10	0.00	388	80 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>83.14</td><td>-----</td><td>-----</td><td>73.13</td><td>34.85</td><td>11.26</td><td>36.10</td><td>0.00</td><td>388</td><td>80 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	83.14	-----	-----	73.13	34.85	11.26	36.10	0.00	388	80 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5775.00	83.14	-----	-----	73.13	34.85	11.26	36.10	0.00	388	80 AVERAGE																																																																																																																						



Mode	38																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																							
ANT	1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.80</td><td>48.27</td><td>111.36</td><td>-63.09</td><td>38.10</td><td>35.01</td><td>11.34</td><td>36.18</td><td>0.00</td><td>300 00 PEAK</td></tr><tr><td>2 5871.60</td><td>50.39</td><td>106.25</td><td>-55.86</td><td>40.32</td><td>35.04</td><td>11.35</td><td>36.32</td><td>0.00</td><td>300 00 PEAK</td></tr><tr><td>3 5924.40</td><td>48.07</td><td>68.64</td><td>-20.57</td><td>38.15</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>300 00 PEAK</td></tr><tr><td>4 5926.40</td><td>51.06</td><td>68.20</td><td>-17.14</td><td>41.13</td><td>35.13</td><td>11.40</td><td>36.60</td><td>0.00</td><td>300 00 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.80	48.27	111.36	-63.09	38.10	35.01	11.34	36.18	0.00	300 00 PEAK	2 5871.60	50.39	106.25	-55.86	40.32	35.04	11.35	36.32	0.00	300 00 PEAK	3 5924.40	48.07	68.64	-20.57	38.15	35.12	11.40	36.60	0.00	300 00 PEAK	4 5926.40	51.06	68.20	-17.14	41.13	35.13	11.40	36.60	0.00	300 00 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5854.80	48.27	111.36	-63.09	38.10	35.01	11.34	36.18	0.00	300 00 PEAK																																																															
2 5871.60	50.39	106.25	-55.86	40.32	35.04	11.35	36.32	0.00	300 00 PEAK																																																															
3 5924.40	48.07	68.64	-20.57	38.15	35.12	11.40	36.60	0.00	300 00 PEAK																																																															
4 5926.40	51.06	68.20	-17.14	41.13	35.13	11.40	36.60	0.00	300 00 PEAK																																																															



Mode	38																																																																																									
	Harmonic																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 11550.00</td><td>44.23</td><td>74.00</td><td>-29.77</td><td>55.73</td><td>38.34</td><td>16.39</td><td>66.23</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11550.00	44.23	74.00	-29.77	55.73	38.34	16.39	66.23	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 11550.00</td><td>42.65</td><td>74.00</td><td>-31.35</td><td>54.15</td><td>38.34</td><td>16.39</td><td>66.23</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11550.00	42.65	74.00	-31.35	54.15	38.34	16.39	66.23	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 11550.00	44.23	74.00	-29.77	55.73	38.34	16.39	66.23	0.00	-- -- PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 11550.00	42.65	74.00	-31.35	54.15	38.34	16.39	66.23	0.00	-- -- PEAK																																																																																	

Mode	39																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>57.02</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.31	74.00	-28.69	57.02	38.25	16.32	66.28	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>55.60</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	43.89	74.00	-30.11	55.60	38.25	16.32	66.28	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11440.00	45.31	74.00	-28.69	57.02	38.25	16.32	66.28	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11440.00	43.89	74.00	-30.11	55.60	38.25	16.32	66.28	0.00	--	PEAK																																																																																						

Mode	40																																																																				
	Harmonic																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																				
ANT	1																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>58.80</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>35.34</td><td>54.00</td><td>-18.66</td><td>47.02</td><td>38.26</td><td>16.33</td><td>66.27</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.09	74.00	-26.91	58.80	38.25	16.32	66.28	0.00	300	360	PEAK	2	11440.00	35.34	54.00	-18.66	47.02	38.26	16.33	66.27	0.00	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11440.00	47.09	74.00	-26.91	58.80	38.25	16.32	66.28	0.00	300	360	PEAK																																																									
2	11440.00	35.34	54.00	-18.66	47.02	38.26	16.33	66.27	0.00	300	360	AVERAGE																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>56.83</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.12	74.00	-28.88	56.83	38.25	16.32	66.28	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11440.00	45.12	74.00	-28.88	56.83	38.25	16.32	66.28	0.00	--	--	PEAK																																																									







Mode	41																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>56.65</td><td>38.24</td><td>16.31</td><td>66.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	44.92	74.00	-29.08	56.65	38.24	16.31	66.28	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>55.87</td><td>38.24</td><td>16.31</td><td>66.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	44.14	74.00	-29.86	55.87	38.24	16.31	66.28	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11420.00	44.92	74.00	-29.08	56.65	38.24	16.31	66.28	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11420.00	44.14	74.00	-29.86	55.87	38.24	16.31	66.28	0.00	--	PEAK																																																																																						



Mode	42																																																																																													
	Harmonic																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal					Vertical																																																																																								
Peak Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11380.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>55.60</td><td>38.20</td><td>16.29</td><td>66.30</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11380.00	43.79	74.00	-30.21	55.60	38.20	16.29	66.30	0.00	--	-- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11380.00</td><td>43.38</td><td>74.00</td><td>-30.62</td><td>55.19</td><td>38.20</td><td>16.29</td><td>66.30</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11380.00	43.38	74.00	-30.62	55.19	38.20	16.29	66.30	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 11380.00	43.79	74.00	-30.21	55.60	38.20	16.29	66.30	0.00	--	-- PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 11380.00	43.38	74.00	-30.62	55.19	38.20	16.29	66.30	0.00	--	-- PEAK																																																																																				



Co-location

		26																																																																																																
Mode		Band Edge - L																																																																																																
		U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																
ANT		1																																																																																																
Pol.		Horizontal					Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.04</td><td>59.80</td><td>74.00</td><td>-14.20</td><td>51.55</td><td>34.13</td><td>10.60</td><td>36.48</td><td>0.00</td><td>100</td><td>165</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.04	59.80	74.00	-14.20	51.55	34.13	10.60	36.48	0.00	100	165	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.26</td><td>-----</td><td>-----</td><td>89.94</td><td>34.31</td><td>10.66</td><td>36.65</td><td>0.00</td><td>100</td><td>165</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	98.26	-----	-----	89.94	34.31	10.66	36.65	0.00	100	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5143.04	59.80	74.00	-14.20	51.55	34.13	10.60	36.48	0.00	100	165	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5210.00	98.26	-----	-----	89.94	34.31	10.66	36.65	0.00	100	165	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.28</td><td>50.55</td><td>54.00</td><td>-3.45</td><td>42.28</td><td>34.15</td><td>10.61</td><td>36.49</td><td>0.00</td><td>100</td><td>165</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.28	50.55	54.00	-3.45	42.28	34.15	10.61	36.49	0.00	100	165	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>89.63</td><td>-----</td><td>-----</td><td>81.31</td><td>34.31</td><td>10.66</td><td>36.65</td><td>0.00</td><td>100</td><td>165</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	89.63	-----	-----	81.31	34.31	10.66	36.65	0.00	100	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.28	50.55	54.00	-3.45	42.28	34.15	10.61	36.49	0.00	100	165	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5210.00	89.63	-----	-----	81.31	34.31	10.66	36.65	0.00	100	165	AVERAGE																																																																																						



Mode	26																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.94</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>39.04</td><td>34.50</td><td>10.77</td><td>36.16</td><td>0.00</td><td>100</td><td>165</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.94	48.15	74.00	-25.85	39.04	34.50	10.77	36.16	0.00	100	165	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5396.94	48.15	74.00	-25.85	39.04	34.50	10.77	36.16	0.00	100	165	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5391.00</td><td>38.66</td><td>54.00</td><td>-15.34</td><td>29.59</td><td>34.50</td><td>10.77</td><td>36.20</td><td>0.00</td><td>100</td><td>165</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.00	38.66	54.00	-15.34	29.59	34.50	10.77	36.20	0.00	100	165	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5391.00	38.66	54.00	-15.34	29.59	34.50	10.77	36.20	0.00	100	165	AVERAGE																																												

Mode

26

Band Edge - L

U-NII-1_5.15-5.25_802.11ac_VHT80_CH42_5210MHz

ANT

1

Pol.

Vertical

Fundamental

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5100

5132

5164

5196

5228

5260

Frequency (MHz)

U-NII-1-U-NII-2A-U-NII-2C

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5146.40

52.96

74.00

-21.04

44.70

34.14

10.60

36.48

0.00

281

92

PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

Frequency (MHz)

U-NII-1-U-NII-2A-U-NII-2C

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5210.00

93.18

84.86

34.31

10.66

36.65

0.00

281

92

PEAK

Avg

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5100

5132

5164

5196

5228

5260

Frequency (MHz)

U-NII-1-U-NII-2A-U-NII-2C(AVG)

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5149.92

43.98

54.00

-10.02

35.71

34.15

10.61

36.49

0.00

281

92

AVERAGE

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

Frequency (MHz)

U-NII-1-U-NII-2A-U-NII-2C(AVG)

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5210.00

84.55

68.20

16.35

76.23

34.31

10.66



36.65



0.00

281

92

AVERAGE


Mode	26																																	
	Band Edge - R																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																	
ANT	1																																	
Pol.	Vertical	Fundamental																																
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5365.26</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>39.66</td><td>34.50</td><td>10.76</td><td>36.35</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5365.26	48.57	74.00	-25.43	39.66	34.50	10.76	36.35	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1 5365.26	48.57	74.00	-25.43	39.66	34.50	10.76	36.35																											
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5376.42</td><td>38.18</td><td>54.00</td><td>-15.82</td><td>29.20</td><td>34.50</td><td>10.76</td><td>36.28</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5376.42	38.18	54.00	-15.82	29.20	34.50	10.76	36.28	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1 5376.42	38.18	54.00	-15.82	29.20	34.50	10.76	36.28																											

Mode	26																																																																						
	Harmonic																																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																						
ANT	1																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 10420.00</td><td>45.60</td><td>68.20</td><td>-22.60</td><td>59.31</td><td>37.50</td><td>15.51</td><td>66.72</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1 10420.00	45.60	68.20	-22.60	59.31	37.50	15.51	66.72	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 10420.00</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>60.07</td><td>37.47</td><td>15.47</td><td>66.73</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1 10420.00	46.28	68.20	-21.92	60.07	37.47	15.47	66.73	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
1 10420.00	45.60	68.20	-22.60	59.31	37.50	15.51	66.72	0.00	-- -- PEAK																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
1 10420.00	46.28	68.20	-21.92	60.07	37.47	15.47	66.73	0.00	-- -- PEAK																																																														
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>45.60</td><td>68.20</td><td>-22.60</td><td>59.31</td><td>37.50</td><td>15.51</td><td>66.72</td><td>0.00</td><td>--</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.60	68.20	-22.60	59.31	37.50	15.51	66.72	0.00	--	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>60.07</td><td>37.47</td><td>15.47</td><td>66.73</td><td>0.00</td><td>--</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.28	68.20	-21.92	60.07	37.47	15.47	66.73	0.00	--																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	10420.00	45.60	68.20	-22.60	59.31	37.50	15.51	66.72	0.00	--																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	10420.00	46.28	68.20	-21.92	60.07	37.47	15.47	66.73	0.00	--																																																													

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.28	–	–	10Hz
802.11ac VHT20	98.16	-	-	10Hz
802.11ac VHT40	96.35	0.957	1.045	1.1KHZ
802.11ac VHT80	92.22	0.464	2.156	2.2KHZ

802.11a




Date: 24.OCT.2023 18:10:08

802.11ac VHT20




Date: 24.OCT.2023 18:13:06

802.11ac VHT40



Date: 24.OCT.2023 18:14:04

802.11ac VHT80



Date: 24.OCT.2023 18:16:59